


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
	Horizontal			Vertical		
Center Frequency	2400MHZ	2450MHZ	2500MHZ	2400MHZ	2450MHZ	2500MHZ
	-1.26	-0.76	-0.58	-5.25	-2.46	-1.86
MAX Gain	-0.58dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	38.20mm					
Manufacture	ZHUHAIJIELITECHNOLOGY CO.LTD					

Antenna Photo & Length (mm)



供应商		
SUPPLIER		
测试员 QA TESTER	审核 CHECKED BY	批准 APPROVED BY
FANG ZHI QIANG 方志强		

制造商:广州一凡电子有限公司
Guangzhou Yifan Electronic Co., Ltd


地址:广州市花都区新雅街华兴工业区万宏工业园一栋四楼

ADD: 4th Floor, Building 1, Wanhong Industrial Park, Huaxing Industrial Zone, Xinya Street, Huadu District, Guangzhou

Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.26174	-30.0801	-7.18716
2450	-0.765802	-36.5604	-7.48023
2500	-0.585582	-22.0315	-6.59127

Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.26174	-30.0801	-7.18716
2450	-0.765802	-36.5604	-7.48023
2500	-0.585582	-22.0315	-6.59127