

**USB 3.1 Type-C to
USB3.0+USB2.0X2+HDMI+ Wireless
Charging+ Type-C Charging**

User Manual



Contents

1.0 INTRODUCTION	1
2.0 FEATURES	1
3.0 SPECIFICATIONS	2
4.0 PACKAGE CONTENTS	2
5.0 OPERATION	2
6.0 CONNECTION DIAGRAM.....	3

USB 3.1 Type-C to USB3.0+USB2.0X2+HDMI+ Wireless Charging+ Type-C Charging

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

1.0 INTRODUCTION

This is a USB-C to USB 3.0 , HDMI and Wireless Charging and Type C charging port hub. The USB3.0 port allows you to connect a USB device to a host computer or another hub, the USB-C female port can charge for the host computer, and the HDMI port (DP Altmode) allows you to connect an extra monitor so that you can watch videos or slideshows on a big screen. high performance 10W Wireless Charging. It can work on Macbook or Google new Chromebook Pixel and other USB-C supported devices.

2.0 FEATURES

- Support USB-C input HDMI and USB3.0 output
- Suitable for macbook,etc,Type-C interface computer
- Support USB 3.0 super speed (5Gbps) transmission, downward compatible USB2.0
- Support per lane data rates of 5.4Gbps (HBR2), 2.7Gbps (HBR) and 1.62Gbps (RBR)
- Support HDMI resolution up to 4k*2k@30HZ
- USB-C female charging port for Macbook or Google new Chromebook Pixel and other USB-C supported devices charging
- Qi wireless charging Standard compatible.
- Support 5W/7.5W/10W Wireless Charging
- USB-C PD input support:5V/14.5V/20V 3A(Max)
- Multiple USB-C interfaces support plug and play, hot swap
- Easy to use and carry

3.0 SPECIFICATIONS

Input/Output Connector	
Input	USB-C Male x1
Output	HDMI Female x1 USB-C Female x1 USB 3.0 Female x1 USB 2.0 Female x2
Wireless charging	Mobile phone wireless charging,support5W/7.5W/10W(Max)
Resolutions	
Resolutions	Max up to 4K*2K@30HZ
Warranty	
Limited Warranty	1 year
Environmental	
Operating Temperature	0 °C to +45°C
Operating Humidity	10% to 85 % RH (no condensation)
Storage Temperature	-10°C to +70°C
Storage Humidity	5% to 90 % RH (no condensation)
Regulatory Approvals	
Certifications	FCC,CE
Accessory Adapter	
User Manual	English Version

4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit x1
- User Manual x1

5.0 OPERATION

- 1) Connect the USB-C male port of this product to computer
- 2) Connect HDMI output of this product to HDTV with one HDMI cable
- 3) Connect the USB 3.0 output of this product to USB 3.0 devices with a USB 3.0 cable
- 4) Connect the USB-C charging port, it can charge for the host computer and support this adapter to work simultaneously
- 5) Indicator: When your phone charging, the indicator will glow white light. After the product finish charging, the indicator will glow orange light. When an accident appeared, the indicator will glow orange light.

6) Support Max 10W Wireless Charging

6.0 CONNECTION DIAGRAM

7.0 USB-C SUPPORTED DEVICES

- 1,Macbook 10.11
- 2,Dell xps13 Book Test (windows 10 64bit)
- 3,Chrome Book(44.0.2403.156)
- 4,MacBook Pro 10.12.6
- 5,HuaWei WT-W09
- 6,Xiao Mi 161201-AA
- 7,Lenovo xiao xin Air12
- 8,Samsung mobile phone :S9、S9+、Note8、S8、S8+、S7 Edge、
S7、Note5、S6 (Supporte Wireless)
- 9, HuaWei mobile phone
- 10, iPhone8-iPhoneXsMax.. (Supporte Wireless)
- 11, HuaWei P30Pro(Supporte Wireless)

FCC Statement

This device complies with part 15 and part 18 of the FCC Rules. Operation is Subject To the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not explicitly approved by the party responsible for compliance could void the user's authority to operate this equipment.

Note: this equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 and part 18 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and candidate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. During the operation of device a distance of 15 cm surrounding the device and 20 cm above the top surface of the device must be respected.

This device complies with Part 18 of the FCC Rules. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Increase the separation between the equipment and any other radio device.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.