


GRAVITIS


WIRELESS CAR MOUNT CHARGER



USER MANUAL

Wireless Charger:

Step 1: Locate the micro-USB cable included in the Gravitis packaging. Connect the micro-USB end of the cable to the bottom of the unit, and the USB end to your vehicle's port. The red LED indicator on the back of the unit will light up once connected.




INTRODUCTION

Your new Gravitis wireless charger is designed to mount to your car, allowing for hands-free use of your phone. It can also charge wireless charging-compatible phones at the same time.


Please read this user manual before operating your new Gravitis wireless charger to ensure safe and proper use.

COMPONENTS



Step 2: Place your mobile phone on the bracket. The LED light will turn blue once the unit is in charging mode. Your phone will automatically start charging once connected to the Gravitis device.

NOTE: You may need to adjust the length of the vertical brackets to accommodate a larger phone and properly align the charging coil of the phone with that of the Gravitis device.




Step 3: Remove your mobile phone from the Gravitis unit once it is fully charged.

PRODUCT USAGE

Phone Holder:

Step 1: Attach the Gravitis device to your car's air vent using the silicone mount on the back of the device.

Step 2: Place your phone against the device in between the cross brackets. The weight of your phone will automatically adjust the position of the cross and vertical brackets for a secure fit.



PRODUCT SPECIFICATIONS

Unit size: 4.13 x 3.94 x 0.68 inches
Input: 5V/2A

Output: 5V/1A
Charging time: ~2-4 hours (depending on model of phone)
Material: PC / Silicone / ABS

SAFETY POINTERS

- Please keep this charger away from water or other liquids.
- If the charger needs to be cleaned, please first make sure it is disconnected from any power supply.
- This charger should only be operated within the temperature range of 32-113°F (0-45°C).
- Any physical impact to this device such as dropping the unit can cause malfunction.
- Please keep this device out of reach of children and animals.


Origaudio™



RoHS

GRAVITIS


SUPPORT DE CHARGEUR SANS FIL
POUR VOITURE



MANUEL D'UTILISATION

Chargeur sans fil:

Étape 1: Localiser le câble micro-USB qui est inclus dans l'emballage Gravitis. Connecter le bout du câble USB au bas de l'appareil, et le bout USB au port de votre véhicule. L'indicateur rouge LED à l'arrière de l'appareil s'allumera une fois complété.




INTRODUCTION

Votre chargeur sans fil Gravitis est conçu pour être monté dans votre voiture, permettant une utilisation main libre de votre téléphone. Il peut aussi charger sans fil les téléphones sans fil compatibles à la même fois.


S'il vous plaît lire ce manuel avant d'utiliser votre nouveau chargeur sans fil Gravitis afin d'assurer une utilisation sûre et appropriée.

COMPOSANT



Étape 2: Placer votre téléphone mobile sur le support. La lumière LED deviendra bleu une fois l'appareil en mode charge. Votre téléphone démarrera automatiquement une fois connecté à l'appareil Gravitis.

NOTE: Il est possible que vous ayez besoin d'ajuster la longueur de l'équerre verticale afin d'accommoder un téléphone plus large ainsi que d'aligner la bobine de charge du téléphone avec celui du Gravitis.




Étape 3: Enlever votre téléphone mobile de l'appareil Gravitis une fois chargé.

UTILISATION DU PRODUIT

Support de téléphone:

Étape 1: Attacher l'appareil Gravitis à la bouche d'aération de votre voiture en utilisant le support en silicone à l'arrière de l'appareil.

Étape 2: Place votre téléphone contre l'appareil entre les équerres croisées. Le poids de votre téléphone va automatiquement ajuster la position des équerres croisées et verticales pour assurer une tenue sûre.



SPÉCIFICATIONS DU PRODUIT

Dimension:	4.13 x 3.94 x 0.68 pouce
Entrée:	5V/2A
Sortie:	5V/1A
Temps de chargement:	~2-4 heures
Matériel:	PC / Silicone / ABS

CONSEILS DE SÉCURITÉ

- Garder le chargeur hors de l'eau et autres liquides.
- Si le chargeur doit être nettoyé, s'il vous plaît assurez-vous qu'il est déconnecté de toute source d'alimentation.
- Ce chargeur doit être utilisé à l'intérieur d'une zone de température entre 32-113 degrés F (0-45 degrés C).
- Tout impact physique à l'appareil tel qu'échapper l'appareil peut causer un mauvais fonctionnement.
- S'il vous plaît garder cet appareil hors de la portée des enfants et des animaux.

Origaudio®



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help