

Appendix B

RF Test Data for BT V5.0(BT LE) (Conducted Measurement)

Product Name: Bluetooth Speaker

Trade Mark: Origaudio


Test Model: Wristler

Environmental Conditions

Temperature:	23.5 ° C
Relative Humidity:	53.5%
ATM Pressure:	100.0 kPa
Test Engineer:	Scout Wu
Supervised by:	Li Huan


B.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.610	30	PASS
BT LE	MCH	-0.926	30	PASS
BT LE	HCH	-2.609	30	PASS





HCH




B.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-14.710	8	PASS
BT LE	MCH	-16.576	8	PASS
BT LE	HCH	-17.900	8	PASS

Test Graphs





B.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6932	≥0.5	PASS
BT LE	MCH	0.6888	≥0.5	PASS
BT LE	HCH	0.6985	≥0.5	PASS

Test Graphs																			
LCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 03:35:37 PM Jun 05, 2020</p> <p style="margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None Trig: Free Run AvgHold: 1/1 #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="display: flex; justify-content: space-between;"> <div style="font-size: x-small;"> 10 dB/div Log Ref Offset 8.05 dB Ref 20.00 dBm </div> <div style="text-align: right;"> Mkr1 2.4017454 GHz 0.20449 dBm </div> </div> <div style="display: flex; justify-content: space-between; font-size: x-small;"> <div>Center 2.402 GHz #Res BW 100 kHz</div> <div>#VBW 300 kHz</div> <div>Span 3 MHz Sweep 1.067 ms</div> </div> <table border="0" style="width: 100%; font-size: x-small; margin-top: 5px;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">6.65 dBm</td> </tr> <tr> <td style="text-align: center;">1.0348 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>12.040 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>693.2 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">99.00 %</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin-top: 5px;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	6.65 dBm	1.0348 MHz			Transmit Freq Error	12.040 kHz	OBW Power	x dB Bandwidth	693.2 kHz	x dB			99.00 %			-6.00 dB
Occupied Bandwidth	Total Power	6.65 dBm																	
1.0348 MHz																			
Transmit Freq Error	12.040 kHz	OBW Power																	
x dB Bandwidth	693.2 kHz	x dB																	
		99.00 %																	
		-6.00 dB																	
MCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 03:38:00 PM Jun 05, 2020</p> <p style="margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None Trig: Free Run AvgHold: 1/1 #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="display: flex; justify-content: space-between;"> <div style="font-size: x-small;"> 10 dB/div Log Ref Offset 8.05 dB Ref 20.00 dBm </div> <div style="text-align: right;"> Mkr1 2.4397465 GHz -1.2966 dBm </div> </div> <div style="display: flex; justify-content: space-between; font-size: x-small;"> <div>Center 2.44 GHz #Res BW 100 kHz</div> <div>#VBW 300 kHz</div> <div>Span 3 MHz Sweep 1.067 ms</div> </div> <table border="0" style="width: 100%; font-size: x-small; margin-top: 5px;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">5.15 dBm</td> </tr> <tr> <td style="text-align: center;">1.0327 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>13.225 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>688.8 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">99.00 %</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin-top: 5px;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	5.15 dBm	1.0327 MHz			Transmit Freq Error	13.225 kHz	OBW Power	x dB Bandwidth	688.8 kHz	x dB			99.00 %			-6.00 dB
Occupied Bandwidth	Total Power	5.15 dBm																	
1.0327 MHz																			
Transmit Freq Error	13.225 kHz	OBW Power																	
x dB Bandwidth	688.8 kHz	x dB																	
		99.00 %																	
		-6.00 dB																	

HCH

Agilent Spectrum Analyzer - Occupied BW

<input type="checkbox"/> RL	<input type="checkbox"/> RF	<input type="checkbox"/> 50 Ω	<input type="checkbox"/> AC	<input type="checkbox"/> SENSE:INT	<input type="checkbox"/> ALIGN:AUTO	<input type="checkbox"/> 03:39:38 PM Jun 05, 2020
Center Freq 2.480000000 GHz				Center Freq: 2.480000000 GHz	Radio Std: None	Frequency
				Trig: Free Run	AvgJHold: 1/1	Center Freq 2.480000000 GHz
				#IFGain:Low	#Atten: 30 dB	
				Radio Device: BTS		CF Step 300.000 kHz Auto Man

Mkr1 2.4797465 GHz
-3.0029 dBm

10 dB/div
Log
-70.0
-60.0
-50.0
-40.0
-30.0
-20.0
-10.0
0.0
10.0

Center 2.48 GHz #VBW 300 kHz Span 3 MHz
#Res BW 100 kHz Sweep 1.067 ms


Occupied Bandwidth	Total Power	3.46 dBm
1.0352 MHz		
Transmit Freq Error	13.421 kHz	OBW Power
x dB Bandwidth	698.5 kHz	x dB
		99.00 %
		-6.00 dB

	Freq Offset 0 Hz
--	---------------------

MSG STATUS


B.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.182	-36.697	-19.818	PASS
BT LE	MCH	-1.327	-37.180	-21.327	PASS
BT LE	HCH	-3.006	-37.539	-23.006	PASS




BT LE_MCH_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE_HCH_Graphs

Pref/BT LE/HCH





Puw/BT LE/HCH



B.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.161	-49.992	-19.84	PASS
BT LE	HCH	-2.995	-49.649	-23	PASS


Test Graphs

LCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.35700000 GHz</p> <p>Start Freq 2.31000000 GHz</p> <p>Stop Freq 2.40400000 GHz</p> <p>CF Step 9.400000 MHz</p> <p>Freq Offset 0 Hz</p>
HCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.48900000 GHz</p> <p>Start Freq 2.47800000 GHz</p> <p>Stop Freq 2.50000000 GHz</p> <p>CF Step 2.200000 MHz</p> <p>Freq Offset 0 Hz</p>


B.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-44.47	2.0	0	52.79	PEAK	74	PASS
		Ant1	2310.0	-53.50	2.0	0	43.76	AV	54	PASS
		Ant1	2390.0	-42.84	2.0	0	54.42	PEAK	74	PASS
		Ant1	2390.0	-53.04	2.0	0	44.22	AV	54	PASS
	2480	Ant1	2483.5	-42.44	2.0	0	54.82	PEAK	74	PASS
		Ant1	2483.5	-52.57	2.0	0	44.69	AV	54	PASS
		Ant1	2500.0	-42.71	2.0	0	54.55	PEAK	74	PASS
		Ant1	2500.0	-52.43	2.0	0	44.83	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

