


Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11567.5950	50.23	13.20	63.43	74.00	-10.57	Peak	
2 *	11567.9800	39.45	13.20	52.65	54.00	-1.35	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5786.0000	96.94	16.83	113.77	122.20	-8.43	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.0000	46.84	13.20	60.04	74.00	-13.96	Peak	
2 *	11570.0000	36.58	13.20	49.78	54.00	-4.22	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5821.8000	90.55	16.85	107.40	122.20	-14.80	Peak	No Limit
2	5850.0000	46.75	16.87	63.62	122.20	-58.58	Peak	
3	5860.0000	46.25	16.88	63.13	109.40	-46.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11647.8300	39.58	13.25	52.83	54.00	-1.17	AVG	
2	11651.0650	50.36	13.25	63.61	74.00	-10.39	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.4000	92.48	16.86	109.34	122.20	-12.86	Peak	No Limit
2	5850.0000	50.25	16.87	67.12	122.20	-55.08	Peak	
3	5860.0000	36.10	16.88	52.98	109.40	-56.42	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.0000	46.59	13.25	59.84	74.00	-14.16	Peak	
2 *	11650.0000	36.74	13.25	49.99	54.00	-4.01	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	41.29	16.79	58.08	109.40	-51.32	Peak	
2	5725.0000	61.26	16.80	78.06	122.20	-44.14	Peak	
3 *	5746.0000	89.96	16.81	106.77	122.20	-15.43	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11490.0000	39.73	13.15	52.88	54.00	-1.12	AVG	
2	11490.3200	50.58	13.15	63.73	74.00	-10.27	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	54.16	16.79	70.95	109.40	-38.45	Peak	
2	5725.0000	60.14	16.80	76.94	122.20	-45.26	Peak	
3 *	5747.0000	90.92	16.81	107.73	122.20	-14.47	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11490.0000	44.67	13.15	57.82	74.00	-16.18	Peak	
2 *	11490.0000	35.47	13.15	48.62	54.00	-5.38	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5783.6000	89.52	16.83	106.35	122.20	-15.85	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11566.2300	50.94	13.20	64.14	74.00	-9.86	Peak	
2 *	11569.9300	39.42	13.20	52.62	54.00	-1.38	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5786.6000	92.70	16.83	109.53	122.20	-12.67	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.0000	45.21	13.20	58.41	74.00	-15.59	Peak	
2 *	11570.0000	35.48	13.20	48.68	54.00	-5.32	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.2000	86.62	16.86	103.48	122.20	-18.72	Peak	No Limit
2	5850.0000	49.56	16.87	66.43	122.20	-55.77	Peak	
3	5860.0000	44.18	16.88	61.06	109.40	-48.34	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11648.7300	39.47	13.25	52.72	54.00	-1.28	AVG	
2	11649.0500	50.23	13.25	63.48	74.00	-10.52	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5824.0000	90.82	16.86	107.68	122.20	-14.52	Peak	No Limit
2	5850.0000	52.47	16.87	69.34	122.20	-52.86	Peak	
3	5860.0000	44.86	16.88	61.74	109.40	-47.66	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.0000	45.57	13.25	58.82	74.00	-15.18	Peak	
2 *	11650.0000	35.52	13.25	48.77	54.00	-5.23	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	59.48	16.79	76.27	109.40	-33.13	Peak	
2	5725.0000	66.51	16.80	83.31	122.20	-38.89	Peak	
3 *	5749.2000	90.46	16.81	107.27	122.20	-14.93	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	50.22	13.16	63.38	74.00	-10.62	Peak	
2 *	11510.0000	39.49	13.16	52.65	54.00	-1.35	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	58.66	16.79	75.45	109.40	-33.95	Peak	
2	5725.0000	66.14	16.80	82.94	122.20	-39.26	Peak	
3 *	5761.4000	89.14	16.82	105.96	122.20	-16.24	Peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	45.52	13.16	58.68	74.00	-15.32	Peak	
2 *	11510.0000	35.13	13.16	48.29	54.00	-5.71	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5793.0000	91.20	16.84	108.04	122.20	-14.16	Peak	No Limit
2	5850.0000	54.83	16.87	71.70	122.20	-50.50	Peak	
3	5860.0000	51.11	16.88	67.99	109.40	-41.41	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0000	50.47	13.21	63.68	74.00	-10.32	Peak	
2 *	11590.0000	39.54	13.21	52.75	54.00	-1.25	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5794.0000	90.94	16.84	107.78	122.20	-14.42	Peak	No Limit
2	5850.0000	55.45	16.87	72.32	122.20	-49.88	Peak	
3	5860.0000	50.69	16.88	67.57	109.40	-41.83	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0000	46.23	13.21	59.44	74.00	-14.56	Peak	
2 *	11590.0000	36.47	13.21	49.68	54.00	-4.32	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	65.72	16.79	82.51	109.40	-26.89	Peak	
2	5725.0000	67.79	16.80	84.59	122.20	-37.61	Peak	
3 *	5768.6000	88.25	16.82	105.07	122.20	-17.13	Peak	No Limit
4	5850.0000	64.37	16.87	81.24	122.20	-40.96	Peak	
5	5860.0000	61.58	16.88	78.46	109.40	-30.94	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11548.5400	49.25	13.19	62.44	74.00	-11.56	Peak	
2 *	11549.1700	39.44	13.19	52.63	54.00	-1.37	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	65.91	16.79	82.70	109.40	-26.70	Peak	
2	5725.0000	65.31	16.80	82.11	122.20	-40.09	Peak	
3 *	5773.4000	88.09	16.83	104.92	122.20	-17.28	Peak	No Limit
4	5850.0000	63.51	16.87	80.38	122.20	-41.82	Peak	
5	5860.0000	60.50	16.88	77.38	109.40	-32.02	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.0000	46.86	13.19	60.05	74.00	-13.95	Peak	
2 *	11550.0000	36.70	13.19	49.89	54.00	-4.11	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH


Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.20	16.90
40	5200	20.25	16.90
48	5240	20.20	16.90


CH36






CH40
26 dB Bandwidth



CH48




99 % Occupied Bandwidth



Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.65	17.80
40	5200	20.65	17.80
48	5240	20.49	17.80

CH36




Date: 25.AUG.2021 17:17:06

CH40
26 dB Bandwidth




Date: 25.AUG.2021 17:17:48

CH48




Date: 25.AUG.2021 17:18:26


99 % Occupied Bandwidth



Date: 25.AUG.2021 17:18:46



Date: 25.AUG.2021 17:17:27




Date: 25.AUG.2021 17:18:05

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.20	76.00

CH42 26 dB Bandwidth



Date: 25.AUG.2021 17:51:01

99 % Occupied Bandwidth




Date: 25.AUG.2021 17:50:36

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.15	16.80
60	5300	20.15	16.90
64	5320	20.25	16.90

CH52




Date: 25.AUG.2021 17:11:34

CH60
26 dB Bandwidth




Date: 25.AUG.2021 17:12:19

CH64




Date: 25.AUG.2021 17:12:56


99 % Occupied Bandwidth



Date: 25.AUG.2021 17:11:12



Date: 25.AUG.2021 17:11:58




Date: 25.AUG.2021 17:12:36

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.65	17.80
60	5300	20.65	17.80
64	5320	20.60	17.80

CH52




Date: 25.AUG.2021 17:19:05

CH60
26 dB Bandwidth




Date: 25.AUG.2021 17:19:42

CH64




Date: 25.AUG.2021 17:20:23


99 % Occupied Bandwidth



Date: 25.AUG.2021 17:19:42



Date: 25.AUG.2021 17:19:21




Date: 25.AUG.2021 17:20:01

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.80	76.00

CH58 26 dB Bandwidth



Date: 25.AUG.2021 17:52:03

99 % Occupied Bandwidth




Date: 25.AUG.2021 17:51:36

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.30	16.90
116	5580	20.09	16.80
140	5700	20.25	16.90

CH100




Date: 25.AUG.2021 17:13:40

CH116
26 dB Bandwidth




Date: 25.AUG.2021 17:14:14

CH140




Date: 25.AUG.2021 17:14:52


99 % Occupied Bandwidth



Date: 25.AUG.2021 17:13:19



Date: 25.AUG.2021 17:13:52




Date: 25.AUG.2021 17:14:29

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.65	17.80
116	5580	20.65	17.80
140	5700	20.60	17.80

CH100




Date: 25.AUG.2021 17:21:03

CH116
26 dB Bandwidth




Date: 25.AUG.2021 17:21:42

CH140




Date: 25.AUG.2021 17:22:18


99 % Occupied Bandwidth



Date: 25.AUG.2021 17:20:43



Date: 25.AUG.2021 17:21:19




Date: 25.AUG.2021 17:21:57

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.60	36.60
110	5550	40.60	36.60
134	5670	41.10	36.80

CH102




Date: 25.AUG.2021 17:47:56

CH110
26 dB Bandwidth




Date: 25.AUG.2021 17:48:46

CH134




Date: 25.AUG.2021 17:49:33


99 % Occupied Bandwidth



Date: 25.AUG.2021 17:47:26



Date: 25.AUG.2021 17:48:17




Date: 25.AUG.2021 17:49:05

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	14.50	23.80	0.50	Complies
157	5785	15.05	22.10	0.50	Complies
165	5825	15.30	23.20	0.50	Complies

CH149




Date: 22.AUG.2021 16:00:14

CH157
6 dB Bandwidth




Date: 22.AUG.2021 16:01:21

CH165




Date: 22.AUG.2021 16:02:22


99 % Occupied Bandwidth



Date: 22.AUG.2021 15:59:50



Date: 22.AUG.2021 16:00:57




Date: 22.AUG.2021 16:01:59

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.29	25.10	0.50	Complies
157	5785	15.19	23.40	0.50	Complies
165	5825	15.30	24.20	0.50	Complies

CH149




Date: 22.AUG.2021 16:06:47

CH157
6 dB Bandwidth




Date: 22.AUG.2021 16:07:42

CH165




Date: 22.AUG.2021 16:08:38


99 % Occupied Bandwidth



Date: 22.AUG.2021 16:06:23



Date: 22.AUG.2021 16:07:18




Date: 22.AUG.2021 16:08:16

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.30	49.40	0.50	Complies
159	5795	35.10	49.00	0.50	Complies

CH151




Date: 22.AUG.2021 16:09:46

CH159
6 dB Bandwidth




Date: 22.AUG.2021 16:10:55

99 % Occupied Bandwidth



Date: 22.AUG.2021 16:09:17



Date: 22.AUG.2021 16:10:26

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.27	0.17	16.44	26.83	0.4819	Complies
40	5200	15.76	0.17	15.93	26.83	0.4819	Complies
48	5240	15.41	0.17	15.58	26.83	0.4819	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.13	0.17	16.30	26.83	0.4819	Complies
40	5200	15.48	0.17	15.65	26.83	0.4819	Complies
48	5240	15.32	0.17	15.49	26.83	0.4819	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.95	0.17	16.12	26.83	0.4819	Complies
40	5200	15.34	0.17	15.51	26.83	0.4819	Complies
48	5240	15.21	0.17	15.38	26.83	0.4819	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.77	0.17	15.94	26.83	0.4819	Complies
40	5200	15.27	0.17	15.44	26.83	0.4819	Complies
48	5240	15.18	0.17	15.35	26.83	0.4819	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.22	26.83	0.4819	Complies
40	5200	21.66	26.83	0.4819	Complies
48	5240	21.47	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.62	0.18	14.80	26.83	0.4819	Complies
40	5200	14.91	0.18	15.09	26.83	0.4819	Complies
48	5240	15.43	0.18	15.61	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.58	0.18	14.76	26.83	0.4819	Complies
40	5200	14.62	0.18	14.80	26.83	0.4819	Complies
48	5240	15.26	0.18	15.44	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.52	0.18	14.70	26.83	0.4819	Complies
40	5200	14.47	0.18	14.65	26.83	0.4819	Complies
48	5240	15.18	0.18	15.36	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.35	0.18	14.53	26.83	0.4819	Complies
40	5200	14.41	0.18	14.59	26.83	0.4819	Complies
48	5240	15.08	0.18	15.26	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.72	26.83	0.4819	Complies
40	5200	20.81	26.83	0.4819	Complies
48	5240	21.44	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.38	0.35	16.73	26.83	0.4819	Complies
46	5230	16.84	0.35	17.19	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.24	0.35	16.59	26.83	0.4819	Complies
46	5230	16.77	0.35	17.12	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.18	0.35	16.53	26.83	0.4819	Complies
46	5230	16.68	0.35	17.03	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.05	0.35	16.40	26.83	0.4819	Complies
46	5230	16.58	0.35	16.93	26.83	0.4819	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.59	26.83	0.4819	Complies
46	5230	23.09	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.78	1.01	15.79	26.83	0.4819	Complies
40	5200	14.96	1.01	15.97	26.83	0.4819	Complies
48	5240	15.47	1.01	16.48	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.62	1.01	15.63	26.83	0.4819	Complies
40	5200	14.67	1.01	15.68	26.83	0.4819	Complies
48	5240	15.35	1.01	16.36	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.57	1.01	15.58	26.83	0.4819	Complies
40	5200	14.52	1.01	15.53	26.83	0.4819	Complies
48	5240	15.26	1.01	16.27	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.41	1.01	15.42	26.83	0.4819	Complies
40	5200	14.44	1.01	15.45	26.83	0.4819	Complies
48	5240	15.14	1.01	16.15	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.63	26.83	0.4819	Complies
40	5200	21.68	26.83	0.4819	Complies
48	5240	22.34	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.44	1.01	17.45	26.83	0.4819	Complies
46	5230	16.97	1.01	17.98	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.27	1.01	17.28	26.83	0.4819	Complies
46	5230	16.82	1.01	17.83	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.22	1.01	17.23	26.83	0.4819	Complies
46	5230	16.73	1.01	17.74	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.15	1.01	17.16	26.83	0.4819	Complies
46	5230	16.65	1.01	17.66	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.30	26.83	0.4819	Complies
46	5230	23.82	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.78	1.58	18.36	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.62	1.58	18.20	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.54	1.58	18.12	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.45	1.58	18.03	26.83	0.4819	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.20	26.83	0.4819	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.83	0.17	8.00	20.81	0.1205	Complies
60	5300	8.09	0.17	8.26	20.81	0.1205	Complies
64	5320	8.03	0.17	8.20	20.81	0.1205	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.70	0.17	7.87	20.81	0.1205	Complies
60	5300	7.92	0.17	8.09	20.81	0.1205	Complies
64	5320	7.83	0.17	8.00	20.81	0.1205	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.64	0.17	7.81	20.81	0.1205	Complies
60	5300	7.84	0.17	8.01	20.81	0.1205	Complies
64	5320	7.76	0.17	7.93	20.81	0.1205	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.58	0.17	7.75	20.81	0.1205	Complies
60	5300	7.79	0.17	7.96	20.81	0.1205	Complies
64	5320	7.68	0.17	7.85	20.81	0.1205	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.88	20.81	0.1205	Complies
60	5300	14.10	20.81	0.1205	Complies
64	5320	14.02	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.05	0.18	8.23	20.81	0.1205	Complies
60	5300	8.38	0.18	8.56	20.81	0.1205	Complies
64	5320	8.47	0.18	8.65	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.74	0.18	7.92	20.81	0.1205	Complies
60	5300	8.21	0.18	8.39	20.81	0.1205	Complies
64	5320	8.19	0.18	8.37	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.71	0.18	7.89	20.81	0.1205	Complies
60	5300	8.11	0.18	8.29	20.81	0.1205	Complies
64	5320	8.06	0.18	8.24	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.57	0.18	7.75	20.81	0.1205	Complies
60	5300	7.97	0.18	8.15	20.81	0.1205	Complies
64	5320	8.03	0.18	8.21	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.97	20.81	0.1205	Complies
60	5300	14.37	20.81	0.1205	Complies
64	5320	14.39	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.16	0.35	10.51	20.81	0.1205	Complies
62	5310	10.44	0.35	10.79	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.02	0.35	10.37	20.81	0.1205	Complies
62	5310	10.28	0.35	10.63	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.93	0.35	10.28	20.83	0.1211	Complies
62	5310	10.24	0.35	10.59	20.83	0.1211	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.91	0.35	10.26	20.81	0.1205	Complies
62	5310	10.11	0.35	10.46	20.81	0.1205	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.38	20.81	0.1205	Complies
62	5310	16.64	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.13	1.01	9.14	20.81	0.1205	Complies
60	5300	8.49	1.01	9.50	20.81	0.1205	Complies
64	5320	8.55	1.01	9.56	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.83	1.01	8.84	20.81	0.1205	Complies
60	5300	8.27	1.01	9.28	20.81	0.1205	Complies
64	5320	8.26	1.01	9.27	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.74	1.01	8.75	20.81	0.1205	Complies
60	5300	8.19	1.01	9.20	20.81	0.1205	Complies
64	5320	8.15	1.01	9.16	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.66	1.01	8.67	20.81	0.1205	Complies
60	5300	8.08	1.01	9.09	20.81	0.1205	Complies
64	5320	8.11	1.01	9.12	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.87	20.81	0.1205	Complies
60	5300	15.29	20.81	0.1205	Complies
64	5320	15.30	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.23	1.01	11.24	20.81	0.1205	Complies
62	5310	10.46	1.01	11.47	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.11	1.01	11.12	20.81	0.1205	Complies
62	5310	10.38	1.01	11.39	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.03	1.01	11.04	20.81	0.1205	Complies
62	5310	10.26	1.01	11.27	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.97	1.01	10.98	20.81	0.1205	Complies
62	5310	10.16	1.01	11.17	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.12	20.81	0.1205	Complies
62	5310	17.35	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.22	1.58	14.80	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.12	1.58	14.70	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.08	1.58	14.66	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.03	1.58	14.61	20.81	0.1205	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.72	20.81	0.1205	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.36	0.17	7.53	20.81	0.1205	Complies
116	5580	6.58	0.17	6.75	20.81	0.1205	Complies
140	5700	10.18	0.17	10.35	20.81	0.1205	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.24	0.17	7.41	20.81	0.1205	Complies
116	5580	6.35	0.17	6.52	20.81	0.1205	Complies
140	5700	10.80	0.17	10.97	20.81	0.1205	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.18	0.17	7.35	20.81	0.1205	Complies
116	5580	6.24	0.17	6.41	20.81	0.1205	Complies
140	5700	9.98	0.17	10.15	20.81	0.1205	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.08	0.17	7.25	20.81	0.1205	Complies
116	5580	6.13	0.17	6.30	20.81	0.1205	Complies
140	5700	9.86	0.17	10.03	20.81	0.1205	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.41	20.81	0.1205	Complies
116	5580	12.52	20.81	0.1205	Complies
140	5700	16.41	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.51	0.18	9.69	20.81	0.1205	Complies
116	5580	8.01	0.18	8.19	20.81	0.1205	Complies
140	5700	8.22	0.18	8.40	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.02	0.18	10.20	20.81	0.1205	Complies
116	5580	8.58	0.18	8.76	20.81	0.1205	Complies
140	5700	9.21	0.18	9.39	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.11	0.18	9.29	20.81	0.1205	Complies
116	5580	7.90	0.18	8.08	20.81	0.1205	Complies
140	5700	11.48	0.18	11.66	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.21	0.18	8.39	20.81	0.1205	Complies
116	5580	7.14	0.18	7.32	20.81	0.1205	Complies
140	5700	10.56	0.18	10.74	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.46	20.81	0.1205	Complies
116	5580	14.14	20.81	0.1205	Complies
140	5700	16.24	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.43	0.35	10.78	20.81	0.1205	Complies
110	5550	9.85	0.35	10.20	20.81	0.1205	Complies
134	5670	10.84	0.35	11.19	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.23	0.35	10.58	20.81	0.1205	Complies
110	5550	9.69	0.35	10.04	20.81	0.1205	Complies
134	5670	10.54	0.35	10.89	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.18	0.35	10.53	20.81	0.1205	Complies
110	5550	9.59	0.35	9.94	20.81	0.1205	Complies
134	5670	10.43	0.35	10.78	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.01	0.35	10.36	20.81	0.1205	Complies
110	5550	9.44	0.35	9.79	20.81	0.1205	Complies
134	5670	10.28	0.35	10.63	20.81	0.1205	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.59	20.81	0.1205	Complies
110	5550	16.02	20.81	0.1205	Complies
134	5670	16.90	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.56	1.01	10.57	20.81	0.1205	Complies
116	5580	8.08	1.01	9.09	20.81	0.1205	Complies
140	5700	8.32	1.01	9.33	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.11	1.01	11.12	20.81	0.1205	Complies
116	5580	8.59	1.01	9.60	20.81	0.1205	Complies
140	5700	9.28	1.01	10.29	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.14	1.01	10.15	20.81	0.1205	Complies
116	5580	7.95	1.01	8.96	20.81	0.1205	Complies
140	5700	11.49	1.01	12.50	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.23	1.01	9.24	20.81	0.1205	Complies
116	5580	7.72	1.01	8.73	20.81	0.1205	Complies
140	5700	11.16	1.01	12.17	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.34	20.81	0.1205	Complies
116	5580	15.13	20.81	0.1205	Complies
140	5700	17.29	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.49	1.01	11.50	20.81	0.1205	Complies
110	5550	9.93	1.01	10.94	20.81	0.1205	Complies
134	5670	10.91	1.01	11.92	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.28	1.01	11.29	20.81	0.1205	Complies
110	5550	9.78	1.01	10.79	20.81	0.1205	Complies
134	5670	10.62	1.01	11.63	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.19	1.01	11.20	20.81	0.1205	Complies
110	5550	9.66	1.01	10.67	20.81	0.1205	Complies
134	5670	10.54	1.01	11.55	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.09	1.01	11.10	20.81	0.1205	Complies
110	5550	9.58	1.01	10.59	20.81	0.1205	Complies
134	5670	10.32	1.01	11.33	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.30	20.81	0.1205	Complies
110	5550	16.77	20.81	0.1205	Complies
134	5670	17.63	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.31	1.58	14.89	20.81	0.1205	Complies
122	5610	12.83	1.58	14.41	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.08	1.58	14.66	20.81	0.1205	Complies
122	5610	13.01	1.58	14.59	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.98	1.58	14.56	20.81	0.1205	Complies
122	5610	12.96	1.58	14.54	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.94	1.58	14.52	20.81	0.1205	Complies
122	5610	13.78	1.58	15.36	20.81	0.1205	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.68	20.81	0.1205	Complies
122	5610	20.77	20.81	0.1205	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.28	0.17	20.45	26.83	0.4819	Complies
157	5785	20.55	0.17	20.72	26.83	0.4819	Complies
165	5825	19.84	0.17	20.01	26.83	0.4819	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.48	0.17	22.65	26.83	0.4819	Complies
157	5785	22.65	0.17	22.82	26.83	0.4819	Complies
165	5825	21.44	0.17	21.61	26.83	0.4819	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.78	0.17	18.95	26.83	0.4819	Complies
157	5785	18.39	0.17	18.56	26.83	0.4819	Complies
165	5825	19.23	0.17	19.40	26.83	0.4819	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.65	0.17	18.82	26.83	0.4819	Complies
157	5785	18.28	0.17	18.45	26.83	0.4819	Complies
165	5825	20.35	0.17	20.52	26.83	0.4819	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.53	26.83	0.4819	Complies
157	5785	26.54	26.83	0.4819	Complies
165	5825	26.48	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.29	0.18	20.47	26.83	0.4819	Complies
157	5785	20.38	0.18	20.56	26.83	0.4819	Complies
165	5825	20.06	0.18	20.24	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.59	0.18	21.77	26.83	0.4819	Complies
157	5785	22.15	0.18	22.33	26.83	0.4819	Complies
165	5825	21.37	0.18	21.55	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.05	0.18	19.23	26.83	0.4819	Complies
157	5785	18.47	0.18	18.65	26.83	0.4819	Complies
165	5825	19.31	0.18	19.49	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.44	0.18	19.62	26.83	0.4819	Complies
157	5785	18.94	0.18	19.12	26.83	0.4819	Complies
165	5825	20.05	0.18	20.23	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.40	26.83	0.4819	Complies
157	5785	26.43	26.83	0.4819	Complies
165	5825	26.46	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.26	0.35	20.61	26.83	0.4819	Complies
159	5795	20.11	0.35	20.46	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.12	0.35	22.47	26.83	0.4819	Complies
159	5795	22.18	0.35	22.53	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.75	0.35	19.10	26.83	0.4819	Complies
159	5795	18.54	0.35	18.89	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.44	0.35	18.79	26.83	0.4819	Complies
159	5795	18.51	0.35	18.86	26.83	0.4819	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.52	26.83	0.4819	Complies
159	5795	26.48	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.65	1.01	20.66	26.83	0.4819	Complies
157	5785	19.89	1.01	20.90	26.83	0.4819	Complies
165	5825	19.48	1.01	20.49	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.07	1.01	22.08	26.83	0.4819	Complies
157	5785	21.16	1.01	22.17	26.83	0.4819	Complies
165	5825	20.35	1.01	21.36	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.57	1.01	19.58	26.83	0.4819	Complies
157	5785	18.26	1.01	19.27	26.83	0.4819	Complies
165	5825	18.77	1.01	19.78	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	18.41	1.01	19.42	26.83	0.4819	Complies
157	5785	18.15	1.01	19.16	26.83	0.4819	Complies
165	5825	19.54	1.01	20.55	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.59	26.83	0.4819	Complies
157	5785	26.58	26.83	0.4819	Complies
165	5825	26.60	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.41	1.01	20.42	26.83	0.4819	Complies
159	5795	19.47	1.01	20.48	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.77	1.01	22.78	26.83	0.4819	Complies
159	5795	21.75	1.01	22.76	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.88	1.01	18.89	26.83	0.4819	Complies
159	5795	17.69	1.01	18.70	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.64	1.01	18.65	26.83	0.4819	Complies
159	5795	17.66	1.01	18.67	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.54	26.83	0.4819	Complies
159	5795	26.52	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.37	1.58	20.95	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.59	1.58	22.17	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.74	1.58	19.32	26.83	0.4819	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.48	1.58	19.06	26.83	0.4819	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26.59	26.83	0.4819	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.32	0.17	7.49	13.83	Complies
40	5200	7.62	0.17	7.79	13.83	Complies
48	5240	7.40	0.17	7.57	13.83	Complies




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.55	0.17	7.72	13.83	Complies
40	5200	6.23	0.17	6.40	13.83	Complies
48	5240	6.34	0.17	6.51	13.83	Complies




Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.82	0.17	6.99	13.83	Complies
40	5200	5.37	0.17	5.54	13.83	Complies
48	5240	5.45	0.17	5.62	13.83	Complies



Date: 26.AUG.2021 14:42:26




Date: 26.AUG.2021 11:44:14




Date: 26.AUG.2021 11:44:53

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.00	0.17	7.17	13.83	Complies
40	5200	7.40	0.17	7.57	13.83	Complies
48	5240	7.50	0.17	7.67	13.83	Complies



Date: 26.AUG.2021 14:43:07



Date: 26.AUG.2021 10:14:10



Date: 26.AUG.2021 10:15:06

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.37	13.83	Complies
40	5200	12.94	13.83	Complies
48	5240	12.94	13.83	Complies