





HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Remarks:</b>	


**Plot 7.5.149 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #2  
 RBW = 1 MHz; VBW = 3MHz




RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.150 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #2  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz









HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions			
<b>Test procedure:</b> ANSI C63.10 section 11.12.2			
<b>Test mode:</b> Compliance		<b>Verdict:</b> PASS	
<b>Date(s):</b> 28-Jul-19			
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %	<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>			

**Plot 7.5.151 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #3  
 RBW = 1 MHz; VBW = 3MHz



**Plot 7.5.152 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #3  
 RBW = 1 MHz; VBW = 3MHz







HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>	


**Plot 7.5.153 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #3  
 RBW = 1 MHz; VBW = 3MHz




RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.154 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #4  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz









HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>	

**Plot 7.5.155 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #4  
 RBW = 1 MHz; VBW = 3MHz



**Plot 7.5.156 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #4  
 RBW = 1 MHz; VBW = 3MHz









HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Remarks:</b>	

**Plot 7.5.157 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #5  
 RBW = 1 MHz; VBW = 3MHz



**Plot 7.5.158 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #5  
 RBW = 1 MHz; VBW = 3MHz









HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>	

**Plot 7.5.159 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #5  
 RBW = 1 MHz; VBW = 3MHz



**Plot 7.5.160 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #6  
 RBW = 1 MHz; VBW = 3MHz







HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Remarks:</b>	


**Plot 7.5.161 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #6  
 RBW = 1 MHz; VBW = 3MHz




RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.162 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #6  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz







HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions			
<b>Test procedure:</b> ANSI C63.10 section 11.12.2			
<b>Test mode:</b> Compliance		<b>Verdict:</b> PASS	
<b>Date(s):</b> 28-Jul-19			
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %	<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>			


**Plot 7.5.163 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #7  
 RBW = 1 MHz; VBW = 3MHz




RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.164 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #7  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz









HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions			
<b>Test procedure:</b> ANSI C63.10 section 11.12.2			
<b>Test mode:</b> Compliance		<b>Verdict:</b> PASS	
<b>Date(s):</b> 28-Jul-19			
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %	<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>			


**Plot 7.5.165 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #7  
 RBW = 1 MHz; VBW = 3MHz




RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.166 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #8  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz







HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions			
<b>Test procedure:</b> ANSI C63.10 section 11.12.2			
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS		
<b>Date(s):</b> 28-Jul-19			
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %	<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>			


**Plot 7.5.167 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #8  
 RBW = 1 MHz; VBW = 3MHz




RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.168 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH: 5 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #8  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz









HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>	

**Plot 7.5.169 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH: 10 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #1  
 RBW = 1 MHz; VBW = 3MHz



**Plot 7.5.170 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 10 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #1  
 RBW = 1 MHz; VBW = 3MHz







HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions			
<b>Test procedure:</b> ANSI C63.10 section 11.12.2			
<b>Test mode:</b> Compliance		<b>Verdict:</b> PASS	
<b>Date(s):</b> 28-Jul-19			
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %	<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>			



**Plot 7.5.171 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH:  
 CONFIGURATION:  
 ANTENNA PORT:  
 RBW = 1 MHz; VBW = 3MHz

10 MHz  
 3 Non-Overlapping Beams  
 #1  
 RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.172 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH:  
 CONFIGURATION:  
 ANTENNA PORT:  
 RBW = 1 MHz; VBW = 3MHz

10 MHz  
 3 Non-Overlapping Beams  
 #2  
 RBW = 1 MHz; VBW = 10 kHz







HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Remarks:</b>	


**Plot 7.5.173 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 10 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #2  
 RBW = 1 MHz; VBW = 3MHz




RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.174 Spurious emission measurements in 2.4835 - 18 GHz range at high carrier frequency**  
 CHANNEL BANDWIDTH: 10 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #2  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz







HERMON LABORATORIES

<b>Test specification:</b> Section 15.247(d) / RSS-247 section 5.5, Conducted spurious emissions	
<b>Test procedure:</b> ANSI C63.10 section 11.12.2	
<b>Test mode:</b> Compliance	<b>Verdict:</b> PASS
<b>Date(s):</b> 28-Jul-19	
<b>Temperature:</b> 24 °C	<b>Relative Humidity:</b> 44 %
<b>Air Pressure:</b> 1004 hPa	<b>Power:</b> 48 VDC
<b>Remarks:</b>	


**Plot 7.5.175 Spurious emission measurements in 2.4835 - 18 GHz range at low carrier frequency**  
 CHANNEL BANDWIDTH: 10 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #3  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz



**Plot 7.5.176 Spurious emission measurements in 2.4835 - 18 GHz range at mid carrier frequency**  
 CHANNEL BANDWIDTH: 10 MHz  
 CONFIGURATION: 3 Non-Overlapping Beams  
 ANTENNA PORT: #3  
 RBW = 1 MHz; VBW = 3MHz



RBW = 1 MHz; VBW = 10 kHz

