



根通通信技术有限公司

Gentong Communication Technology Co.,Ltd

5th Floor, Building 7, Fujian Branch of Quanzhou Nanan National University Science Park
Tel.: 15889795946

Antenna Specifications

Project Name:BT2.4

Frequency: 2400`2484

Antenna type: PCBA



根通通信技术有限公司
Gentong Communication Technology Co.,Ltd
泉州市南安国家大学科学园福建分园七号楼五层, 电话: 15889795946

Antenna Parameter Characteristics

频率范围 Frequency Range	2400 MHZ	2450 MHZ	2483.5 MHZ
输入阻抗 Impedance	50Q	50 Q	50Q
驻波比 Swr	1.28	1.13	1.78
回波损耗 Log Mag	—16.05	—27.47	—12.60
史密斯 Smith	75.00Q	53Q	63Q
增益 Gain	2.0	2.5	2.1
极化方式 Polarization	垂直 / 水平 Vertical/Horizontal	垂直 / 水平 Vertical/Horizontal	垂直 / 水平 Vertical/Horizontal
辐射方向 Radiation	全向 omnidirectional	全向 omnidirectional	全向 omnidirectional
接头 Termination	/	/	/
天线材料 Radome Material	PCBA	PCBA	PCBA
天线颜色 Radome Color	-	-	-




根通通信技术有限公司

Gentong Communication Technology Co.,Ltd



泉州市南安国家大学科学园福建分园七号楼五层, 电话: 15889795946

二. log&smith&SWR





三.actual photo



unit: mm