
FCC Test Report

Report No.: AGC02931250810FR01

FCC ID : 2AWYH-G2

APPLICATION PURPOSE : Original Equipment

PRODUCT DESIGNATION : Mobile Radio

BRAND NAME : Rugged radios

MODEL NAME : G2

APPLICANT : Rugged Radios

DATE OF ISSUE : Aug. 28, 2025

STANDARD(S) : FCC Part 95 Subpart E

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Aug. 28, 2025	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Table of Contents

1. General Information	5
2. Product Information	6
2.1 Product Technical Description	6
2.2 Test Frequency List	7
2.3 Related Submittal(S) / Grant (S)	8
2.4 Test Methodology	8
2.5 Calculation of Emission Indicators	8
2.6 Special Accessories	8
2.7 Equipment Modifications	8
2.8 Antenna Requirement	9
3. Test Environment	10
3.1 Address of The Test Laboratory	10
3.2 Test Facility	10
3.3 Environmental Conditions	11
3.4 Measurement Uncertainty	11
3.5 List of Equipment Used	12
4. System Test Configuration.....	14
4.1 EUT Configuration	14
4.2 EUT Exercise.....	14
4.3 Configuration of Tested System	14
4.4 Equipment Used in Tested System.....	14
4.5 Summary of Test Results	15
5. Description of Test Modes	16
6. Frequency Stability	17
6.1 Provisions Applicable	17
6.2 Measurement Procedure.....	17
6.3 Measurement Setup	17
6.4 Measurement Result	18
7. 26dB Emission Bandwidth and 99% Occupied Bandwidth	19
7.1 Provisions Applicable	19
7.2 Measurement Procedure.....	19
7.3 Measurement Setup	19
7.4 Measurement Result	20
8. Spurious Radiated Emission.....	24
8.1 Provisions Applicable	24
8.2 Measurement Procedure.....	24
8.3 Measurement Setup	25
8.4 Measurement Result	27
8.5 Emission Mask Measurement Part	56
9. Modulation Characteristics	60

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9.1 Provisions Applicable	60
9.2 Measurement Procedure.....	60
9.3 Measurement Setup	60
9.4 Measurement Result	61
10. Maximum Transmitter Power	65
10.1 Provisions Applicable	65
10.2 Measurement Procedure.....	65
10.3 Measurement Setup	66
10.4 Measurement Result	68
11. Spurious Emission on Antenna Port.....	72
11.1 Provisions Applicable.....	72
11.2 Measurement Procedure	72
11.3 Measurement Setup	72
11.4 Measurement Result	73
12. Audio Low Pass Filter Response	78
12.1 Provisions Applicable	78
12.2 Measurement Procedure.....	78
12.3 Measurement Setup	78
12.4 Measurement Result	79
Appendix I: Photographs of Test Setup.....	81
Appendix II: Photographs of Test EUT	81

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

1. General Information

Applicant	Rugged Radios
Address	509 Traffic Way, Arroyo Grande, CA 93420, United States
Manufacturer	Rugged Radios
Address	509 Traffic Way, Arroyo Grande, CA 93420, United States
Factory	Rugged Radios
Address	509 Traffic Way, Arroyo Grande, CA 93420, United States
Product Designation	Mobile Radio
Brand Name	Rugged radios
Test Model	G2
Series Model(s)	N/A
Difference Description	N/A
Date of receipt of test item	Apr. 23, 2025
Date of Test	Apr. 23, 2025~Aug. 28, 2025
Deviation from Standard	No any deviation from the test method
Condition of Test Sample	Normal
Test Result	Pass
Test Report Form No	AGCER-FCC-GMRS-V1

Note: The test results of this report relate only to the tested sample identified in this report.

Prepared By



Bibo Zhang
(Project Engineer)

Aug. 28, 2025

Reviewed By



Jack Gui
(Reviewer)

Aug. 28, 2025

Approved By



Angela Li
(Authorized Officer)

Aug. 28, 2025

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

2. Product Information

2.1 Product Technical Description

Communication Type	Voice/Tone only	
Operation Frequency Range	<input checked="" type="checkbox"/> 462.5500-462.7250MHz (GMRS 462MHz Main channels)	
	<input checked="" type="checkbox"/> 462.5625-462.7125MHz (GMRS 462MHz Interstitial channels)	
	<input checked="" type="checkbox"/> 467.5500-467.7250MHz (GMRS 467MHz Main channels)	
Hardware Version	V1.1	
Software Version	V1.1	
Modulation Type	FM	
Channel Separation	<input checked="" type="checkbox"/> 12.5kHz <input checked="" type="checkbox"/> 25kHz	
Emission Bandwidth	10.49 kHz (30W-12.5kHz)	17.03 kHz (30W-25kHz)
	10.50 kHz (10W-12.5kHz)	17.06 kHz (10W-25kHz)
	10.50 kHz (5W-12.5kHz)	17.08 kHz (5W-25kHz)
Number of Channels	23 Channels	
Rated Output Power	30W/10W/5W (It was fixed by the manufacturer, any individual can't arbitrarily change it.)	
Maximum Transmitter Power	44.64dBm (30W-12.5kHz)	44.36dBm (30W-25kHz)
	39.97dBm (10W-12.5kHz)	39.93dBm (10W-25kHz)
	36.47dBm (5W-12.5kHz)	36.55dBm (5W-25kHz)
Antenna Designation	Detachable Antenna	
Antenna Gain	0dBi	
Frequency Tolerance	1.099ppm	
Power Supply	DC 13.8V from DC power supply	


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2.2 Test Frequency List

According to ANSI C63.26 section 5.1.2.1:

Measurements of transmitters shall be performed and, if required, reported for each frequency band in which the EUT can be operated with the device transmitting at the number of frequencies in each band specified in Table 2.

Frequency range Over which EUT operates	Number of Frequencies	Location in frequency range of operation
1 MHz or less	1	Middle
1 MHz to 10 MHz	2	1 near top and 1 near bottom
More than 10 MHz	3	1 near top, 1 near middle, and 1 near bottom

Channel. No	Frequency (MHz)	Rated Power	Channel. No	Frequency (MHz)	Rated Power
1	462.5625	30W/10W/5W	15	462.5500	30W/10W/5W
2	462.5875		16	462.5750	
3	462.6125		17	462.6000	
4	462.6375		18	462.6250	
5	462.6625		19	462.6500	
6	462.6875		20	462.6750	
7	462.7125		21	462.7000	
8	-	-	22	462.7250	30W/10W/5W
9	-		23	467.5500	
10	-		24	467.5750	
11	-		25	467.6000	
12	-		26	467.6250	
13	-		27	467.6500	
14	-		28	467.6750	
			29	467.7000	
			30	467.7250	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2.3 Related Submittal(S) / Grant (S)

This submittal(s) (test report) is intended for FCC ID: **2AWYH-G2**, filing to comply with Part 2, Part 95 of the Federal Communication Commission rules.

2.4 Test Methodology

The tests were performed according to following standards:

No.	Identity	Document Title
1	FCC 47 CFR Part 95	Personal Radio Services
2	FCC 47 CFR Part 2	Frequency allocations and radio treaty matters; general rules and regulations
3	ANSI C63.26-2015	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services
4	ANSI/TIA-603-E-2016	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards
5	KDB 888861 D01	888861 D01 Part 95 GMRS FRS v01

2.5 Calculation of Emission Indicators

FCC Rules and Regulations Part 2.202: Necessary Bandwidth and Emission Bandwidth

For FM Mode (Channel Spacing: 12.5kHz)

Emission Designator 11K0F3E

In this case, the maximum modulating frequency is 3.0 kHz with a 2.5 kHz deviation.

$$BW = 2(M+D) = 2*(3.0 \text{ kHz} + 2.5 \text{ kHz}) = 11 \text{ kHz} = 11K0$$

F3E portion of the designator represents an FM voice transmission.

Therefore, the entire designator for 12.5 kHz channel spacing FM mode is 11K0F3E.

For FM Mode (Channel Spacing: 25kHz)

Emission Designator 16K0F3E

In this case, the maximum modulating frequency is 3.0 kHz with a 5.0 kHz deviation.

$$BW = 2(M+D) = 2*(3.0 \text{ kHz} + 5.0 \text{ kHz}) = 16 \text{ kHz} = 16K0$$

F3E portion of the designator represents an FM voice transmission.

Therefore, the entire designator for 25 kHz channel spacing FM mode is 16K0F3E.

2.6 Special Accessories

Not available for this EUT intended for grant.

2.7 Equipment Modifications

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

2.8 Antenna Requirement

Excerpt from §95.1787 of the FCC Rules/Regulations:

The antenna of each GMRS Transmitter type must meet the following requirements.

- (1) The antenna must be a non-removable integral part of the GMRS unit.
- (2) Digital data transmissions may contain location information, or requesting location information from one or more other GMRS or FRS units, or containing a brief text message to another specific GMRS or FRS unit. Digital data transmissions may be initiated by a manual action of the operator or on an automatic or periodic basis, and a GMRS unit receiving an interrogation request may automatically respond with its location.
- (3) GMRS units must not be capable of transmitting digital data on the 467 MHz main channels.
- (4) Digital data transmissions must not exceed one second in duration.

User	Applicable Conditions
<input checked="" type="checkbox"/>	This GMRS device does not support digital transmission
<input type="checkbox"/>	The antenna of this device is permanently attached.
<input checked="" type="checkbox"/>	Configuration with external detachable antenna
<input checked="" type="checkbox"/>	This GMRS device has a fixed antenna port
Conclusion: The unit complies with the requirement of §95.1787.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

3. Test Environment

3.1 Address of The Test Laboratory

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd.

Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

3.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L5488

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to follow CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories.)

A2LA-Lab Cert. No.: 5054.02

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to follow ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

FCC-Registration No.: 975832

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

IC-Registration No.: 24842(CAB identifier: CN0063)

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

3.3 Environmental Conditions

	Normal Conditions	Extreme Conditions
Temperature range (°C)	15 - 35	-30 - 50
Relative humidity range	20 % - 75 %	20 % - 75 %
Pressure range (kPa)	86 - 106	86 - 106
Power supply	DC 13.8V	LV DC 11.73V/HV DC 15.87V

Note: The Extreme Temperature and Extreme Voltages declared by the manufacturer.

3.4 Measurement Uncertainty

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95%.

Test Items	Measurement Uncertainty
Frequency stability	$\pm 0.5\%$
Transmitter power conducted	$\pm 0.8\text{dB}$
Transmitter power Radiated	$\pm 1.3\text{dB}$
Conducted spurious emission 9kHz-40 GHz	$\pm 2.7\text{dB}$
Conducted Emission	$\pm 3.2\text{ dB}$
Radiated Emission below 1GHz	$\pm 3.9\text{ dB}$
Radiated Emission above 1GHz	$\pm 4.8\text{ dB}$
Occupied Channel Bandwidth	$\pm 2\%$
FM deviation	$\pm 2\%$
Audio level	$\pm 0.98\text{dB}$
Low Pass Filter Response	$\pm 0.65\text{dB}$
Modulation Limiting	0.42 %
Transient Frequency Behavior	6.8 %

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

3.5 List of Equipment Used

● RF Conducted Test System							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
<input checked="" type="checkbox"/>	AGC-ER-E086	Spectrum Analyzer	KEYSIGHT	N9020A	MY53300860	2024-05-23	2025-05-22
<input checked="" type="checkbox"/>	AGC-ER-E086	Spectrum Analyzer	KEYSIGHT	N9020A	MY53300860	2025-05-08	2026-05-07
<input checked="" type="checkbox"/>	AGC-EM-E002	Wireless Connectivity Tester	HP	8920B	US35010161	2024-05-24	2025-05-23
<input checked="" type="checkbox"/>	AGC-EM-E002	Wireless Connectivity Tester	HP	8920B	US35010161	2025-05-08	2026-05-07
<input checked="" type="checkbox"/>	AGC-ER-E075	Small Environmental Tester	SH-242	ESPEC	93008290	2024-07-24	2026-07-23
<input checked="" type="checkbox"/>	AGC-EM-A007	30dB Attenuator	Weinachel	58-30-33	ML030	2023-06-01	2025-05-31
<input checked="" type="checkbox"/>	AGC-EM-A007	30dB Attenuator	Weinachel	58-30-33	ML030	2025-05-31	2027-05-30
<input checked="" type="checkbox"/>	--	RF Connection Cable	N/A	1#	N/A	Each time	N/A
<input checked="" type="checkbox"/>	--	RF Connection Cable	N/A	2#	N/A	Each time	N/A
<input checked="" type="checkbox"/>	AGC-ER-A004	Power Splitter	Agilent	11667B	N/A	2024-05-23	2025-05-22
<input checked="" type="checkbox"/>	AGC-ER-A004	Power Splitter	Agilent	11667B	N/A	2025-05-08	2027-05-07

● Radiated Spurious Emission							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
<input checked="" type="checkbox"/>	AGC-EM-E046	EMI Test Receiver	R&S	ESCI	10096	2025-01-14	2026-01-13
<input checked="" type="checkbox"/>	AGC-EM-E061	Spectrum Analyzer	Agilent	N9010A	MY53470504	2024-05-28	2025-05-27
<input checked="" type="checkbox"/>	AGC-EM-E061	Spectrum Analyzer	Agilent	N9010A	MY53470504	2025-05-08	2026-05-07
<input checked="" type="checkbox"/>	AGC-EM-E001	Wideband Antenna	SCHWARZBECK	VULB9168	D69250	2023-06-03	2025-06-02
<input checked="" type="checkbox"/>	AGC-EM-E001	Wideband Antenna	SCHWARZBECK	VULB9168	D69250	2025-03-14	2027-03-13
<input checked="" type="checkbox"/>	AGC-EM-E005	Wideband Antenna	SCHWARZBECK	VULB9168	VULB9168-494	2025-01-15	2027-01-14
<input checked="" type="checkbox"/>	AGC-EM-E029	Broadband Ridged Horn Antenna	ETS	3117	00034609	2025-03-27	2026-03-26
<input checked="" type="checkbox"/>	AGC-EM-E102	Broadband Ridged Horn Antenna	ETS	3117	00154520	2023-06-03	2025-06-02
<input checked="" type="checkbox"/>	AGC-EM-E102	Broadband Ridged Horn Antenna	ETS	3117	00154520	2025-05-18	2026-05-17
<input type="checkbox"/>	AGC-EM-E082	Horn Antenna	SCHWARZBECK	BBHA 9170	#768	2023-09-24	2025-09-23
<input checked="" type="checkbox"/>	AGC-EM-E146	Pre-amplifier	ETS	3117-PA	00246148	2024-07-24	2026-07-23
<input type="checkbox"/>	AGC-EM-E021	Pre-amplifier	MITEQ	AM-4A-000115	1465421	2024-05-28	2026-05-27
<input checked="" type="checkbox"/>	AGC-ER-E037	Signal Generator	Agilent	N5182A	MY50140530	2024-05-23	2025-05-22
<input checked="" type="checkbox"/>	AGC-ER-E037	Signal Generator	Agilent	N5182A	MY50140530	2025-05-08	2026-05-07
<input type="checkbox"/>	AGC-EM-A139	6dB Attenuator	Eeatsheep	LM-XX-6-5W	N/A	2025-05-16	2027-05-15

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

<input checked="" type="checkbox"/>	AGC-EM-A088	UHF Filter	Microwave	N25155M2	498705	2024-05-23	2025-05-22
<input checked="" type="checkbox"/>	AGC-EM-A088	UHF Filter	Microwave	N25155M2	498705	2025-05-21	2026-05-20

● Test Software					
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Version Information
<input checked="" type="checkbox"/>	AGC-EM-S011	RSE Test System	Tonscend	TS ⁺ Ver2.1(JS36-RSE)	4.0.0.0

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

4. System Test Configuration

4.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

4.2 EUT Exercise

The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

4.3 Configuration of Tested System

Fig. 2-1 Configuration of Tested System



Table 2-1 Equipment Used in Tested System

4.4 Equipment Used in Tested System

The following peripheral devices and interface cables were connected during the measurement:

☒ Test Accessories Come From The Laboratory

No.	Equipment	Model No.	Manufacturer	Specification Information	Cable
1	Load Antenna	HG-E10	Amphenol	Terminator DC -3G 50W	--

☒ Test Accessories Come From The Manufacturer

No.	Equipment	Model No.	Manufacturer	Specification Information	Cable
1	Hand microphone	N/A	N/A	N/A	0.8m unshielded
2	Power Line	N/A	N/A	N/A	1.5m unshielded

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

4.5 Summary of Test Results

Item	FCC Rules	Description of Test	Result
1	FCC 47 CFR PART 95	Antenna Equipment	Pass
2	§ 95.1767& 2.1046(a)	Maximum Transmitter Power	Pass
3	§95.1775& 2.1047(a) (b)	Modulation Limit	Pass
4	§95.1775& 2.1047(a)	Audio Frequency Response	Pass
4	§95.1775(e)	Audio Low Pass Filter Response	Pass
5	§95.1773	26dB Emission Bandwidth	Pass
6	§2.1049	99% Occupied Bandwidth	Pass
7	§95.1779& 2.1049	Emission Mask	Pass
8	§95.1765& 2.1055(a) (1)	Frequency Stability	Pass
9	§95.1779& 2.1051	Spurious Emission on Antenna Port	Pass
10	§95.1779& 2.1053	Spurious Radiated Emission	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5. Description of Test Modes

The EUT (**Mobile Radio**) has been tested under normal operating condition. (GMRS TX) are chosen for testing at each channel separation.

No.	Test Mode Description	Channel Separation
1	GMRS TX Channel 4	12.5 kHz/25 kHz
2	GMRS TX Channel 19	12.5 kHz/25 kHz
3	GMRS TX Channel 27	12.5 kHz/25 kHz

Note:

1. Only the result of the worst case was recorded in the report, if no other cases.
2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
3. Manufacturers use computer PC programming software to switch and operate frequency points, refer to the instructions for details

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

6. Frequency Stability

6.1 Provisions Applicable

Standard Applicable [Part 95.1765] The carrier frequency stability is the ability of the transmitter to maintain an assigned carrier frequency.

- The carrier frequency of each GMRS transmitter transmitting an emission with an occupied bandwidth of 12.5 kHz or less must remain within 2.5 ppm
- The carrier frequency of each GMRS transmitter transmitting an emission with an occupied bandwidth greater than 12.5 kHz must remain within 5 ppm

6.2 Measurement Procedure


6.2.1 Frequency stability versus environmental temperature

1. Setup the configuration per figure 1 for frequencies measurement inside an environment chamber, Install new battery in the EUT.
2. Turn on EUT and set SA center frequency to the EUT radiated frequency. Set SA Resolution Bandwidth to 1kHz and Video Resolution Bandwidth to 1kHz and Frequency Span to 50kHz. Record this frequency as reference frequency.
3. Set the temperature of chamber to 50°C. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize. While maintaining a constant temperature inside the chamber, turn the EUT on and measure the EUT operating frequency.
4. Repeat step 2 with a 10°C decreased per stage until the lowest temperature -30°C is measured, record all measured frequencies on each temperature step.

6.2.2 Frequency stability versus input voltage

1. Setup the configuration per figure 1 for frequencies measured at temperature if it is within 15°C to 25°C. Otherwise, an environment chamber set for a temperature of 20°C shall be used. The EUT shall be powered by DC13.8V.
2. Set SA center frequency to the EUT radiated frequency. Set SA Resolution Bandwidth to 1 kHz and Video Resolution Bandwidth to 1kHz. Record this frequency as reference frequency.
3. Supply the EUT primary voltage at the operating end point which is specified by manufacturer and record the frequency.

6.3 Measurement Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

6.4 Measurement Result

12.5 kHz Channel Separation, FM modulation, Assigned Frequency For GMRS-30W						
Test conditions		Frequency error (ppm)			Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)				
		462.6375	462.6500	467.6500		
13.8	-30	0.802	1.069	0.583	2.5	Pass
	-20	0.765	1.072	0.522		
	-10	0.773	0.580	1.021		
	0	1.074	0.598	0.903		
	10	0.500	0.865	0.982		
	20	0.745	0.587	0.581		
	30	0.994	0.525	1.037		
	40	1.099	1.018	1.016		
	50	0.861	0.827	0.995		
15.87	20	0.964	0.539	0.872		
11.73	20	0.524	0.839	0.613		

25 kHz Channel Separation, FM modulation, Assigned Frequency For GMRS-30W						
Test conditions		Frequency error (ppm)			Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)				
		462.6375	462.6500	467.6500		
13.8	-30	0.715	0.785	0.775	5	Pass
	-20	1.024	0.531	0.828		
	-10	0.766	0.954	0.652		
	0	0.781	0.695	0.697		
	10	0.972	1.034	0.760		
	20	0.966	0.877	0.709		
	30	1.073	1.057	0.746		
	40	0.774	0.740	0.531		
	50	0.624	0.639	0.760		
15.87	20	0.956	0.638	0.727		
11.73	20	0.747	0.511	0.763		

Note: All the test frequencies was tested, but only the worst data be recorded in this part.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

7. 26dB Emission Bandwidth and 99% Occupied Bandwidth

7.1 Provisions Applicable

FCC Part 95.1773: GMRS Main channels: the authorized bandwidth is 20 kHz for GMRS transmitters operating on any of the 462 MHz main channels, or any of the 467 MHz main channels.

Interstitial channels:


The authorized bandwidth is 20 kHz for GMRS transmitters operating on any of the 462 MHz interstitial channels, and is 12.5 kHz for GMRS transmitters operating on any of the 467 MHz interstitial channels.

Occupied Bandwidth: The EUT was connected to the audio signal generator and the spectrum analyzer via the main RF connector, and through an appropriate attenuator. The EUT was controlled to transmit its maximum power. Then the bandwidth of 99% power can be measured by the spectrum analyzer.

7.2 Measurement Procedure

1. The EUT was modulated by 2.5kHz sine wave audio signal; the level of the audio signal employed is 16dB greater than that necessary to produce 50% of rated system deviation.
2. For rated system deviation is 2.5 kHz for 12.5kHz channel spacing.
3. For rated system deviation is 3.0 kHz for 25kHz channel spacing.
4. Spectrum set as follow:
5. Centre frequency = Fundamental Frequency
6. Span=50kHz for 12.5kHz Channel Spacing, RBW=300Hz, VBW=1kHz, Sweep = Auto.
7. Span=50kHz for 25kHz Channel Spacing, RBW=300Hz, VBW=1kHz, Sweep = Auto.
8. Detector Function = Peak, Trace = Max Hold
9. Set 99% Occupied Bandwidth and 26dB Emission Bandwidth.
10. Measure and record the results in the test report.

7.3 Measurement Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


7.4 Measurement Result

Emission Bandwidth Measurement Result-GMRS				
12.5 kHz Channel Separation-30W				
Operating Frequency (MHz)	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
462.6500	9.948	10.49	20.0	Pass
467.6500	9.943	10.48	20.0	Pass
12.5 kHz Channel Separation-10W				
Operating Frequency (MHz)	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
462.6500	9.946	10.49	20.0	Pass
467.6500	9.948	10.50	20.0	Pass
12.5 kHz Channel Separation-5W				
Operating Frequency (MHz)	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
462.6375	9.945	10.49	20.0	Pass
462.6500	9.947	10.50	20.0	Pass
467.6500	9.949	10.50	20.0	Pass

Emission Bandwidth Measurement Result-GMRS				
25 kHz Channel Separation-30W				
Operating Frequency (MHz)	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
462.6500	15.206	17.03	20.0	Pass
467.6500	15.030	15.61	20.0	Pass
25 kHz Channel Separation-10W				
Operating Frequency (MHz)	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
462.6500	15.152	17.06	20.0	Pass
467.6500	15.035	15.72	20.0	Pass
25 kHz Channel Separation-5W				
Operating Frequency (MHz)	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
462.6375	14.562	16.97	20.0	Pass
462.6500	15.153	17.08	20.0	Pass
467.6500	15.027	15.61	20.0	Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test plot as follows:




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


12.5kHz, FM Modulation:467.6500MHz-5W




25kHz, FM Modulation:462.6500MHz-30W




25kHz, FM Modulation:467.6500MHz-30W




25kHz, FM Modulation:462.6500MHz-10W




25kHz, FM Modulation:467.6500MHz-10W



25kHz, FM Modulation:462.6375MHz-5W



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

8. Spurious Radiated Emission

8.1 Provisions Applicable

Standard Applicable [FCC Part 95.1779] According to FCC section 95.1779, the unwanted emission should be attenuated below TP by at least $43 + 10 \log$ (Transmit Power) dB

8.2 Measurement Procedure

Each GMRS transmitter type must be designed to comply with the applicable unwanted emissions limits in this section.

- a) Emission masks. Emission masks applicable to transmitting equipment in the GMRS are defined by the requirements in the following table. The numbers in the attenuation requirements column refer to rule paragraph numbers under paragraph (b) of this section.

Emission types filter	Attenuation Requirements
A1D, A3E, F1D, G1D, F2D, F3E, G3E with audio filter	(1), (2), (7)
A1D, A3E, F1D, G1D, F3E, G3E without audio filter	(3), (4), (7)
H1D, J1D, R1D, H3E, J3E, R2E	(5), (6), (7)

- 1) Filtering noted for GMRS transmitters refers to the requirement in §95.1775(e).
- 2) Unwanted emission power may be measured as either mean power or peak envelope power, provided that the transmitter output power is measured the same way.
- b) Attenuation requirements. The power of unwanted emissions must be attenuated below the transmitter output power in Watts (P) by at least:
 - 1) 25 dB (decibels) on any frequency removed from the center of the authorized bandwidth by more than 50% up to and including 100% of the authorized bandwidth.
 - 2) 35 dB on any frequency removed from the center of the authorized bandwidth by more than 100% up to and including 250% of the authorized bandwidth.
 - 3) $83 \log (f_d \div 5)$ dB on any frequency removed from the center of the authorized bandwidth by a displacement frequency (f_d in kHz) of more than 5 kHz up to and including 10 kHz.
 - 4) $116 \log (f_d \div 6.1)$ dB or $50 + 10 \log (P)$ dB, whichever is the lesser attenuation, on any frequency removed from the center of the authorized bandwidth by a displacement frequency (f_d in kHz), of more than 10 kHz up to and including 250% of the authorized bandwidth.
 - 5) 25 dB on any frequency removed from the center of the authorized bandwidth by more than 50% up to and including 150% of the authorized bandwidth.
 - 6) 35 dB on any frequency removed from the center of the authorized bandwidth by more than 150% up to and including 250% of the authorized bandwidth.
 - 7) $43 + 10 \log (P)$ dB on any frequency removed from the center of the authorized bandwidth by more than 250%.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



● **Detailed Overview of the Test Method is as Follows:**

- 1) EUT was placed on a 0.8 or 1.5meter high non-conductive stand at a 3 meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made. The radiated emission measurements of all transmit frequencies in all channels were measured with peak detector.
- 2) A log-periodic antenna or double-ridged waveguide horn antenna shall be substituted in place of the EUT. The log-periodic antenna will be driven by a signal generator and the level will be adjusted till the same power value on the spectrum analyzer or receiver. The level of the spurious emissions can be calculated through the level of the signal generator, cable loss, the gain of the substitution antenna and the reading of the spectrum analyzer or receiver.
- 3) The EUT is then put into continuously transmitting mode at its maximum power level during the test. Set Test Receiver or Spectrum RBW=1MHz, VBW=3MHz for above 1GHz and RBW=100kHz, VBW=300kHz for 30MHz to 1GHz, And the maximum value of the receiver should be recorded as (Pr).
- 4) The EUT shall be replaced by a substitution antenna. In the chamber, an substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (PMea) is applied to the input of the substitution antenna, and adjust the level of the signal generator output until the value of the receiver reach the previously recorded (Pr). The power of signal source (PMea) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.
- 5) A amplifier should be connected to the Signal Source output port. And the cable should be connect between the Amplifier and the Substitution Antenna. The cable loss (Pcl) ,the Substitution Antenna Gain (Ga) and the Amplifier Gain (PAg) should be recorded after test
- 6) The measurement results are obtained as described below: $\text{Power(EIRP)} = \text{PMea} - \text{PAg} - \text{Pcl} - \text{Ga}$ The measurement results are amend as described below: $\text{Power(EIRP)} = \text{PMea} - \text{Pcl} - \text{Ga}$
- 7) This value is EIRP since the measurement is calibrated using an antenna of known gain (2.15 dBi) and known input power.
- 8) ERP can be calculated from EIRP by subtracting the gain of the dipole, $\text{ERP} = \text{EIRP} - 2.15\text{dBi}$.
- 9) Test the EUT in the lowest channel, the middle channel the Highest channel



8.3 Measurement Setup

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions 30MHz to 1GHz Test setup



Radiated Emissions Above 1GHz Test setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



8.4 Measurement Result

Preliminary calculation	Final Result
At least $43+10 \log (P) = 43+10 \log (30) = 57.77$ (dB)	Limit=P- Preliminary calculation= $44.77-57.77=-13$ dBm
At least $43+10 \log (P) = 43+10 \log (10) = 53.00$ (dB)	Limit=P- Preliminary calculation= $40.00-53.00=-13$ dBm
At least $43+10 \log (P) = 43+10 \log (5) = 49.99$ (dB)	Limit=P- Preliminary calculation= $36.99-49.99=-13$ dBm



1. Factor=Antenna Factor + Cable loss. (Below 1GHz)
2. Factor=Antenna Factor+ Cable loss -Pre-amplifier. (Above 1 GHz)
3. Margin=Limit- Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Mode:	TX-CH19-12.5kHz-30W	Polarity:	Horizontal					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	37.76	-100.43	-70.80	-13.00	57.80	29.63	359	Horizontal
2	78.5	-99.43	-75.48	-13.00	62.48	23.95	298	Horizontal
3	137.67	-100.80	-74.24	-13.00	61.24	26.56	0	Horizontal
4	255.04	-101.35	-73.99	-13.00	60.99	27.36	324	Horizontal
5	655.65	-100.17	-66.05	-13.00	53.05	34.12	0	Horizontal
6	925.31	-73.48	-35.99	-13.00	22.99	37.49	262	Horizontal
Test Mode:	TX-CH19-12.5kHz-30W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.43	-27.54	-13.00	14.54	-4.11	136	Horizontal
2	1850.7851	-27.17	-26.99	-13.00	13.99	0.18	70	Horizontal
3	2312.6063	-21.17	-18.84	-13.00	5.84	2.33	116	Horizontal
4	2775.6026	-25.93	-23.96	-13.00	10.96	1.97	126	Horizontal
5	3238.5989	-29.25	-27.36	-13.00	14.36	1.89	136	Horizontal
6	5088.2338	-36.08	-30.96	-13.00	17.96	5.12	136	Horizontal



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-12.5kHz-30W	Polarity:	Vertical					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	39.7	-100.37	-70.71	-13.00	57.71	29.66	133	Vertical
2	80.44	-100.87	-76.95	-13.00	63.95	23.92	273	Vertical
3	142.52	-101.21	-74.52	-13.00	61.52	26.69	185	Vertical
4	253.1	-100.99	-73.59	-13.00	60.59	27.40	54	Vertical
5	634.31	-100.01	-65.58	-13.00	52.58	34.43	360	Vertical
6	925.31	-76.48	-38.99	-13.00	25.99	37.49	229	Vertical
Test Mode:	TX-CH19-12.5kHz-30W	Polarity:	Vertical					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.13	-27.24	-13.00	14.24	-4.11	278	Vertical
2	1850.7851	-24.51	-24.33	-13.00	11.33	0.18	298	Vertical
3	2312.6063	-20.37	-18.04	-13.00	5.04	2.33	194	Vertical
4	2775.6026	-23.32	-21.35	-13.00	8.35	1.97	158	Vertical
5	3238.5989	-26.69	-24.80	-13.00	11.80	1.89	104	Vertical
6	5088.2338	-36.22	-31.10	-13.00	18.10	5.12	130	Vertical



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH27-12.5kHz-30W	Polarity:	Horizontal					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	37.76	-100.56	-70.93	-13.00	57.93	29.63	0	Horizontal
2	70.74	-100.18	-76.07	-13.00	63.07	24.11	157	Horizontal
3	139.61	-101.50	-74.53	-13.00	61.53	26.97	245	Horizontal
4	251.16	-100.28	-72.83	-13.00	59.83	27.45	122	Horizontal
5	639.16	-100.35	-65.89	-13.00	52.89	34.46	307	Horizontal
6	935.98	-71.81	-34.00	-13.00	21.00	37.81	271	Horizontal
Test Mode:	TX-CH27-12.5kHz-30W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1403.0653	-24.20	-28.31	-13.00	15.31	-4.11	136	Horizontal
2	1870.7621	-27.39	-26.95	-13.00	13.95	0.44	110	Horizontal
3	2338.4588	-24.93	-22.57	-13.00	9.57	2.36	120	Horizontal
4	2806.1556	-30.67	-28.76	-13.00	15.76	1.91	128	Horizontal
5	3273.8524	-31.86	-29.92	-13.00	16.92	1.94	136	Horizontal
6	5144.6395	-37.01	-31.79	-13.00	18.79	5.22	146	Horizontal



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH27-12.5kHz-30W	Polarity:	Vertical					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	37.76	-100.81	-71.18	-13.00	58.18	29.63	360	Vertical
2	73.65	-100.94	-76.96	-13.00	63.96	23.98	168	Vertical
3	142.52	-101.50	-74.81	-13.00	61.81	26.69	360	Vertical
4	267.65	-100.95	-73.54	-13.00	60.54	27.41	256	Vertical
5	654.68	-100.28	-66.14	-13.00	53.14	34.14	239	Vertical
6	935.98	-74.00	-36.19	-13.00	23.19	37.81	212	Vertical
Test Mode:	TX-CH27-12.5kHz-30W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1403.0653	-23.12	-27.23	-13.00	14.23	-4.11	248	Vertical
2	1870.7621	-23.73	-23.29	-13.00	10.29	0.44	312	Vertical
3	2338.4588	-20.49	-18.13	-13.00	5.13	2.36	156	Vertical
4	2806.1556	-27.35	-25.44	-13.00	12.44	1.91	176	Vertical
5	3273.8524	-29.12	-27.18	-13.00	14.18	1.94	102	Vertical
6	5144.6395	-36.61	-31.39	-13.00	18.39	5.22	130	Vertical



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-12.5kHz-10W	Polarity:	Horizontal					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	35.82	-98.99	-69.40	-13.00	56.40	29.59	289	Horizontal
2	78.5	-100.55	-76.60	-13.00	63.60	23.95	271	Horizontal
3	140.58	-101.42	-74.45	-13.00	61.45	26.97	0	Horizontal
4	263.77	-100.86	-73.43	-13.00	60.43	27.43	324	Horizontal
5	635.28	-100.31	-65.87	-13.00	52.87	34.44	52	Horizontal
6	926.28	-71.66	-34.12	-13.00	21.12	37.54	271	Horizontal
Test Mode:	TX-CH19-12.5kHz-10W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-24.64	-28.75	-13.00	15.75	-4.11	177	Horizontal
2	2313.7814	-23.82	-21.49	-13.00	8.49	2.33	113	Horizontal
3	2775.6026	-28.77	-26.80	-13.00	13.80	1.97	285	Horizontal
4	3238.5989	-28.76	-26.87	-13.00	13.87	1.89	139	Horizontal
5	5089.4089	-36.11	-30.99	-13.00	17.99	5.12	139	Horizontal
6	7865.0365	-41.94	-34.40	-13.00	21.40	7.54	103	Horizontal



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-12.5kHz-10W	Polarity:	Vertical					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	40.67	-100.42	-70.87	-13.00	57.87	29.55	150	Vertical
2	77.53	-100.52	-76.58	-13.00	63.58	23.94	159	Vertical
3	140.58	-101.28	-74.31	-13.00	61.31	26.97	10	Vertical
4	262.8	-101.25	-73.81	-13.00	60.81	27.44	360	Vertical
5	648.86	-99.93	-65.67	-13.00	52.67	34.26	238	Vertical
6	926.28	-75.70	-38.16	-13.00	25.16	37.54	36	Vertical
Test Mode:	TX-CH19-12.5kHz-10W	Polarity:	Vertical					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.17	-27.28	-13.00	14.28	-4.11	299	Vertical
2	2313.7814	-20.57	-18.24	-13.00	5.24	2.33	173	Vertical
3	2775.6026	-24.33	-22.36	-13.00	9.36	1.97	153	Vertical
4	3238.5989	-24.46	-22.57	-13.00	9.57	1.89	101	Vertical
5	5089.4089	-36.26	-31.14	-13.00	18.14	5.12	153	Vertical
6	6477.2227	-37.66	-30.05	-13.00	17.05	7.61	137	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Test Mode:	TX-CH27-12.5kHz-10W	Polarity:	Horizontal					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	38.73	-101.07	-71.43	-13.00	58.43	29.64	0	Horizontal
2	69.77	-101.43	-77.11	-13.00	64.11	24.32	315	Horizontal
3	142.52	-100.71	-74.02	-13.00	61.02	26.69	25	Horizontal
4	265.71	-100.92	-73.50	-13.00	60.50	27.42	104	Horizontal
5	482.99	-101.20	-70.67	-13.00	57.67	30.53	42	Horizontal
6	935.98	-70.86	-33.05	-13.00	20.05	37.81	271	Horizontal
Test Mode:	TX-CH27-12.5kHz-10W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1403.0653	-26.00	-30.11	-13.00	17.11	-4.11	139	Horizontal
2	1870.7621	-28.84	-28.40	-13.00	15.40	0.44	111	Horizontal
3	2338.4588	-26.83	-24.47	-13.00	11.47	2.36	111	Horizontal
4	2806.1556	-34.71	-32.80	-13.00	19.80	1.91	295	Horizontal
5	3273.8524	-28.60	-26.66	-13.00	13.66	1.94	139	Horizontal
6	5144.6395	-37.06	-31.84	-13.00	18.84	5.22	139	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Test Mode:	TX-CH27-12.5kHz-10W	Polarity:	Vertical					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	37.76	-99.67	-70.04	-13.00	57.04	29.63	72	Vertical
2	66.86	-101.04	-76.25	-13.00	63.25	24.79	89	Vertical
3	138.64	-99.95	-73.18	-13.00	60.18	26.77	134	Vertical
4	277.35	-100.54	-73.27	-13.00	60.27	27.27	10	Vertical
5	637.22	-100.13	-65.68	-13.00	52.68	34.45	1	Vertical
6	935.98	-74.61	-36.80	-13.00	23.80	37.81	212	Vertical
Test Mode:	TX-CH27-12.5kHz-10W	Polarity:	Vertical					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1403.0653	-23.15	-27.26	-13.00	14.26	-4.11	257	Vertical
2	1870.7621	-24.03	-23.59	-13.00	10.59	0.44	237	Vertical
3	2338.4588	-21.01	-18.65	-13.00	5.65	2.36	155	Vertical
4	3273.8524	-25.09	-23.15	-13.00	10.15	1.94	101	Vertical
5	5144.6395	-36.58	-31.36	-13.00	18.36	5.22	165	Vertical
6	6547.7298	-37.70	-29.99	-13.00	16.99	7.71	137	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH4-12.5kHz-5W	Polarity:	Horizontal					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	37.76	-99.94	-70.31	-13.00	57.31	29.63	350	Horizontal
2	67.83	-100.41	-75.79	-13.00	62.79	24.62	139	Horizontal
3	142.52	-100.72	-74.03	-13.00	61.03	26.69	33	Horizontal
4	253.1	-99.95	-72.55	-13.00	59.55	27.40	350	Horizontal
5	646.92	-100.28	-65.96	-13.00	52.96	34.32	333	Horizontal
6	926.28	-71.44	-33.90	-13.00	20.90	37.54	271	Horizontal

Test Mode:	TX-CH4-12.5kHz-5W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-24.45	-28.56	-13.00	15.56	-4.11	129	Horizontal
2	2313.7814	-24.36	-22.03	-13.00	9.03	2.33	75	Horizontal
3	2775.6026	-28.83	-26.86	-13.00	13.86	1.97	129	Horizontal
4	3238.5989	-29.83	-27.94	-13.00	14.94	1.89	137	Horizontal
5	5089.4089	-36.34	-31.22	-13.00	18.22	5.12	137	Horizontal
6	6477.2227	-42.64	-35.03	-13.00	22.03	7.61	129	Horizontal


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH4-12.5kHz-5W	Polarity:	Vertical					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	36.79	-100.52	-70.90	-13.00	57.90	29.62	212	Vertical
2	59.1	-100.69	-74.54	-13.00	61.54	26.15	360	Vertical
3	140.58	-100.61	-73.64	-13.00	60.64	26.97	352	Vertical
4	259.89	-100.04	-72.60	-13.00	59.60	27.44	27	Vertical
5	605.21	-99.84	-65.76	-13.00	52.76	34.08	10	Vertical
6	926.28	-76.54	-39.00	-13.00	26.00	37.54	186	Vertical
Test Mode:	TX-CH4-12.5kHz-5W	Polarity:	Vertical					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.14	-27.25	-13.00	14.25	-4.11	275	Vertical
2	2313.7814	-20.78	-18.45	-13.00	5.45	2.33	201	Vertical
3	2775.6026	-25.35	-23.38	-13.00	10.38	1.97	155	Vertical
4	3238.5989	-25.75	-23.86	-13.00	10.86	1.89	91	Vertical
5	5089.4089	-36.03	-30.91	-13.00	17.91	5.12	129	Vertical
6	6940.219	-38.70	-30.47	-13.00	17.47	8.23	129	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-12.5kHz-5W	Polarity:	Horizontal
------------	--------------------	-----------	------------


Below 1GHz



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	37.76	-100.39	-70.76	-13.00	57.76	29.63	201	Horizontal
2	79.47	-100.82	-76.82	-13.00	63.82	24.00	130	Horizontal
3	145.43	-100.74	-74.46	-13.00	61.46	26.28	8	Horizontal
4	266.68	-100.65	-73.23	-13.00	60.23	27.42	16	Horizontal
5	608.12	-99.90	-65.81	-13.00	52.81	34.09	0	Horizontal
6	926.28	-63.84	-26.30	-13.00	13.30	37.54	271	Horizontal

Test Mode:	TX-CH19-12.5kHz-5W	Polarity:	Horizontal
------------	--------------------	-----------	------------

Above 1 GHz




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-24.33	-28.44	-13.00	15.44	-4.11	139	Horizontal
2	2313.7814	-23.43	-21.10	-13.00	8.10	2.33	121	Horizontal
3	2775.6026	-28.55	-26.58	-13.00	13.58	1.97	121	Horizontal
4	3238.5989	-28.91	-27.02	-13.00	14.02	1.89	139	Horizontal
5	5089.4089	-36.10	-30.98	-13.00	17.98	5.12	139	Horizontal
6	7865.0365	-41.39	-33.85	-13.00	20.85	7.54	111	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-12.5kHz-5W	Polarity:	Vertical
------------	--------------------	-----------	----------


Below 1GHz



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	39.7	-100.52	-70.86	-13.00	57.86	29.66	292	Vertical
2	79.47	-100.52	-76.52	-13.00	63.52	24.00	106	Vertical
3	142.52	-100.01	-73.32	-13.00	60.32	26.69	309	Vertical
4	258.92	-100.40	-72.97	-13.00	59.97	27.43	98	Vertical
5	467.47	-99.77	-69.26	-13.00	56.26	30.51	360	Vertical
6	926.28	-68.74	-31.20	-13.00	18.20	37.54	186	Vertical

Test Mode:	TX-CH19-12.5kHz-5W	Polarity:	Vertical
------------	--------------------	-----------	----------

Above 1 GHz




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.15	-27.26	-13.00	14.26	-4.11	111	Vertical
2	2313.7814	-20.50	-18.17	-13.00	5.17	2.33	155	Vertical
3	2775.6026	-24.11	-22.14	-13.00	9.14	1.97	155	Vertical
4	3238.5989	-25.50	-23.61	-13.00	10.61	1.89	93	Vertical
5	5089.4089	-36.08	-30.96	-13.00	17.96	5.12	119	Vertical
6	6477.2227	-37.82	-30.21	-13.00	17.21	7.61	137	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH27-12.5kHz-5W	Polarity:	Horizontal
------------	--------------------	-----------	------------


Below 1GHz



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	38.73	-100.61	-70.97	-13.00	57.97	29.64	324	Horizontal
2	78.5	-100.95	-77.00	-13.00	64.00	23.95	148	Horizontal
3	141.55	-100.84	-74.02	-13.00	61.02	26.82	166	Horizontal
4	256.01	-100.83	-73.45	-13.00	60.45	27.38	8	Horizontal
5	639.16	-100.44	-65.98	-13.00	52.98	34.46	8	Horizontal
6	935.98	-71.93	-34.12	-13.00	21.12	37.81	271	Horizontal

Test Mode:	TX-CH27-12.5kHz-5W	Polarity:	Horizontal
------------	--------------------	-----------	------------

Above 1 GHz




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1403.0653	-28.54	-32.65	-13.00	19.65	-4.11	66	Horizontal
2	1870.7621	-29.11	-28.67	-13.00	15.67	0.44	148	Horizontal
3	2338.4588	-28.00	-25.64	-13.00	12.64	2.36	74	Horizontal
4	3273.8524	-29.24	-27.30	-13.00	14.30	1.94	138	Horizontal
5	3741.5492	-36.14	-33.75	-13.00	20.75	2.39	112	Horizontal
6	5144.6395	-39.54	-34.32	-13.00	21.32	5.22	138	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH27-12.5kHz-5W	Polarity:	Vertical
------------	--------------------	-----------	----------


Below 1GHz



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	39.7	-100.18	-70.52	-13.00	57.52	29.66	257	Vertical
2	74.62	-100.19	-76.20	-13.00	63.20	23.99	352	Vertical
3	141.55	-101.11	-74.29	-13.00	61.29	26.82	222	Vertical
4	260.86	-100.94	-73.50	-13.00	60.50	27.44	62	Vertical
5	605.21	-100.65	-66.57	-13.00	53.57	34.08	80	Vertical
6	935.98	-75.15	-37.34	-13.00	24.34	37.81	327	Vertical



Test Mode:	TX-CH27-12.5kHz-5W	Polarity:	Vertical
------------	--------------------	-----------	----------

Above 1 GHz





NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1403.0653	-23.18	-27.29	-13.00	14.29	-4.11	283	Vertical
2	1870.7621	-24.16	-23.72	-13.00	10.72	0.44	255	Vertical
3	2338.4588	-22.25	-19.89	-13.00	6.89	2.36	173	Vertical
4	3273.8524	-24.21	-22.27	-13.00	9.27	1.94	101	Vertical
5	5144.6395	-37.73	-32.51	-13.00	19.51	5.22	137	Vertical
6	6547.7298	-42.30	-34.59	-13.00	21.59	7.71	119	Vertical



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-25kHz-30W	Polarity:	Horizontal					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	34.85	-99.97	-70.46	-13.00	57.46	29.51	130	Horizontal
2	71.71	-100.86	-76.86	-13.00	63.86	24.00	333	Horizontal
3	139.61	-101.43	-74.46	-13.00	61.46	26.97	60	Horizontal
4	261.83	-100.65	-73.22	-13.00	60.22	27.43	42	Horizontal
5	668.26	-99.73	-65.60	-13.00	52.60	34.13	51	Horizontal
6	926.28	-73.24	-35.70	-13.00	22.70	37.54	271	Horizontal
Test Mode:	TX-CH19-25kHz-30W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.26	-27.37	-13.00	14.37	-4.11	187	Horizontal
2	2313.7814	-21.28	-18.95	-13.00	5.95	2.33	113	Horizontal
3	2775.6026	-22.99	-21.02	-13.00	8.02	1.97	123	Horizontal
4	3238.5989	-30.63	-28.74	-13.00	15.74	1.89	123	Horizontal
5	5089.4089	-36.36	-31.24	-13.00	18.24	5.12	133	Horizontal
6	6477.2227	-37.63	-30.02	-13.00	17.02	7.61	123	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-25kHz-30W	Polarity:	Vertical					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	39.7	-100.70	-71.04	-13.00	58.04	29.66	344	Vertical
2	73.65	-100.34	-76.36	-13.00	63.36	23.98	36	Vertical
3	144.46	-101.13	-74.72	-13.00	61.72	26.41	10	Vertical
4	257.95	-100.78	-73.37	-13.00	60.37	27.41	309	Vertical
5	614.91	-99.32	-65.19	-13.00	52.19	34.13	265	Vertical
6	926.28	-77.10	-39.56	-13.00	26.56	37.54	212	Vertical
Test Mode:	TX-CH19-25kHz-30W	Polarity:	Vertical					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.15	-27.26	-13.00	14.26	-4.11	103	Vertical
2	2313.7814	-20.34	-18.01	-13.00	5.01	2.33	186	Vertical
3	2775.6026	-22.11	-20.14	-13.00	7.14	1.97	178	Vertical
4	3238.5989	-27.92	-26.03	-13.00	13.03	1.89	93	Vertical
5	5089.4089	-36.32	-31.20	-13.00	18.20	5.12	129	Vertical
6	6477.2227	-36.78	-29.17	-13.00	16.17	7.61	121	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH27-25kHz-30W	Polarity:	Horizontal					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	39.7	-100.38	-70.72	-13.00	57.72	29.66	78	Horizontal
2	63.95	-100.64	-75.25	-13.00	62.25	25.39	78	Horizontal
3	139.61	-101.66	-74.69	-13.00	61.69	26.97	0	Horizontal
4	244.37	-100.62	-73.77	-13.00	60.77	26.85	342	Horizontal
5	632.37	-100.79	-66.41	-13.00	53.41	34.38	130	Horizontal
6	935.98	-71.31	-33.50	-13.00	20.50	37.81	271	Horizontal
Test Mode:	TX-CH27-25kHz-30W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1403.0653	-24.76	-28.87	-13.00	15.87	-4.11	185	Horizontal
2	1870.7621	-28.92	-28.48	-13.00	15.48	0.44	285	Horizontal
3	2338.4588	-23.81	-21.45	-13.00	8.45	2.36	111	Horizontal
4	2806.1556	-30.63	-28.72	-13.00	15.72	1.91	131	Horizontal
5	3273.8524	-32.20	-30.26	-13.00	17.26	1.94	139	Horizontal
6	5144.6395	-36.61	-31.39	-13.00	18.39	5.22	139	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH27-25kHz-30W	Polarity:	Vertical
------------	-------------------	-----------	----------


Below 1GHz



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	38.73	-100.88	-71.24	-13.00	58.24	29.64	71	Vertical
2	81.41	-100.66	-76.96	-13.00	63.96	23.70	212	Vertical
3	141.55	-101.13	-74.31	-13.00	61.31	26.82	150	Vertical
4	301.6	-99.90	-72.61	-13.00	59.61	27.29	106	Vertical
5	636.25	-100.13	-65.68	-13.00	52.68	34.45	292	Vertical
6	935.98	-76.00	-38.19	-13.00	25.19	37.81	212	Vertical



Test Mode:	TX-CH27-25kHz-30W	Polarity:	Vertical
------------	-------------------	-----------	----------

Above 1 GHz





NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1403.0653	-23.13	-27.24	-13.00	14.24	-4.11	255	Vertical
2	1870.7621	-24.38	-23.94	-13.00	10.94	0.44	317	Vertical
3	2338.4588	-20.53	-18.17	-13.00	5.17	2.36	183	Vertical
4	2806.1556	-27.03	-25.12	-13.00	12.12	1.91	173	Vertical
5	3273.8524	-28.95	-27.01	-13.00	14.01	1.94	93	Vertical
6	5144.6395	-36.71	-31.49	-13.00	18.49	5.22	129	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-25kHz-10W	Polarity:	Horizontal					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	35.82	-100.03	-70.44	-13.00	57.44	29.59	87	Horizontal
2	72.68	-100.38	-76.41	-13.00	63.41	23.97	157	Horizontal
3	140.58	-101.49	-74.52	-13.00	61.52	26.97	359	Horizontal
4	257.95	-100.77	-73.36	-13.00	60.36	27.41	131	Horizontal
5	624.61	-100.34	-66.07	-13.00	53.07	34.27	0	Horizontal
6	926.28	-71.80	-34.26	-13.00	21.26	37.54	271	Horizontal
Test Mode:	TX-CH19-25kHz-10W	Polarity:	Horizontal					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.88	-27.99	-13.00	14.99	-4.11	133	Horizontal
2	1850.7851	-27.05	-26.87	-13.00	13.87	0.18	113	Horizontal
3	2313.7814	-23.92	-21.59	-13.00	8.59	2.33	77	Horizontal
4	2775.6026	-28.37	-26.40	-13.00	13.40	1.97	123	Horizontal
5	3238.5989	-30.08	-28.19	-13.00	15.19	1.89	133	Horizontal
6	5089.4089	-36.34	-31.22	-13.00	18.22	5.12	141	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Mode:	TX-CH19-25kHz-10W	Polarity:	Vertical					
Below 1GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	35.82	-100.34	-70.75	-13.00	57.75	29.59	360	Vertical
2	71.71	-99.55	-75.55	-13.00	62.55	24.00	360	Vertical
3	141.55	-100.27	-73.45	-13.00	60.45	26.82	1	Vertical
4	260.86	-100.55	-73.11	-13.00	60.11	27.44	247	Vertical
5	630.43	-99.73	-65.40	-13.00	52.40	34.33	1	Vertical
6	926.28	-76.01	-38.47	-13.00	25.47	37.54	212	Vertical
Test Mode:	TX-CH19-25kHz-10W	Polarity:	Vertical					
Above 1 GHz								
								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1387.7888	-23.16	-27.27	-13.00	14.27	-4.11	299	Vertical
2	2313.7814	-20.49	-18.16	-13.00	5.16	2.33	173	Vertical
3	2775.6026	-24.66	-22.69	-13.00	9.69	1.97	155	Vertical
4	3238.5989	-25.38	-23.49	-13.00	10.49	1.89	91	Vertical
5	5089.4089	-36.11	-30.99	-13.00	17.99	5.12	127	Vertical
6	6477.2227	-38.18	-30.57	-13.00	17.57	7.61	137	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.