



The Worst Emission Mask D for (454.025 MHz) of 12.5 KHz channel Separation (5W)




The Worst Emission Mask D for (454.025 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



The Worst Emission Mask D for (479.975MHz) of 12.5 KHz channel Separation (5W)




The Worst Emission Mask D for (479.975MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



The Worst Emission Mask § 22.359 for (454.025 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask § 22.359 for (454.025 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Digital:

The Worst Emission Mask D for (400.025 MHz) of 12.5 KHz channel Separation (5W)




The Worst Emission Mask D for (400.025 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



The Worst Emission Mask D for (453.225 MHz) of 12.5 KHz channel Separation (5W)




The Worst Emission Mask D for (453.225 MHz) of 12.5 KHz channel Separation (1W)






The Worst Emission Mask D for (454.025 MHz) of 12.5 KHz channel Separation (5W)




The Worst Emission Mask D for (454.025 MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



The Worst Emission Mask D for (479.975MHz) of 12.5 KHz channel Separation (5W)




The Worst Emission Mask D for (479.975MHz) of 12.5 KHz channel Separation (1W)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



The Worst Emission Mask § 22.359 for (454.025 MHz) of 12.5 KHz channel Separation (5W)



The Worst Emission Mask § 22.359 for (454.025 MHz) of 12.5 KHz channel Separation (1W)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 115 of 199

9. MODULATION CHARACTERISTICS

9.1 PROVISIONS APPLICABLE

According to FCC§2.1047 and §90.207, for Voice Modulation Communication Equipment, the frequency response of the audio modulation circuit over a range of 100 to 5000Hz shall be measured.

9.2 MEASUREMENT METHOD

9.2.1 Modulation Limit

- (1). Configure the EUT as shown in figure 1, adjust the audio input for 60% of rated system deviation at 1KHz using this level as a reference (0dB) and vary the input level from -20 to +20dB. Record the frequency deviation obtained as a function of the input level.
- (2). Repeat step 1 with input frequency changing to 300, 1000, 1500 and 3000Hz in sequence.

9.2.2 Audio Frequency Response

- (1). Configure the EUT as shown in figure 1.
- (2). Adjust the audio input for 20% of rated system deviation at 1 KHz using this level as a reference (0 dB).
- (3). Vary the Audio frequency from 100 Hz to 10 KHz and record the frequency deviation.
- (4). Audio Frequency Response = 20log10 (Deviation of test frequency/Deviation of 1 KHz reference).





Page 116 of 199

9.3 MEASUREMENT RESULT


VHF: Analog:

TEST RESULTS FOR H POWER

(A). MODULATION LIMIT:

Middle Channel @ 12.5 KHz Channel Separations-5W

Modulation Level (dB)	Peak Freq. Deviation At 300 Hz	Peak Freq. Deviation At 1000 Hz	Peak Freq. Deviation At 1500 Hz	Peak Freq. Deviation At 3000 Hz
-20	0.21	0.45	0.62	0.86
-15	0.45	0.69	0.89	1.25
-10	0.62	0.88	1.13	1.48
-5	0.77	1.09	1.28	1.53
0	0.83	1.13	1.35	1.66
+5	0.92	1.28	1.48	1.71
+10	0.99	1.34	1.69	1.80
+15	1.12	1.47	1.72	1.86
+20	1.11	1.45	1.65	1.82



Note: All the modes had been tested, but only the worst data recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day. /Inspection he test results he test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 117 of 199

(B). AUDIO FREQUENCY RESPONSE:


Middle Channel @ 12.5 KHz Channel Separations-5W

Frequency (Hz)	Deviation (KHz)	Audio Frequency Response(dB)
100	0	
200		
300	0.12	-19.93
400	0.28	-12.57
500	0.42	-9.05
600	0.59	-6.09
700	0.74	-4.13
800	0.89	-2.52
900	1.10	-0.68
1000	1.19	0.00
1200	1.42	1.53
1400	1.53	2.18
1600	1.69	3.05
1800	1.82	3.69
2000	2.00	4.51
2400	1.91	4.11
2500	1.93	4.20
2800	1.88	3.97
3000	1.92	4.16
3200	1.85	3.83
3600	1.74	3.30
4000	1.61	2.63
4500	1.42	1.53
5000	1.15	-0.30
5500	0.61	-5.80
6000	0.58	-6.24
6500	0.35	-10.63
7000	0.14	-18.59
7500	0.08	-23.45
9000		8
10000		-6
14000	L	
18000		
20000	NO	
30000		-0





Frequency Response of Middle Channel 12.5 KHz Channel Separations



Note: All the modes had been tested, but only the worst data recorded in the report.




Page 119 of 199

Digital:

(A). MODULATION LIMIT:

Middle Channel @ 12.5 KHz Channel Separations-5W

Modulation Level (dB)	Peak Freq. Deviation At 300 Hz	Peak Freq. Deviation At 1000 Hz	Peak Freq. Deviation At 1500 Hz	Peak Freq. Deviation At 3000 Hz
-20	0.14	0.31	0.6	0.71
-15	0.41	0.52	0.71	0.88
-10	0.53	0.63	0.83	1.05
-5	0.62	0.81	1.06	1.23
0	0.74	0.94	1.15	1.35
+5	0.87	1.08	1.28	1.47
+10	0.93	1.15	1.42	1.51
+15	1.15	1.31	1.38	1.58
+20	1.13	1.27	1.35	1.55



Note: All the modes had been tested, but only the worst data recorded in the report.




Page 120 of 199

(B). AUDIO FREQUENCY RESPONSE:

Middle Channel @ 12.5 KHz Channel Separations-5W


Frequency (Hz)	Deviation (KHz)	Audio Frequency Response(dB)
100	-0	1
200		
300	0.09	-22.35
400	0.15	-17.92
500	0.32	-11.33
600	0.42	-8.97
700	0.56	-6.47
800	0.77	-3.71
900	0.89	-2.45
1000	1.18	0.00
1200	1.25	0.50
1400	1.38	1.36
1600	1.45	1.79
1800	1.69	3.12
2000	1.74	3.37
2400	1.83	3.81
2500	1.93	4.27
2800	1.95	4.36
3000	1.99	4.54
3200	1.88	4.05
3600	1.63	2.81
4000	1.23	0.36
4500	1.19	0.07
5000	1.03	-1.18
5500	0.76	-3.82
6000	0.52	-7.12
6500	0.33	-11.07
7000	0.16	-17.36
7500	0.05	-27.46
9000		0
10000		
14000		
18000	()	
20000		
30000		





Frequency Response of Middle Channel

12.5 KHz Channel Separations



Note: All the modes had been tested, but only the worst data recorded in the report.



Page 122 of 199


UHF: Analog:

TEST RESULT TS FOR H POWER H LEVEL

(A). MODULATION LIMIT:

Middle Channel @ 12.5 KHz Channel Separations-5W

Modulation Level (dB)	Peak Freq. Deviation At 300 Hz	Peak Freq. Deviation At 1000 Hz	Peak Freq. Deviation At 1500 Hz	Peak Freq. Deviation At 3000 Hz
-20	0.05	0.21	0.35	0.53
-15	0.23	0.39	0.63	0.79
-10	0.34	0.61	0.79	0.91
-5	0.42	0.71	0.88	1.13
0	0.66	0.88	1.13	1.22
+5	0.71	0.93	1.15	1.23
+10	0.88	1.01	1.25	1.35
+15	0.94	1.15	1.26	1.37
+20	0.85	1.11	1.22	1.33



Note: All the modes had been tested, but only the worst data recorded in the report.




Page 123 of 199

(B). AUDIO FREQUENCY RESPONSE:

Middle Channel @ 12.5 KHz Channel Separations-5W


Frequency (Hz)	Deviation (KHz)	Audio Frequency Response(dB)
100	0	
200		
300	0.07	-24.24
400	0.13	-18.86
500	0.35	-10.26
600	0.47	-7.70
700	0.56	-6.17
800	0.71	-4.11
900	0.83	-2.76
1000	1.14	0.00
1200	1.23	0.66
1400	1.28	1.01
1600	1.31	1.21
1800	1.43	1.97
2000	1.69	3.42
2400	1.78	3.87
2500	1.92	4.53
2800	1.95	4.66
3000	1.99	4.84
3200	1.85	4.21
3600	1.73	3.62
4000	1.63	3.11
4500	1.52	2.50
5000	1.11	-0.23
5500	0.96	-1.49
6000	0.47	-7.70
6500	0.24	-13.53
7000	0.13	-18.86
7500	0.08	-23.08
9000	D	0
10000		-6
14000		
18000		
20000	- NO 2.0	-
30000		-0





Frequency Response of High Channel

12.5 KHz Channel Separations



Note: All the modes had been tested, but only the worst data recorded in the report.



Page 125 of 199

/Inspection The test results


he test report.

Digital:

(A). MODULATION LIMIT:

Middle Channel @ 12.5 KHz Channel Separations-5W

Modulation Level (dB)	Peak Freq. Deviation At 300 Hz	Peak Freq. Deviation At 1000 Hz	Peak Freq. Deviation At 1500 Hz	Peak Freq. Deviation At 3000 Hz
-20	0.17	0.35	0.47	0.63
-15	0.34	0.42	0.58	0.85
-10	0.42	0.65	0.83	0.94
· -5	0.58	0.77	0.91	1.15
0	0.71	0.93	1.13	1.23
+5	0.83	1.05	1.19	1.29
+10	0.93	1.09	1.22	1.33
+15	1.12	1.19	1.32	1.38
+20	1.09	1.14	1.24	1.35



Note: All the modes had been tested, but only the worst data recorded in the report.




Page 126 of 199

(B). AUDIO FREQUENCY RESPONSE:

Middle Channel @ 12.5 KHz Channel Separations-5W


Frequency (Hz)	Deviation (KHz)	Audio Frequency Response(dB)
100	0	1
200	N	
300	0.11	-18.63
400	0.25	-11.50
500	0.42	-7.00
600	0.53	-4.98
700	0.66	-3.07
800	0.79	-1.51
900	0.88	-0.57
1000	0.94	0.00
1200	1.15	1.75
1400	1.34	3.08
1600	1.42	3.58
1800	1.58	4.51
2000	1.66	4.94
2400	1.72	5.25
2500	1.84	5.83
2800	1.97	6.43
3000	1.99	6.51
3200	1.83	5.79
3600	1.74	5.35
4000	1.53	4.23
4500	1.49	4.00
5000	1.23	2.34
5500	1.06	1.04
6000	0.58	-4.19
6500	0.49	-5.66
7000	0.25	-11.50
7500	0.06	-21.40
9000		
10000		-6
14000	-00	
18000	Q	N (C)
20000	- NO	
30000		20 a <u>-</u>





Frequency Response of Middle Channel-5W

12.5 KHz Channel Separations



Note: All the modes had been tested, but only the worst data recorded in the report.



Page 128 of 199

10. MAXIMUMN TRANSMITTER POWER (CONDUCTED OUTPUT POWER) PEAK POWER 10.1 PROVISIONS APPLICABLE

Per FCC §2.1046 § 22.565 and §90.205: Maximum ERP is dependent upon the station's antenna HAAT and required service area.

10.2 TEST PROCEDURE


The RF output of Two-way Radio was conducted to a spectrum analyzer through an appropriate attenuator. In the semi-anechoic chamber, setup as illustrated above the DUT placed on the 0.8m height of Turn Table, rotated the table 45 degree each interval to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power for each degree interval. The "Read Value" is the spectrum reading of maximum power value.

The substitution antenna is substituted for DUT at the same position and signals generator (S.G) export the CW signal to the substitution antenna via a TX cable. The receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum radiation power. Record the power level of maximum radiation power from spectrum. So, the Measured substitution value = Ref level of S.G + TX cables loss – Substituted Antenna Gain.

EIRP = "Read Value" + Measured substitution value + 2.15.


10.3 TEST CONFIGURATION

Conducted Output Power:




Effective Radiated Power


Radiated Below1GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the continuous process of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.








Radiated Above 1 GHz







Page 130 of 199

10.4 TEST RESULT

The maximum Conducted Power (CP) for VHF/UHF is

Analog: 5W/1W for 12.5 KHz Channel Separation VHF Analog: 5W/1W for 12.5 KHz Channel Separation UHF Digital: 5W/1W for 12.5 KHz Channel Separation VHF Digital: 5W/1W for 12.5 KHz Channel Separation UHF

Calculation Formula: CP = R + A + L

Note:

(1) CP: The final Conducted Power

(2) R: The reading value from spectrum analyzer (3) A: The attenuation value of the used attenuator

(4) L: The loss of all connection cables

(5) Measurement Result=Peak Power(Max)

(6) Both vertical and horizontal has been tested.

VHF: Analog:

Conducted Power Measurement Results			
Channel Consession	<u>.</u>	Measurement Result (dBm)	
Channel Separation	Channel	For 36.99dBm(5W)	
NO NOC	Bottom(136.025MHz)	36.94	
	Middle(151.850MHz)	36.85	
12.5 KHz	Middle(155.025MHz)	36.87	
	Middle(161.610MHz)	36.86	
	Top (173.975MHz)	36.90	

Radiated Power Measurement Results			
Chan	and Consertion	Channel	Measurement Result (dBm)
Cnan	nel Separation		For 36.99dBm(5W)
	100	Bottom(136.025MHz)	36.75
		Middle(151.850MHz)	36.74
	12.5 KHz	Middle(155.025MHz)	36.79
	Middle(161.610MHz)	36.73	
	Top (173.975MHz)	36.77	



Report No.: AGC02931200704FE10 Page 131 of 199

Conducted Power Measurement Results			
Channel Canavation		Measurement Result (dBm)	
Channel Separation	Channel	For 30dBm(1W)	
Par Fac	Bottom(136.025MHz)	29.94	
	Middle(151.850MHz)	29.89	
12.5 KHz	Middle(155.025MHz)	29.91	
	Middle(161.610MHz)	29.93	
	Top (173.975MHz)	29.87	

Radiated Power Measurement Results			
Channel Consession	Channel	Measurement Result (dBm)	
Channel Separation		For 30dBm(1W)	
NO GO	Bottom(136.025MHz)	29.83	
	Middle(151.850MHz)	29.84	
12.5 KHz	Middle(155.025MHz)	29.80	
	Middle(161.610MHz)	29.79	
	Top (173.975MHz)	29.81	



Report No.: AGC02931200704FE10 Page 132 of 199

Digital: Data + voice:

Conducted Power Measurement Results		
Channel Separation	Channel	Measurement Result (dBm)
		For 36.99dBm(5W)
12.5 KHz	Bottom(136.025MHz)	36.82
	Middle(151.850MHz)	36.77
	Middle(155.025MHz)	36.80
	Middle(161.610MHz)	36.81
	Top (173.975MHz)	36.75

Radiated Power Measurement Results		
01 10 4	Channel	Measurement Result (dBm)
Channel Separation		For 36.99dBm(5W)
12.5 KHz	Bottom(136.025MHz)	36.65
	Middle(151.850MHz)	36.64
	Middle(155.025MHz)	36.63
	Middle(161.610MHz)	36.66
	Top (173.975MHz)	36.67



Report No.: AGC02931200704FE10 Page 133 of 199

Conducted Power Measurement Results		
Channel Separation	Channel	Measurement Result (dBm)
		For 30dBm(1W)
12.5 KHz	Bottom(136.025MHz)	29.75
	Middle(151.850MHz)	29.83
	Middle(155.025MHz)	29.80
	Middle(161.610MHz)	29.87
	Top (173.975MHz)	29.88

Radiated Power Measurement Results		
Channal Cananatian	Channel	Measurement Result (dBm)
Channel Separation		For 30dBm(1W)
DO DO	Bottom(136.025MHz)	29.73
	Middle(151.850MHz)	29.70
12.5 KHz	Middle(155.025MHz)	29.74
5 100 CC	Middle(161.610MHz)	29.73
	Top (173.975MHz)	29.71



Page 134 of 199

Data transmission mode:

Conducted Power Measurement Results		
	Channel	Measurement Result (dBm)
Channel Separation		For 36.99dBm(5W)
100 cC	Bottom(136.025MHz)	36.70
P. 100	Middle(151.850MHz)	36.65
12.5 KHz	Middle(155.025MHz)	36.67
	Middle(161.610MHz)	36.66
	Top (173.975MHz)	36.63

Radiated Power Measurement Results		
Channel Separation	Channel	Measurement Result (dBm)
		For 36.99dBm(5W)
12.5 KHz	Bottom(136.025MHz)	36.55
	Middle(151.850MHz)	36.61
	Middle(155.025MHz)	36.59
	Middle(161.610MHz)	36.60
	Top (173.975MHz)	36.58



Report No.: AGC02931200704FE10 Page 135 of 199

Conducted Power Measurement Results		
Channal Cananatian	Channel	Measurement Result (dBm)
Channel Separation		For 30dBm(1W)
12.5 KHz	Bottom(136.025MHz)	29.71
	Middle(151.850MHz)	29.69
	Middle(155.025MHz)	29.73
	Middle(161.610MHz)	29.70
	Top (173.975MHz)	29.68

Radiated Power Measurement Results		
Channel Consession	Channel	Measurement Result (dBm)
Channel Separation		For 30dBm(1W)
NO CO	Bottom(136.025MHz)	29.66
12.5 KHz	Middle(151.850MHz)	29.58
	Middle(155.025MHz)	29.63
	Middle(161.610MHz)	29.65
	Top (173.975MHz)	29.59



Report No.: AGC02931200704FE10 Page 136 of 199

UHF: Analog:

Conducted Power Measurement Results		
Channel Separation	Channel	Measurement Result (dBm)
		For 36.99dBm(5W)
12.5 KHz	Bottom(400.025MHz)	36.87
	Middle(453.225MHz)	36.85
	Middle(454.025MHz)	36.90
	Top (479.975MHz)	36.93

Radiated Power Measurement Results		
Channel Compution	Channel	Measurement Result (dBm)
Channel Separation		For 36.99dBm(5W)
200 -C	Bottom(400.025MHz)	36.79
40.5 1/11-	Middle(453.225MHz)	36.77
12.5 KHz	Middle(454.025MHz)	36.81
00 20	Top (479.975MHz)	36.80



Report No.: AGC02931200704FE10 Page 137 of 199

Conducted Power Measurement Results		
Channel Consection	Channel	Measurement Result (dBm)
Channel Separation		For 30dBm(1W)
12.5 KHz	Bottom(400.025MHz)	29.88
	Middle(453.225MHz)	29.90
	Middle(454.025MHz)	29.91
	Top (479.975MHz)	29.89

Radiated Power Measurement Results		
Ohamal Canauatian	Channel	Measurement Result (dBm)
Channel Separation		For 30dBm(1W)
12.5 KHz	Bottom(400.025MHz)	29.83
	Middle(453.225MHz)	29.82
	Middle(454.025MHz)	29.80
	Top (479.975MHz)	29.84



Report No.: AGC02931200704FE10 Page 138 of 199

Digital: Data + voice:

Conducted Power Measurement Results		
Channel Separation	Channel	Measurement Result (dBm)
	Channel	For 36.99dBm(5W)
12.5 KHz	Bottom(400.025MHz)	36.80
	Middle(453.225MHz)	36.79
	Middle(454.025MHz)	36.81
	Top (479.975MHz)	36.78

Radiated Power Measurement Results			
Oh ann al Cananatian	Channel	Measurement Result (dBm)	
Channel Separation		For 36.99dBm(5W)	
12.5 KHz	Bottom(400.025MHz)	36.65	
	Middle(453.225MHz)	36.63	
	Middle(454.025MHz)	36.69	
	Top (479.975MHz)	36.67	



Report No.: AGC02931200704FE10 Page 139 of 199

Conducted Power Measurement Results		
Channel Consession	Channel	Measurement Result (dBm)
Channel Separation		For 30dBm(1W)
12.5 KHz	Bottom(400.025MHz)	29.79
	Middle(453.225MHz)	29.74
	Middle(454.025MHz)	29.77
	Top (479.975MHz)	29.81

Radiated Power Measurement Results		
Channel Canadian	Channel	Measurement Result (dBm)
Channel Separation	Channel	For 30dBm(1W)
12.5 KHz	Bottom(400.025MHz)	29.74
	Middle(453.225MHz)	29.68
	Middle(454.025MHz)	29.75
	Top (479.975MHz)	29.77



Page 140 of 199

Data transmission mode:

Conducted Power Measurement Results		
Channel Constation	Channel	Measurement Result (dBm)
Channel Separation		For 36.99dBm(5W)
12.5 KHz	Bottom(400.025MHz)	36.65
	Middle(453.225MHz)	36.71
	Middle(454.025MHz)	36.72
	Top (479.975MHz)	36.70

Radiated Power Measurement Results		
Oh avva al Camana (la va	Channel	Measurement Result (dBm)
Channel Separation		For 36.99dBm(5W)
12.5 KHz	Bottom(400.025MHz)	36.58
	Middle(453.225MHz)	36.60
	Middle(454.025MHz)	36.63
	Top (479.975MHz)	36.61



Report No.: AGC02931200704FE10 Page 141 of 199

Conducted Power Measurement Results		
Channel Consertion	Channel	Measurement Result (dBm)
Channel Separation		For 30dBm(1W)
12.5 KHz	Bottom(400.025MHz)	29.66
	Middle(453.225MHz)	29.71
	Middle(454.025MHz)	29.62
	Top (479.975MHz)	29.61

Radiated Power Measurement Results		
Ohamad Canandian	Ohamad	Measurement Result (dBm)
Channel Separation	Channel	For 30dBm(1W)
12.5 KHz	Bottom(400.025MHz)	29.55
	Middle(453.225MHz)	29.58
	Middle(454.025MHz)	29.51
	Top (479.975MHz)	29.53



Page 142 of 199

11. SPURIOUS EMISSION ON ANTENNA PORT

11.1 PROVISIONS APPLICABLE

Please refer to FCC 47 CFR 2.1051, 2.1057, 22.359 & 90.210 for specification details. Emissions shall be attenuated below the mean output power of the transmitter as follows:

FCC Rules	Attenuation Limit (dBc)
§ 22.359	At least 43 + 10 log (P) dB
§ 90.210	At least 50 + 10 log (P) dB

50 +10 log (Pwatts)

Note: In general, the worse case attenuation requirement shown above was applied.

Calculation: Limit (dBm) =EL-50-10log10 (TP)

EL is the emission level of the Output Power expressed in dBm,

In this application, the EL is P(dBm)

Limit (dBm) = P(dBm)-50-10 log (Pwatts) = -20dBm

43 + 10 log (Pwatts)

Calculation: Limit (dBm) =EL-43-10log10 (TP)

Notes: EL is the emission level of the Output Power expressed in dBm,


In this application, the EL is P(dBm).

Limit (dBm) = P(dBm)-43-10 log (Pwatts) = -13 dBm

11.2 TEST PROCEDURE

- 1. The RF output of the EUT was connected to a spectrum analyzer through appropriate attenuation.
- 2. The resolution bandwidth of the spectrum analyzer was set to 100 kHz. Sufficient scans were taken to show any out of band emission up to 10th . Harmonic for the lower and the highest frequency range.
- 3. Set RBW 100 kHz, VBW 300 kHz in the frequency band 30MHz to 1GHz, while set RBW=1MHz.VBW=3MHz from the 1GHz to 10th Harmonic.
- 4. The audio input was set the unmodulated carrier, the resulting picture is print out for each channel separation.

11.3 TEST CONFIGURATION



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated restrou/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




Report No.: AGC02931200704FE10

Page 143 of 199

11.4 TEST RESULT

VHF: Analog:

Conducted Spurious Emission (worst) @136.025MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz




Conducted Spurious Emission (worst) @ 136.025MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day. after the issuance of the test report. The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/






Conducted Spurious Emission (worst) @136.025MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 136.025MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Conducted Spurious Emission (worst) @151.850 MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 151.850MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Conducted Spurious Emission (worst) @151.850 MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 151.850MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Conducted Spurious Emission (worst) @155.025 MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 155.025 MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Conducted Spurious Emission (worst) @155.025 MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 155.025 MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Conducted Spurious Emission (worst) @161.610 MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 161.610MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Conducted Spurious Emission (worst) @161.610MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 161.610MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Conducted Spurious Emission (worst) @173.975 MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz




Conducted Spurious Emission (worst) @ 173.975MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz







Conducted Spurious Emission (worst) @173.975 MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 173.975MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz





Report No.: AGC02931200704FE10

Page 153 of 199

Digital:

Conducted Spurious Emission (worst) @136.025MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz




Conducted Spurious Emission (worst) @ 136.025MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




Dedicated Festing/Inspection Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Any report having not been signed by authorized approver, or having been altered without authorization, or having not been signed by authorized approver, or having been altered without authorization, or having not been signed by authorization of AGC. The test results of the test results are the instance of the test of the test of sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/






Conducted Spurious Emission (worst) @136.025MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 136.025MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






Conducted Spurious Emission (worst) @151.850 MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz




Conducted Spurious Emission (worst) @ 151.850MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz







Conducted Spurious Emission (worst) @151.850 MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conducted Spurious Emission (worst) @ 151.850MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz

