

# Zhuhai Xprinter Electronics Technology Co., Ltd.

Device	THERMAL RECEIPT PRINTER, THERMAL BARCODE PRINTER, BLUETOOTH THERMAL RECEIPT PRINTER, BLUETOOTH THERMAL BARCODE PRINTER, WIRELESS THERMAL RECEIPT PRINTER, THERMAL LABEL PRINTER, CLOUD THERMAL RECEIPT PRINTER, CLOUD THERMAL BARCODE PRINTER
Company name	Zhuhai Xprinter Electronics Technology Co., Ltd.
Grantee code	2AWYK
FCC ID	2AWYKXP-58TS
FRN	0029777570
Contact name	Xinqiang Wang
Address	5F,1st Building,613 Huawei Road,Qianshan Industrial Park,Xiangzhou District,Zhuhai City,Guangdong Province,China
Telephone number	0756-3895769
E-mail	cwpinzhi01@xprinter.net
Chipset/module information	YC3121-L, MC34063AG, XM25QH32DHIGU, SS8833E
Operating System (if applicable)	N/A
Storage Capacity (hard drive or other permanent memory storage, if applicable)	N/A

**Item 1.** The device is able to install software/program installation?

☐ Yes, go to Item 2.

☒ No. In this case, the rest of the items do not apply. The device cannot support installation of Kaspersky cybersecurity or anti-virus software.

**Item 2.** Technical Requirements for Kaspersky Cybersecurity Software:

#	General Requirements (For all Devices)	Yes / No or N/A	Comments
1	Internet connection for activation and updates (For all Operating Systems)	N/A	



#	General Requirements (For Windows Devices)	Yes / No or N/A	Comments
1	Storage: 1500 MB free space on the hard drive	N/A	
2	Operating System:  Microsoft Windows 8, 8.1, 10 & 11 Home / Pro / Enterprise Microsoft  Windows 7 Starter / Home Basic & Premium / Professional / Ultimate SP1 or higher	N/A	
3	Processor: 1 GHz or higher (x86 or x64)	N/A	
4	Memory (RAM) 1 GB (32-bit) or 2 GB (64-bit)	N/A	
5	Screen Resolution: Minimum resolution of 1024 x 768	N/A	

#	General Requirements (For macOS devices)	Yes / No or N/A	Comments
1	Operating System macOS® 13 – 14	N/A	
2	Memory (RAM) 4 GB	N/A	
3	Storage: 3455 MB free space on the hard drive	N/A	

#	General Requirements (For Android Devices)	Yes / No or N/A	Comments
1	Storage: 150 MB free space	N/A	
2	Operating System: Android™ 10 – 14	N/A	
3	Screen Resolution: Minimum resolution of 320 x 480	N/A	

#	General Requirements (for iOS devices)	Yes / No or N/A	Comments
1	Storage: 150 MB free space	N/A	
2	Operating System: iOS® 17	N/A	



#	General Requirements (For Linux system)	Yes / No or N/A	Comments
1	Hard drive: 1 GB of free space	N/A	
2	CPU: Intel Pentium 1 GHz or higher	N/A	
3	RAM: 1 GB	N/A	
4	Minimum software requirements: AlmaLinux OS 8 or later; AlterOS 7.5 or later; Astra Linux Common Edition 2.12 or later; CentOS 6.7 or later; Debian GNU/Linux 10.0 or later; EulerOS 2.0 or later; Oracle Linux 7.3 or later ; Red Hat Enterprise Linux 6.7 or later ; Rocky Linux 8.5 or later ; SUSE Linux Enterprise Server 12.5 or later; Ubuntu 12.04 or later ; Uncom OS Home / Business / Education / Enterprise 2.2 or later; ALT Linux Workstaton / Workstation K / Server / Education 8 or later; ROSA Linux Workstation / Server 12 or later ; RED OS 7.3 and later ;	N/A	

**After reviewed the technical requirements, is the device capable of supporting the installation of Kaspersky software?**

☐ Yes, go to Item 3.



☒ No. In this case, the rest of the items do not apply. The device cannot support installation of Kaspersky software

**Item 3. Connectivity Capabilities:**

#	Physical Interface	Purpose	Justification <sup>1</sup>
1			

#	Wireless Interface	Purpose	Justification <sup>1</sup>
1			

After the review of this items, the device:

☒ Cannot support installation of any cybersecurity or anti-virus software on the covered list.

☐ Potentially can operate with any cybersecurity or anti-virus software on the covered list – additional third-party proof is provided to demonstrate compliance with requirements as of 2.911(d)5(i),(ii) – “Proof of Compliance with Covered List Software Requirements” of this document applies

\_\_\_\_\_  
Signature: *Xin qiang Wang*

Name: Weikang Shang

Date: 2025/08/05

<sup>1</sup> The justification field is used to justify why the software cannot be received through that interface. Check the annex for more indications.