























































2.3 Test Graph - 99% Occupied Bandwidth






































































3. Maximum Conducted Output Power

3.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Measured Output Power (dBm)	Limit (dBm)	Verdict
			Ant 1		
802.11a	5180	SISO	12.07	≤23.98	PASS
	5200	SISO	12.25	≤23.98	PASS
	5240	SISO	11.86	≤23.98	PASS
	5260	SISO	11.76	≤23.98	PASS
	5300	SISO	11.27	≤23.98	PASS
	5320	SISO	10.59	≤23.98	PASS
	5500	SISO	11.64	≤23.98	PASS
	5580	SISO	12.28	≤23.98	PASS
	5600	SISO	12.33	≤23.98	PASS
802.11n(HT20)	5700	SISO	13.62	≤23.98	PASS
	5180	SISO	12.35	≤23.98	PASS
	5200	SISO	12.17	≤23.98	PASS
	5240	SISO	11.97	≤23.98	PASS
	5260	SISO	11.90	≤23.98	PASS
	5300	SISO	11.28	≤23.98	PASS
	5320	SISO	10.98	≤23.98	PASS
	5500	SISO	12.30	≤23.98	PASS
	5580	SISO	12.14	≤23.98	PASS
802.11n(HT40)	5600	SISO	12.20	≤23.98	PASS
	5700	SISO	13.73	≤23.98	PASS
	5190	SISO	12.61	≤23.98	PASS
	5230	SISO	12.31	≤23.98	PASS
	5270	SISO	11.76	≤23.98	PASS
	5310	SISO	11.07	≤23.98	PASS
	5510	SISO	11.76	≤23.98	PASS
	5550	SISO	12.19	≤23.98	PASS
	5590	SISO	12.22	≤23.98	PASS
802.11ac(VHT20)	5670	SISO	13.72	≤23.98	PASS
	5180	SISO	13.18	≤30.00	PASS
	5200	SISO	12.23	≤30.00	PASS
	5240	SISO	12.03	≤23.98	PASS
	5260	SISO	13.42	≤23.98	PASS
	5300	SISO	12.75	≤23.98	PASS
	5320	SISO	12.82	≤23.98	PASS
	5500	SISO	13.29	≤23.98	PASS
	5580	SISO	12.19	≤23.98	PASS
802.11ac(VHT40)	5600	SISO	12.65	≤23.98	PASS
	5700	SISO	13.87	≤23.98	PASS
	5190	SISO	12.21	≤23.98	PASS
	5230	SISO	13.58	≤23.98	PASS
	5270	SISO	12.94	≤23.98	PASS
	5310	SISO	13.32	≤23.98	PASS
	5510	SISO	11.65	≤23.98	PASS
	5550	SISO	12.23	≤23.98	PASS
	5590	SISO	12.55	≤23.98	PASS
802.11ac(VHT80)	5670	SISO	13.86	≤23.98	PASS
	5210	SISO	12.01	≤23.98	PASS
	5290	SISO	10.54	≤23.98	PASS
	5530	SISO	11.94	≤23.98	PASS

	5610	SISO	12.60	≤23.98	PASS
--	------	------	-------	--------	------

Note : 1.The Duty Cycle Factor is compensated in the result.

4. Maximum Power Spectral Density (PSD)

4.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Maximum Power Spectral Density (dBm/MHz)	Limits (dBm/MHz)	Verdict
			Ant 1		
802.11a	5180	SISO	1.03	≤11	PASS
	5200	SISO	1.06	≤11	PASS
	5240	SISO	0.95	≤11	PASS
	5260	SISO	0.80	≤11	PASS
	5300	SISO	0.19	≤11	PASS
	5320	SISO	-0.18	≤11	PASS
	5500	SISO	0.81	≤11	PASS
	5580	SISO	1.21	≤11	PASS
	5600	SISO	1.28	≤11	PASS
802.11n(HT20)	5700	SISO	2.47	≤11	PASS
	5180	SISO	1.03	≤11	PASS
	5200	SISO	1.29	≤11	PASS
	5240	SISO	0.51	≤11	PASS
	5260	SISO	0.75	≤11	PASS
	5300	SISO	0.09	≤11	PASS
	5320	SISO	0.01	≤11	PASS
	5500	SISO	0.56	≤11	PASS
	5580	SISO	0.86	≤11	PASS
802.11n(HT40)	5600	SISO	1.31	≤11	PASS
	5700	SISO	2.31	≤11	PASS
	5190	SISO	-1.65	≤11	PASS
	5230	SISO	-1.72	≤11	PASS
	5270	SISO	-2.17	≤11	PASS
	5310	SISO	-2.83	≤11	PASS
	5510	SISO	-2.09	≤11	PASS
	5550	SISO	-2.00	≤11	PASS
	5590	SISO	-1.62	≤11	PASS
802.11ac(VHT20)	5670	SISO	-0.39	≤11	PASS
	5180	SISO	5.83	≤17	PASS
	5200	SISO	5.83	≤17	PASS
	5240	SISO	8.58	≤11	PASS
	5260	SISO	8.49	≤11	PASS
	5300	SISO	7.90	≤11	PASS
	5320	SISO	8.00	≤11	PASS
	5500	SISO	7.86	≤11	PASS
	5580	SISO	8.71	≤11	PASS
802.11ac(VHT40)	5600	SISO	9.13	≤11	PASS
	5700	SISO	9.53	≤11	PASS
	5190	SISO	6.38	≤11	PASS
	5230	SISO	6.30	≤11	PASS
	5270	SISO	6.65	≤11	PASS
	5310	SISO	5.07	≤11	PASS
	5510	SISO	-1.97	≤11	PASS

802.11ac(VHT80)	5550	SISO	-1.63	≤ 11	PASS
	5590	SISO	-1.60	≤ 11	PASS
	5670	SISO	0.05	≤ 11	PASS
	5210	SISO	-4.94	≤ 11	PASS
	5290	SISO	-6.04	≤ 11	PASS
	5530	SISO	-4.94	≤ 11	PASS
	5610	SISO	-3.68	≤ 11	PASS

4.2 Test Graph

