

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15k_SISO_5MHz_NTNV_ERP

5G NR n26b SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	826.5	Edge_1RB_Left	22.84	/	/	20.19	/	/	<=38.45	Pass
		Edge_1RB_Right	22.98	/	/	20.33	/	/	<=38.45	Pass
		Outer_Full	22.91	/	/	20.26	/	/	<=38.45	Pass
		Inner_Full	23.48	/	/	20.83	/	/	<=38.45	Pass
		Inner_1RB_Left	23.33	/	/	20.68	/	/	<=38.45	Pass
		Inner_1RB_Right	23.24	/	/	20.59	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.91	/	/	20.26	/	/	<=38.45	Pass
		Edge_1RB_Right	22.89	/	/	20.24	/	/	<=38.45	Pass
		Outer_Full	22.97	/	/	20.32	/	/	<=38.45	Pass
		Inner_Full	23.51	/	/	20.86	/	/	<=38.45	Pass
		Inner_1RB_Left	23.38	/	/	20.73	/	/	<=38.45	Pass
		Inner_1RB_Right	23.40	/	/	20.75	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	22.92	/	/	20.27	/	/	<=38.45	Pass
		Edge_1RB_Right	22.71	/	/	20.06	/	/	<=38.45	Pass
		Outer_Full	22.84	/	/	20.19	/	/	<=38.45	Pass
		Inner_Full	23.45	/	/	20.80	/	/	<=38.45	Pass
		Inner_1RB_Left	23.42	/	/	20.77	/	/	<=38.45	Pass
		Inner_1RB_Right	23.28	/	/	20.63	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	826.5	Edge_1RB_Left	22.38	/	/	19.73	/	/	<=38.45	Pass
		Edge_1RB_Right	22.39	/	/	19.74	/	/	<=38.45	Pass
		Outer_Full	22.30	/	/	19.65	/	/	<=38.45	Pass
		Inner_Full	23.37	/	/	20.72	/	/	<=38.45	Pass
		Inner_1RB_Left	23.32	/	/	20.67	/	/	<=38.45	Pass
		Inner_1RB_Right	23.33	/	/	20.68	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.49	/	/	19.84	/	/	<=38.45	Pass
		Edge_1RB_Right	22.30	/	/	19.65	/	/	<=38.45	Pass
		Outer_Full	22.41	/	/	19.76	/	/	<=38.45	Pass
		Inner_Full	23.51	/	/	20.86	/	/	<=38.45	Pass
		Inner_1RB_Left	23.40	/	/	20.75	/	/	<=38.45	Pass
		Inner_1RB_Right	23.33	/	/	20.68	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	22.33	/	/	19.68	/	/	<=38.45	Pass
		Edge_1RB_Right	22.23	/	/	19.58	/	/	<=38.45	Pass
		Outer_Full	22.42	/	/	19.77	/	/	<=38.45	Pass
		Inner_Full	23.47	/	/	20.82	/	/	<=38.45	Pass
		Inner_1RB_Left	23.34	/	/	20.69	/	/	<=38.45	Pass
		Inner_1RB_Right	23.32	/	/	20.67	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	826.5	Edge_1RB_Left	21.36	/	/	18.71	/	/	<=38.45	Pass
		Edge_1RB_Right	21.51	/	/	18.86	/	/	<=38.45	Pass
		Outer_Full	21.44	/	/	18.79	/	/	<=38.45	Pass
		Inner_Full	22.35	/	/	19.70	/	/	<=38.45	Pass
		Inner_1RB_Left	22.28	/	/	19.63	/	/	<=38.45	Pass
		Inner_1RB_Right	22.29	/	/	19.64	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.53	/	/	18.88	/	/	<=38.45	Pass
		Edge_1RB_Right	21.62	/	/	18.97	/	/	<=38.45	Pass
		Outer_Full	21.52	/	/	18.87	/	/	<=38.45	Pass
		Inner_Full	22.43	/	/	19.78	/	/	<=38.45	Pass
		Inner_1RB_Left	22.43	/	/	19.78	/	/	<=38.45	Pass

	846.5	Inner_1RB_Right	22.28	/	/	19.63	/	/	<=38.45	Pass
		Edge_1RB_Left	21.60	/	/	18.95	/	/	<=38.45	Pass
		Edge_1RB_Right	21.61	/	/	18.96	/	/	<=38.45	Pass
		Outer_Full	21.55	/	/	18.90	/	/	<=38.45	Pass
		Inner_Full	22.45	/	/	19.80	/	/	<=38.45	Pass
		Inner_1RB_Left	22.34	/	/	19.69	/	/	<=38.45	Pass
		Inner_1RB_Right	22.40	/	/	19.75	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	826.5	Edge_1RB_Left	21.29	/	/	18.64	/	/	<=38.45	Pass
		Edge_1RB_Right	20.91	/	/	18.26	/	/	<=38.45	Pass
		Outer_Full	20.94	/	/	18.29	/	/	<=38.45	Pass
		Inner_Full	21.05	/	/	18.40	/	/	<=38.45	Pass
		Inner_1RB_Left	20.84	/	/	18.19	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	20.77	/	/	18.12	/	/	<=38.45	Pass
		Edge_1RB_Left	20.91	/	/	18.26	/	/	<=38.45	Pass
		Edge_1RB_Right	20.99	/	/	18.34	/	/	<=38.45	Pass
		Outer_Full	21.07	/	/	18.42	/	/	<=38.45	Pass
		Inner_Full	21.02	/	/	18.37	/	/	<=38.45	Pass
	846.5	Inner_1RB_Left	21.22	/	/	18.57	/	/	<=38.45	Pass
		Inner_1RB_Right	21.16	/	/	18.51	/	/	<=38.45	Pass
		Edge_1RB_Left	20.87	/	/	18.22	/	/	<=38.45	Pass
		Edge_1RB_Right	21.03	/	/	18.38	/	/	<=38.45	Pass
		Outer_Full	21.05	/	/	18.40	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	826.5	Inner_Full	21.02	/	/	18.37	/	/	<=38.45	Pass
		Inner_1RB_Left	21.05	/	/	18.40	/	/	<=38.45	Pass
		Inner_1RB_Right	21.12	/	/	18.47	/	/	<=38.45	Pass
		Edge_1RB_Left	18.73	/	/	16.08	/	/	<=38.45	Pass
		Edge_1RB_Right	18.76	/	/	16.11	/	/	<=38.45	Pass
	836.5	Outer_Full	18.91	/	/	16.26	/	/	<=38.45	Pass
		Inner_Full	18.99	/	/	16.34	/	/	<=38.45	Pass
		Inner_1RB_Left	19.40	/	/	16.75	/	/	<=38.45	Pass
		Inner_1RB_Right	18.86	/	/	16.21	/	/	<=38.45	Pass
		Edge_1RB_Left	19.17	/	/	16.52	/	/	<=38.45	Pass
	846.5	Edge_1RB_Right	18.73	/	/	16.08	/	/	<=38.45	Pass
		Outer_Full	19.01	/	/	16.36	/	/	<=38.45	Pass
		Inner_Full	19.03	/	/	16.38	/	/	<=38.45	Pass
		Inner_1RB_Left	18.87	/	/	16.22	/	/	<=38.45	Pass
		Inner_1RB_Right	18.87	/	/	16.22	/	/	<=38.45	Pass
CP-OFDM QPSK	826.5	Edge_1RB_Left	18.78	/	/	16.13	/	/	<=38.45	Pass
		Edge_1RB_Right	18.98	/	/	16.33	/	/	<=38.45	Pass
		Outer_Full	19.05	/	/	16.40	/	/	<=38.45	Pass
		Inner_Full	19.06	/	/	16.41	/	/	<=38.45	Pass
		Inner_1RB_Left	19.20	/	/	16.55	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	18.78	/	/	16.13	/	/	<=38.45	Pass
		Edge_1RB_Left	20.47	/	/	17.82	/	/	<=38.45	Pass
		Edge_1RB_Right	20.48	/	/	17.83	/	/	<=38.45	Pass
		Outer_Full	20.54	/	/	17.89	/	/	<=38.45	Pass
		Inner_Full	21.99	/	/	19.34	/	/	<=38.45	Pass
	846.5	Inner_1RB_Left	21.94	/	/	19.29	/	/	<=38.45	Pass
		Inner_1RB_Right	22.20	/	/	19.55	/	/	<=38.45	Pass
		Edge_1RB_Left	20.59	/	/	17.94	/	/	<=38.45	Pass
		Edge_1RB_Right	20.45	/	/	17.80	/	/	<=38.45	Pass
		Outer_Full	20.56	/	/	17.91	/	/	<=38.45	Pass
	826.5	Inner_Full	22.05	/	/	19.40	/	/	<=38.45	Pass
		Inner_1RB_Left	22.13	/	/	19.48	/	/	<=38.45	Pass
		Inner_1RB_Right	22.09	/	/	19.44	/	/	<=38.45	Pass
		Edge_1RB_Left	20.54	/	/	17.89	/	/	<=38.45	Pass
		Edge_1RB_Right	20.42	/	/	17.77	/	/	<=38.45	Pass
	836.5	Outer_Full	20.54	/	/	17.89	/	/	<=38.45	Pass
		Inner_Full	22.06	/	/	19.41	/	/	<=38.45	Pass

		Inner_1RB_Left	22.17	/	/	19.52	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.99	/	/	19.34	/	/	<=38.45	Pass	
CP-OFDM 16 QAM	826.5	Edge_1RB_Left	20.35	/	/	17.70	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.25	/	/	17.60	/	/	<=38.45	Pass	
		Outer_Full	20.48	/	/	17.83	/	/	<=38.45	Pass	
		Inner_Full	21.41	/	/	18.76	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.56	/	/	18.91	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.32	/	/	18.67	/	/	<=38.45	Pass	
		Edge_1RB_Left	20.43	/	/	17.78	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.44	/	/	17.79	/	/	<=38.45	Pass	
	836.5	Outer_Full	20.59	/	/	17.94	/	/	<=38.45	Pass	
		Inner_Full	21.49	/	/	18.84	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.67	/	/	19.02	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.58	/	/	18.93	/	/	<=38.45	Pass	
		Edge_1RB_Left	20.56	/	/	17.91	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.52	/	/	17.87	/	/	<=38.45	Pass	
	846.5	Outer_Full	20.54	/	/	17.89	/	/	<=38.45	Pass	
		Inner_Full	21.47	/	/	18.82	/	/	<=38.45	Pass	
		Inner_1RB_Left	21.71	/	/	19.06	/	/	<=38.45	Pass	
		Inner_1RB_Right	21.50	/	/	18.85	/	/	<=38.45	Pass	
Edge_1RB_Left		20.04	/	/	17.39	/	/	<=38.45	Pass		
Edge_1RB_Right		19.90	/	/	17.25	/	/	<=38.45	Pass		
CP-OFDM 64 QAM	826.5	Outer_Full	19.94	/	/	17.29	/	/	<=38.45	Pass	
		Inner_Full	20.02	/	/	17.37	/	/	<=38.45	Pass	
		Inner_1RB_Left	20.05	/	/	17.40	/	/	<=38.45	Pass	
		Inner_1RB_Right	19.92	/	/	17.27	/	/	<=38.45	Pass	
		Edge_1RB_Left	20.04	/	/	17.39	/	/	<=38.45	Pass	
		Edge_1RB_Right	20.09	/	/	17.44	/	/	<=38.45	Pass	
	836.5	Outer_Full	19.97	/	/	17.32	/	/	<=38.45	Pass	
		Inner_Full	20.08	/	/	17.43	/	/	<=38.45	Pass	
		Inner_1RB_Left	20.07	/	/	17.42	/	/	<=38.45	Pass	
		Inner_1RB_Right	19.59	/	/	16.94	/	/	<=38.45	Pass	
		Edge_1RB_Left	20.10	/	/	17.45	/	/	<=38.45	Pass	
		Edge_1RB_Right	19.89	/	/	17.24	/	/	<=38.45	Pass	
	846.5	Outer_Full	19.99	/	/	17.34	/	/	<=38.45	Pass	
		Inner_Full	19.99	/	/	17.34	/	/	<=38.45	Pass	
		Inner_1RB_Left	20.04	/	/	17.39	/	/	<=38.45	Pass	
		Inner_1RB_Right	20.02	/	/	17.37	/	/	<=38.45	Pass	
		Edge_1RB_Left	17.12	/	/	14.47	/	/	<=38.45	Pass	
		Edge_1RB_Right	16.83	/	/	14.18	/	/	<=38.45	Pass	
CP-OFDM 256 QAM	826.5	Outer_Full	17.02	/	/	14.37	/	/	<=38.45	Pass	
		Inner_Full	17.08	/	/	14.43	/	/	<=38.45	Pass	
		Inner_1RB_Left	16.74	/	/	14.09	/	/	<=38.45	Pass	
		Inner_1RB_Right	17.09	/	/	14.44	/	/	<=38.45	Pass	
		Edge_1RB_Left	16.86	/	/	14.21	/	/	<=38.45	Pass	
		Edge_1RB_Right	17.04	/	/	14.39	/	/	<=38.45	Pass	
	836.5	Outer_Full	17.06	/	/	14.41	/	/	<=38.45	Pass	
		Inner_Full	17.10	/	/	14.45	/	/	<=38.45	Pass	
		Inner_1RB_Left	16.96	/	/	14.31	/	/	<=38.45	Pass	
		Inner_1RB_Right	16.65	/	/	14.00	/	/	<=38.45	Pass	
		Edge_1RB_Left	16.76	/	/	14.11	/	/	<=38.45	Pass	
		Edge_1RB_Right	16.94	/	/	14.29	/	/	<=38.45	Pass	
	846.5	Outer_Full	16.94	/	/	14.29	/	/	<=38.45	Pass	
		Inner_Full	16.96	/	/	14.31	/	/	<=38.45	Pass	
		Inner_1RB_Left	16.93	/	/	14.28	/	/	<=38.45	Pass	
		Inner_1RB_Right	16.89	/	/	14.24	/	/	<=38.45	Pass	
		Note1: Antenna Gain: Ant1: -0.50dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15									

1.1.2 15k_SISO_10MHz_NTNV_ERP

5G NR n26b SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	829	Edge_1RB_Left	22.77	/	/	20.12	/	/	<=38.45	Pass
		Edge_1RB_Right	22.76	/	/	20.11	/	/	<=38.45	Pass
		Outer_Full	22.93	/	/	20.28	/	/	<=38.45	Pass
		Inner_Full	23.44	/	/	20.79	/	/	<=38.45	Pass
		Inner_1RB_Left	23.35	/	/	20.70	/	/	<=38.45	Pass
		Inner_1RB_Right	23.49	/	/	20.84	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.84	/	/	20.19	/	/	<=38.45	Pass
		Edge_1RB_Right	22.82	/	/	20.17	/	/	<=38.45	Pass
		Outer_Full	22.94	/	/	20.29	/	/	<=38.45	Pass
		Inner_Full	23.52	/	/	20.87	/	/	<=38.45	Pass
		Inner_1RB_Left	23.43	/	/	20.78	/	/	<=38.45	Pass
		Inner_1RB_Right	23.31	/	/	20.66	/	/	<=38.45	Pass
	844	Edge_1RB_Left	22.80	/	/	20.15	/	/	<=38.45	Pass
		Edge_1RB_Right	22.76	/	/	20.11	/	/	<=38.45	Pass
		Outer_Full	22.94	/	/	20.29	/	/	<=38.45	Pass
		Inner_Full	23.51	/	/	20.86	/	/	<=38.45	Pass
		Inner_1RB_Left	23.35	/	/	20.70	/	/	<=38.45	Pass
		Inner_1RB_Right	23.24	/	/	20.59	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	829	Edge_1RB_Left	22.26	/	/	19.61	/	/	<=38.45	Pass
		Edge_1RB_Right	22.40	/	/	19.75	/	/	<=38.45	Pass
		Outer_Full	22.40	/	/	19.75	/	/	<=38.45	Pass
		Inner_Full	23.33	/	/	20.68	/	/	<=38.45	Pass
		Inner_1RB_Left	23.37	/	/	20.72	/	/	<=38.45	Pass
		Inner_1RB_Right	23.37	/	/	20.72	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.23	/	/	19.58	/	/	<=38.45	Pass
		Edge_1RB_Right	22.34	/	/	19.69	/	/	<=38.45	Pass
		Outer_Full	22.41	/	/	19.76	/	/	<=38.45	Pass
		Inner_Full	23.49	/	/	20.84	/	/	<=38.45	Pass
		Inner_1RB_Left	23.42	/	/	20.77	/	/	<=38.45	Pass
		Inner_1RB_Right	23.55	/	/	20.90	/	/	<=38.45	Pass
	844	Edge_1RB_Left	22.19	/	/	19.54	/	/	<=38.45	Pass
		Edge_1RB_Right	22.21	/	/	19.56	/	/	<=38.45	Pass
		Outer_Full	22.34	/	/	19.69	/	/	<=38.45	Pass
		Inner_Full	23.43	/	/	20.78	/	/	<=38.45	Pass
		Inner_1RB_Left	23.32	/	/	20.67	/	/	<=38.45	Pass
		Inner_1RB_Right	23.35	/	/	20.70	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	829	Edge_1RB_Left	21.49	/	/	18.84	/	/	<=38.45	Pass
		Edge_1RB_Right	21.35	/	/	18.70	/	/	<=38.45	Pass
		Outer_Full	21.48	/	/	18.83	/	/	<=38.45	Pass
		Inner_Full	22.34	/	/	19.69	/	/	<=38.45	Pass
		Inner_1RB_Left	22.18	/	/	19.53	/	/	<=38.45	Pass
		Inner_1RB_Right	22.51	/	/	19.86	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.33	/	/	18.68	/	/	<=38.45	Pass
		Edge_1RB_Right	21.35	/	/	18.70	/	/	<=38.45	Pass
		Outer_Full	21.51	/	/	18.86	/	/	<=38.45	Pass
		Inner_Full	22.50	/	/	19.85	/	/	<=38.45	Pass
		Inner_1RB_Left	22.45	/	/	19.80	/	/	<=38.45	Pass
		Inner_1RB_Right	22.26	/	/	19.61	/	/	<=38.45	Pass
	844	Edge_1RB_Left	21.33	/	/	18.68	/	/	<=38.45	Pass
		Edge_1RB_Right	21.47	/	/	18.82	/	/	<=38.45	Pass
		Outer_Full	21.51	/	/	18.86	/	/	<=38.45	Pass
		Inner_Full	22.34	/	/	19.69	/	/	<=38.45	Pass
		Inner_1RB_Left	22.41	/	/	19.76	/	/	<=38.45	Pass
		Inner_1RB_Right	22.19	/	/	19.54	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	829	Edge_1RB_Left	21.10	/	/	18.45	/	/	<=38.45	Pass

		Edge 1RB Right	21.15	/	/	18.50	/	/	<=38.45	Pass
		Outer Full	20.96	/	/	18.31	/	/	<=38.45	Pass
		Inner Full	20.94	/	/	18.29	/	/	<=38.45	Pass
		Inner 1RB Left	20.57	/	/	17.92	/	/	<=38.45	Pass
		Inner 1RB Right	21.32	/	/	18.67	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	21.04	/	/	18.39	/	/	<=38.45	Pass
		Edge 1RB Right	21.14	/	/	18.49	/	/	<=38.45	Pass
		Outer Full	21.05	/	/	18.40	/	/	<=38.45	Pass
		Inner Full	21.03	/	/	18.38	/	/	<=38.45	Pass
		Inner 1RB Left	21.12	/	/	18.47	/	/	<=38.45	Pass
	844	Inner 1RB Right	21.03	/	/	18.38	/	/	<=38.45	Pass
		Edge 1RB Left	20.97	/	/	18.32	/	/	<=38.45	Pass
		Edge 1RB Right	20.81	/	/	18.16	/	/	<=38.45	Pass
		Outer Full	20.99	/	/	18.34	/	/	<=38.45	Pass
		Inner Full	21.04	/	/	18.39	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM		Inner 1RB Left	20.82	/	/	18.17	/	/	<=38.45	Pass
		Inner 1RB Right	20.84	/	/	18.19	/	/	<=38.45	Pass
	829	Edge 1RB Left	19.08	/	/	16.43	/	/	<=38.45	Pass
		Edge 1RB Right	18.89	/	/	16.24	/	/	<=38.45	Pass
		Outer Full	19.08	/	/	16.43	/	/	<=38.45	Pass
		Inner Full	19.02	/	/	16.37	/	/	<=38.45	Pass
	836.5	Inner 1RB Left	18.99	/	/	16.34	/	/	<=38.45	Pass
		Inner 1RB Right	18.93	/	/	16.28	/	/	<=38.45	Pass
		Edge 1RB Left	18.91	/	/	16.26	/	/	<=38.45	Pass
		Edge 1RB Right	19.11	/	/	16.46	/	/	<=38.45	Pass
		Outer Full	19.03	/	/	16.38	/	/	<=38.45	Pass
CP-OFDM QPSK		Inner Full	19.00	/	/	16.35	/	/	<=38.45	Pass
		Inner 1RB Left	19.09	/	/	16.44	/	/	<=38.45	Pass
		Inner 1RB Right	18.96	/	/	16.31	/	/	<=38.45	Pass
	844	Edge 1RB Left	19.09	/	/	16.44	/	/	<=38.45	Pass
		Edge 1RB Right	19.09	/	/	16.44	/	/	<=38.45	Pass
		Outer Full	19.03	/	/	16.38	/	/	<=38.45	Pass
		Inner Full	18.97	/	/	16.32	/	/	<=38.45	Pass
	829	Inner 1RB Left	18.92	/	/	16.27	/	/	<=38.45	Pass
		Inner 1RB Right	18.62	/	/	15.97	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.46	/	/	17.81	/	/	<=38.45	Pass
		Edge 1RB Right	20.40	/	/	17.75	/	/	<=38.45	Pass
		Outer Full	20.55	/	/	17.90	/	/	<=38.45	Pass
CP-OFDM 16 QAM		Inner Full	21.91	/	/	19.26	/	/	<=38.45	Pass
		Inner 1RB Left	22.01	/	/	19.36	/	/	<=38.45	Pass
		Inner 1RB Right	22.09	/	/	19.44	/	/	<=38.45	Pass
	844	Edge 1RB Left	20.57	/	/	17.92	/	/	<=38.45	Pass
		Edge 1RB Right	20.47	/	/	17.82	/	/	<=38.45	Pass
		Outer Full	20.49	/	/	17.84	/	/	<=38.45	Pass
	829	Inner Full	21.98	/	/	19.33	/	/	<=38.45	Pass
		Inner 1RB Left	22.12	/	/	19.47	/	/	<=38.45	Pass
		Inner 1RB Right	21.96	/	/	19.31	/	/	<=38.45	Pass
	844	Edge 1RB Left	20.43	/	/	17.78	/	/	<=38.45	Pass
		Edge 1RB Right	20.34	/	/	17.69	/	/	<=38.45	Pass
		Outer Full	20.51	/	/	17.86	/	/	<=38.45	Pass
		Inner Full	21.97	/	/	19.32	/	/	<=38.45	Pass
		Inner 1RB Left	22.06	/	/	19.41	/	/	<=38.45	Pass
	829	Inner 1RB Right	21.81	/	/	19.16	/	/	<=38.45	Pass
		Edge 1RB Left	20.22	/	/	17.57	/	/	<=38.45	Pass
		Edge 1RB Right	20.64	/	/	17.99	/	/	<=38.45	Pass
		Outer Full	20.56	/	/	17.91	/	/	<=38.45	Pass
		Inner Full	21.37	/	/	18.72	/	/	<=38.45	Pass
		Inner 1RB Left	21.35	/	/	18.70	/	/	<=38.45	Pass
		Inner 1RB Right	21.53	/	/	18.88	/	/	<=38.45	Pass

	836.5	Edge_1RB_Left	20.37	/	/	17.72	/	/	<=38.45	Pass
		Edge_1RB_Right	20.42	/	/	17.77	/	/	<=38.45	Pass
		Outer_Full	20.56	/	/	17.91	/	/	<=38.45	Pass
		Inner_Full	21.54	/	/	18.89	/	/	<=38.45	Pass
		Inner_1RB_Left	21.58	/	/	18.93	/	/	<=38.45	Pass
		Inner_1RB_Right	21.44	/	/	18.79	/	/	<=38.45	Pass
	844	Edge_1RB_Left	20.51	/	/	17.86	/	/	<=38.45	Pass
		Edge_1RB_Right	20.37	/	/	17.72	/	/	<=38.45	Pass
		Outer_Full	20.46	/	/	17.81	/	/	<=38.45	Pass
		Inner_Full	21.39	/	/	18.74	/	/	<=38.45	Pass
		Inner_1RB_Left	21.53	/	/	18.88	/	/	<=38.45	Pass
		Inner_1RB_Right	21.38	/	/	18.73	/	/	<=38.45	Pass
CP-OFDM 64 QAM	829	Edge_1RB_Left	20.04	/	/	17.39	/	/	<=38.45	Pass
		Edge_1RB_Right	19.92	/	/	17.27	/	/	<=38.45	Pass
		Outer_Full	19.94	/	/	17.29	/	/	<=38.45	Pass
		Inner_Full	20.02	/	/	17.37	/	/	<=38.45	Pass
		Inner_1RB_Left	20.12	/	/	17.47	/	/	<=38.45	Pass
		Inner_1RB_Right	20.07	/	/	17.42	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	19.88	/	/	17.23	/	/	<=38.45	Pass
		Edge_1RB_Right	19.91	/	/	17.26	/	/	<=38.45	Pass
		Outer_Full	20.04	/	/	17.39	/	/	<=38.45	Pass
		Inner_Full	20.00	/	/	17.35	/	/	<=38.45	Pass
		Inner_1RB_Left	19.99	/	/	17.34	/	/	<=38.45	Pass
		Inner_1RB_Right	19.69	/	/	17.04	/	/	<=38.45	Pass
	844	Edge_1RB_Left	19.98	/	/	17.33	/	/	<=38.45	Pass
		Edge_1RB_Right	20.17	/	/	17.52	/	/	<=38.45	Pass
		Outer_Full	20.00	/	/	17.35	/	/	<=38.45	Pass
		Inner_Full	20.05	/	/	17.40	/	/	<=38.45	Pass
		Inner_1RB_Left	19.94	/	/	17.29	/	/	<=38.45	Pass
		Inner_1RB_Right	19.83	/	/	17.18	/	/	<=38.45	Pass
CP-OFDM 256 QAM	829	Edge_1RB_Left	16.58	/	/	13.93	/	/	<=38.45	Pass
		Edge_1RB_Right	16.96	/	/	14.31	/	/	<=38.45	Pass
		Outer_Full	17.07	/	/	14.42	/	/	<=38.45	Pass
		Inner_Full	16.95	/	/	14.30	/	/	<=38.45	Pass
		Inner_1RB_Left	17.10	/	/	14.45	/	/	<=38.45	Pass
		Inner_1RB_Right	16.99	/	/	14.34	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	16.87	/	/	14.22	/	/	<=38.45	Pass
		Edge_1RB_Right	16.86	/	/	14.21	/	/	<=38.45	Pass
		Outer_Full	17.04	/	/	14.39	/	/	<=38.45	Pass
		Inner_Full	17.12	/	/	14.47	/	/	<=38.45	Pass
		Inner_1RB_Left	16.99	/	/	14.34	/	/	<=38.45	Pass
		Inner_1RB_Right	16.96	/	/	14.31	/	/	<=38.45	Pass
	844	Edge_1RB_Left	16.79	/	/	14.14	/	/	<=38.45	Pass
		Edge_1RB_Right	17.16	/	/	14.51	/	/	<=38.45	Pass
		Outer_Full	17.05	/	/	14.40	/	/	<=38.45	Pass
		Inner_Full	17.07	/	/	14.42	/	/	<=38.45	Pass
		Inner_1RB_Left	17.17	/	/	14.52	/	/	<=38.45	Pass
		Inner_1RB_Right	16.75	/	/	14.10	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant1: -0.50dBi;										
Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.3 15k_SISO_15MHz_NTNV_ERP

5G NR n26b SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	831.5	Edge_1RB_Left	22.90	/	/	20.25	/	/	<=38.45	Pass
		Edge_1RB_Right	22.78	/	/	20.13	/	/	<=38.45	Pass

		Outer_Full	22.92	/	/	20.27	/	/	<=38.45	Pass
		Inner_Full	23.50	/	/	20.85	/	/	<=38.45	Pass
		Inner_1RB_Left	23.37	/	/	20.72	/	/	<=38.45	Pass
		Inner_1RB_Right	23.34	/	/	20.69	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.95	/	/	20.30	/	/	<=38.45	Pass
		Edge_1RB_Right	22.82	/	/	20.17	/	/	<=38.45	Pass
		Outer_Full	22.93	/	/	20.28	/	/	<=38.45	Pass
		Inner_Full	23.53	/	/	20.88	/	/	<=38.45	Pass
		Inner_1RB_Left	23.37	/	/	20.72	/	/	<=38.45	Pass
		Inner_1RB_Right	23.42	/	/	20.77	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	22.82	/	/	20.17	/	/	<=38.45	Pass
		Edge_1RB_Right	22.75	/	/	20.10	/	/	<=38.45	Pass
		Outer_Full	22.87	/	/	20.22	/	/	<=38.45	Pass
		Inner_Full	23.38	/	/	20.73	/	/	<=38.45	Pass
		Inner_1RB_Left	23.38	/	/	20.73	/	/	<=38.45	Pass
		Inner_1RB_Right	23.26	/	/	20.61	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	831.5	Edge_1RB_Left	22.42	/	/	19.77	/	/	<=38.45	Pass
		Edge_1RB_Right	22.38	/	/	19.73	/	/	<=38.45	Pass
		Outer_Full	22.42	/	/	19.77	/	/	<=38.45	Pass
		Inner_Full	23.38	/	/	20.73	/	/	<=38.45	Pass
		Inner_1RB_Left	23.29	/	/	20.64	/	/	<=38.45	Pass
		Inner_1RB_Right	23.29	/	/	20.64	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.40	/	/	19.75	/	/	<=38.45	Pass
		Edge_1RB_Right	22.38	/	/	19.73	/	/	<=38.45	Pass
		Outer_Full	22.44	/	/	19.79	/	/	<=38.45	Pass
		Inner_Full	23.42	/	/	20.77	/	/	<=38.45	Pass
		Inner_1RB_Left	23.44	/	/	20.79	/	/	<=38.45	Pass
		Inner_1RB_Right	23.37	/	/	20.72	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	22.39	/	/	19.74	/	/	<=38.45	Pass
		Edge_1RB_Right	22.30	/	/	19.65	/	/	<=38.45	Pass
		Outer_Full	22.34	/	/	19.69	/	/	<=38.45	Pass
		Inner_Full	23.39	/	/	20.74	/	/	<=38.45	Pass
		Inner_1RB_Left	23.33	/	/	20.68	/	/	<=38.45	Pass
		Inner_1RB_Right	23.22	/	/	20.57	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	831.5	Edge_1RB_Left	21.40	/	/	18.75	/	/	<=38.45	Pass
		Edge_1RB_Right	21.57	/	/	18.92	/	/	<=38.45	Pass
		Outer_Full	21.52	/	/	18.87	/	/	<=38.45	Pass
		Inner_Full	22.41	/	/	19.76	/	/	<=38.45	Pass
		Inner_1RB_Left	22.27	/	/	19.62	/	/	<=38.45	Pass
		Inner_1RB_Right	22.54	/	/	19.89	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.62	/	/	18.97	/	/	<=38.45	Pass
		Edge_1RB_Right	21.49	/	/	18.84	/	/	<=38.45	Pass
		Outer_Full	21.47	/	/	18.82	/	/	<=38.45	Pass
		Inner_Full	22.39	/	/	19.74	/	/	<=38.45	Pass
		Inner_1RB_Left	22.34	/	/	19.69	/	/	<=38.45	Pass
		Inner_1RB_Right	22.35	/	/	19.70	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	21.33	/	/	18.68	/	/	<=38.45	Pass
		Edge_1RB_Right	21.51	/	/	18.86	/	/	<=38.45	Pass
		Outer_Full	21.46	/	/	18.81	/	/	<=38.45	Pass
		Inner_Full	22.31	/	/	19.66	/	/	<=38.45	Pass
		Inner_1RB_Left	22.38	/	/	19.73	/	/	<=38.45	Pass
		Inner_1RB_Right	22.17	/	/	19.52	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	831.5	Edge_1RB_Left	21.33	/	/	18.68	/	/	<=38.45	Pass
		Edge_1RB_Right	20.91	/	/	18.26	/	/	<=38.45	Pass
		Outer_Full	20.98	/	/	18.33	/	/	<=38.45	Pass
		Inner_Full	21.02	/	/	18.37	/	/	<=38.45	Pass
		Inner_1RB_Left	21.16	/	/	18.51	/	/	<=38.45	Pass
		Inner_1RB_Right	21.13	/	/	18.48	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.23	/	/	18.58	/	/	<=38.45	Pass

		Edge 1RB Right	20.83	/	/	18.18	/	/	<=38.45	Pass
		Outer Full	20.98	/	/	18.33	/	/	<=38.45	Pass
		Inner Full	21.06	/	/	18.41	/	/	<=38.45	Pass
		Inner 1RB Left	21.01	/	/	18.36	/	/	<=38.45	Pass
		Inner 1RB Right	21.20	/	/	18.55	/	/	<=38.45	Pass
	841.5	Edge 1RB Left	20.86	/	/	18.21	/	/	<=38.45	Pass
		Edge 1RB Right	20.76	/	/	18.11	/	/	<=38.45	Pass
		Outer Full	21.00	/	/	18.35	/	/	<=38.45	Pass
		Inner Full	20.96	/	/	18.31	/	/	<=38.45	Pass
		Inner 1RB Left	20.82	/	/	18.17	/	/	<=38.45	Pass
		Inner 1RB Right	20.99	/	/	18.34	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	831.5	Edge 1RB Left	18.97	/	/	16.32	/	/	<=38.45	Pass
		Edge 1RB Right	19.24	/	/	16.59	/	/	<=38.45	Pass
		Outer Full	19.05	/	/	16.40	/	/	<=38.45	Pass
		Inner Full	18.99	/	/	16.34	/	/	<=38.45	Pass
		Inner 1RB Left	19.05	/	/	16.40	/	/	<=38.45	Pass
		Inner 1RB Right	19.00	/	/	16.35	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	19.04	/	/	16.39	/	/	<=38.45	Pass
		Edge 1RB Right	18.99	/	/	16.34	/	/	<=38.45	Pass
		Outer Full	19.05	/	/	16.40	/	/	<=38.45	Pass
		Inner Full	19.01	/	/	16.36	/	/	<=38.45	Pass
		Inner 1RB Left	19.03	/	/	16.38	/	/	<=38.45	Pass
		Inner 1RB Right	18.99	/	/	16.34	/	/	<=38.45	Pass
	841.5	Edge 1RB Left	18.75	/	/	16.10	/	/	<=38.45	Pass
		Edge 1RB Right	18.93	/	/	16.28	/	/	<=38.45	Pass
		Outer Full	19.06	/	/	16.41	/	/	<=38.45	Pass
		Inner Full	19.00	/	/	16.35	/	/	<=38.45	Pass
		Inner 1RB Left	18.76	/	/	16.11	/	/	<=38.45	Pass
		Inner 1RB Right	18.99	/	/	16.34	/	/	<=38.45	Pass
CP-OFDM QPSK	831.5	Edge 1RB Left	20.53	/	/	17.88	/	/	<=38.45	Pass
		Edge 1RB Right	20.49	/	/	17.84	/	/	<=38.45	Pass
		Outer Full	20.44	/	/	17.79	/	/	<=38.45	Pass
		Inner Full	21.87	/	/	19.22	/	/	<=38.45	Pass
		Inner 1RB Left	21.90	/	/	19.25	/	/	<=38.45	Pass
		Inner 1RB Right	22.02	/	/	19.37	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.51	/	/	17.86	/	/	<=38.45	Pass
		Edge 1RB Right	20.63	/	/	17.98	/	/	<=38.45	Pass
		Outer Full	20.47	/	/	17.82	/	/	<=38.45	Pass
		Inner Full	21.96	/	/	19.31	/	/	<=38.45	Pass
		Inner 1RB Left	22.08	/	/	19.43	/	/	<=38.45	Pass
		Inner 1RB Right	21.94	/	/	19.29	/	/	<=38.45	Pass
	841.5	Edge 1RB Left	20.53	/	/	17.88	/	/	<=38.45	Pass
		Edge 1RB Right	20.35	/	/	17.70	/	/	<=38.45	Pass
		Outer Full	20.40	/	/	17.75	/	/	<=38.45	Pass
		Inner Full	21.88	/	/	19.23	/	/	<=38.45	Pass
		Inner 1RB Left	21.90	/	/	19.25	/	/	<=38.45	Pass
		Inner 1RB Right	21.87	/	/	19.22	/	/	<=38.45	Pass
CP-OFDM 16 QAM	831.5	Edge 1RB Left	20.61	/	/	17.96	/	/	<=38.45	Pass
		Edge 1RB Right	20.62	/	/	17.97	/	/	<=38.45	Pass
		Outer Full	20.39	/	/	17.74	/	/	<=38.45	Pass
		Inner Full	21.47	/	/	18.82	/	/	<=38.45	Pass
		Inner 1RB Left	21.49	/	/	18.84	/	/	<=38.45	Pass
		Inner 1RB Right	21.32	/	/	18.67	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.44	/	/	17.79	/	/	<=38.45	Pass
		Edge 1RB Right	20.57	/	/	17.92	/	/	<=38.45	Pass
		Outer Full	20.47	/	/	17.82	/	/	<=38.45	Pass
		Inner Full	21.48	/	/	18.83	/	/	<=38.45	Pass
		Inner 1RB Left	21.44	/	/	18.79	/	/	<=38.45	Pass
		Inner 1RB Right	21.86	/	/	19.21	/	/	<=38.45	Pass

	841.5	Edge_1RB_Left	20.59	/	/	17.94	/	/	<=38.45	Pass
		Edge_1RB_Right	20.43	/	/	17.78	/	/	<=38.45	Pass
		Outer_Full	20.43	/	/	17.78	/	/	<=38.45	Pass
		Inner_Full	21.52	/	/	18.87	/	/	<=38.45	Pass
		Inner_1RB_Left	21.40	/	/	18.75	/	/	<=38.45	Pass
		Inner_1RB_Right	21.29	/	/	18.64	/	/	<=38.45	Pass
CP-OFDM 64 QAM	831.5	Edge_1RB_Left	20.08	/	/	17.43	/	/	<=38.45	Pass
		Edge_1RB_Right	20.01	/	/	17.36	/	/	<=38.45	Pass
		Outer_Full	19.96	/	/	17.31	/	/	<=38.45	Pass
		Inner_Full	19.89	/	/	17.24	/	/	<=38.45	Pass
		Inner_1RB_Left	20.18	/	/	17.53	/	/	<=38.45	Pass
		Inner_1RB_Right	19.64	/	/	16.99	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	19.87	/	/	17.22	/	/	<=38.45	Pass
		Edge_1RB_Right	19.85	/	/	17.20	/	/	<=38.45	Pass
		Outer_Full	20.00	/	/	17.35	/	/	<=38.45	Pass
		Inner_Full	20.01	/	/	17.36	/	/	<=38.45	Pass
		Inner_1RB_Left	20.07	/	/	17.42	/	/	<=38.45	Pass
		Inner_1RB_Right	20.00	/	/	17.35	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	19.95	/	/	17.30	/	/	<=38.45	Pass
		Edge_1RB_Right	19.93	/	/	17.28	/	/	<=38.45	Pass
		Outer_Full	20.01	/	/	17.36	/	/	<=38.45	Pass
		Inner_Full	20.01	/	/	17.36	/	/	<=38.45	Pass
		Inner_1RB_Left	19.88	/	/	17.23	/	/	<=38.45	Pass
		Inner_1RB_Right	20.04	/	/	17.39	/	/	<=38.45	Pass
CP-OFDM 256 QAM	831.5	Edge_1RB_Left	17.26	/	/	14.61	/	/	<=38.45	Pass
		Edge_1RB_Right	16.88	/	/	14.23	/	/	<=38.45	Pass
		Outer_Full	17.07	/	/	14.42	/	/	<=38.45	Pass
		Inner_Full	17.01	/	/	14.36	/	/	<=38.45	Pass
		Inner_1RB_Left	17.13	/	/	14.48	/	/	<=38.45	Pass
		Inner_1RB_Right	17.03	/	/	14.38	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	16.90	/	/	14.25	/	/	<=38.45	Pass
		Edge_1RB_Right	17.14	/	/	14.49	/	/	<=38.45	Pass
		Outer_Full	17.02	/	/	14.37	/	/	<=38.45	Pass
		Inner_Full	17.01	/	/	14.36	/	/	<=38.45	Pass
		Inner_1RB_Left	17.11	/	/	14.46	/	/	<=38.45	Pass
		Inner_1RB_Right	17.01	/	/	14.36	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	17.04	/	/	14.39	/	/	<=38.45	Pass
		Edge_1RB_Right	17.09	/	/	14.44	/	/	<=38.45	Pass
		Outer_Full	16.98	/	/	14.33	/	/	<=38.45	Pass
		Inner_Full	16.96	/	/	14.31	/	/	<=38.45	Pass
		Inner_1RB_Left	17.18	/	/	14.53	/	/	<=38.45	Pass
		Inner_1RB_Right	17.17	/	/	14.52	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant1: -0.50dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.4 15k_SISO_20MHz_NTNV_ERP

5G NR n26b SCS=15kHz SISO 20MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	834	Edge_1RB_Left	22.87	/	/	20.22	/	/	<=38.45	Pass
		Edge_1RB_Right	22.87	/	/	20.22	/	/	<=38.45	Pass
		Outer_Full	23.04	/	/	20.39	/	/	<=38.45	Pass
		Inner_Full	23.46	/	/	20.81	/	/	<=38.45	Pass
		Inner_1RB_Left	23.44	/	/	20.79	/	/	<=38.45	Pass
		Inner_1RB_Right	23.44	/	/	20.79	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.88	/	/	20.23	/	/	<=38.45	Pass
		Edge_1RB_Right	22.76	/	/	20.11	/	/	<=38.45	Pass

		Outer_Full	23.02	/	/	20.37	/	/	<=38.45	Pass
		Inner_Full	23.57	/	/	20.92	/	/	<=38.45	Pass
		Inner_1RB_Left	23.33	/	/	20.68	/	/	<=38.45	Pass
		Inner_1RB_Right	23.38	/	/	20.73	/	/	<=38.45	Pass
	839	Edge_1RB_Left	22.76	/	/	20.11	/	/	<=38.45	Pass
		Edge_1RB_Right	22.71	/	/	20.06	/	/	<=38.45	Pass
		Outer_Full	23.01	/	/	20.36	/	/	<=38.45	Pass
		Inner_Full	23.54	/	/	20.89	/	/	<=38.45	Pass
		Inner_1RB_Left	23.43	/	/	20.78	/	/	<=38.45	Pass
		Inner_1RB_Right	23.19	/	/	20.54	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	834	Edge_1RB_Left	22.29	/	/	19.64	/	/	<=38.45	Pass
		Edge_1RB_Right	22.37	/	/	19.72	/	/	<=38.45	Pass
		Outer_Full	22.44	/	/	19.79	/	/	<=38.45	Pass
		Inner_Full	23.43	/	/	20.78	/	/	<=38.45	Pass
		Inner_1RB_Left	23.41	/	/	20.76	/	/	<=38.45	Pass
		Inner_1RB_Right	23.36	/	/	20.71	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.36	/	/	19.71	/	/	<=38.45	Pass
		Edge_1RB_Right	22.38	/	/	19.73	/	/	<=38.45	Pass
		Outer_Full	22.48	/	/	19.83	/	/	<=38.45	Pass
		Inner_Full	23.47	/	/	20.82	/	/	<=38.45	Pass
		Inner_1RB_Left	23.31	/	/	20.66	/	/	<=38.45	Pass
		Inner_1RB_Right	23.28	/	/	20.63	/	/	<=38.45	Pass
	839	Edge_1RB_Left	22.25	/	/	19.60	/	/	<=38.45	Pass
		Edge_1RB_Right	22.20	/	/	19.55	/	/	<=38.45	Pass
		Outer_Full	22.37	/	/	19.72	/	/	<=38.45	Pass
		Inner_Full	23.40	/	/	20.75	/	/	<=38.45	Pass
		Inner_1RB_Left	23.33	/	/	20.68	/	/	<=38.45	Pass
		Inner_1RB_Right	23.48	/	/	20.83	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	834	Edge_1RB_Left	21.33	/	/	18.68	/	/	<=38.45	Pass
		Edge_1RB_Right	21.38	/	/	18.73	/	/	<=38.45	Pass
		Outer_Full	21.48	/	/	18.83	/	/	<=38.45	Pass
		Inner_Full	22.44	/	/	19.79	/	/	<=38.45	Pass
		Inner_1RB_Left	22.38	/	/	19.73	/	/	<=38.45	Pass
		Inner_1RB_Right	22.41	/	/	19.76	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.69	/	/	19.04	/	/	<=38.45	Pass
		Edge_1RB_Right	21.45	/	/	18.80	/	/	<=38.45	Pass
		Outer_Full	21.52	/	/	18.87	/	/	<=38.45	Pass
		Inner_Full	22.42	/	/	19.77	/	/	<=38.45	Pass
		Inner_1RB_Left	22.46	/	/	19.81	/	/	<=38.45	Pass
		Inner_1RB_Right	22.28	/	/	19.63	/	/	<=38.45	Pass
	839	Edge_1RB_Left	21.60	/	/	18.95	/	/	<=38.45	Pass
		Edge_1RB_Right	21.42	/	/	18.77	/	/	<=38.45	Pass
		Outer_Full	21.52	/	/	18.87	/	/	<=38.45	Pass
		Inner_Full	22.41	/	/	19.76	/	/	<=38.45	Pass
		Inner_1RB_Left	22.48	/	/	19.83	/	/	<=38.45	Pass
		Inner_1RB_Right	22.29	/	/	19.64	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	834	Edge_1RB_Left	20.88	/	/	18.23	/	/	<=38.45	Pass
		Edge_1RB_Right	20.75	/	/	18.10	/	/	<=38.45	Pass
		Outer_Full	21.02	/	/	18.37	/	/	<=38.45	Pass
		Inner_Full	21.01	/	/	18.36	/	/	<=38.45	Pass
		Inner_1RB_Left	21.06	/	/	18.41	/	/	<=38.45	Pass
		Inner_1RB_Right	21.04	/	/	18.39	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.76	/	/	18.11	/	/	<=38.45	Pass
		Edge_1RB_Right	20.91	/	/	18.26	/	/	<=38.45	Pass
		Outer_Full	21.04	/	/	18.39	/	/	<=38.45	Pass
		Inner_Full	21.07	/	/	18.42	/	/	<=38.45	Pass
		Inner_1RB_Left	21.15	/	/	18.50	/	/	<=38.45	Pass
		Inner_1RB_Right	21.11	/	/	18.46	/	/	<=38.45	Pass
	839	Edge_1RB_Left	21.19	/	/	18.54	/	/	<=38.45	Pass

2. Frequency Stability

2.1 Test Result

2.1.1 15k_SISO_20MHz

5G NR n26b SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
				HV	-12.50	-0.0149	>=-2.5 & <=2.5	Pass
			-30	NV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
			-20	NV	-9.10	-0.0109	>=-2.5 & <=2.5	Pass
			-10	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			0	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			10	NV	-7.40	-0.0088	>=-2.5 & <=2.5	Pass
			20	NV	-12.80	-0.0153	>=-2.5 & <=2.5	Pass
			30	NV	-11.50	-0.0137	>=-2.5 & <=2.5	Pass
			40	NV	-9.60	-0.0115	>=-2.5 & <=2.5	Pass
			50	NV	-11.30	-0.0135	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15k_SISO_5MHz_NTNV

5G NR n26b SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	4.57	5.38	/	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	4.57	5.41	/	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	4.57	5.33	/	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	4.55	5.26	/	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	4.55	5.32	/	Pass
CP-OFDM QPSK	836.5	Outer_Full	4.56	5.42	/	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	4.55	5.25	/	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	4.54	5.35	/	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	4.55	5.32	/	Pass

3.1.2 15k_SISO_10MHz_NTNV

5G NR n26b SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	9.04	10.04	/	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	9.07	9.98	/	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	9.03	10.09	/	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	9.05	10.04	/	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	9.03	9.89	/	Pass
CP-OFDM QPSK	836.5	Outer_Full	9.36	10.35	/	Pass

CP-OFDM 16 QAM	836.5	Outer_Full	9.38	10.33	/	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	9.40	10.46	/	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	9.38	10.44	/	Pass

3.1.3 15k_SISO_15MHz_NTNV


5G NR n26b SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	13.54	14.76	/	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	13.55	14.83	/	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	13.58	14.73	/	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	13.60	14.80	/	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	13.53	14.81	/	Pass
CP-OFDM QPSK	836.5	Outer_Full	14.22	15.54	/	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	14.24	15.53	/	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	14.20	15.47	/	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	14.25	15.44	/	Pass

3.1.4 15k_SISO_20MHz_NTNV


5G NR n26b SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	18.05	19.42	/	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	18.03	19.60	/	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	18.03	19.52	/	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	18.12	19.53	/	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	18.03	19.51	/	Pass
CP-OFDM QPSK	836.5	Outer_Full	19.08	20.60	/	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	19.15	20.53	/	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	19.11	20.55	/	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	19.07	20.51	/	Pass

3.2 Test Graph


3.2.1 15k_SISO_5MHz_NTNV




n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_16_QAM_836.5MHz_Outer_Full_Ant1



n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_64_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_836.5MHz_Outer_Full_Ant1




3.2.2 15k_SISO_10MHz_NTNV


n26b_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_836.5MHz_Outer_Full_Ant1





n26b_15kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_836.5MHz_Outer_Full_Ant1




3.2.3 15k_SISO_15MHz_NTNV




n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_16_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_64_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_16_QAM_836.5MHz_Outer_Full_Ant1



n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_64_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_256_QAM_836.5MHz_Outer_Full_Ant1




3.2.4 15k_SISO_20MHz_NTNV


n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant1




n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_836.5MHz_Outer_Full_Ant1



n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_64_QAM_836.5MHz_Outer_Full_Ant1



n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_836.5MHz_Outer_Full_Ant1



4. Peak-Average Ratio


4.1 Test Result

4.1.1 15k_SISO_20MHz_NTNV


5G NR n26b SCS=15kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	3.69	/	/	<=13	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	4.66	/	/	<=13	Pass
CP-OFDM QPSK	836.5	Outer_Full	6.80	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15k_SISO_20MHz_NTNV



n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant1



5. Spurious Emission

5.1 Test Result

5.1.1 15k_SISO_5MHz_NTNV

5G NR n26b SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	826.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	846.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	826.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	846.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	826.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	846.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.2 15k_SISO_15MHz_NTNV

5G NR n26b SCS=15kHz SISO 15MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	831.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	841.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	831.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	841.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	831.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	841.5	Outer_Full	Refer To Test Graph				Pass


5.1.3 15k_SISO_20MHz_NTNV

5G NR n26b SCS=15kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	834	Edge 1RB Left	Refer To Test Graph				Pass
		Outer Full	Refer To Test Graph				Pass


	836.5	Edge_1RB_Left	Refer To Test Graph	Pass
	839	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
DFT-s-OFDM QPSK	834	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	836.5	Edge_1RB_Left	Refer To Test Graph	Pass
	839	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
CP-OFDM QPSK	834	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	836.5	Edge_1RB_Left	Refer To Test Graph	Pass
	839	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 15k_SISO_5MHz_NTNV




n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_826.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.83	-13	Pass
1000	8490	1	/	2	1649.000	-40.33	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_826.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	821.940	-37.02	-13	Pass
823	824	0.05419	CHP	2	823.990	-23.73	-13	Pass
824	829	0.05419	CHP	/	/	/	/	/

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.100	-66.04	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	954.100	-66.08	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.07	-13	Pass
1000	8490	1	/	2	1669.000	-39.91	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-28.17	-13	Pass
850	854	0.1	CHP	2	850.050	-49.05	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	795.000	-66.02	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	947.350	-66.33	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.59	-13	Pass
1000	8490	1	/	2	1697.500	-41.20	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_846.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05408	CHP	/	/	/	/	/
849	850	0.05408	CHP	1	849.050	-25.97	-13	Pass
850	854	0.1	CHP	2	851.190	-35.44	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.948	-49.32	-13	Pass
823	824	0.003	/	2	823.977	-28.11	-13	Pass
824	829	0.003	/	/	/	/	/	/

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_826.5MHz_Edge_1RB_Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	816.500	-63.04	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	951.250	-66.09	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.22	-13	Pass
1000	8490	1	/	2	1649.000	-41.29	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_826.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.820	-36.38	-13	Pass
823	824	0.05385	CHP	2	823.990	-23.98	-13	Pass
824	829	0.05385	CHP	/	/	/	/	/

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	806.550	-66.24	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	883.400	-65.72	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.62	-13	Pass
1000	8490	1	/	2	1669.000	-40.25	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.020	-27.98	-13	Pass
850	854	0.1	CHP	2	850.050	-49.01	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.000	-66.29	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	855.250	-65.98	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.28	-13	Pass
1000	8490	1	/	2	1697.500	-41.89	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_846.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05408	CHP	/	/	/	/	/
849	850	0.05408	CHP	1	849.010	-25.93	-13	Pass
850	854	0.1	CHP	2	850.070	-34.58	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.950	-51.01	-13	Pass
823	824	0.003	/	2	823.992	-27.86	-13	Pass
824	829	0.003	/	/	/	/	/	/

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.350	-64.42	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	871.450	-66.34	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.32	-13	Pass
1000	8490	1	/	2	1649.000	-40.06	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_826.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.820	-35.75	-13	Pass
823	824	0.05252	CHP	2	823.990	-27.40	-13	Pass
824	829	0.05252	CHP	/	/	/	/	/

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	810.250	-66.36	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	983.600	-66.06	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.16	-13	Pass
1000	8490	1	/	2	1669.000	-45.02	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-31.07	-13	Pass
850	854	0.1	CHP	2	850.050	-51.21	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	812.900	-66.71	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	998.750	-66.46	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-59.14	-13	Pass
1000	8490	1	/	2	1697.500	-43.72	-13	Pass

n26b_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_846.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05258	CHP	/	/	/	/	/
849	850	0.05258	CHP	1	849.010	-26.71	-13	Pass
850	854	0.1	CHP	2	850.100	-35.02	-13	Pass

5.2.2 15k_SISO_15MHz_NTNV




n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_831.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.80	-13	Pass
1000	8490	1	/	2	1649.000	-40.30	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_831.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	822.640	-38.47	-13	Pass
823	824	0.1473	CHP	2	823.980	-29.65	-13	Pass
824	839	0.1473	CHP	/	/	/	/	/

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	817.800	-64.80	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	979.850	-66.06	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.20	-13	Pass
1000	8490	1	/	2	1659.000	-40.73	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_841.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-33.40	-13	Pass
850	854	0.1	CHP	2	850.050	-50.18	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_841.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	795.000	-66.14	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	997.100	-66.12	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_841.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.64	-13	Pass
1000	8490	1	/	2	1697.000	-41.87	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_841.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.14764	CHP	/	/	/	/	/
849	850	0.14764	CHP	1	849.020	-37.17	-13	Pass
850	854	0.1	/	2	850.320	-40.24	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.950	-50.39	-13	Pass
823	824	0.003	/	2	823.994	-33.04	-13	Pass
824	839	0.003	/	/	/	/	/	/

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	816.850	-62.55	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	963.500	-66.21	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.39	-13	Pass
1000	8490	1	/	2	1649.000	-40.40	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_831.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	822.980	-39.30	-13	Pass
823	824	0.14797	CHP	2	823.980	-28.80	-13	Pass
824	839	0.14797	CHP	/	/	/	/	/

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.250	-65.04	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	900.500	-66.33	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-56.80	-13	Pass
1000	8490	1	/	2	1659.000	-40.53	-13	Pass


n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant1



n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant1




n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.45	-13	Pass
1000	8490	1	/	2	1697.500	-41.67	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_841.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.15472	CHP	/	/	/	/	/
849	850	0.15472	CHP	1	849.340	-36.63	-13	Pass
850	854	0.1	/	2	850.720	-39.38	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.941	-52.53	-13	Pass
823	824	0.003	/	2	823.994	-33.18	-13	Pass
824	839	0.003	/	/	/	/	/	/

n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	817.650	-59.27	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	877.500	-66.23	-13	Pass

n26b 15kHz SISO NTN 15MHz CP-OFDM QPSK 831.5MHz Edge_1RB Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-59.04	-13	Pass
1000	8490	1	/	2	1649.000	-42.31	-13	Pass

n26b 15kHz SISO NTN 15MHz CP-OFDM QPSK 831.5MHz Outer_Full Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	823.000	-36.87	-13	Pass
823	824	0.14764	CHP	2	823.980	-30.19	-13	Pass
824	839	0.14764	CHP	/	/	/	/	/

n26b 15kHz SISO NTN 15MHz CP-OFDM QPSK 836.5MHz Edge_1RB Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.450	-61.75	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	911.950	-66.33	-13	Pass

n26b 15kHz SISO NTN 15MHz CP-OFDM QPSK 836.5MHz Edge 1RB Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.68	-13	Pass
1000	8490	1	/	2	1659.500	-42.53	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-36.32	-13	Pass
850	854	0.1	CHP	2	850.052	-52.44	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	755.850	-66.70	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	883.950	-66.43	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant1





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-59.09	-13	Pass
1000	8490	1	/	2	1697.500	-44.78	-13	Pass

n26b_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_841.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.14797	CHP	/	/	/	/	/
849	850	0.14797	CHP	1	849.020	-30.43	-13	Pass
850	854	0.1	/	2	850.220	-36.68	-13	Pass

5.2.3 15k_SISO_20MHz_NTNV




n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_834MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.28	-13	Pass
1000	8490	1	/	2	1649.500	-40.24	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_834MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	822.900	-37.72	-13	Pass
823	824	0.19533	CHP	2	823.975	-30.37	-13	Pass
824	844	0.19533	CHP	/	/	/	/	/

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	817.450	-64.59	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	889.350	-66.31	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.61	-13	Pass
1000	8490	1	/	2	1654.500	-40.01	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_839MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.021	-36.83	-13	Pass
850	854	0.1	CHP	2	850.050	-50.70	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_839MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	787.050	-66.09	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	934.550	-66.04	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_839MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.16	-13	Pass
1000	8490	1	/	2	1697.000	-40.63	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_839MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.19417	CHP	/	/	/	/	/
849	850	0.19417	CHP	1	849.175	-36.47	-13	Pass
850	854	0.1	/	2	850.375	-40.07	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.950	-50.67	-13	Pass
823	824	0.003	/	2	823.992	-36.20	-13	Pass
824	844	0.003	/	/	/	/	/	/

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	815.050	-53.67	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	982.400	-66.11	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.79	-13	Pass
1000	8490	1	/	2	1649.500	-41.24	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_834MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	822.150	-37.41	-13	Pass
823	824	0.19603	CHP	2	823.975	-31.85	-13	Pass
824	844	0.19603	CHP	/	/	/	/	/

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	817.400	-63.94	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	986.150	-66.29	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.59	-13	Pass
1000	8490	1	/	2	1654.500	-39.73	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-38.04	-13	Pass
850	854	0.1	CHP	2	850.050	-51.02	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.350	-66.27	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	894.900	-66.25	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-58.33	-13	Pass
1000	8490	1	/	2	1697.000	-41.26	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_839MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.19519	CHP	/	/	/	/	/
849	850	0.19519	CHP	1	849.250	-34.22	-13	Pass
850	854	0.1	/	2	850.350	-38.69	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.950	-53.03	-13	Pass
823	824	0.003	/	2	823.991	-37.41	-13	Pass
824	844	0.003	/	/	/	/	/	/

n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	817.500	-58.84	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	954.550	-66.19	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-59.18	-13	Pass
1000	8490	1	/	2	1649.500	-43.45	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_834MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	822.900	-37.65	-13	Pass
823	824	0.19533	CHP	2	823.975	-32.83	-13	Pass
824	844	0.19533	CHP	/	/	/	/	/

n26b 15kHz SISO NTN 20MHz CP-OFDM QPSK 836.5MHz Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	815.950	-60.78	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	913.400	-66.47	-13	Pass

n26b 15kHz SISO NTN 20MHz CP-OFDM QPSK 836.5MHz Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-57.31	-13	Pass
1000	8490	1	/	2	1654.500	-45.18	-13	Pass

n26b 15kHz SISO NTN 20MHz CP-OFDM QPSK 839MHz Edge 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-40.05	-13	Pass
850	854	0.1	CHP	2	850.050	-53.28	-13	Pass

n26b 15kHz SISO NTN 20MHz CP-OFDM QPSK 839MHz Edge 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	817.450	-66.24	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	933.250	-66.42	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-59.20	-13	Pass
1000	8490	1	/	2	1697.000	-44.71	-13	Pass

n26b_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_839MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.19603	CHP	/	/	/	/	/
849	850	0.19603	CHP	1	849.025	-32.03	-13	Pass
850	854	0.1	/	2	850.325	-37.85	-13	Pass

6. Field Strength of Spurious Radiation

NR N26b(824-849MHz)-Low channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1634.5	-62.32	-13	-49.32	-65.24	2.62	5.54	Horizontal	Pass
2451.75	-60.81	-13	-47.81	-63.46	3.05	5.7	Horizontal	Pass
3269.0	-57.02	-13	-44.02	-61.33	3.28	7.59	Horizontal	Pass
1634.5	-64.28	-13	-51.28	-67.2	2.62	5.54	Vertical	Pass
2451.75	-60.46	-13	-47.46	-63.11	3.05	5.7	Vertical	Pass
3269.0	-57.57	-13	-44.57	-61.88	3.28	7.59	Vertical	Pass

NR N26b(824-849MHz)-Middle channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1659.5	-64.42	-13	-51.42	-67.28	2.62	5.48	Horizontal	Pass
2489.25	-60.55	-13	-47.55	-63.27	3.07	5.79	Horizontal	Pass
3319.0	-58.95	-13	-45.95	-63.36	3.31	7.72	Horizontal	Pass
1659.5	-63.14	-13	-50.14	-66.0	2.62	5.48	Vertical	Pass
2489.25	-62.01	-13	-49.01	-64.73	3.07	5.79	Vertical	Pass
3319.0	-58.06	-13	-45.06	-62.47	3.31	7.72	Vertical	Pass

NR N26b(824-849MHz)-High channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1684.5	-64.71	-13	-51.71	-67.5	2.63	5.42	Horizontal	Pass
2526.75	-61.2	-13	-48.2	-64.0	3.08	5.88	Horizontal	Pass
3369.0	-56.52	-13	-43.52	-61.03	3.33	7.84	Horizontal	Pass
1684.5	-63.15	-13	-50.15	-65.94	2.63	5.42	Vertical	Pass
2526.75	-62.06	-13	-49.06	-64.86	3.08	5.88	Vertical	Pass
3369.0	-58.32	-13	-45.32	-62.83	3.33	7.84	Vertical	Pass