




CA 41C SISO NTN CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTN CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0




CA 41C_SISO NTN_V CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2517.7MHz CC1: 100@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.447	-36.40	-25	Pass
2490.5	2495	1	CHP	2	2494.007	-34.83	-13	Pass
2495	2496	0.257	CHP	3	2495.858	-38.40	-13	Pass
2496	2520.6	0.257	CHP	/	/	/	/	/


CA 41C_SISO NTN_V CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2517.7MHz CC1: 100@0 CC2: 25@0




CA 41C_SISO_NTNV_CC1:20_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:2506_CC2:2517.7MHz_CC1: 100@0_CC2: 25@0




CA 41C_SISO_NTNV_CC1:20_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:2506_CC2:2517.7MHz_CC1: 100@0_CC2: 25@0




CA_41C_SISO_NTNV_CC1:20_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:2675.8_CC2:2687.5MHz_CC1: 1@0_CC2: 1@0




CA_41C_SISO_NTNV_CC1:20_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:2675.8_CC2:2687.5MHz_CC1: 1@0_CC2: 1@0



CA 41C SISO NTNV CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2675.8 CC2:2687.5MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNV CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2675.8 CC2:2687.5MHz CC1: 1@99 CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665.4	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.010	-40.77	-10	Pass
2691	2695	1	CHP	2	2694.490	-33.45	-10	Pass
2695	2715.083	1	CHP	3	2695.005	-33.92	-13	Pass
2715.083	2720	1	CHP	4	2715.580	-61.22	-25	Pass

CA 41C SISO NTNv CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2675.8 CC2:2687.5MHz CC1: 100@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665.4	2690	0.1	/	/	/	/	/	/
2690	2691	0.511	CHP	1	2690.050	-28.79	-10	Pass
2691	2695	1	CHP	2	2693.650	-32.81	-10	Pass
2695	2715.533	1	CHP	3	2695.800	-33.97	-13	Pass
2715.533	2720	1	CHP	4	2715.550	-50.76	-25	Pass


CA 41C SISO NTNv CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2675.8 CC2:2687.5MHz CC1: 100@0 CC2: 25@0




CA 41C SISO NTN_V CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2675.8 CC2:2687.5MHz CC1: 100@0 CC2: 25@0



CA 41C SISO NTN_V CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:2675.8 CC2:2687.5MHz CC1: 100@0 CC2: 25@0




CA 41C SISO NTN CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.465	-54.46	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-46.97	-13	Pass
2495	2496	0.01	/	3	2495.655	-51.55	-13	Pass
2496	2520.6	0.01	/	/	/	/	/	/


CA 41C SISO NTN CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTN CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.948	-39.56	-25	Pass
2490.5	2495	1	CHP	2	2492.156	-36.66	-13	Pass
2495	2496	0.251	CHP	3	2495.858	-40.77	-13	Pass
2496	2520.6	0.251	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




CA 41C SISO NTNV CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:2675.8 CC2:2687.5MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNV CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:2675.8 CC2:2687.5MHz CC1: 1@0 CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:2675.8 CC2:2687.5MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 1@99 CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665.4	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.010	-45.11	-10	Pass
2691	2695	1	CHP	2	2694.455	-32.31	-10	Pass
2695	2714.738	1	CHP	3	2695.005	-32.67	-13	Pass
2714.738	2720	1	CHP	4	2714.740	-60.58	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2:
25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665.4	2690	0.1	/	/	/	/	/	/
2690	2691	0.499	CHP	1	2690.250	-34.30	-10	Pass
2691	2695	1	CHP	2	2691.600	-35.28	-10	Pass
2695	2714.935	1	CHP	3	2695.050	-36.80	-13	Pass
2714.935	2720	1	CHP	4	2714.950	-49.88	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2:
25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2:
25@0



CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2:
25@0




CA 41C SISO NTN CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.345	-54.45	-25	Pass
2490.5	2495	1	CHP	2	2494.435	-47.33	-13	Pass
2495	2496	0.01	/	3	2495.990	-52.02	-13	Pass
2496	2520.6	0.01	/	/	/	/	/	/


CA 41C SISO NTN CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTN CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2517.7MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.482	-38.29	-25	Pass
2490.5	2495	1	CHP	2	2493.544	-36.27	-13	Pass
2495	2496	0.249	CHP	3	2495.787	-42.30	-13	Pass
2496	2520.6	0.249	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




CA 41C SISO NTNV CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:2675.8 CC2:2687.5MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNV CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:2675.8 CC2:2687.5MHz CC1: 1@0 CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:2675.8 CC2:2687.5MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 1@99 CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665.4	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-43.33	-10	Pass
2691	2695	1	CHP	2	2694.485	-31.65	-10	Pass
2695	2714.887	1	CHP	3	2695.005	-31.96	-13	Pass
2714.887	2720	1	CHP	4	2714.890	-61.03	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665.4	2690	0.1	/	/	/	/	/	/
2690	2691	0.495	CHP	1	2690.250	-31.00	-10	Pass
2691	2695	1	CHP	2	2691.500	-33.66	-10	Pass
2695	2714.766	1	CHP	3	2696.400	-35.08	-13	Pass
2714.766	2720	1	CHP	4	2714.800	-48.59	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2: 25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2:
25@0



CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2:
25@0




CA_41C_SISO_NTNV_CC1:20_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:2506_CC2:2517.7MHz_CC1: 1@0_CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-54.60	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-47.23	-13	Pass
2495	2496	0.01	/	3	2495.710	-52.50	-13	Pass
2496	2520.6	0.01	/	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:2506_CC2:2517.7MHz_CC1: 1@0_CC2: 1@0




CA_41C_SISO_NTNV_CC1:20_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:2506_CC2:2517.7MHz_CC1: 1@0_CC2: 1@0



CA_41C_SISO_NTNV_CC1:20_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:2506_CC2:2517.7MHz_CC1: 1@0_CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.482	-38.05	-25	Pass
2490.5	2495	1	CHP	2	2494.470	-36.51	-13	Pass
2495	2496	0.75	CHP	3	2495.787	-36.33	-13	Pass
2496	2520.6	0.75	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2: 25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2517.7MHz_CC1: 100@0 CC2:
25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 1@0 CC2:
1@0



CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 1@99 CC2:
1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665.4	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.025	-48.73	-10	Pass
2691	2695	1	CHP	2	2694.410	-32.79	-10	Pass
2695	2720	1	CHP	3	2695.005	-33.26	-13	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665.4	2690	0.1	/	/	/	/	/	/
2690	2691	0.507	CHP	1	2690.300	-37.39	-10	Pass
2691	2695	1	CHP	2	2691.900	-37.36	-10	Pass
2695	2715.344	1	CHP	3	2696.600	-38.83	-13	Pass
2715.344	2720	1	CHP	4	2715.350	-52.05	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2: 25@0




CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2:
25@0



CA_41C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:2675.8 CC2:2687.5MHz_CC1: 100@0 CC2:
25@0




CA 41C SISO NTV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.465	-54.65	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-47.26	-13	Pass
2495	2496	0.01	/	3	2495.995	-51.64	-13	Pass
2496	2525.7	0.01	/	/	/	/	/	/


CA 41C SISO NTV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2520.4MHz CC1: 100@0 CC2: 50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.721	-38.21	-25	Pass
2490.5	2495	1	CHP	2	2493.669	-34.76	-13	Pass
2495	2496	0.303	CHP	3	2495.297	-36.75	-13	Pass
2496	2525.7	0.303	CHP	/	/	/	/	/


CA 41C SISO NTNV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2520.4MHz CC1: 100@0 CC2: 50@0




CA_41C_SISO_NTNV_CC1:20_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2506_CC2:2520.4MHz_CC1: 100@0_CC2: 50@0




CA_41C_SISO_NTNV_CC1:20_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:2506_CC2:2520.4MHz_CC1: 100@0_CC2: 50@0




CA 41C SISO NTV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2670.6 CC2:2685MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2670.6 CC2:2685MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTN CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2670.6 CC2:2685MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2670.6 CC2:2685MHz CC1: 1@99 CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660.3	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.100	-51.01	-10	Pass
2691	2695	1	CHP	2	2691.500	-48.29	-10	Pass
2695	2719.824	1	CHP	3	2699.095	-33.72	-13	Pass
2719.824	2725	1	CHP	4	2719.825	-61.48	-25	Pass


CA 41C SISO NTNV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2670.6 CC2:2685MHz CC1: 100@0 CC2: 50@0




CA 41C SISO NTNV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2670.6 CC2:2685MHz CC1: 100@0 CC2: 50@0




CA 41C SISO NTNV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2670.6 CC2:2685MHz CC1: 100@0 CC2: 50@0



CA 41C SISO NTNV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:2670.6 CC2:2685MHz CC1: 100@0 CC2: 50@0




CA 41C SISO NTN CC1:20 CC2:10MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.485	-54.49	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-47.61	-13	Pass
2495	2496	0.01	/	3	2495.965	-51.23	-13	Pass
2496	2525.7	0.01	/	/	/	/	/	/


CA 41C SISO NTN CC1:20 CC2:10MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0




CA 41C_SISO_NTNV_CC1:20_CC2:10MHz_CC1:16QAM_CC2:16QAM_CC1:2506_CC2:2520.4MHz_CC1: 1@0_CC2: 1@0



CA 41C_SISO_NTNV_CC1:20_CC2:10MHz_CC1:16QAM_CC2:16QAM_CC1:2506_CC2:2520.4MHz_CC1: 1@0_CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2:
50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.518	-38.41	-25	Pass
2490.5	2495	1	CHP	2	2494.035	-36.73	-13	Pass
2495	2496	0.303	CHP	3	2495.908	-36.37	-13	Pass
2496	2525.7	0.303	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2:
50@0




CA 41C_SISO_NTNV_CC1:20_CC2:10MHz_CC1:16QAM_CC2:16QAM_CC1:2670.6_CC2:2685MHz_CC1: 1@0_CC2: 1@0




CA 41C_SISO_NTNV_CC1:20_CC2:10MHz_CC1:16QAM_CC2:16QAM_CC1:2670.6_CC2:2685MHz_CC1: 1@0_CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:10MHz CC1:16QAM CC2:16QAM CC1:2670.6 CC2:2685MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2670.6 CC2:2685MHz_CC1: 1@99 CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660.3	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.310	-51.90	-10	Pass
2691	2695	1	CHP	2	2691.555	-48.55	-10	Pass
2695	2720.388	1	CHP	3	2699.200	-32.87	-13	Pass
2720.388	2725	1	CHP	4	2722.465	-61.44	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660.3	2690	0.1	/	/	/	/	/	/
2690	2691	0.608	CHP	1	2690.350	-35.51	-10	Pass
2691	2695	1	CHP	2	2691.550	-35.01	-10	Pass
2695	2720.388	1	CHP	3	2695.050	-38.23	-13	Pass
2720.388	2725	1	CHP	4	2720.400	-57.02	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0



CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




CA 41C SISO NTNv CC1:20 CC2:10MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-55.16	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-47.27	-13	Pass
2495	2496	0.01	/	3	2495.990	-51.36	-13	Pass
2496	2525.7	0.01	/	/	/	/	/	/


CA 41C SISO NTNv CC1:20 CC2:10MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:10MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTN CC1:20 CC2:10MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2520.4MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2:
50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.518	-38.53	-25	Pass
2490.5	2495	1	CHP	2	2494.483	-36.07	-13	Pass
2495	2496	0.301	CHP	3	2495.867	-39.95	-13	Pass
2496	2525.7	0.301	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2:
50@0




CA 41C_SISO_NTNV_CC1:20_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:2670.6_CC2:2685MHz_CC1: 1@0_CC2: 1@0




CA 41C_SISO_NTNV_CC1:20_CC2:10MHz_CC1:64QAM_CC2:64QAM_CC1:2670.6_CC2:2685MHz_CC1: 1@0_CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:10MHz CC1:64QAM CC2:64QAM CC1:2670.6 CC2:2685MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2670.6 CC2:2685MHz_CC1: 1@99 CC2: 1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660.3	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.040	-49.99	-10	Pass
2691	2695	1	CHP	2	2691.500	-48.22	-10	Pass
2695	2720.648	1	CHP	3	2699.195	-34.22	-13	Pass
2720.648	2725	1	CHP	4	2723.495	-61.63	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0



CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2520.4MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.325	-54.72	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-46.96	-13	Pass
2495	2496	0.01	/	3	2495.980	-52.50	-13	Pass
2496	2525.7	0.01	/	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2520.4MHz_CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2520.4MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2520.4MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2: 50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2: 50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2: 50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2520.4MHz_CC1: 100@0 CC2: 50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2670.6 CC2:2685MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2670.6 CC2:2685MHz_CC1: 1@0 CC2:
1@0



CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2670.6 CC2:2685MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2670.6 CC2:2685MHz_CC1: 1@99 CC2:
1@49




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660.3	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.010	-52.11	-10	Pass
2691	2695	1	CHP	2	2691.500	-49.32	-10	Pass
2695	2722.083	1	CHP	3	2699.315	-33.58	-13	Pass
2722.083	2725	1	CHP	4	2723.190	-61.41	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660.3	2690	0.1	/	/	/	/	/	/
2690	2691	1.8	/	1	2690.250	-43.24	-10	Pass
2691	2695	1	CHP	2	2694.800	-36.86	-10	Pass
2695	2725	1	CHP	3	2695.050	-37.06	-13	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0



CA_41C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:2670.6 CC2:2685MHz_CC1: 100@0 CC2:
50@0




CA 41C SISO NTV CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.495	-55.28	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-47.76	-13	Pass
2495	2496	0.01	/	3	2495.910	-52.68	-13	Pass
2496	2530.8	0.01	/	/	/	/	/	/


CA 41C SISO NTV CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTV CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTV CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNV CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2523.1MHz CC1: 100@0 CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.496	-38.02	-25	Pass
2490.5	2495	1	CHP	2	2494.572	-32.39	-13	Pass
2495	2496	0.367	CHP	3	2495.442	-40.27	-13	Pass
2496	2530.8	0.367	CHP	/	/	/	/	/


CA 41C SISO NTNV CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2523.1MHz CC1: 100@0 CC2: 75@0




CA_41C_SISO_NTNV_CC1:20_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2506_CC2:2523.1MHz_CC1: 100@0_CC2: 75@0




CA_41C_SISO_NTNV_CC1:20_CC2:15MHz_CC1:QPSK_CC2:QPSK_CC1:2506_CC2:2523.1MHz_CC1: 100@0_CC2: 75@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTN CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:QPSK CC2:QPSK CC1:2665.4 CC2:2682.5MHz CC1: 1@99 CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2655.2	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.040	-51.26	-10	Pass
2691	2695	1	CHP	2	2691.500	-49.19	-10	Pass
2695	2726.038	1	CHP	3	2703.830	-33.79	-13	Pass
2726.038	2730	1	CHP	4	2726.635	-61.47	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2655.2	2690	0.1	/	/	/	/	/	/
2690	2691	0.739	CHP	1	2690.374	-35.21	-10	Pass
2691	2695	1	CHP	2	2691.824	-35.04	-10	Pass
2695	2726.93	1	CHP	3	2697.879	-37.66	-13	Pass
2726.93	2730	1	CHP	4	2727.198	-60.68	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0



CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.485	-55.15	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-47.56	-13	Pass
2495	2496	0.01	/	3	2495.965	-55.13	-13	Pass
2496	2530.8	0.01	/	/	/	/	/	/


CA 41C SISO NTN CC1:20 CC2:15MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:16QAM CC2:16QAM CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:16QAM CC2:16QAM CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:15MHz CC1:16QAM CC2:16QAM CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 1@99 CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2655.2	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.255	-53.85	-10	Pass
2691	2695	1	CHP	2	2691.500	-50.09	-10	Pass
2695	2728.749	1	CHP	3	2703.900	-33.52	-13	Pass
2728.749	2730	1	CHP	4	2729.050	-61.55	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2: 75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2: 75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0



CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0




CA 41C SISO NTNv CC1:20 CC2:15MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.495	-55.38	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-48.13	-13	Pass
2495	2496	0.01	/	3	2495.950	-52.11	-13	Pass
2496	2530.8	0.01	/	/	/	/	/	/


CA 41C SISO NTNv CC1:20 CC2:15MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2523.1MHz CC1: 1@0 CC2: 1@0




CA 41C_SISO_NTNV_CC1:20_CC2:15MHz_CC1:64QAM_CC2:64QAM_CC1:2506_CC2:2523.1MHz_CC1: 1@0_CC2: 1@0



CA 41C_SISO_NTNV_CC1:20_CC2:15MHz_CC1:64QAM_CC2:64QAM_CC1:2506_CC2:2523.1MHz_CC1: 1@0_CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.313	-36.88	-25	Pass
2490.5	2495	1	CHP	2	2494.481	-36.35	-13	Pass
2495	2496	0.354	CHP	3	2495.992	-39.62	-13	Pass
2496	2530.8	0.354	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:64QAM CC2:64QAM CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:15MHz CC1:64QAM CC2:64QAM CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:15MHz CC1:64QAM CC2:64QAM CC1:2665.4 CC2:2682.5MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 1@99 CC2: 1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2655.2	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.055	-50.37	-10	Pass
2691	2695	1	CHP	2	2691.505	-49.45	-10	Pass
2695	2725.204	1	CHP	3	2703.930	-34.32	-13	Pass
2725.204	2730	1	CHP	4	2729.030	-61.43	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2655.2	2690	0.1	/	/	/	/	/	/
2690	2691	0.706	CHP	1	2690.374	-36.73	-10	Pass
2691	2695	1	CHP	2	2691.524	-35.91	-10	Pass
2695	2725.306	1	CHP	3	2700.080	-36.93	-13	Pass
2725.306	2730	1	CHP	4	2725.447	-60.76	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2: 75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0



CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2523.1MHz_CC1: 1@0 CC2:
1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.460	-55.13	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-46.93	-13	Pass
2495	2496	0.01	/	3	2495.995	-53.08	-13	Pass
2496	2530.8	0.01	/	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2523.1MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2523.1MHz_CC1: 1@0 CC2:
1@0



CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2523.1MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.496	-38.36	-25	Pass
2490.5	2495	1	CHP	2	2494.435	-36.93	-13	Pass
2495	2496	0.345	CHP	3	2495.488	-40.39	-13	Pass
2496	2530.8	0.345	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2: 75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2523.1MHz_CC1: 100@0 CC2:
75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 1@0 CC2:
1@0



CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 1@99 CC2:
1@74




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2655.2	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.050	-51.65	-10	Pass
2691	2695	1	CHP	2	2691.500	-49.78	-10	Pass
2695	2727.709	1	CHP	3	2703.965	-33.11	-13	Pass
2727.709	2730	1	CHP	4	2728.750	-61.60	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2: 75@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2655.2	2690	0.1	/	/	/	/	/	/
2690	2691	0.711	CHP	1	2690.374	-39.31	-10	Pass
2691	2695	1	CHP	2	2691.524	-39.20	-10	Pass
2695	2725.544	1	CHP	3	2698.129	-38.99	-13	Pass
2725.544	2730	1	CHP	4	2726.498	-61.15	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2: 75@0




CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0



CA_41C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:2665.4 CC2:2682.5MHz_CC1: 100@0 CC2:
75@0




CA 41C SISO NTV CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.495	-54.23	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-46.69	-13	Pass
2495	2496	0.01	/	3	2495.995	-49.79	-13	Pass
2496	2535.9	0.01	/	/	/	/	/	/


CA 41C SISO NTV CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTV CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTV CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.836	-38.11	-25	Pass
2490.5	2495	1	CHP	2	2492.788	-36.29	-13	Pass
2495	2496	0.42	CHP	3	2495.994	-34.70	-13	Pass
2496	2535.9	0.42	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA 41C SISO NTV CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTV CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTN CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2660.2 CC2:2680MHz CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.055	-50.78	-10	Pass
2691	2695	1	CHP	2	2691.610	-49.13	-10	Pass
2695	2730.386	1	CHP	3	2708.545	-34.09	-13	Pass
2730.386	2735	1	CHP	4	2731.410	-61.47	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.475	-54.85	-25	Pass
2490.5	2495	1	CHP	2	2494.495	-47.37	-13	Pass
2495	2496	0.01	/	3	2495.975	-49.91	-13	Pass
2496	2535.9	0.01	/	/	/	/	/	/


CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:16QAM CC2:16QAM CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




CA 41C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:2506_CC2:2525.8MHz_CC1: 1@0_CC2: 1@0



CA 41C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:2506_CC2:2525.8MHz_CC1: 1@0_CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.497	-38.17	-25	Pass
2490.5	2495	1	CHP	2	2491.464	-36.98	-13	Pass
2495	2496	0.425	CHP	3	2495.536	-37.81	-13	Pass
2496	2535.9	0.425	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA 41C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:2660.2_CC2:2680MHz_CC1: 1@0_CC2: 1@0




CA 41C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:16QAM_CC2:16QAM_CC1:2660.2_CC2:2680MHz_CC1: 1@0_CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz CC1:16QAM CC2:16QAM CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz CC1:16QAM CC2:16QAM CC1:2660.2 CC2:2680MHz CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.085	-51.58	-10	Pass
2691	2695	1	CHP	2	2691.550	-49.94	-10	Pass
2695	2731.897	1	CHP	3	2708.595	-34.27	-13	Pass
2731.897	2735	1	CHP	4	2734.440	-61.44	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.1	/	/	/	/	/	/
2690	2691	0.838	CHP	1	2690.500	-38.89	-10	Pass
2691	2695	1	CHP	2	2693.100	-37.11	-10	Pass
2695	2731.897	1	CHP	3	2696.750	-37.40	-13	Pass
2731.897	2735	1	CHP	4	2733.550	-61.36	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA 41C SISO NTN CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.405	-55.11	-25	Pass
2490.5	2495	1	CHP	2	2494.470	-47.98	-13	Pass
2495	2496	0.01	/	3	2495.925	-49.31	-13	Pass
2496	2535.9	0.01	/	/	/	/	/	/


CA 41C SISO NTN CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




CA 41C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:64QAM_CC2:64QAM_CC1:2506_CC2:2525.8MHz_CC1: 1@0_CC2: 1@0



CA 41C_SISO_NTNV_CC1:20_CC2:20MHz_CC1:64QAM_CC2:64QAM_CC1:2506_CC2:2525.8MHz_CC1: 1@0_CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.243	-38.49	-25	Pass
2490.5	2495	1	CHP	2	2494.009	-37.95	-13	Pass
2495	2496	0.404	CHP	3	2495.587	-41.59	-13	Pass
2496	2535.9	0.404	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA 41C SISO NTN CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTN CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.015	-50.30	-10	Pass
2691	2695	1	CHP	2	2691.565	-50.29	-10	Pass
2695	2730.996	1	CHP	3	2708.625	-34.65	-13	Pass
2730.996	2735	1	CHP	4	2731.995	-61.53	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.1	/	/	/	/	/	/
2690	2691	0.82	CHP	1	2690.500	-36.27	-10	Pass
2691	2695	1	CHP	2	2692.650	-36.43	-10	Pass
2695	2730.996	1	CHP	3	2695.150	-38.14	-13	Pass
2730.996	2735	1	CHP	4	2731.000	-61.24	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2525.8MHz_CC1: 1@0 CC2:
1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.375	-54.75	-25	Pass
2490.5	2495	1	CHP	2	2494.475	-47.55	-13	Pass
2495	2496	0.01	/	3	2495.860	-48.95	-13	Pass
2496	2535.9	0.01	/	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2525.8MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2525.8MHz_CC1: 1@0 CC2:
1@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2525.8MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.243	-38.70	-25	Pass
2490.5	2495	1	CHP	2	2494.315	-37.28	-13	Pass
2495	2496	0.397	CHP	3	2495.994	-35.00	-13	Pass
2496	2535.9	0.397	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2: 100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@0 CC2:
1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@0 CC2:
1@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.130	-56.10	-10	Pass
2691	2695	1	CHP	2	2691.500	-50.36	-10	Pass
2695	2729.383	1	CHP	3	2708.630	-34.09	-13	Pass
2729.383	2735	1	CHP	4	2733.640	-61.43	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.1	/	/	/	/	/	/
2690	2691	0.788	CHP	1	2690.450	-40.46	-10	Pass
2691	2695	1	CHP	2	2692.400	-38.94	-10	Pass
2695	2729.383	1	CHP	3	2695.050	-41.66	-13	Pass
2729.383	2735	1	CHP	4	2732.000	-61.40	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2: 100@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0



4. Field Strength of Spurious Radiation

CA_41C-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5033.6	-54.07	-25	-29.07	-59.65	4.58	10.16	Horizontal	Pass
7550.4	-54.69	-25	-29.69	-61.55	4.94	11.8	Horizontal	Pass
10067.2	-54.03	-25	-29.03	-61.6	5.47	13.04	Horizontal	Pass
5033.6	-54.38	-25	-29.38	-59.96	4.58	10.16	Vertical	Pass
7550.4	-52.99	-25	-27.99	-59.85	4.94	11.8	Vertical	Pass
10067.2	-52.02	-25	-27.02	-59.59	5.47	13.04	Vertical	Pass

CA_41C-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5187.8	-54.9	-25	-29.9	-60.53	4.63	10.26	Horizontal	Pass
7781.7	-55.65	-25	-30.65	-62.76	4.96	12.07	Horizontal	Pass
10375.6	-53.23	-25	-28.23	-60.81	5.52	13.1	Horizontal	Pass
5187.8	-55.64	-25	-30.64	-61.27	4.63	10.26	Vertical	Pass
7781.7	-54.67	-25	-29.67	-61.78	4.96	12.07	Vertical	Pass
10375.6	-54.19	-25	-29.19	-61.77	5.52	13.1	Vertical	Pass

CA_41C-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5342.0	-56.29	-25	-31.29	-61.96	4.68	10.35	Horizontal	Pass
8013.0	-56.32	-25	-31.32	-63.69	4.98	12.35	Horizontal	Pass
10684.0	-53.6	-25	-28.6	-61.15	5.63	13.18	Horizontal	Pass
5342.0	-56.1	-25	-31.1	-61.77	4.68	10.35	Vertical	Pass
8013.0	-53.64	-25	-28.64	-61.01	4.98	12.35	Vertical	Pass
10684.0	-53.47	-25	-28.47	-61.02	5.63	13.18	Vertical	Pass