

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30k_SISO_10MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3455.01	Edge 1RB Left	21.63	/	/	24.53	/	/	<=30	Pass
		Edge 1RB Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer Full	24.75	/	/	27.65	/	/	<=30	Pass
		Inner Full	25.35	/	/	28.25	/	/	<=30	Pass
		Inner 1RB Left	25.27	/	/	28.17	/	/	<=30	Pass
		Inner 1RB Right	25.27	/	/	28.17	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.76	/	/	24.66	/	/	<=30	Pass
		Edge 1RB Right	21.76	/	/	24.66	/	/	<=30	Pass
		Outer Full	24.88	/	/	27.78	/	/	<=30	Pass
		Inner Full	25.49	/	/	28.39	/	/	<=30	Pass
		Inner 1RB Left	25.32	/	/	28.22	/	/	<=30	Pass
		Inner 1RB Right	25.36	/	/	28.26	/	/	<=30	Pass
	3544.98	Edge 1RB Left	21.80	/	/	24.70	/	/	<=30	Pass
		Edge 1RB Right	21.82	/	/	24.72	/	/	<=30	Pass
		Outer Full	24.98	/	/	27.88	/	/	<=30	Pass
		Inner Full	25.51	/	/	28.41	/	/	<=30	Pass
		Inner 1RB Left	25.36	/	/	28.26	/	/	<=30	Pass
		Inner 1RB Right	25.38	/	/	28.28	/	/	<=30	Pass
DFT-s-OFDM QPSK	3455.01	Edge 1RB Left	21.73	/	/	24.63	/	/	<=30	Pass
		Edge 1RB Right	21.71	/	/	24.61	/	/	<=30	Pass
		Outer Full	24.22	/	/	27.12	/	/	<=30	Pass
		Inner Full	25.29	/	/	28.19	/	/	<=30	Pass
		Inner 1RB Left	25.26	/	/	28.16	/	/	<=30	Pass
		Inner 1RB Right	25.36	/	/	28.26	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.79	/	/	24.69	/	/	<=30	Pass
		Edge 1RB Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer Full	24.24	/	/	27.14	/	/	<=30	Pass
		Inner Full	25.41	/	/	28.31	/	/	<=30	Pass
		Inner 1RB Left	25.30	/	/	28.20	/	/	<=30	Pass
		Inner 1RB Right	25.39	/	/	28.29	/	/	<=30	Pass
	3544.98	Edge 1RB Left	21.86	/	/	24.76	/	/	<=30	Pass
		Edge 1RB Right	21.75	/	/	24.65	/	/	<=30	Pass
		Outer Full	24.37	/	/	27.27	/	/	<=30	Pass
		Inner Full	25.51	/	/	28.41	/	/	<=30	Pass
		Inner 1RB Left	25.49	/	/	28.39	/	/	<=30	Pass
		Inner 1RB Right	25.42	/	/	28.32	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3455.01	Edge 1RB Left	21.72	/	/	24.62	/	/	<=30	Pass
		Edge 1RB Right	21.53	/	/	24.43	/	/	<=30	Pass
		Outer Full	23.37	/	/	26.27	/	/	<=30	Pass
		Inner Full	24.21	/	/	27.11	/	/	<=30	Pass
		Inner 1RB Left	24.11	/	/	27.01	/	/	<=30	Pass
		Inner 1RB Right	24.24	/	/	27.14	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.68	/	/	24.58	/	/	<=30	Pass
		Edge 1RB Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer Full	23.34	/	/	26.24	/	/	<=30	Pass
		Inner Full	24.25	/	/	27.15	/	/	<=30	Pass
		Inner 1RB Left	24.09	/	/	26.99	/	/	<=30	Pass

	3544.98	Inner 1RB Right	24.29	/	/	27.19	/	/	<=30	Pass
		Edge 1RB Left	21.97	/	/	24.87	/	/	<=30	Pass
		Edge 1RB Right	21.74	/	/	24.64	/	/	<=30	Pass
		Outer Full	23.46	/	/	26.36	/	/	<=30	Pass
		Inner Full	24.47	/	/	27.37	/	/	<=30	Pass
		Inner 1RB Left	24.43	/	/	27.33	/	/	<=30	Pass
		Inner 1RB Right	24.32	/	/	27.22	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3455.01	Edge 1RB Left	21.75	/	/	24.65	/	/	<=30	Pass
		Edge 1RB Right	21.70	/	/	24.60	/	/	<=30	Pass
		Outer Full	22.84	/	/	25.74	/	/	<=30	Pass
		Inner Full	22.82	/	/	25.72	/	/	<=30	Pass
		Inner 1RB Left	22.72	/	/	25.62	/	/	<=30	Pass
		Inner 1RB Right	22.71	/	/	25.61	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.60	/	/	24.50	/	/	<=30	Pass
		Edge 1RB Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer Full	22.83	/	/	25.73	/	/	<=30	Pass
		Inner Full	22.92	/	/	25.82	/	/	<=30	Pass
		Inner 1RB Left	22.85	/	/	25.75	/	/	<=30	Pass
		Inner 1RB Right	22.94	/	/	25.84	/	/	<=30	Pass
	3544.98	Edge 1RB Left	21.90	/	/	24.80	/	/	<=30	Pass
		Edge 1RB Right	21.79	/	/	24.69	/	/	<=30	Pass
		Outer Full	22.93	/	/	25.83	/	/	<=30	Pass
		Inner Full	22.96	/	/	25.86	/	/	<=30	Pass
		Inner 1RB Left	22.80	/	/	25.70	/	/	<=30	Pass
		Inner 1RB Right	22.87	/	/	25.77	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3455.01	Edge 1RB Left	20.78	/	/	23.68	/	/	<=30	Pass
		Edge 1RB Right	20.90	/	/	23.80	/	/	<=30	Pass
		Outer Full	20.82	/	/	23.72	/	/	<=30	Pass
		Inner Full	20.70	/	/	23.60	/	/	<=30	Pass
		Inner 1RB Left	20.66	/	/	23.56	/	/	<=30	Pass
		Inner 1RB Right	20.84	/	/	23.74	/	/	<=30	Pass
	3500.01	Edge 1RB Left	20.82	/	/	23.72	/	/	<=30	Pass
		Edge 1RB Right	20.97	/	/	23.87	/	/	<=30	Pass
		Outer Full	20.83	/	/	23.73	/	/	<=30	Pass
		Inner Full	20.76	/	/	23.66	/	/	<=30	Pass
		Inner 1RB Left	20.89	/	/	23.79	/	/	<=30	Pass
		Inner 1RB Right	20.96	/	/	23.86	/	/	<=30	Pass
	3544.98	Edge 1RB Left	20.97	/	/	23.87	/	/	<=30	Pass
		Edge 1RB Right	20.73	/	/	23.63	/	/	<=30	Pass
		Outer Full	20.93	/	/	23.83	/	/	<=30	Pass
		Inner Full	20.97	/	/	23.87	/	/	<=30	Pass
		Inner 1RB Left	21.02	/	/	23.92	/	/	<=30	Pass
		Inner 1RB Right	20.68	/	/	23.58	/	/	<=30	Pass
CP-OFDM QPSK	3455.01	Edge 1RB Left	21.67	/	/	24.57	/	/	<=30	Pass
		Edge 1RB Right	21.95	/	/	24.85	/	/	<=30	Pass
		Outer Full	22.30	/	/	25.20	/	/	<=30	Pass
		Inner Full	23.77	/	/	26.67	/	/	<=30	Pass
		Inner 1RB Left	23.81	/	/	26.71	/	/	<=30	Pass
		Inner 1RB Right	23.94	/	/	26.84	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.80	/	/	24.70	/	/	<=30	Pass
		Edge 1RB Right	21.86	/	/	24.76	/	/	<=30	Pass
		Outer Full	22.30	/	/	25.20	/	/	<=30	Pass
		Inner Full	23.87	/	/	26.77	/	/	<=30	Pass
		Inner 1RB Left	23.89	/	/	26.79	/	/	<=30	Pass
		Inner 1RB Right	23.87	/	/	26.77	/	/	<=30	Pass
	3544.98	Edge 1RB Left	22.05	/	/	24.95	/	/	<=30	Pass
		Edge 1RB Right	21.89	/	/	24.79	/	/	<=30	Pass
		Outer Full	22.48	/	/	25.38	/	/	<=30	Pass
		Inner Full	23.86	/	/	26.76	/	/	<=30	Pass

		Inner 1RB Left	23.99	/	/	26.89	/	/	<=30	Pass	
		Inner 1RB Right	24.00	/	/	26.90	/	/	<=30	Pass	
CP-OFDM 16 QAM	3455.01	Edge 1RB Left	21.46	/	/	24.36	/	/	<=30	Pass	
		Edge 1RB Right	21.82	/	/	24.72	/	/	<=30	Pass	
		Outer Full	22.30	/	/	25.20	/	/	<=30	Pass	
		Inner Full	23.23	/	/	26.13	/	/	<=30	Pass	
		Inner 1RB Left	23.31	/	/	26.21	/	/	<=30	Pass	
		Inner 1RB Right	23.34	/	/	26.24	/	/	<=30	Pass	
		Edge 1RB Left	21.80	/	/	24.70	/	/	<=30	Pass	
		Edge 1RB Right	21.79	/	/	24.69	/	/	<=30	Pass	
	3500.01	Outer Full	22.37	/	/	25.27	/	/	<=30	Pass	
		Inner Full	23.38	/	/	26.28	/	/	<=30	Pass	
		Inner 1RB Left	23.36	/	/	26.26	/	/	<=30	Pass	
		Inner 1RB Right	23.38	/	/	26.28	/	/	<=30	Pass	
		Edge 1RB Left	21.72	/	/	24.62	/	/	<=30	Pass	
		Edge 1RB Right	21.95	/	/	24.85	/	/	<=30	Pass	
	3544.98	Outer Full	22.51	/	/	25.41	/	/	<=30	Pass	
		Inner Full	23.43	/	/	26.33	/	/	<=30	Pass	
		Inner 1RB Left	23.38	/	/	26.28	/	/	<=30	Pass	
		Inner 1RB Right	23.38	/	/	26.28	/	/	<=30	Pass	
Edge 1RB Left		21.98	/	/	24.88	/	/	<=30	Pass		
Edge 1RB Right		21.76	/	/	24.66	/	/	<=30	Pass		
CP-OFDM 64 QAM	3455.01	Outer Full	21.81	/	/	24.71	/	/	<=30	Pass	
		Inner Full	21.84	/	/	24.74	/	/	<=30	Pass	
		Inner 1RB Left	21.77	/	/	24.67	/	/	<=30	Pass	
		Inner 1RB Right	21.92	/	/	24.82	/	/	<=30	Pass	
		Edge 1RB Left	21.70	/	/	24.60	/	/	<=30	Pass	
		Edge 1RB Right	21.71	/	/	24.61	/	/	<=30	Pass	
	3500.01	Outer Full	21.87	/	/	24.77	/	/	<=30	Pass	
		Inner Full	21.82	/	/	24.72	/	/	<=30	Pass	
		Inner 1RB Left	21.67	/	/	24.57	/	/	<=30	Pass	
		Inner 1RB Right	21.97	/	/	24.87	/	/	<=30	Pass	
		Edge 1RB Left	21.93	/	/	24.83	/	/	<=30	Pass	
		Edge 1RB Right	21.82	/	/	24.72	/	/	<=30	Pass	
	3544.98	Outer Full	21.93	/	/	24.83	/	/	<=30	Pass	
		Inner Full	21.93	/	/	24.83	/	/	<=30	Pass	
		Inner 1RB Left	22.10	/	/	25.00	/	/	<=30	Pass	
		Inner 1RB Right	21.99	/	/	24.89	/	/	<=30	Pass	
		Edge 1RB Left	18.71	/	/	21.61	/	/	<=30	Pass	
		Edge 1RB Right	18.86	/	/	21.76	/	/	<=30	Pass	
CP-OFDM 256 QAM	3455.01	Outer Full	18.92	/	/	21.82	/	/	<=30	Pass	
		Inner Full	18.94	/	/	21.84	/	/	<=30	Pass	
		Inner 1RB Left	18.89	/	/	21.79	/	/	<=30	Pass	
		Inner 1RB Right	18.97	/	/	21.87	/	/	<=30	Pass	
		Edge 1RB Left	18.88	/	/	21.78	/	/	<=30	Pass	
		Edge 1RB Right	18.88	/	/	21.78	/	/	<=30	Pass	
	3500.01	Outer Full	18.90	/	/	21.80	/	/	<=30	Pass	
		Inner Full	19.00	/	/	21.90	/	/	<=30	Pass	
		Inner 1RB Left	18.99	/	/	21.89	/	/	<=30	Pass	
		Inner 1RB Right	18.97	/	/	21.87	/	/	<=30	Pass	
		Edge 1RB Left	19.08	/	/	21.98	/	/	<=30	Pass	
		Edge 1RB Right	18.98	/	/	21.88	/	/	<=30	Pass	
	3544.98	Outer Full	19.00	/	/	21.90	/	/	<=30	Pass	
		Inner Full	18.96	/	/	21.86	/	/	<=30	Pass	
		Inner 1RB Left	19.04	/	/	21.94	/	/	<=30	Pass	
		Inner 1RB Right	18.85	/	/	21.75	/	/	<=30	Pass	
		Note1: Antenna Gain: Ant1: 2.90dBi; Note2: EIRP=Conducted Power+Antenna Gain									

1.1.2 30k_SISO_20MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3460.02	Edge_1RB_Left	21.71	/	/	24.61	/	/	<=30	Pass
		Edge_1RB_Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer_Full	24.99	/	/	27.89	/	/	<=30	Pass
		Inner_Full	25.56	/	/	28.46	/	/	<=30	Pass
		Inner_1RB_Left	25.31	/	/	28.21	/	/	<=30	Pass
		Inner_1RB_Right	25.33	/	/	28.23	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.70	/	/	24.60	/	/	<=30	Pass
		Edge_1RB_Right	21.78	/	/	24.68	/	/	<=30	Pass
		Outer_Full	24.89	/	/	27.79	/	/	<=30	Pass
		Inner_Full	25.31	/	/	28.21	/	/	<=30	Pass
		Inner_1RB_Left	25.29	/	/	28.19	/	/	<=30	Pass
		Inner_1RB_Right	25.33	/	/	28.23	/	/	<=30	Pass
	3540	Edge_1RB_Left	21.81	/	/	24.71	/	/	<=30	Pass
		Edge_1RB_Right	21.66	/	/	24.56	/	/	<=30	Pass
		Outer_Full	24.88	/	/	27.78	/	/	<=30	Pass
		Inner_Full	25.43	/	/	28.33	/	/	<=30	Pass
		Inner_1RB_Left	25.39	/	/	28.29	/	/	<=30	Pass
		Inner_1RB_Right	25.27	/	/	28.17	/	/	<=30	Pass
DFT-s-OFDM QPSK	3460.02	Edge_1RB_Left	21.74	/	/	24.64	/	/	<=30	Pass
		Edge_1RB_Right	21.74	/	/	24.64	/	/	<=30	Pass
		Outer_Full	24.58	/	/	27.48	/	/	<=30	Pass
		Inner_Full	25.41	/	/	28.31	/	/	<=30	Pass
		Inner_1RB_Left	25.32	/	/	28.22	/	/	<=30	Pass
		Inner_1RB_Right	25.42	/	/	28.32	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.76	/	/	24.66	/	/	<=30	Pass
		Edge_1RB_Right	21.70	/	/	24.60	/	/	<=30	Pass
		Outer_Full	24.28	/	/	27.18	/	/	<=30	Pass
		Inner_Full	25.32	/	/	28.22	/	/	<=30	Pass
		Inner_1RB_Left	25.31	/	/	28.21	/	/	<=30	Pass
		Inner_1RB_Right	25.34	/	/	28.24	/	/	<=30	Pass
	3540	Edge_1RB_Left	21.75	/	/	24.65	/	/	<=30	Pass
		Edge_1RB_Right	21.65	/	/	24.55	/	/	<=30	Pass
		Outer_Full	24.37	/	/	27.27	/	/	<=30	Pass
		Inner_Full	25.30	/	/	28.20	/	/	<=30	Pass
		Inner_1RB_Left	25.39	/	/	28.29	/	/	<=30	Pass
		Inner_1RB_Right	25.27	/	/	28.17	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3460.02	Edge_1RB_Left	21.71	/	/	24.61	/	/	<=30	Pass
		Edge_1RB_Right	21.93	/	/	24.83	/	/	<=30	Pass
		Outer_Full	23.36	/	/	26.26	/	/	<=30	Pass
		Inner_Full	24.38	/	/	27.28	/	/	<=30	Pass
		Inner_1RB_Left	24.23	/	/	27.13	/	/	<=30	Pass
		Inner_1RB_Right	24.35	/	/	27.25	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.73	/	/	24.63	/	/	<=30	Pass
		Edge_1RB_Right	21.53	/	/	24.43	/	/	<=30	Pass
		Outer_Full	23.34	/	/	26.24	/	/	<=30	Pass
		Inner_Full	24.21	/	/	27.11	/	/	<=30	Pass
		Inner_1RB_Left	24.25	/	/	27.15	/	/	<=30	Pass
		Inner_1RB_Right	24.16	/	/	27.06	/	/	<=30	Pass
	3540	Edge_1RB_Left	21.87	/	/	24.77	/	/	<=30	Pass
		Edge_1RB_Right	21.72	/	/	24.62	/	/	<=30	Pass
		Outer_Full	23.35	/	/	26.25	/	/	<=30	Pass
		Inner_Full	24.33	/	/	27.23	/	/	<=30	Pass
		Inner_1RB_Left	24.37	/	/	27.27	/	/	<=30	Pass
		Inner_1RB_Right	24.11	/	/	27.01	/	/	<=30	Pass

DFT-s-OFDM 64 QAM	3460.02	Edge_1RB_Left	21.93	/	/	24.83	/	/	<=30	Pass
		Edge_1RB_Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer_Full	22.93	/	/	25.83	/	/	<=30	Pass
		Inner_Full	22.94	/	/	25.84	/	/	<=30	Pass
		Inner_1RB_Left	22.66	/	/	25.56	/	/	<=30	Pass
		Inner_1RB_Right	22.81	/	/	25.71	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.66	/	/	24.56	/	/	<=30	Pass
		Edge_1RB_Right	21.64	/	/	24.54	/	/	<=30	Pass
		Outer_Full	22.76	/	/	25.66	/	/	<=30	Pass
		Inner_Full	22.85	/	/	25.75	/	/	<=30	Pass
		Inner_1RB_Left	22.81	/	/	25.71	/	/	<=30	Pass
		Inner_1RB_Right	22.84	/	/	25.74	/	/	<=30	Pass
	3540	Edge_1RB_Left	21.97	/	/	24.87	/	/	<=30	Pass
		Edge_1RB_Right	21.82	/	/	24.72	/	/	<=30	Pass
		Outer_Full	22.81	/	/	25.71	/	/	<=30	Pass
		Inner_Full	22.80	/	/	25.70	/	/	<=30	Pass
		Inner_1RB_Left	22.67	/	/	25.57	/	/	<=30	Pass
		Inner_1RB_Right	22.80	/	/	25.70	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3460.02	Edge_1RB_Left	20.73	/	/	23.63	/	/	<=30	Pass
		Edge_1RB_Right	20.66	/	/	23.56	/	/	<=30	Pass
		Outer_Full	20.93	/	/	23.83	/	/	<=30	Pass
		Inner_Full	20.87	/	/	23.77	/	/	<=30	Pass
		Inner_1RB_Left	20.83	/	/	23.73	/	/	<=30	Pass
		Inner_1RB_Right	20.83	/	/	23.73	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	20.65	/	/	23.55	/	/	<=30	Pass
		Edge_1RB_Right	20.86	/	/	23.76	/	/	<=30	Pass
		Outer_Full	20.82	/	/	23.72	/	/	<=30	Pass
		Inner_Full	20.97	/	/	23.87	/	/	<=30	Pass
		Inner_1RB_Left	20.74	/	/	23.64	/	/	<=30	Pass
		Inner_1RB_Right	20.72	/	/	23.62	/	/	<=30	Pass
	3540	Edge_1RB_Left	21.00	/	/	23.90	/	/	<=30	Pass
		Edge_1RB_Right	20.82	/	/	23.72	/	/	<=30	Pass
		Outer_Full	20.71	/	/	23.61	/	/	<=30	Pass
		Inner_Full	20.87	/	/	23.77	/	/	<=30	Pass
		Inner_1RB_Left	20.85	/	/	23.75	/	/	<=30	Pass
		Inner_1RB_Right	20.75	/	/	23.65	/	/	<=30	Pass
CP-OFDM QPSK	3460.02	Edge_1RB_Left	21.79	/	/	24.69	/	/	<=30	Pass
		Edge_1RB_Right	22.01	/	/	24.91	/	/	<=30	Pass
		Outer_Full	22.47	/	/	25.37	/	/	<=30	Pass
		Inner_Full	23.90	/	/	26.80	/	/	<=30	Pass
		Inner_1RB_Left	23.90	/	/	26.80	/	/	<=30	Pass
		Inner_1RB_Right	24.10	/	/	27.00	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.77	/	/	24.67	/	/	<=30	Pass
		Edge_1RB_Right	21.71	/	/	24.61	/	/	<=30	Pass
		Outer_Full	22.41	/	/	25.31	/	/	<=30	Pass
		Inner_Full	23.76	/	/	26.66	/	/	<=30	Pass
		Inner_1RB_Left	23.87	/	/	26.77	/	/	<=30	Pass
		Inner_1RB_Right	23.91	/	/	26.81	/	/	<=30	Pass
	3540	Edge_1RB_Left	21.76	/	/	24.66	/	/	<=30	Pass
		Edge_1RB_Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer_Full	22.29	/	/	25.19	/	/	<=30	Pass
		Inner_Full	23.81	/	/	26.71	/	/	<=30	Pass
		Inner_1RB_Left	24.05	/	/	26.95	/	/	<=30	Pass
		Inner_1RB_Right	23.90	/	/	26.80	/	/	<=30	Pass
CP-OFDM 16 QAM	3460.02	Edge_1RB_Left	21.75	/	/	24.65	/	/	<=30	Pass
		Edge_1RB_Right	21.97	/	/	24.87	/	/	<=30	Pass
		Outer_Full	22.26	/	/	25.16	/	/	<=30	Pass
		Inner_Full	23.37	/	/	26.27	/	/	<=30	Pass
		Inner_1RB_Left	23.16	/	/	26.06	/	/	<=30	Pass

	3500.01	Inner 1RB Right	23.37	/	/	26.27	/	/	<=30	Pass
		Edge 1RB Left	21.80	/	/	24.70	/	/	<=30	Pass
		Edge 1RB Right	21.69	/	/	24.59	/	/	<=30	Pass
		Outer Full	22.13	/	/	25.03	/	/	<=30	Pass
		Inner Full	23.23	/	/	26.13	/	/	<=30	Pass
		Inner 1RB Left	23.41	/	/	26.31	/	/	<=30	Pass
	3540	Inner 1RB Right	23.28	/	/	26.18	/	/	<=30	Pass
		Edge 1RB Left	21.87	/	/	24.77	/	/	<=30	Pass
		Edge 1RB Right	21.70	/	/	24.60	/	/	<=30	Pass
		Outer Full	22.17	/	/	25.07	/	/	<=30	Pass
		Inner Full	23.28	/	/	26.18	/	/	<=30	Pass
		Inner 1RB Left	23.31	/	/	26.21	/	/	<=30	Pass
CP-OFDM 64 QAM	3460.02	Inner 1RB Right	23.37	/	/	26.27	/	/	<=30	Pass
		Edge 1RB Left	21.73	/	/	24.63	/	/	<=30	Pass
		Edge 1RB Right	22.05	/	/	24.95	/	/	<=30	Pass
		Outer Full	21.86	/	/	24.76	/	/	<=30	Pass
		Inner Full	21.89	/	/	24.79	/	/	<=30	Pass
		Inner 1RB Left	21.73	/	/	24.63	/	/	<=30	Pass
	3500.01	Inner 1RB Right	21.72	/	/	24.62	/	/	<=30	Pass
		Edge 1RB Left	21.72	/	/	24.62	/	/	<=30	Pass
		Edge 1RB Right	21.70	/	/	24.60	/	/	<=30	Pass
		Outer Full	21.79	/	/	24.69	/	/	<=30	Pass
		Inner Full	21.73	/	/	24.63	/	/	<=30	Pass
		Inner 1RB Left	21.80	/	/	24.70	/	/	<=30	Pass
	3540	Inner 1RB Right	21.80	/	/	24.70	/	/	<=30	Pass
		Edge 1RB Left	21.75	/	/	24.65	/	/	<=30	Pass
		Edge 1RB Right	21.75	/	/	24.65	/	/	<=30	Pass
		Outer Full	21.76	/	/	24.66	/	/	<=30	Pass
		Inner Full	21.83	/	/	24.73	/	/	<=30	Pass
		Inner 1RB Left	21.92	/	/	24.82	/	/	<=30	Pass
CP-OFDM 256 QAM	3460.02	Inner 1RB Right	21.76	/	/	24.66	/	/	<=30	Pass
		Edge 1RB Left	18.86	/	/	21.76	/	/	<=30	Pass
		Edge 1RB Right	18.98	/	/	21.88	/	/	<=30	Pass
		Outer Full	18.93	/	/	21.83	/	/	<=30	Pass
		Inner Full	19.11	/	/	22.01	/	/	<=30	Pass
		Inner 1RB Left	19.06	/	/	21.96	/	/	<=30	Pass
	3500.01	Inner 1RB Right	19.10	/	/	22.00	/	/	<=30	Pass
		Edge 1RB Left	18.81	/	/	21.71	/	/	<=30	Pass
		Edge 1RB Right	18.87	/	/	21.77	/	/	<=30	Pass
		Outer Full	18.81	/	/	21.71	/	/	<=30	Pass
		Inner Full	18.91	/	/	21.81	/	/	<=30	Pass
		Inner 1RB Left	18.72	/	/	21.62	/	/	<=30	Pass
	3540	Inner 1RB Right	19.00	/	/	21.90	/	/	<=30	Pass
		Edge 1RB Left	18.86	/	/	21.76	/	/	<=30	Pass
		Edge 1RB Right	18.66	/	/	21.56	/	/	<=30	Pass
		Outer Full	18.87	/	/	21.77	/	/	<=30	Pass
		Inner Full	18.87	/	/	21.77	/	/	<=30	Pass
		Inner 1RB Left	19.01	/	/	21.91	/	/	<=30	Pass
		Inner 1RB Right	18.86	/	/	21.76	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 2.90dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 30k_SISO_30MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2	3465	Edge 1RB Left	21.89	/	/	24.79	/	/	<=30	Pass

BPSK		Edge 1RB Right	21.80	/	/	24.70	/	/	<=30	Pass	
		Outer Full	24.90	/	/	27.80	/	/	<=30	Pass	
		Inner Full	25.51	/	/	28.41	/	/	<=30	Pass	
		Inner 1RB Left	25.42	/	/	28.32	/	/	<=30	Pass	
		Inner 1RB Right	25.30	/	/	28.20	/	/	<=30	Pass	
	3500.01	Edge 1RB Left	21.93	/	/	24.83	/	/	<=30	Pass	
		Edge 1RB Right	21.91	/	/	24.81	/	/	<=30	Pass	
		Outer Full	24.88	/	/	27.78	/	/	<=30	Pass	
		Inner Full	25.53	/	/	28.43	/	/	<=30	Pass	
		Inner 1RB Left	25.53	/	/	28.43	/	/	<=30	Pass	
	3534.99	Inner 1RB Right	25.47	/	/	28.37	/	/	<=30	Pass	
		Edge 1RB Left	21.97	/	/	24.87	/	/	<=30	Pass	
		Edge 1RB Right	21.95	/	/	24.85	/	/	<=30	Pass	
		Outer Full	24.94	/	/	27.84	/	/	<=30	Pass	
		Inner Full	25.48	/	/	28.38	/	/	<=30	Pass	
	DFT-s-OFDM QPSK	3465	Inner 1RB Left	25.55	/	/	28.45	/	/	<=30	Pass
			Inner 1RB Right	25.46	/	/	28.36	/	/	<=30	Pass
			Edge 1RB Left	21.81	/	/	24.71	/	/	<=30	Pass
Edge 1RB Right			21.73	/	/	24.63	/	/	<=30	Pass	
Outer Full			24.38	/	/	27.28	/	/	<=30	Pass	
Inner Full			25.37	/	/	28.27	/	/	<=30	Pass	
3500.01		Inner 1RB Left	25.43	/	/	28.33	/	/	<=30	Pass	
		Inner 1RB Right	25.28	/	/	28.18	/	/	<=30	Pass	
		Edge 1RB Left	21.84	/	/	24.74	/	/	<=30	Pass	
		Edge 1RB Right	21.94	/	/	24.84	/	/	<=30	Pass	
		Outer Full	24.48	/	/	27.38	/	/	<=30	Pass	
		Inner Full	25.47	/	/	28.37	/	/	<=30	Pass	
3534.99		Inner 1RB Left	25.45	/	/	28.35	/	/	<=30	Pass	
		Inner 1RB Right	25.42	/	/	28.32	/	/	<=30	Pass	
		Edge 1RB Left	21.94	/	/	24.84	/	/	<=30	Pass	
		Edge 1RB Right	21.82	/	/	24.72	/	/	<=30	Pass	
		Outer Full	24.45	/	/	27.35	/	/	<=30	Pass	
		Inner Full	25.52	/	/	28.42	/	/	<=30	Pass	
DFT-s-OFDM 16 QAM	3465	Inner 1RB Left	25.49	/	/	28.39	/	/	<=30	Pass	
		Inner 1RB Right	25.38	/	/	28.28	/	/	<=30	Pass	
		Edge 1RB Left	21.72	/	/	24.62	/	/	<=30	Pass	
		Edge 1RB Right	21.65	/	/	24.55	/	/	<=30	Pass	
		Outer Full	23.35	/	/	26.25	/	/	<=30	Pass	
		Inner Full	24.36	/	/	27.26	/	/	<=30	Pass	
	3500.01	Inner 1RB Left	24.30	/	/	27.20	/	/	<=30	Pass	
		Inner 1RB Right	24.20	/	/	27.10	/	/	<=30	Pass	
		Edge 1RB Left	21.85	/	/	24.75	/	/	<=30	Pass	
		Edge 1RB Right	21.94	/	/	24.84	/	/	<=30	Pass	
		Outer Full	23.39	/	/	26.29	/	/	<=30	Pass	
		Inner Full	24.42	/	/	27.32	/	/	<=30	Pass	
	3534.99	Inner 1RB Left	24.34	/	/	27.24	/	/	<=30	Pass	
		Inner 1RB Right	24.40	/	/	27.30	/	/	<=30	Pass	
		Edge 1RB Left	21.96	/	/	24.86	/	/	<=30	Pass	
		Edge 1RB Right	21.93	/	/	24.83	/	/	<=30	Pass	
		Outer Full	23.40	/	/	26.30	/	/	<=30	Pass	
		Inner Full	24.47	/	/	27.37	/	/	<=30	Pass	
DFT-s-OFDM 64 QAM	3465	Inner 1RB Left	24.38	/	/	27.28	/	/	<=30	Pass	
		Inner 1RB Right	24.32	/	/	27.22	/	/	<=30	Pass	
		Edge 1RB Left	21.86	/	/	24.76	/	/	<=30	Pass	
		Edge 1RB Right	21.76	/	/	24.66	/	/	<=30	Pass	
		Outer Full	23.00	/	/	25.90	/	/	<=30	Pass	
		Inner Full	23.02	/	/	25.92	/	/	<=30	Pass	
		Inner 1RB Left	22.84	/	/	25.74	/	/	<=30	Pass	
		Inner 1RB Right	22.71	/	/	25.61	/	/	<=30	Pass	

	3500.01	Edge_1RB_Left	21.84	/	/	24.74	/	/	<=30	Pass
		Edge_1RB_Right	21.93	/	/	24.83	/	/	<=30	Pass
		Outer_Full	22.96	/	/	25.86	/	/	<=30	Pass
		Inner_Full	22.99	/	/	25.89	/	/	<=30	Pass
		Inner_1RB_Left	23.00	/	/	25.90	/	/	<=30	Pass
		Inner_1RB_Right	22.95	/	/	25.85	/	/	<=30	Pass
	3534.99	Edge_1RB_Left	22.03	/	/	24.93	/	/	<=30	Pass
		Edge_1RB_Right	21.66	/	/	24.56	/	/	<=30	Pass
		Outer_Full	22.95	/	/	25.85	/	/	<=30	Pass
		Inner_Full	22.96	/	/	25.86	/	/	<=30	Pass
		Inner_1RB_Left	22.82	/	/	25.72	/	/	<=30	Pass
		Inner_1RB_Right	22.90	/	/	25.80	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3465	Edge_1RB_Left	20.98	/	/	23.88	/	/	<=30	Pass
		Edge_1RB_Right	20.73	/	/	23.63	/	/	<=30	Pass
		Outer_Full	20.98	/	/	23.88	/	/	<=30	Pass
		Inner_Full	20.91	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Left	20.91	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Right	20.89	/	/	23.79	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.03	/	/	23.93	/	/	<=30	Pass
		Edge_1RB_Right	21.14	/	/	24.04	/	/	<=30	Pass
		Outer_Full	21.08	/	/	23.98	/	/	<=30	Pass
		Inner_Full	21.04	/	/	23.94	/	/	<=30	Pass
		Inner_1RB_Left	20.77	/	/	23.67	/	/	<=30	Pass
		Inner_1RB_Right	20.74	/	/	23.64	/	/	<=30	Pass
	3534.99	Edge_1RB_Left	20.96	/	/	23.86	/	/	<=30	Pass
		Edge_1RB_Right	20.97	/	/	23.87	/	/	<=30	Pass
		Outer_Full	20.96	/	/	23.86	/	/	<=30	Pass
		Inner_Full	21.04	/	/	23.94	/	/	<=30	Pass
		Inner_1RB_Left	21.22	/	/	24.12	/	/	<=30	Pass
		Inner_1RB_Right	20.86	/	/	23.76	/	/	<=30	Pass
CP-OFDM QPSK	3465	Edge_1RB_Left	21.94	/	/	24.84	/	/	<=30	Pass
		Edge_1RB_Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer_Full	22.42	/	/	25.32	/	/	<=30	Pass
		Inner_Full	23.91	/	/	26.81	/	/	<=30	Pass
		Inner_1RB_Left	24.07	/	/	26.97	/	/	<=30	Pass
		Inner_1RB_Right	23.90	/	/	26.80	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.94	/	/	24.84	/	/	<=30	Pass
		Edge_1RB_Right	22.04	/	/	24.94	/	/	<=30	Pass
		Outer_Full	22.28	/	/	25.18	/	/	<=30	Pass
		Inner_Full	23.93	/	/	26.83	/	/	<=30	Pass
		Inner_1RB_Left	24.09	/	/	26.99	/	/	<=30	Pass
		Inner_1RB_Right	24.02	/	/	26.92	/	/	<=30	Pass
	3534.99	Edge_1RB_Left	21.88	/	/	24.78	/	/	<=30	Pass
		Edge_1RB_Right	21.89	/	/	24.79	/	/	<=30	Pass
		Outer_Full	22.37	/	/	25.27	/	/	<=30	Pass
		Inner_Full	23.94	/	/	26.84	/	/	<=30	Pass
		Inner_1RB_Left	24.09	/	/	26.99	/	/	<=30	Pass
		Inner_1RB_Right	24.05	/	/	26.95	/	/	<=30	Pass
CP-OFDM 16 QAM	3465	Edge_1RB_Left	21.62	/	/	24.52	/	/	<=30	Pass
		Edge_1RB_Right	21.91	/	/	24.81	/	/	<=30	Pass
		Outer_Full	22.31	/	/	25.21	/	/	<=30	Pass
		Inner_Full	23.51	/	/	26.41	/	/	<=30	Pass
		Inner_1RB_Left	23.47	/	/	26.37	/	/	<=30	Pass
		Inner_1RB_Right	23.48	/	/	26.38	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.87	/	/	24.77	/	/	<=30	Pass
		Edge_1RB_Right	21.83	/	/	24.73	/	/	<=30	Pass
		Outer_Full	22.35	/	/	25.25	/	/	<=30	Pass
		Inner_Full	23.48	/	/	26.38	/	/	<=30	Pass
		Inner_1RB_Left	23.65	/	/	26.55	/	/	<=30	Pass

	3534.99	Inner 1RB Right	23.57	/	/	26.47	/	/	<=30	Pass
		Edge 1RB Left	22.06	/	/	24.96	/	/	<=30	Pass
		Edge 1RB Right	22.08	/	/	24.98	/	/	<=30	Pass
		Outer_Full	22.34	/	/	25.24	/	/	<=30	Pass
		Inner_Full	23.49	/	/	26.39	/	/	<=30	Pass
		Inner 1RB Left	23.69	/	/	26.59	/	/	<=30	Pass
		Inner 1RB Right	23.49	/	/	26.39	/	/	<=30	Pass
CP-OFDM 64 QAM	3465	Edge 1RB Left	21.93	/	/	24.83	/	/	<=30	Pass
		Edge 1RB Right	21.75	/	/	24.65	/	/	<=30	Pass
		Outer_Full	21.92	/	/	24.82	/	/	<=30	Pass
		Inner_Full	22.02	/	/	24.92	/	/	<=30	Pass
		Inner 1RB Left	21.96	/	/	24.86	/	/	<=30	Pass
		Inner 1RB Right	21.80	/	/	24.70	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.97	/	/	24.87	/	/	<=30	Pass
		Edge 1RB Right	21.79	/	/	24.69	/	/	<=30	Pass
		Outer_Full	21.91	/	/	24.81	/	/	<=30	Pass
		Inner_Full	21.99	/	/	24.89	/	/	<=30	Pass
		Inner 1RB Left	21.80	/	/	24.70	/	/	<=30	Pass
		Inner 1RB Right	21.75	/	/	24.65	/	/	<=30	Pass
	3534.99	Edge 1RB Left	21.66	/	/	24.56	/	/	<=30	Pass
		Edge 1RB Right	22.10	/	/	25.00	/	/	<=30	Pass
		Outer_Full	21.96	/	/	24.86	/	/	<=30	Pass
		Inner_Full	21.96	/	/	24.86	/	/	<=30	Pass
		Inner 1RB Left	22.03	/	/	24.93	/	/	<=30	Pass
		Inner 1RB Right	21.93	/	/	24.83	/	/	<=30	Pass
CP-OFDM 256 QAM	3465	Edge 1RB Left	18.96	/	/	21.86	/	/	<=30	Pass
		Edge 1RB Right	18.68	/	/	21.58	/	/	<=30	Pass
		Outer_Full	19.02	/	/	21.92	/	/	<=30	Pass
		Inner_Full	19.08	/	/	21.98	/	/	<=30	Pass
		Inner 1RB Left	19.10	/	/	22.00	/	/	<=30	Pass
		Inner 1RB Right	18.83	/	/	21.73	/	/	<=30	Pass
	3500.01	Edge 1RB Left	19.08	/	/	21.98	/	/	<=30	Pass
		Edge 1RB Right	19.09	/	/	21.99	/	/	<=30	Pass
		Outer_Full	19.08	/	/	21.98	/	/	<=30	Pass
		Inner_Full	18.97	/	/	21.87	/	/	<=30	Pass
		Inner 1RB Left	19.01	/	/	21.91	/	/	<=30	Pass
		Inner 1RB Right	19.06	/	/	21.96	/	/	<=30	Pass
	3534.99	Edge 1RB Left	19.10	/	/	22.00	/	/	<=30	Pass
		Edge 1RB Right	18.92	/	/	21.82	/	/	<=30	Pass
		Outer_Full	19.08	/	/	21.98	/	/	<=30	Pass
Inner_Full		19.05	/	/	21.95	/	/	<=30	Pass	
Inner 1RB Left		19.04	/	/	21.94	/	/	<=30	Pass	
Inner 1RB Right	18.94	/	/	21.84	/	/	<=30	Pass		
Note1: Antenna Gain: Ant1: 2.90dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 30k_SISO_40MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 40MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3470.01	Edge 1RB Left	21.71	/	/	24.61	/	/	<=30	Pass
		Edge 1RB Right	21.81	/	/	24.71	/	/	<=30	Pass
		Outer Full	25.02	/	/	27.92	/	/	<=30	Pass
		Inner Full	25.56	/	/	28.46	/	/	<=30	Pass
		Inner 1RB Left	25.26	/	/	28.16	/	/	<=30	Pass
		Inner 1RB Right	25.32	/	/	28.22	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.77	/	/	24.67	/	/	<=30	Pass

		Edge_1RB_Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer_Full	24.96	/	/	27.86	/	/	<=30	Pass
		Inner_Full	25.55	/	/	28.45	/	/	<=30	Pass
		Inner_1RB_Left	25.29	/	/	28.19	/	/	<=30	Pass
		Inner_1RB_Right	25.24	/	/	28.14	/	/	<=30	Pass
	3529.98	Edge_1RB_Left	21.80	/	/	24.70	/	/	<=30	Pass
		Edge_1RB_Right	21.71	/	/	24.61	/	/	<=30	Pass
		Outer_Full	24.81	/	/	27.71	/	/	<=30	Pass
		Inner_Full	25.43	/	/	28.33	/	/	<=30	Pass
		Inner_1RB_Left	25.34	/	/	28.24	/	/	<=30	Pass
DFT-s-OFDM QPSK	3470.01	Inner_1RB_Right	25.23	/	/	28.13	/	/	<=30	Pass
		Edge_1RB_Left	21.86	/	/	24.76	/	/	<=30	Pass
		Edge_1RB_Right	21.86	/	/	24.76	/	/	<=30	Pass
		Outer_Full	24.44	/	/	27.34	/	/	<=30	Pass
		Inner_Full	25.49	/	/	28.39	/	/	<=30	Pass
	3500.01	Inner_1RB_Left	25.25	/	/	28.15	/	/	<=30	Pass
		Inner_1RB_Right	25.34	/	/	28.24	/	/	<=30	Pass
		Edge_1RB_Left	21.78	/	/	24.68	/	/	<=30	Pass
		Edge_1RB_Right	21.81	/	/	24.71	/	/	<=30	Pass
		Outer_Full	24.37	/	/	27.27	/	/	<=30	Pass
	3529.98	Inner_Full	25.53	/	/	28.43	/	/	<=30	Pass
		Inner_1RB_Left	25.23	/	/	28.13	/	/	<=30	Pass
		Inner_1RB_Right	25.20	/	/	28.10	/	/	<=30	Pass
		Edge_1RB_Left	21.96	/	/	24.86	/	/	<=30	Pass
		Edge_1RB_Right	21.67	/	/	24.57	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3470.01	Outer_Full	24.36	/	/	27.26	/	/	<=30	Pass
		Inner_Full	25.41	/	/	28.31	/	/	<=30	Pass
		Inner_1RB_Left	25.41	/	/	28.31	/	/	<=30	Pass
		Inner_1RB_Right	25.20	/	/	28.10	/	/	<=30	Pass
		Edge_1RB_Left	21.88	/	/	24.78	/	/	<=30	Pass
	3500.01	Edge_1RB_Right	21.83	/	/	24.73	/	/	<=30	Pass
		Outer_Full	23.42	/	/	26.32	/	/	<=30	Pass
		Inner_Full	24.48	/	/	27.38	/	/	<=30	Pass
		Inner_1RB_Left	24.32	/	/	27.22	/	/	<=30	Pass
		Inner_1RB_Right	24.21	/	/	27.11	/	/	<=30	Pass
	3529.98	Edge_1RB_Left	21.75	/	/	24.65	/	/	<=30	Pass
		Edge_1RB_Right	21.83	/	/	24.73	/	/	<=30	Pass
		Outer_Full	23.48	/	/	26.38	/	/	<=30	Pass
		Inner_Full	24.34	/	/	27.24	/	/	<=30	Pass
		Inner_1RB_Left	24.21	/	/	27.11	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3470.01	Inner_1RB_Right	24.31	/	/	27.21	/	/	<=30	Pass
		Edge_1RB_Left	21.97	/	/	24.87	/	/	<=30	Pass
		Edge_1RB_Right	21.72	/	/	24.62	/	/	<=30	Pass
		Outer_Full	23.43	/	/	26.33	/	/	<=30	Pass
		Inner_Full	24.40	/	/	27.30	/	/	<=30	Pass
	3500.01	Inner_1RB_Left	24.43	/	/	27.33	/	/	<=30	Pass
		Inner_1RB_Right	24.16	/	/	27.06	/	/	<=30	Pass
		Edge_1RB_Left	21.80	/	/	24.70	/	/	<=30	Pass
		Edge_1RB_Right	21.81	/	/	24.71	/	/	<=30	Pass
		Outer_Full	23.05	/	/	25.95	/	/	<=30	Pass
	3529.98	Inner_Full	23.05	/	/	25.95	/	/	<=30	Pass
		Inner_1RB_Left	22.89	/	/	25.79	/	/	<=30	Pass
		Inner_1RB_Right	22.98	/	/	25.88	/	/	<=30	Pass
		Edge_1RB_Left	21.86	/	/	24.76	/	/	<=30	Pass
		Edge_1RB_Right	21.78	/	/	24.68	/	/	<=30	Pass
	3500.01	Outer_Full	22.97	/	/	25.87	/	/	<=30	Pass
		Inner_Full	23.02	/	/	25.92	/	/	<=30	Pass
		Inner_1RB_Left	22.89	/	/	25.79	/	/	<=30	Pass
		Inner_1RB_Right	22.91	/	/	25.81	/	/	<=30	Pass

	3529.98	Edge_1RB_Left	21.85	/	/	24.75	/	/	<=30	Pass
		Edge_1RB_Right	21.57	/	/	24.47	/	/	<=30	Pass
		Outer_Full	22.92	/	/	25.82	/	/	<=30	Pass
		Inner_Full	22.97	/	/	25.87	/	/	<=30	Pass
		Inner_1RB_Left	22.94	/	/	25.84	/	/	<=30	Pass
		Inner_1RB_Right	22.69	/	/	25.59	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3470.01	Edge_1RB_Left	20.87	/	/	23.77	/	/	<=30	Pass
		Edge_1RB_Right	20.92	/	/	23.82	/	/	<=30	Pass
		Outer_Full	21.05	/	/	23.95	/	/	<=30	Pass
		Inner_Full	21.10	/	/	24.00	/	/	<=30	Pass
		Inner_1RB_Left	21.06	/	/	23.96	/	/	<=30	Pass
		Inner_1RB_Right	20.98	/	/	23.88	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	20.79	/	/	23.69	/	/	<=30	Pass
		Edge_1RB_Right	20.90	/	/	23.80	/	/	<=30	Pass
		Outer_Full	20.98	/	/	23.88	/	/	<=30	Pass
		Inner_Full	20.97	/	/	23.87	/	/	<=30	Pass
		Inner_1RB_Left	20.69	/	/	23.59	/	/	<=30	Pass
		Inner_1RB_Right	20.87	/	/	23.77	/	/	<=30	Pass
	3529.98	Edge_1RB_Left	21.02	/	/	23.92	/	/	<=30	Pass
		Edge_1RB_Right	20.70	/	/	23.60	/	/	<=30	Pass
		Outer_Full	20.92	/	/	23.82	/	/	<=30	Pass
		Inner_Full	20.91	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Left	20.91	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Right	20.73	/	/	23.63	/	/	<=30	Pass
CP-OFDM QPSK	3470.01	Edge_1RB_Left	21.94	/	/	24.84	/	/	<=30	Pass
		Edge_1RB_Right	21.94	/	/	24.84	/	/	<=30	Pass
		Outer_Full	22.55	/	/	25.45	/	/	<=30	Pass
		Inner_Full	23.94	/	/	26.84	/	/	<=30	Pass
		Inner_1RB_Left	23.99	/	/	26.89	/	/	<=30	Pass
		Inner_1RB_Right	23.81	/	/	26.71	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.84	/	/	24.74	/	/	<=30	Pass
		Edge_1RB_Right	21.92	/	/	24.82	/	/	<=30	Pass
		Outer_Full	22.39	/	/	25.29	/	/	<=30	Pass
		Inner_Full	23.91	/	/	26.81	/	/	<=30	Pass
		Inner_1RB_Left	23.89	/	/	26.79	/	/	<=30	Pass
		Inner_1RB_Right	23.78	/	/	26.68	/	/	<=30	Pass
	3529.98	Edge_1RB_Left	21.97	/	/	24.87	/	/	<=30	Pass
		Edge_1RB_Right	21.79	/	/	24.69	/	/	<=30	Pass
		Outer_Full	22.49	/	/	25.39	/	/	<=30	Pass
		Inner_Full	23.87	/	/	26.77	/	/	<=30	Pass
		Inner_1RB_Left	23.96	/	/	26.86	/	/	<=30	Pass
		Inner_1RB_Right	23.76	/	/	26.66	/	/	<=30	Pass
CP-OFDM 16 QAM	3470.01	Edge_1RB_Left	21.85	/	/	24.75	/	/	<=30	Pass
		Edge_1RB_Right	21.92	/	/	24.82	/	/	<=30	Pass
		Outer_Full	22.40	/	/	25.30	/	/	<=30	Pass
		Inner_Full	23.52	/	/	26.42	/	/	<=30	Pass
		Inner_1RB_Left	23.30	/	/	26.20	/	/	<=30	Pass
		Inner_1RB_Right	23.33	/	/	26.23	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.67	/	/	24.57	/	/	<=30	Pass
		Edge_1RB_Right	21.82	/	/	24.72	/	/	<=30	Pass
		Outer_Full	22.36	/	/	25.26	/	/	<=30	Pass
		Inner_Full	23.45	/	/	26.35	/	/	<=30	Pass
		Inner_1RB_Left	23.26	/	/	26.16	/	/	<=30	Pass
		Inner_1RB_Right	23.39	/	/	26.29	/	/	<=30	Pass
	3529.98	Edge_1RB_Left	21.98	/	/	24.88	/	/	<=30	Pass
		Edge_1RB_Right	21.90	/	/	24.80	/	/	<=30	Pass
		Outer_Full	22.41	/	/	25.31	/	/	<=30	Pass
		Inner_Full	23.37	/	/	26.27	/	/	<=30	Pass
		Inner_1RB_Left	23.39	/	/	26.29	/	/	<=30	Pass

CP-OFDM 64 QAM	3470.01	Inner 1RB Right	23.39	/	/	26.29	/	/	<=30	Pass
		Edge 1RB Left	21.84	/	/	24.74	/	/	<=30	Pass
		Edge 1RB Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer Full	21.94	/	/	24.84	/	/	<=30	Pass
		Inner Full	21.96	/	/	24.86	/	/	<=30	Pass
		Inner 1RB Left	21.82	/	/	24.72	/	/	<=30	Pass
	3500.01	Inner 1RB Right	21.92	/	/	24.82	/	/	<=30	Pass
		Edge 1RB Left	21.89	/	/	24.79	/	/	<=30	Pass
		Edge 1RB Right	21.79	/	/	24.69	/	/	<=30	Pass
		Outer Full	21.87	/	/	24.77	/	/	<=30	Pass
		Inner Full	22.01	/	/	24.91	/	/	<=30	Pass
		Inner 1RB Left	21.83	/	/	24.73	/	/	<=30	Pass
	3529.98	Inner 1RB Right	22.11	/	/	25.01	/	/	<=30	Pass
		Edge 1RB Left	22.01	/	/	24.91	/	/	<=30	Pass
		Edge 1RB Right	21.84	/	/	24.74	/	/	<=30	Pass
		Outer Full	21.81	/	/	24.71	/	/	<=30	Pass
		Inner Full	21.93	/	/	24.83	/	/	<=30	Pass
		Inner 1RB Left	21.98	/	/	24.88	/	/	<=30	Pass
CP-OFDM 256 QAM	3470.01	Inner 1RB Right	22.03	/	/	24.93	/	/	<=30	Pass
		Edge 1RB Left	18.89	/	/	21.79	/	/	<=30	Pass
		Edge 1RB Right	19.06	/	/	21.96	/	/	<=30	Pass
		Outer Full	19.11	/	/	22.01	/	/	<=30	Pass
		Inner Full	19.12	/	/	22.02	/	/	<=30	Pass
		Inner 1RB Left	18.90	/	/	21.80	/	/	<=30	Pass
	3500.01	Inner 1RB Right	19.12	/	/	22.02	/	/	<=30	Pass
		Edge 1RB Left	19.05	/	/	21.95	/	/	<=30	Pass
		Edge 1RB Right	18.86	/	/	21.76	/	/	<=30	Pass
		Outer Full	18.93	/	/	21.83	/	/	<=30	Pass
		Inner Full	19.07	/	/	21.97	/	/	<=30	Pass
		Inner 1RB Left	18.93	/	/	21.83	/	/	<=30	Pass
	3529.98	Inner 1RB Right	18.96	/	/	21.86	/	/	<=30	Pass
		Edge 1RB Left	19.10	/	/	22.00	/	/	<=30	Pass
		Edge 1RB Right	18.80	/	/	21.70	/	/	<=30	Pass
		Outer Full	19.02	/	/	21.92	/	/	<=30	Pass
		Inner Full	19.01	/	/	21.91	/	/	<=30	Pass
		Inner 1RB Left	19.14	/	/	22.04	/	/	<=30	Pass
	3525	Inner 1RB Right	18.81	/	/	21.71	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 2.90dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.5 30k_SISO_50MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 50MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3475.02	Edge 1RB Left	21.85	/	/	24.75	/	/	<=30	Pass
		Edge 1RB Right	21.95	/	/	24.85	/	/	<=30	Pass
		Outer Full	25.06	/	/	27.96	/	/	<=30	Pass
		Inner Full	25.66	/	/	28.56	/	/	<=30	Pass
		Inner 1RB Left	25.44	/	/	28.34	/	/	<=30	Pass
		Inner 1RB Right	25.45	/	/	28.35	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.90	/	/	24.80	/	/	<=30	Pass
		Edge 1RB Right	21.97	/	/	24.87	/	/	<=30	Pass
		Outer Full	25.05	/	/	27.95	/	/	<=30	Pass
		Inner Full	25.69	/	/	28.59	/	/	<=30	Pass
		Inner 1RB Left	25.37	/	/	28.27	/	/	<=30	Pass
		Inner 1RB Right	25.38	/	/	28.28	/	/	<=30	Pass
	3525	Edge 1RB Left	22.03	/	/	24.93	/	/	<=30	Pass

		Edge 1RB Right	21.88	/	/	24.78	/	/	<=30	Pass
		Outer Full	24.45	/	/	27.35	/	/	<=30	Pass
		Inner Full	25.56	/	/	28.46	/	/	<=30	Pass
		Inner 1RB Left	25.55	/	/	28.45	/	/	<=30	Pass
		Inner 1RB Right	25.29	/	/	28.19	/	/	<=30	Pass
DFT-s-OFDM QPSK	3475.02	Edge 1RB Left	21.82	/	/	24.72	/	/	<=30	Pass
		Edge 1RB Right	21.96	/	/	24.86	/	/	<=30	Pass
		Outer Full	24.48	/	/	27.38	/	/	<=30	Pass
		Inner Full	25.51	/	/	28.41	/	/	<=30	Pass
		Inner 1RB Left	25.46	/	/	28.36	/	/	<=30	Pass
		Inner 1RB Right	25.47	/	/	28.37	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.94	/	/	24.84	/	/	<=30	Pass
		Edge 1RB Right	21.98	/	/	24.88	/	/	<=30	Pass
		Outer Full	24.53	/	/	27.43	/	/	<=30	Pass
		Inner Full	25.55	/	/	28.45	/	/	<=30	Pass
		Inner 1RB Left	25.41	/	/	28.31	/	/	<=30	Pass
		Inner 1RB Right	25.39	/	/	28.29	/	/	<=30	Pass
	3525	Edge 1RB Left	22.00	/	/	24.90	/	/	<=30	Pass
		Edge 1RB Right	21.84	/	/	24.74	/	/	<=30	Pass
		Outer Full	24.44	/	/	27.34	/	/	<=30	Pass
		Inner Full	25.62	/	/	28.52	/	/	<=30	Pass
		Inner 1RB Left	25.48	/	/	28.38	/	/	<=30	Pass
		Inner 1RB Right	25.29	/	/	28.19	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3475.02	Edge 1RB Left	21.92	/	/	24.82	/	/	<=30	Pass
		Edge 1RB Right	22.10	/	/	25.00	/	/	<=30	Pass
		Outer Full	23.56	/	/	26.46	/	/	<=30	Pass
		Inner Full	24.55	/	/	27.45	/	/	<=30	Pass
		Inner 1RB Left	24.49	/	/	27.39	/	/	<=30	Pass
		Inner 1RB Right	24.37	/	/	27.27	/	/	<=30	Pass
	3500.01	Edge 1RB Left	22.05	/	/	24.95	/	/	<=30	Pass
		Edge 1RB Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer Full	23.61	/	/	26.51	/	/	<=30	Pass
		Inner Full	24.56	/	/	27.46	/	/	<=30	Pass
		Inner 1RB Left	24.39	/	/	27.29	/	/	<=30	Pass
		Inner 1RB Right	24.49	/	/	27.39	/	/	<=30	Pass
	3525	Edge 1RB Left	21.95	/	/	24.85	/	/	<=30	Pass
		Edge 1RB Right	21.67	/	/	24.57	/	/	<=30	Pass
		Outer Full	23.53	/	/	26.43	/	/	<=30	Pass
		Inner Full	24.53	/	/	27.43	/	/	<=30	Pass
		Inner 1RB Left	24.38	/	/	27.28	/	/	<=30	Pass
		Inner 1RB Right	24.21	/	/	27.11	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3475.02	Edge 1RB Left	21.94	/	/	24.84	/	/	<=30	Pass
		Edge 1RB Right	21.96	/	/	24.86	/	/	<=30	Pass
		Outer Full	22.98	/	/	25.88	/	/	<=30	Pass
		Inner Full	23.12	/	/	26.02	/	/	<=30	Pass
		Inner 1RB Left	23.07	/	/	25.97	/	/	<=30	Pass
		Inner 1RB Right	23.05	/	/	25.95	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.79	/	/	24.69	/	/	<=30	Pass
		Edge 1RB Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer Full	23.13	/	/	26.03	/	/	<=30	Pass
		Inner Full	23.10	/	/	26.00	/	/	<=30	Pass
		Inner 1RB Left	22.90	/	/	25.80	/	/	<=30	Pass
		Inner 1RB Right	23.10	/	/	26.00	/	/	<=30	Pass
	3525	Edge 1RB Left	22.05	/	/	24.95	/	/	<=30	Pass
		Edge 1RB Right	21.84	/	/	24.74	/	/	<=30	Pass
		Outer Full	23.12	/	/	26.02	/	/	<=30	Pass
		Inner Full	23.11	/	/	26.01	/	/	<=30	Pass
		Inner 1RB Left	23.25	/	/	26.15	/	/	<=30	Pass
		Inner 1RB Right	22.71	/	/	25.61	/	/	<=30	Pass

DFT-s-OFDM 256 QAM	3475.02	Edge_1RB_Left	20.98	/	/	23.88	/	/	<=30	Pass
		Edge_1RB_Right	20.87	/	/	23.77	/	/	<=30	Pass
		Outer_Full	20.97	/	/	23.87	/	/	<=30	Pass
		Inner_Full	21.10	/	/	24.00	/	/	<=30	Pass
		Inner_1RB_Left	20.81	/	/	23.71	/	/	<=30	Pass
		Inner_1RB_Right	21.22	/	/	24.12	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.01	/	/	23.91	/	/	<=30	Pass
		Edge_1RB_Right	21.16	/	/	24.06	/	/	<=30	Pass
		Outer_Full	21.06	/	/	23.96	/	/	<=30	Pass
		Inner_Full	21.08	/	/	23.98	/	/	<=30	Pass
		Inner_1RB_Left	20.90	/	/	23.80	/	/	<=30	Pass
		Inner_1RB_Right	21.00	/	/	23.90	/	/	<=30	Pass
	3525	Edge_1RB_Left	21.03	/	/	23.93	/	/	<=30	Pass
		Edge_1RB_Right	20.80	/	/	23.70	/	/	<=30	Pass
		Outer_Full	21.06	/	/	23.96	/	/	<=30	Pass
		Inner_Full	21.09	/	/	23.99	/	/	<=30	Pass
		Inner_1RB_Left	21.22	/	/	24.12	/	/	<=30	Pass
		Inner_1RB_Right	20.73	/	/	23.63	/	/	<=30	Pass
CP-OFDM QPSK	3475.02	Edge_1RB_Left	22.04	/	/	24.94	/	/	<=30	Pass
		Edge_1RB_Right	22.08	/	/	24.98	/	/	<=30	Pass
		Outer_Full	22.40	/	/	25.30	/	/	<=30	Pass
		Inner_Full	24.02	/	/	26.92	/	/	<=30	Pass
		Inner_1RB_Left	24.02	/	/	26.92	/	/	<=30	Pass
		Inner_1RB_Right	24.10	/	/	27.00	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.94	/	/	24.84	/	/	<=30	Pass
		Edge_1RB_Right	22.00	/	/	24.90	/	/	<=30	Pass
		Outer_Full	22.55	/	/	25.45	/	/	<=30	Pass
		Inner_Full	24.00	/	/	26.90	/	/	<=30	Pass
		Inner_1RB_Left	24.08	/	/	26.98	/	/	<=30	Pass
		Inner_1RB_Right	23.98	/	/	26.88	/	/	<=30	Pass
	3525	Edge_1RB_Left	22.04	/	/	24.94	/	/	<=30	Pass
		Edge_1RB_Right	21.89	/	/	24.79	/	/	<=30	Pass
		Outer_Full	22.46	/	/	25.36	/	/	<=30	Pass
		Inner_Full	23.99	/	/	26.89	/	/	<=30	Pass
		Inner_1RB_Left	24.11	/	/	27.01	/	/	<=30	Pass
		Inner_1RB_Right	23.96	/	/	26.86	/	/	<=30	Pass
CP-OFDM 16 QAM	3475.02	Edge_1RB_Left	21.85	/	/	24.75	/	/	<=30	Pass
		Edge_1RB_Right	22.05	/	/	24.95	/	/	<=30	Pass
		Outer_Full	22.51	/	/	25.41	/	/	<=30	Pass
		Inner_Full	23.55	/	/	26.45	/	/	<=30	Pass
		Inner_1RB_Left	23.62	/	/	26.52	/	/	<=30	Pass
		Inner_1RB_Right	23.42	/	/	26.32	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.98	/	/	24.88	/	/	<=30	Pass
		Edge_1RB_Right	22.14	/	/	25.04	/	/	<=30	Pass
		Outer_Full	22.52	/	/	25.42	/	/	<=30	Pass
		Inner_Full	23.63	/	/	26.53	/	/	<=30	Pass
		Inner_1RB_Left	23.36	/	/	26.26	/	/	<=30	Pass
		Inner_1RB_Right	23.52	/	/	26.42	/	/	<=30	Pass
	3525	Edge_1RB_Left	22.22	/	/	25.12	/	/	<=30	Pass
		Edge_1RB_Right	21.94	/	/	24.84	/	/	<=30	Pass
		Outer_Full	22.51	/	/	25.41	/	/	<=30	Pass
		Inner_Full	23.55	/	/	26.45	/	/	<=30	Pass
		Inner_1RB_Left	23.38	/	/	26.28	/	/	<=30	Pass
		Inner_1RB_Right	23.19	/	/	26.09	/	/	<=30	Pass
CP-OFDM 64 QAM	3475.02	Edge_1RB_Left	21.92	/	/	24.82	/	/	<=30	Pass
		Edge_1RB_Right	22.10	/	/	25.00	/	/	<=30	Pass
		Outer_Full	22.02	/	/	24.92	/	/	<=30	Pass
		Inner_Full	22.08	/	/	24.98	/	/	<=30	Pass
		Inner_1RB_Left	22.04	/	/	24.94	/	/	<=30	Pass

	3500.01	Inner_1RB_Right	21.78	/	/	24.68	/	/	<=30	Pass
		Edge_1RB_Left	21.90	/	/	24.80	/	/	<=30	Pass
		Edge_1RB_Right	22.09	/	/	24.99	/	/	<=30	Pass
		Outer_Full	22.05	/	/	24.95	/	/	<=30	Pass
		Inner_Full	22.06	/	/	24.96	/	/	<=30	Pass
		Inner_1RB_Left	21.99	/	/	24.89	/	/	<=30	Pass
		Inner_1RB_Right	22.01	/	/	24.91	/	/	<=30	Pass
	3525	Edge_1RB_Left	21.90	/	/	24.80	/	/	<=30	Pass
		Edge_1RB_Right	21.79	/	/	24.69	/	/	<=30	Pass
		Outer_Full	22.01	/	/	24.91	/	/	<=30	Pass
		Inner_Full	22.10	/	/	25.00	/	/	<=30	Pass
		Inner_1RB_Left	21.96	/	/	24.86	/	/	<=30	Pass
		Inner_1RB_Right	21.68	/	/	24.58	/	/	<=30	Pass
	CP-OFDM 256 QAM	3475.02	Edge_1RB_Left	18.88	/	/	21.78	/	/	<=30
Edge_1RB_Right			19.09	/	/	21.99	/	/	<=30	Pass
Outer_Full			19.10	/	/	22.00	/	/	<=30	Pass
Inner_Full			19.08	/	/	21.98	/	/	<=30	Pass
Inner_1RB_Left			19.00	/	/	21.90	/	/	<=30	Pass
Inner_1RB_Right			19.07	/	/	21.97	/	/	<=30	Pass
3500.01		Edge_1RB_Left	19.04	/	/	21.94	/	/	<=30	Pass
		Edge_1RB_Right	19.05	/	/	21.95	/	/	<=30	Pass
		Outer_Full	19.16	/	/	22.06	/	/	<=30	Pass
		Inner_Full	19.16	/	/	22.06	/	/	<=30	Pass
		Inner_1RB_Left	18.94	/	/	21.84	/	/	<=30	Pass
		Inner_1RB_Right	19.17	/	/	22.07	/	/	<=30	Pass
3525		Edge_1RB_Left	19.17	/	/	22.07	/	/	<=30	Pass
		Edge_1RB_Right	19.02	/	/	21.92	/	/	<=30	Pass
		Outer_Full	19.07	/	/	21.97	/	/	<=30	Pass
		Inner_Full	19.03	/	/	21.93	/	/	<=30	Pass
		Inner_1RB_Left	19.16	/	/	22.06	/	/	<=30	Pass
		Inner_1RB_Right	18.86	/	/	21.76	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 2.90dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.6 30k_SISO_60MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 60MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3480	Edge 1RB Left	21.71	/	/	24.61	/	/	<=30	Pass
		Edge 1RB Right	21.88	/	/	24.78	/	/	<=30	Pass
		Outer Full	24.94	/	/	27.84	/	/	<=30	Pass
		Inner Full	25.41	/	/	28.31	/	/	<=30	Pass
		Inner 1RB Left	25.29	/	/	28.19	/	/	<=30	Pass
		Inner 1RB Right	25.43	/	/	28.33	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.82	/	/	24.72	/	/	<=30	Pass
		Edge 1RB Right	21.82	/	/	24.72	/	/	<=30	Pass
		Outer Full	24.91	/	/	27.81	/	/	<=30	Pass
		Inner Full	25.39	/	/	28.29	/	/	<=30	Pass
		Inner 1RB Left	25.38	/	/	28.28	/	/	<=30	Pass
		Inner 1RB Right	25.27	/	/	28.17	/	/	<=30	Pass
	3519.99	Edge 1RB Left	21.88	/	/	24.78	/	/	<=30	Pass
		Edge 1RB Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer Full	25.03	/	/	27.93	/	/	<=30	Pass
		Inner Full	25.40	/	/	28.30	/	/	<=30	Pass
		Inner 1RB Left	25.47	/	/	28.37	/	/	<=30	Pass
		Inner 1RB Right	25.28	/	/	28.18	/	/	<=30	Pass
DFT-s-OFDM QPSK	3480	Edge 1RB Left	21.80	/	/	24.70	/	/	<=30	Pass

		Edge_1RB_Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer_Full	24.40	/	/	27.30	/	/	<=30	Pass
		Inner_Full	25.38	/	/	28.28	/	/	<=30	Pass
		Inner_1RB_Left	25.33	/	/	28.23	/	/	<=30	Pass
		Inner_1RB_Right	25.49	/	/	28.39	/	/	<=30	Pass
		Edge_1RB_Left	21.78	/	/	24.68	/	/	<=30	Pass
		Edge_1RB_Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer_Full	24.34	/	/	27.24	/	/	<=30	Pass
		Inner_Full	25.41	/	/	28.31	/	/	<=30	Pass
		Inner_1RB_Left	25.46	/	/	28.36	/	/	<=30	Pass
	Inner_1RB_Right	25.33	/	/	28.23	/	/	<=30	Pass	
	3500.01	Edge_1RB_Left	21.77	/	/	24.67	/	/	<=30	Pass
		Edge_1RB_Right	21.74	/	/	24.64	/	/	<=30	Pass
		Outer_Full	24.50	/	/	27.40	/	/	<=30	Pass
		Inner_Full	25.40	/	/	28.30	/	/	<=30	Pass
		Inner_1RB_Left	25.45	/	/	28.35	/	/	<=30	Pass
		Inner_1RB_Right	25.32	/	/	28.22	/	/	<=30	Pass
	DFT-s-OFDM 16 QAM	3480	Edge_1RB_Left	21.79	/	/	24.69	/	/	<=30
Edge_1RB_Right			21.98	/	/	24.88	/	/	<=30	Pass
Outer_Full			23.34	/	/	26.24	/	/	<=30	Pass
Inner_Full			24.32	/	/	27.22	/	/	<=30	Pass
Inner_1RB_Left			24.21	/	/	27.11	/	/	<=30	Pass
Inner_1RB_Right			24.33	/	/	27.23	/	/	<=30	Pass
3500.01		Edge_1RB_Left	21.95	/	/	24.85	/	/	<=30	Pass
		Edge_1RB_Right	21.88	/	/	24.78	/	/	<=30	Pass
		Outer_Full	23.24	/	/	26.14	/	/	<=30	Pass
		Inner_Full	24.25	/	/	27.15	/	/	<=30	Pass
		Inner_1RB_Left	24.38	/	/	27.28	/	/	<=30	Pass
		Inner_1RB_Right	24.24	/	/	27.14	/	/	<=30	Pass
3519.99		Edge_1RB_Left	21.96	/	/	24.86	/	/	<=30	Pass
		Edge_1RB_Right	21.67	/	/	24.57	/	/	<=30	Pass
		Outer_Full	23.44	/	/	26.34	/	/	<=30	Pass
		Inner_Full	24.33	/	/	27.23	/	/	<=30	Pass
		Inner_1RB_Left	24.33	/	/	27.23	/	/	<=30	Pass
		Inner_1RB_Right	24.16	/	/	27.06	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3480	Edge_1RB_Left	21.79	/	/	24.69	/	/	<=30	Pass
		Edge_1RB_Right	22.03	/	/	24.93	/	/	<=30	Pass
		Outer_Full	22.86	/	/	25.76	/	/	<=30	Pass
		Inner_Full	22.91	/	/	25.81	/	/	<=30	Pass
		Inner_1RB_Left	22.88	/	/	25.78	/	/	<=30	Pass
		Inner_1RB_Right	22.99	/	/	25.89	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.95	/	/	24.85	/	/	<=30	Pass
		Edge_1RB_Right	21.97	/	/	24.87	/	/	<=30	Pass
		Outer_Full	22.86	/	/	25.76	/	/	<=30	Pass
		Inner_Full	22.83	/	/	25.73	/	/	<=30	Pass
		Inner_1RB_Left	22.76	/	/	25.66	/	/	<=30	Pass
		Inner_1RB_Right	22.66	/	/	25.56	/	/	<=30	Pass
	3519.99	Edge_1RB_Left	21.91	/	/	24.81	/	/	<=30	Pass
		Edge_1RB_Right	21.78	/	/	24.68	/	/	<=30	Pass
		Outer_Full	22.84	/	/	25.74	/	/	<=30	Pass
		Inner_Full	22.92	/	/	25.82	/	/	<=30	Pass
		Inner_1RB_Left	22.75	/	/	25.65	/	/	<=30	Pass
		Inner_1RB_Right	22.59	/	/	25.49	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3480	Edge_1RB_Left	20.95	/	/	23.85	/	/	<=30	Pass
		Edge_1RB_Right	20.81	/	/	23.71	/	/	<=30	Pass
		Outer_Full	20.92	/	/	23.82	/	/	<=30	Pass
		Inner_Full	20.93	/	/	23.83	/	/	<=30	Pass
		Inner_1RB_Left	20.76	/	/	23.66	/	/	<=30	Pass
		Inner_1RB_Right	21.01	/	/	23.91	/	/	<=30	Pass

	3500.01	Edge_1RB_Left	20.91	/	/	23.81	/	/	<=30	Pass
		Edge_1RB_Right	20.68	/	/	23.58	/	/	<=30	Pass
		Outer_Full	20.93	/	/	23.83	/	/	<=30	Pass
		Inner_Full	20.80	/	/	23.70	/	/	<=30	Pass
		Inner_1RB_Left	20.90	/	/	23.80	/	/	<=30	Pass
		Inner_1RB_Right	20.61	/	/	23.51	/	/	<=30	Pass
	3519.99	Edge_1RB_Left	21.07	/	/	23.97	/	/	<=30	Pass
		Edge_1RB_Right	20.90	/	/	23.80	/	/	<=30	Pass
		Outer_Full	20.89	/	/	23.79	/	/	<=30	Pass
		Inner_Full	20.90	/	/	23.80	/	/	<=30	Pass
		Inner_1RB_Left	20.76	/	/	23.66	/	/	<=30	Pass
		Inner_1RB_Right	20.80	/	/	23.70	/	/	<=30	Pass
CP-OFDM QPSK	3480	Edge_1RB_Left	21.78	/	/	24.68	/	/	<=30	Pass
		Edge_1RB_Right	21.96	/	/	24.86	/	/	<=30	Pass
		Outer_Full	22.32	/	/	25.22	/	/	<=30	Pass
		Inner_Full	23.78	/	/	26.68	/	/	<=30	Pass
		Inner_1RB_Left	23.95	/	/	26.85	/	/	<=30	Pass
		Inner_1RB_Right	23.98	/	/	26.88	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.78	/	/	24.68	/	/	<=30	Pass
		Edge_1RB_Right	21.78	/	/	24.68	/	/	<=30	Pass
		Outer_Full	22.30	/	/	25.20	/	/	<=30	Pass
		Inner_Full	23.70	/	/	26.60	/	/	<=30	Pass
		Inner_1RB_Left	24.10	/	/	27.00	/	/	<=30	Pass
		Inner_1RB_Right	23.97	/	/	26.87	/	/	<=30	Pass
	3519.99	Edge_1RB_Left	21.90	/	/	24.80	/	/	<=30	Pass
		Edge_1RB_Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer_Full	22.40	/	/	25.30	/	/	<=30	Pass
		Inner_Full	23.74	/	/	26.64	/	/	<=30	Pass
		Inner_1RB_Left	23.95	/	/	26.85	/	/	<=30	Pass
		Inner_1RB_Right	24.07	/	/	26.97	/	/	<=30	Pass
CP-OFDM 16 QAM	3480	Edge_1RB_Left	21.79	/	/	24.69	/	/	<=30	Pass
		Edge_1RB_Right	21.92	/	/	24.82	/	/	<=30	Pass
		Outer_Full	22.43	/	/	25.33	/	/	<=30	Pass
		Inner_Full	23.30	/	/	26.20	/	/	<=30	Pass
		Inner_1RB_Left	23.25	/	/	26.15	/	/	<=30	Pass
		Inner_1RB_Right	23.60	/	/	26.50	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	22.03	/	/	24.93	/	/	<=30	Pass
		Edge_1RB_Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer_Full	22.20	/	/	25.10	/	/	<=30	Pass
		Inner_Full	23.31	/	/	26.21	/	/	<=30	Pass
		Inner_1RB_Left	23.43	/	/	26.33	/	/	<=30	Pass
		Inner_1RB_Right	23.41	/	/	26.31	/	/	<=30	Pass
	3519.99	Edge_1RB_Left	21.80	/	/	24.70	/	/	<=30	Pass
		Edge_1RB_Right	21.91	/	/	24.81	/	/	<=30	Pass
		Outer_Full	22.28	/	/	25.18	/	/	<=30	Pass
		Inner_Full	23.32	/	/	26.22	/	/	<=30	Pass
		Inner_1RB_Left	23.29	/	/	26.19	/	/	<=30	Pass
		Inner_1RB_Right	23.27	/	/	26.17	/	/	<=30	Pass
CP-OFDM 64 QAM	3480	Edge_1RB_Left	21.57	/	/	24.47	/	/	<=30	Pass
		Edge_1RB_Right	21.98	/	/	24.88	/	/	<=30	Pass
		Outer_Full	21.80	/	/	24.70	/	/	<=30	Pass
		Inner_Full	21.82	/	/	24.72	/	/	<=30	Pass
		Inner_1RB_Left	21.83	/	/	24.73	/	/	<=30	Pass
		Inner_1RB_Right	22.21	/	/	25.11	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	22.04	/	/	24.94	/	/	<=30	Pass
		Edge_1RB_Right	21.62	/	/	24.52	/	/	<=30	Pass
		Outer_Full	21.71	/	/	24.61	/	/	<=30	Pass
		Inner_Full	21.78	/	/	24.68	/	/	<=30	Pass
		Inner_1RB_Left	21.91	/	/	24.81	/	/	<=30	Pass

	3519.99	Inner 1RB Right	21.67	/	/	24.57	/	/	<=30	Pass
		Edge 1RB Left	21.77	/	/	24.67	/	/	<=30	Pass
		Edge 1RB Right	22.00	/	/	24.90	/	/	<=30	Pass
		Outer Full	21.74	/	/	24.64	/	/	<=30	Pass
		Inner Full	21.71	/	/	24.61	/	/	<=30	Pass
		Inner 1RB Left	21.97	/	/	24.87	/	/	<=30	Pass
		Inner 1RB Right	21.92	/	/	24.82	/	/	<=30	Pass
CP-OFDM 256 QAM	3480	Edge 1RB Left	18.67	/	/	21.57	/	/	<=30	Pass
		Edge 1RB Right	18.88	/	/	21.78	/	/	<=30	Pass
		Outer Full	18.91	/	/	21.81	/	/	<=30	Pass
		Inner Full	18.74	/	/	21.64	/	/	<=30	Pass
		Inner 1RB Left	19.01	/	/	21.91	/	/	<=30	Pass
		Inner 1RB Right	18.86	/	/	21.76	/	/	<=30	Pass
	3500.01	Edge 1RB Left	18.90	/	/	21.80	/	/	<=30	Pass
		Edge 1RB Right	18.61	/	/	21.51	/	/	<=30	Pass
		Outer Full	18.85	/	/	21.75	/	/	<=30	Pass
		Inner Full	18.82	/	/	21.72	/	/	<=30	Pass
		Inner 1RB Left	18.89	/	/	21.79	/	/	<=30	Pass
		Inner 1RB Right	19.17	/	/	22.07	/	/	<=30	Pass
	3519.99	Edge 1RB Left	18.86	/	/	21.76	/	/	<=30	Pass
		Edge 1RB Right	18.81	/	/	21.71	/	/	<=30	Pass
		Outer Full	19.02	/	/	21.92	/	/	<=30	Pass
		Inner Full	18.80	/	/	21.70	/	/	<=30	Pass
		Inner 1RB Left	18.93	/	/	21.83	/	/	<=30	Pass
		Inner 1RB Right	18.91	/	/	21.81	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 2.90dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.7 30k_SISO_70MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 70MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3485.01	Edge 1RB Left	21.68	/	/	24.58	/	/	<=30	Pass
		Edge 1RB Right	21.79	/	/	24.69	/	/	<=30	Pass
		Outer Full	24.96	/	/	27.86	/	/	<=30	Pass
		Inner Full	25.38	/	/	28.28	/	/	<=30	Pass
		Inner 1RB Left	25.23	/	/	28.13	/	/	<=30	Pass
		Inner 1RB Right	25.21	/	/	28.11	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.81	/	/	24.71	/	/	<=30	Pass
		Edge 1RB Right	21.90	/	/	24.80	/	/	<=30	Pass
		Outer Full	24.79	/	/	27.69	/	/	<=30	Pass
		Inner Full	25.51	/	/	28.41	/	/	<=30	Pass
		Inner 1RB Left	25.39	/	/	28.29	/	/	<=30	Pass
		Inner 1RB Right	25.42	/	/	28.32	/	/	<=30	Pass
	3514.98	Edge 1RB Left	21.92	/	/	24.82	/	/	<=30	Pass
		Edge 1RB Right	21.92	/	/	24.82	/	/	<=30	Pass
		Outer Full	24.89	/	/	27.79	/	/	<=30	Pass
		Inner Full	25.55	/	/	28.45	/	/	<=30	Pass
		Inner 1RB Left	25.32	/	/	28.22	/	/	<=30	Pass
		Inner 1RB Right	25.50	/	/	28.40	/	/	<=30	Pass
DFT-s-OFDM QPSK	3485.01	Edge 1RB Left	21.87	/	/	24.77	/	/	<=30	Pass
		Edge 1RB Right	21.87	/	/	24.77	/	/	<=30	Pass
		Outer Full	24.27	/	/	27.17	/	/	<=30	Pass
		Inner Full	25.23	/	/	28.13	/	/	<=30	Pass
		Inner 1RB Left	25.23	/	/	28.13	/	/	<=30	Pass
		Inner 1RB Right	25.31	/	/	28.21	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.82	/	/	24.72	/	/	<=30	Pass

		Edge_1RB_Right	21.98	/	/	24.88	/	/	<=30	Pass
		Outer_Full	24.31	/	/	27.21	/	/	<=30	Pass
		Inner_Full	25.39	/	/	28.29	/	/	<=30	Pass
		Inner_1RB_Left	25.39	/	/	28.29	/	/	<=30	Pass
		Inner_1RB_Right	25.38	/	/	28.28	/	/	<=30	Pass
	3514.98	Edge_1RB_Left	21.74	/	/	24.64	/	/	<=30	Pass
		Edge_1RB_Right	21.94	/	/	24.84	/	/	<=30	Pass
		Outer_Full	24.41	/	/	27.31	/	/	<=30	Pass
		Inner_Full	25.51	/	/	28.41	/	/	<=30	Pass
		Inner_1RB_Left	25.31	/	/	28.21	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3485.01	Inner_1RB_Right	25.36	/	/	28.26	/	/	<=30	Pass
		Edge_1RB_Left	21.85	/	/	24.75	/	/	<=30	Pass
		Edge_1RB_Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer_Full	23.38	/	/	26.28	/	/	<=30	Pass
		Inner_Full	24.31	/	/	27.21	/	/	<=30	Pass
	3500.01	Inner_1RB_Left	24.23	/	/	27.13	/	/	<=30	Pass
		Inner_1RB_Right	24.12	/	/	27.02	/	/	<=30	Pass
		Edge_1RB_Left	21.96	/	/	24.86	/	/	<=30	Pass
		Edge_1RB_Right	21.89	/	/	24.79	/	/	<=30	Pass
		Outer_Full	23.44	/	/	26.34	/	/	<=30	Pass
	3514.98	Inner_Full	24.31	/	/	27.21	/	/	<=30	Pass
		Inner_1RB_Left	24.49	/	/	27.39	/	/	<=30	Pass
		Inner_1RB_Right	24.43	/	/	27.33	/	/	<=30	Pass
		Edge_1RB_Left	21.64	/	/	24.54	/	/	<=30	Pass
		Edge_1RB_Right	21.78	/	/	24.68	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3485.01	Outer_Full	23.49	/	/	26.39	/	/	<=30	Pass
		Inner_Full	24.53	/	/	27.43	/	/	<=30	Pass
		Inner_1RB_Left	24.30	/	/	27.20	/	/	<=30	Pass
		Inner_1RB_Right	24.60	/	/	27.50	/	/	<=30	Pass
		Edge_1RB_Left	21.99	/	/	24.89	/	/	<=30	Pass
	3500.01	Edge_1RB_Right	21.77	/	/	24.67	/	/	<=30	Pass
		Outer_Full	22.81	/	/	25.71	/	/	<=30	Pass
		Inner_Full	22.75	/	/	25.65	/	/	<=30	Pass
		Inner_1RB_Left	22.84	/	/	25.74	/	/	<=30	Pass
		Inner_1RB_Right	22.66	/	/	25.56	/	/	<=30	Pass
	3514.98	Edge_1RB_Left	21.90	/	/	24.80	/	/	<=30	Pass
		Edge_1RB_Right	22.08	/	/	24.98	/	/	<=30	Pass
		Outer_Full	22.78	/	/	25.68	/	/	<=30	Pass
		Inner_Full	22.81	/	/	25.71	/	/	<=30	Pass
		Inner_1RB_Left	22.96	/	/	25.86	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3485.01	Inner_1RB_Right	22.88	/	/	25.78	/	/	<=30	Pass
		Edge_1RB_Left	21.62	/	/	24.52	/	/	<=30	Pass
		Edge_1RB_Right	21.95	/	/	24.85	/	/	<=30	Pass
		Outer_Full	23.00	/	/	25.90	/	/	<=30	Pass
		Inner_Full	23.02	/	/	25.92	/	/	<=30	Pass
	3500.01	Inner_1RB_Left	22.87	/	/	25.77	/	/	<=30	Pass
		Inner_1RB_Right	23.08	/	/	25.98	/	/	<=30	Pass
		Edge_1RB_Left	21.01	/	/	23.91	/	/	<=30	Pass
		Edge_1RB_Right	20.73	/	/	23.63	/	/	<=30	Pass
		Outer_Full	20.92	/	/	23.82	/	/	<=30	Pass
	3514.98	Inner_Full	20.81	/	/	23.71	/	/	<=30	Pass
		Inner_1RB_Left	20.83	/	/	23.73	/	/	<=30	Pass
		Inner_1RB_Right	20.75	/	/	23.65	/	/	<=30	Pass
		Edge_1RB_Left	20.88	/	/	23.78	/	/	<=30	Pass
		Edge_1RB_Right	20.87	/	/	23.77	/	/	<=30	Pass
	3500.01	Outer_Full	20.91	/	/	23.81	/	/	<=30	Pass
		Inner_Full	20.85	/	/	23.75	/	/	<=30	Pass
		Inner_1RB_Left	21.04	/	/	23.94	/	/	<=30	Pass
		Inner_1RB_Right	21.20	/	/	24.10	/	/	<=30	Pass

	3514.98	Edge 1RB Left	20.80	/	/	23.70	/	/	<=30	Pass
		Edge 1RB Right	20.92	/	/	23.82	/	/	<=30	Pass
		Outer_Full	20.96	/	/	23.86	/	/	<=30	Pass
		Inner_Full	21.08	/	/	23.98	/	/	<=30	Pass
		Inner 1RB Left	21.03	/	/	23.93	/	/	<=30	Pass
		Inner 1RB Right	20.82	/	/	23.72	/	/	<=30	Pass
CP-OFDM QPSK	3485.01	Edge 1RB Left	21.81	/	/	24.71	/	/	<=30	Pass
		Edge 1RB Right	21.92	/	/	24.82	/	/	<=30	Pass
		Outer_Full	22.31	/	/	25.21	/	/	<=30	Pass
		Inner_Full	23.83	/	/	26.73	/	/	<=30	Pass
		Inner 1RB Left	23.87	/	/	26.77	/	/	<=30	Pass
		Inner 1RB Right	23.95	/	/	26.85	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.99	/	/	24.89	/	/	<=30	Pass
		Edge 1RB Right	22.02	/	/	24.92	/	/	<=30	Pass
		Outer_Full	22.32	/	/	25.22	/	/	<=30	Pass
		Inner_Full	23.86	/	/	26.76	/	/	<=30	Pass
		Inner 1RB Left	23.97	/	/	26.87	/	/	<=30	Pass
		Inner 1RB Right	24.03	/	/	26.93	/	/	<=30	Pass
	3514.98	Edge 1RB Left	21.87	/	/	24.77	/	/	<=30	Pass
		Edge 1RB Right	22.03	/	/	24.93	/	/	<=30	Pass
		Outer_Full	22.49	/	/	25.39	/	/	<=30	Pass
		Inner_Full	24.00	/	/	26.90	/	/	<=30	Pass
		Inner 1RB Left	23.93	/	/	26.83	/	/	<=30	Pass
		Inner 1RB Right	24.10	/	/	27.00	/	/	<=30	Pass
CP-OFDM 16 QAM	3485.01	Edge 1RB Left	21.76	/	/	24.66	/	/	<=30	Pass
		Edge 1RB Right	21.68	/	/	24.58	/	/	<=30	Pass
		Outer_Full	22.40	/	/	25.30	/	/	<=30	Pass
		Inner_Full	23.36	/	/	26.26	/	/	<=30	Pass
		Inner 1RB Left	23.26	/	/	26.16	/	/	<=30	Pass
		Inner 1RB Right	23.13	/	/	26.03	/	/	<=30	Pass
	3500.01	Edge 1RB Left	22.00	/	/	24.90	/	/	<=30	Pass
		Edge 1RB Right	21.82	/	/	24.72	/	/	<=30	Pass
		Outer_Full	22.30	/	/	25.20	/	/	<=30	Pass
		Inner_Full	23.42	/	/	26.32	/	/	<=30	Pass
		Inner 1RB Left	23.28	/	/	26.18	/	/	<=30	Pass
		Inner 1RB Right	23.26	/	/	26.16	/	/	<=30	Pass
	3514.98	Edge 1RB Left	21.57	/	/	24.47	/	/	<=30	Pass
		Edge 1RB Right	21.93	/	/	24.83	/	/	<=30	Pass
		Outer_Full	22.50	/	/	25.40	/	/	<=30	Pass
		Inner_Full	23.48	/	/	26.38	/	/	<=30	Pass
		Inner 1RB Left	23.33	/	/	26.23	/	/	<=30	Pass
		Inner 1RB Right	23.32	/	/	26.22	/	/	<=30	Pass
CP-OFDM 64 QAM	3485.01	Edge 1RB Left	21.98	/	/	24.88	/	/	<=30	Pass
		Edge 1RB Right	21.89	/	/	24.79	/	/	<=30	Pass
		Outer_Full	21.83	/	/	24.73	/	/	<=30	Pass
		Inner_Full	21.97	/	/	24.87	/	/	<=30	Pass
		Inner 1RB Left	21.74	/	/	24.64	/	/	<=30	Pass
		Inner 1RB Right	22.05	/	/	24.95	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.86	/	/	24.76	/	/	<=30	Pass
		Edge 1RB Right	22.10	/	/	25.00	/	/	<=30	Pass
		Outer_Full	21.86	/	/	24.76	/	/	<=30	Pass
		Inner_Full	21.91	/	/	24.81	/	/	<=30	Pass
		Inner 1RB Left	22.14	/	/	25.04	/	/	<=30	Pass
		Inner 1RB Right	21.96	/	/	24.86	/	/	<=30	Pass
	3514.98	Edge 1RB Left	21.97	/	/	24.87	/	/	<=30	Pass
		Edge 1RB Right	21.78	/	/	24.68	/	/	<=30	Pass
		Outer_Full	21.93	/	/	24.83	/	/	<=30	Pass
		Inner_Full	22.10	/	/	25.00	/	/	<=30	Pass
		Inner 1RB Left	21.84	/	/	24.74	/	/	<=30	Pass

		Inner_1RB_Right	21.95	/	/	24.85	/	/	<=30	Pass
CP-OFDM 256 QAM	3485.01	Edge_1RB_Left	18.65	/	/	21.55	/	/	<=30	Pass
		Edge_1RB_Right	18.88	/	/	21.78	/	/	<=30	Pass
		Outer_Full	18.96	/	/	21.86	/	/	<=30	Pass
		Inner_Full	18.98	/	/	21.88	/	/	<=30	Pass
		Inner_1RB_Left	18.73	/	/	21.63	/	/	<=30	Pass
		Inner_1RB_Right	18.87	/	/	21.77	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	18.90	/	/	21.80	/	/	<=30	Pass
		Edge_1RB_Right	19.05	/	/	21.95	/	/	<=30	Pass
		Outer_Full	18.91	/	/	21.81	/	/	<=30	Pass
		Inner_Full	18.92	/	/	21.82	/	/	<=30	Pass
		Inner_1RB_Left	18.83	/	/	21.73	/	/	<=30	Pass
		Inner_1RB_Right	19.16	/	/	22.06	/	/	<=30	Pass
	3514.98	Edge_1RB_Left	18.87	/	/	21.77	/	/	<=30	Pass
		Edge_1RB_Right	19.25	/	/	22.15	/	/	<=30	Pass
		Outer_Full	19.11	/	/	22.01	/	/	<=30	Pass
		Inner_Full	18.97	/	/	21.87	/	/	<=30	Pass
		Inner_1RB_Left	19.01	/	/	21.91	/	/	<=30	Pass
		Inner_1RB_Right	19.05	/	/	21.95	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 2.90dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.8 30k_SISO_80MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 80MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3490.02	Edge 1RB Left	21.87	/	/	24.77	/	/	<=30	Pass
		Edge 1RB Right	21.95	/	/	24.85	/	/	<=30	Pass
		Outer Full	24.90	/	/	27.80	/	/	<=30	Pass
		Inner Full	25.54	/	/	28.44	/	/	<=30	Pass
		Inner 1RB Left	25.24	/	/	28.14	/	/	<=30	Pass
		Inner 1RB Right	25.35	/	/	28.25	/	/	<=30	Pass
	3500.01	Edge 1RB Left	22.00	/	/	24.90	/	/	<=30	Pass
		Edge 1RB Right	21.96	/	/	24.86	/	/	<=30	Pass
		Outer Full	24.85	/	/	27.75	/	/	<=30	Pass
		Inner Full	25.43	/	/	28.33	/	/	<=30	Pass
		Inner 1RB Left	25.48	/	/	28.38	/	/	<=30	Pass
		Inner 1RB Right	25.35	/	/	28.25	/	/	<=30	Pass
	3510	Edge 1RB Left	21.91	/	/	24.81	/	/	<=30	Pass
		Edge 1RB Right	21.86	/	/	24.76	/	/	<=30	Pass
		Outer Full	24.87	/	/	27.77	/	/	<=30	Pass
		Inner Full	25.48	/	/	28.38	/	/	<=30	Pass
		Inner 1RB Left	25.47	/	/	28.37	/	/	<=30	Pass
		Inner 1RB Right	25.34	/	/	28.24	/	/	<=30	Pass
DFT-s-OFDM QPSK	3490.02	Edge 1RB Left	21.75	/	/	24.65	/	/	<=30	Pass
		Edge 1RB Right	21.96	/	/	24.86	/	/	<=30	Pass
		Outer Full	24.48	/	/	27.38	/	/	<=30	Pass
		Inner Full	25.46	/	/	28.36	/	/	<=30	Pass
		Inner 1RB Left	25.41	/	/	28.31	/	/	<=30	Pass
		Inner 1RB Right	25.41	/	/	28.31	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.96	/	/	24.86	/	/	<=30	Pass
		Edge 1RB Right	21.97	/	/	24.87	/	/	<=30	Pass
		Outer Full	24.33	/	/	27.23	/	/	<=30	Pass
		Inner Full	25.39	/	/	28.29	/	/	<=30	Pass
		Inner 1RB Left	25.48	/	/	28.38	/	/	<=30	Pass
		Inner 1RB Right	25.43	/	/	28.33	/	/	<=30	Pass
	3510	Edge 1RB Left	21.93	/	/	24.83	/	/	<=30	Pass

		Edge_1RB_Right	22.00	/	/	24.90	/	/	<=30	Pass
		Outer_Full	24.43	/	/	27.33	/	/	<=30	Pass
		Inner_Full	25.45	/	/	28.35	/	/	<=30	Pass
		Inner_1RB_Left	25.39	/	/	28.29	/	/	<=30	Pass
		Inner_1RB_Right	25.39	/	/	28.29	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3490.02	Edge_1RB_Left	21.82	/	/	24.72	/	/	<=30	Pass
		Edge_1RB_Right	21.96	/	/	24.86	/	/	<=30	Pass
		Outer_Full	23.47	/	/	26.37	/	/	<=30	Pass
		Inner_Full	24.43	/	/	27.33	/	/	<=30	Pass
		Inner_1RB_Left	24.37	/	/	27.27	/	/	<=30	Pass
		Inner_1RB_Right	24.49	/	/	27.39	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	22.00	/	/	24.90	/	/	<=30	Pass
		Edge_1RB_Right	21.80	/	/	24.70	/	/	<=30	Pass
		Outer_Full	23.40	/	/	26.30	/	/	<=30	Pass
		Inner_Full	24.31	/	/	27.21	/	/	<=30	Pass
		Inner_1RB_Left	24.43	/	/	27.33	/	/	<=30	Pass
		Inner_1RB_Right	24.40	/	/	27.30	/	/	<=30	Pass
	3510	Edge_1RB_Left	21.80	/	/	24.70	/	/	<=30	Pass
		Edge_1RB_Right	21.71	/	/	24.61	/	/	<=30	Pass
		Outer_Full	23.45	/	/	26.35	/	/	<=30	Pass
		Inner_Full	24.39	/	/	27.29	/	/	<=30	Pass
		Inner_1RB_Left	24.55	/	/	27.45	/	/	<=30	Pass
		Inner_1RB_Right	24.27	/	/	27.17	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3490.02	Edge_1RB_Left	21.83	/	/	24.73	/	/	<=30	Pass
		Edge_1RB_Right	21.88	/	/	24.78	/	/	<=30	Pass
		Outer_Full	22.96	/	/	25.86	/	/	<=30	Pass
		Inner_Full	22.96	/	/	25.86	/	/	<=30	Pass
		Inner_1RB_Left	22.80	/	/	25.70	/	/	<=30	Pass
		Inner_1RB_Right	23.17	/	/	26.07	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	22.04	/	/	24.94	/	/	<=30	Pass
		Edge_1RB_Right	22.05	/	/	24.95	/	/	<=30	Pass
		Outer_Full	22.86	/	/	25.76	/	/	<=30	Pass
		Inner_Full	22.78	/	/	25.68	/	/	<=30	Pass
		Inner_1RB_Left	23.22	/	/	26.12	/	/	<=30	Pass
		Inner_1RB_Right	22.84	/	/	25.74	/	/	<=30	Pass
	3510	Edge_1RB_Left	21.87	/	/	24.77	/	/	<=30	Pass
		Edge_1RB_Right	21.82	/	/	24.72	/	/	<=30	Pass
		Outer_Full	22.93	/	/	25.83	/	/	<=30	Pass
		Inner_Full	23.05	/	/	25.95	/	/	<=30	Pass
		Inner_1RB_Left	22.94	/	/	25.84	/	/	<=30	Pass
		Inner_1RB_Right	22.86	/	/	25.76	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3490.02	Edge_1RB_Left	21.14	/	/	24.04	/	/	<=30	Pass
		Edge_1RB_Right	21.06	/	/	23.96	/	/	<=30	Pass
		Outer_Full	21.05	/	/	23.95	/	/	<=30	Pass
		Inner_Full	20.93	/	/	23.83	/	/	<=30	Pass
		Inner_1RB_Left	20.90	/	/	23.80	/	/	<=30	Pass
		Inner_1RB_Right	20.91	/	/	23.81	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	20.96	/	/	23.86	/	/	<=30	Pass
		Edge_1RB_Right	20.79	/	/	23.69	/	/	<=30	Pass
		Outer_Full	20.88	/	/	23.78	/	/	<=30	Pass
		Inner_Full	20.90	/	/	23.80	/	/	<=30	Pass
		Inner_1RB_Left	21.17	/	/	24.07	/	/	<=30	Pass
		Inner_1RB_Right	21.14	/	/	24.04	/	/	<=30	Pass
	3510	Edge_1RB_Left	20.92	/	/	23.82	/	/	<=30	Pass
		Edge_1RB_Right	20.90	/	/	23.80	/	/	<=30	Pass
		Outer_Full	20.94	/	/	23.84	/	/	<=30	Pass
		Inner_Full	20.92	/	/	23.82	/	/	<=30	Pass
		Inner_1RB_Left	20.88	/	/	23.78	/	/	<=30	Pass
		Inner_1RB_Right	21.09	/	/	23.99	/	/	<=30	Pass

CP-OFDM QPSK	3490.02	Edge_1RB_Left	21.70	/	/	24.60	/	/	<=30	Pass
		Edge_1RB_Right	21.93	/	/	24.83	/	/	<=30	Pass
		Outer_Full	22.30	/	/	25.20	/	/	<=30	Pass
		Inner_Full	23.90	/	/	26.80	/	/	<=30	Pass
		Inner_1RB_Left	23.99	/	/	26.89	/	/	<=30	Pass
		Inner_1RB_Right	24.14	/	/	27.04	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	22.16	/	/	25.06	/	/	<=30	Pass
		Edge_1RB_Right	21.98	/	/	24.88	/	/	<=30	Pass
		Outer_Full	22.30	/	/	25.20	/	/	<=30	Pass
		Inner_Full	23.82	/	/	26.72	/	/	<=30	Pass
		Inner_1RB_Left	24.06	/	/	26.96	/	/	<=30	Pass
		Inner_1RB_Right	24.02	/	/	26.92	/	/	<=30	Pass
	3510	Edge_1RB_Left	21.84	/	/	24.74	/	/	<=30	Pass
		Edge_1RB_Right	21.83	/	/	24.73	/	/	<=30	Pass
		Outer_Full	22.40	/	/	25.30	/	/	<=30	Pass
		Inner_Full	23.92	/	/	26.82	/	/	<=30	Pass
		Inner_1RB_Left	24.02	/	/	26.92	/	/	<=30	Pass
		Inner_1RB_Right	23.97	/	/	26.87	/	/	<=30	Pass
CP-OFDM 16 QAM	3490.02	Edge_1RB_Left	21.90	/	/	24.80	/	/	<=30	Pass
		Edge_1RB_Right	21.86	/	/	24.76	/	/	<=30	Pass
		Outer_Full	22.40	/	/	25.30	/	/	<=30	Pass
		Inner_Full	23.48	/	/	26.38	/	/	<=30	Pass
		Inner_1RB_Left	23.48	/	/	26.38	/	/	<=30	Pass
		Inner_1RB_Right	23.48	/	/	26.38	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.90	/	/	24.80	/	/	<=30	Pass
		Edge_1RB_Right	21.77	/	/	24.67	/	/	<=30	Pass
		Outer_Full	22.34	/	/	25.24	/	/	<=30	Pass
		Inner_Full	23.42	/	/	26.32	/	/	<=30	Pass
		Inner_1RB_Left	23.47	/	/	26.37	/	/	<=30	Pass
		Inner_1RB_Right	23.33	/	/	26.23	/	/	<=30	Pass
	3510	Edge_1RB_Left	21.87	/	/	24.77	/	/	<=30	Pass
		Edge_1RB_Right	21.88	/	/	24.78	/	/	<=30	Pass
		Outer_Full	22.48	/	/	25.38	/	/	<=30	Pass
		Inner_Full	23.39	/	/	26.29	/	/	<=30	Pass
		Inner_1RB_Left	23.49	/	/	26.39	/	/	<=30	Pass
		Inner_1RB_Right	23.57	/	/	26.47	/	/	<=30	Pass
CP-OFDM 64 QAM	3490.02	Edge_1RB_Left	22.08	/	/	24.98	/	/	<=30	Pass
		Edge_1RB_Right	21.93	/	/	24.83	/	/	<=30	Pass
		Outer_Full	21.92	/	/	24.82	/	/	<=30	Pass
		Inner_Full	21.91	/	/	24.81	/	/	<=30	Pass
		Inner_1RB_Left	21.85	/	/	24.75	/	/	<=30	Pass
		Inner_1RB_Right	21.96	/	/	24.86	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	22.03	/	/	24.93	/	/	<=30	Pass
		Edge_1RB_Right	21.89	/	/	24.79	/	/	<=30	Pass
		Outer_Full	21.91	/	/	24.81	/	/	<=30	Pass
		Inner_Full	21.89	/	/	24.79	/	/	<=30	Pass
		Inner_1RB_Left	21.90	/	/	24.80	/	/	<=30	Pass
		Inner_1RB_Right	22.11	/	/	25.01	/	/	<=30	Pass
	3510	Edge_1RB_Left	21.97	/	/	24.87	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	25.02	/	/	<=30	Pass
		Outer_Full	21.95	/	/	24.85	/	/	<=30	Pass
		Inner_Full	21.99	/	/	24.89	/	/	<=30	Pass
		Inner_1RB_Left	21.95	/	/	24.85	/	/	<=30	Pass
		Inner_1RB_Right	21.94	/	/	24.84	/	/	<=30	Pass
CP-OFDM 256 QAM	3490.02	Edge_1RB_Left	18.89	/	/	21.79	/	/	<=30	Pass
		Edge_1RB_Right	19.03	/	/	21.93	/	/	<=30	Pass
		Outer_Full	19.01	/	/	21.91	/	/	<=30	Pass
		Inner_Full	18.94	/	/	21.84	/	/	<=30	Pass
		Inner_1RB_Left	18.90	/	/	21.80	/	/	<=30	Pass

	3500.01	Inner 1RB Right	18.92	/	/	21.82	/	/	<=30	Pass
		Edge 1RB Left	19.11	/	/	22.01	/	/	<=30	Pass
		Edge 1RB Right	19.11	/	/	22.01	/	/	<=30	Pass
		Outer Full	19.01	/	/	21.91	/	/	<=30	Pass
		Inner Full	18.85	/	/	21.75	/	/	<=30	Pass
		Inner 1RB Left	19.08	/	/	21.98	/	/	<=30	Pass
	3510	Inner 1RB Right	19.12	/	/	22.02	/	/	<=30	Pass
		Edge 1RB Left	18.86	/	/	21.76	/	/	<=30	Pass
		Edge 1RB Right	19.01	/	/	21.91	/	/	<=30	Pass
		Outer Full	18.98	/	/	21.88	/	/	<=30	Pass
		Inner Full	19.03	/	/	21.93	/	/	<=30	Pass
		Inner 1RB Left	19.08	/	/	21.98	/	/	<=30	Pass
		Inner 1RB Right	19.00	/	/	21.90	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 2.90dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.9 30k_SISO_90MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 90MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3495	Edge 1RB Left	21.99	/	/	24.89	/	/	<=30	Pass
		Edge 1RB Right	22.02	/	/	24.92	/	/	<=30	Pass
		Outer Full	24.92	/	/	27.82	/	/	<=30	Pass
		Inner Full	25.57	/	/	28.47	/	/	<=30	Pass
		Inner 1RB Left	25.55	/	/	28.45	/	/	<=30	Pass
		Inner 1RB Right	25.46	/	/	28.36	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.97	/	/	24.87	/	/	<=30	Pass
		Edge 1RB Right	21.94	/	/	24.84	/	/	<=30	Pass
		Outer Full	25.03	/	/	27.93	/	/	<=30	Pass
		Inner Full	25.38	/	/	28.28	/	/	<=30	Pass
		Inner 1RB Left	25.43	/	/	28.33	/	/	<=30	Pass
		Inner 1RB Right	25.45	/	/	28.35	/	/	<=30	Pass
	3504.99	Edge 1RB Left	22.05	/	/	24.95	/	/	<=30	Pass
		Edge 1RB Right	22.01	/	/	24.91	/	/	<=30	Pass
		Outer Full	24.98	/	/	27.88	/	/	<=30	Pass
		Inner Full	25.55	/	/	28.45	/	/	<=30	Pass
		Inner 1RB Left	25.55	/	/	28.45	/	/	<=30	Pass
		Inner 1RB Right	25.43	/	/	28.33	/	/	<=30	Pass
DFT-s-OFDM QPSK	3495	Edge 1RB Left	21.94	/	/	24.84	/	/	<=30	Pass
		Edge 1RB Right	22.07	/	/	24.97	/	/	<=30	Pass
		Outer Full	24.33	/	/	27.23	/	/	<=30	Pass
		Inner Full	25.35	/	/	28.25	/	/	<=30	Pass
		Inner 1RB Left	25.44	/	/	28.34	/	/	<=30	Pass
		Inner 1RB Right	25.43	/	/	28.33	/	/	<=30	Pass
	3500.01	Edge 1RB Left	21.80	/	/	24.70	/	/	<=30	Pass
		Edge 1RB Right	21.87	/	/	24.77	/	/	<=30	Pass
		Outer Full	24.55	/	/	27.45	/	/	<=30	Pass
		Inner Full	25.35	/	/	28.25	/	/	<=30	Pass
		Inner 1RB Left	25.48	/	/	28.38	/	/	<=30	Pass
		Inner 1RB Right	25.33	/	/	28.23	/	/	<=30	Pass
	3504.99	Edge 1RB Left	22.03	/	/	24.93	/	/	<=30	Pass
		Edge 1RB Right	21.90	/	/	24.80	/	/	<=30	Pass
		Outer Full	24.51	/	/	27.41	/	/	<=30	Pass
		Inner Full	25.49	/	/	28.39	/	/	<=30	Pass
		Inner 1RB Left	25.37	/	/	28.27	/	/	<=30	Pass
		Inner 1RB Right	25.41	/	/	28.31	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3495	Edge 1RB Left	21.89	/	/	24.79	/	/	<=30	Pass

		Edge_1RB_Right	21.85	/	/	24.75	/	/	<=30	Pass
		Outer_Full	23.44	/	/	26.34	/	/	<=30	Pass
		Inner_Full	24.27	/	/	27.17	/	/	<=30	Pass
		Inner_1RB_Left	24.39	/	/	27.29	/	/	<=30	Pass
		Inner_1RB_Right	24.39	/	/	27.29	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	22.10	/	/	25.00	/	/	<=30	Pass
		Edge_1RB_Right	21.96	/	/	24.86	/	/	<=30	Pass
		Outer_Full	23.28	/	/	26.18	/	/	<=30	Pass
		Inner_Full	24.39	/	/	27.29	/	/	<=30	Pass
		Inner_1RB_Left	24.56	/	/	27.46	/	/	<=30	Pass
	3504.99	Inner_1RB_Right	24.39	/	/	27.29	/	/	<=30	Pass
		Edge_1RB_Left	21.96	/	/	24.86	/	/	<=30	Pass
		Edge_1RB_Right	21.88	/	/	24.78	/	/	<=30	Pass
		Outer_Full	23.45	/	/	26.35	/	/	<=30	Pass
		Inner_Full	24.32	/	/	27.22	/	/	<=30	Pass
DFT-s-OFDM 64 QAM		Inner_1RB_Left	24.43	/	/	27.33	/	/	<=30	Pass
		Inner_1RB_Right	24.42	/	/	27.32	/	/	<=30	Pass
	3495	Edge_1RB_Left	21.91	/	/	24.81	/	/	<=30	Pass
		Edge_1RB_Right	21.99	/	/	24.89	/	/	<=30	Pass
		Outer_Full	22.89	/	/	25.79	/	/	<=30	Pass
		Inner_Full	22.81	/	/	25.71	/	/	<=30	Pass
		Inner_1RB_Left	22.90	/	/	25.80	/	/	<=30	Pass
	3500.01	Inner_1RB_Right	22.80	/	/	25.70	/	/	<=30	Pass
		Edge_1RB_Left	21.99	/	/	24.89	/	/	<=30	Pass
		Edge_1RB_Right	22.04	/	/	24.94	/	/	<=30	Pass
		Outer_Full	23.02	/	/	25.92	/	/	<=30	Pass
		Inner_Full	22.93	/	/	25.83	/	/	<=30	Pass
	3504.99	Inner_1RB_Left	23.05	/	/	25.95	/	/	<=30	Pass
		Inner_1RB_Right	22.90	/	/	25.80	/	/	<=30	Pass
		Edge_1RB_Left	21.98	/	/	24.88	/	/	<=30	Pass
		Edge_1RB_Right	22.17	/	/	25.07	/	/	<=30	Pass
		Outer_Full	22.97	/	/	25.87	/	/	<=30	Pass
DFT-s-OFDM 256 QAM		Inner_Full	23.04	/	/	25.94	/	/	<=30	Pass
		Inner_1RB_Left	23.14	/	/	26.04	/	/	<=30	Pass
		Inner_1RB_Right	22.89	/	/	25.79	/	/	<=30	Pass
	3495	Edge_1RB_Left	21.08	/	/	23.98	/	/	<=30	Pass
		Edge_1RB_Right	21.08	/	/	23.98	/	/	<=30	Pass
		Outer_Full	20.96	/	/	23.86	/	/	<=30	Pass
		Inner_Full	21.06	/	/	23.96	/	/	<=30	Pass
		Inner_1RB_Left	20.98	/	/	23.88	/	/	<=30	Pass
	3500.01	Inner_1RB_Right	20.93	/	/	23.83	/	/	<=30	Pass
		Edge_1RB_Left	20.99	/	/	23.89	/	/	<=30	Pass
		Edge_1RB_Right	20.85	/	/	23.75	/	/	<=30	Pass
		Outer_Full	20.98	/	/	23.88	/	/	<=30	Pass
		Inner_Full	21.01	/	/	23.91	/	/	<=30	Pass
	3504.99	Inner_1RB_Left	20.86	/	/	23.76	/	/	<=30	Pass
		Inner_1RB_Right	20.97	/	/	23.87	/	/	<=30	Pass
		Edge_1RB_Left	21.09	/	/	23.99	/	/	<=30	Pass
		Edge_1RB_Right	21.06	/	/	23.96	/	/	<=30	Pass
		Outer_Full	21.01	/	/	23.91	/	/	<=30	Pass
CP-OFDM QPSK	3495	Inner_Full	21.10	/	/	24.00	/	/	<=30	Pass
		Inner_1RB_Left	21.02	/	/	23.92	/	/	<=30	Pass
		Inner_1RB_Right	21.04	/	/	23.94	/	/	<=30	Pass
		Edge_1RB_Left	22.09	/	/	24.99	/	/	<=30	Pass
		Edge_1RB_Right	22.00	/	/	24.90	/	/	<=30	Pass
		Outer_Full	22.42	/	/	25.32	/	/	<=30	Pass
		Inner_Full	23.79	/	/	26.69	/	/	<=30	Pass
		Inner_1RB_Left	24.01	/	/	26.91	/	/	<=30	Pass
		Inner_1RB_Right	24.03	/	/	26.93	/	/	<=30	Pass