

		Edge_1RB_Right	21.74	/	/	24.64	/	/	<=30	Pass
		Outer_Full	22.53	/	/	25.43	/	/	<=30	Pass
		Inner_Full	23.87	/	/	26.77	/	/	<=30	Pass
		Inner_1RB_Left	24.28	/	/	27.18	/	/	<=30	Pass
		Inner_1RB_Right	23.73	/	/	26.63	/	/	<=30	Pass
	3754.98	Edge_1RB_Left	22.18	/	/	25.08	/	/	<=30	Pass
		Edge_1RB_Right	21.82	/	/	24.72	/	/	<=30	Pass
		Outer_Full	22.45	/	/	25.35	/	/	<=30	Pass
		Inner_Full	23.93	/	/	26.83	/	/	<=30	Pass
		Inner_1RB_Left	24.29	/	/	27.19	/	/	<=30	Pass
CP-OFDM 16 QAM	3745.02	Inner_1RB_Right	23.74	/	/	26.64	/	/	<=30	Pass
		Edge_1RB_Left	22.18	/	/	25.08	/	/	<=30	Pass
		Edge_1RB_Right	21.90	/	/	24.80	/	/	<=30	Pass
		Outer_Full	22.38	/	/	25.28	/	/	<=30	Pass
		Inner_Full	23.36	/	/	26.26	/	/	<=30	Pass
	3750	Inner_1RB_Left	23.62	/	/	26.52	/	/	<=30	Pass
		Inner_1RB_Right	23.20	/	/	26.10	/	/	<=30	Pass
		Edge_1RB_Left	22.15	/	/	25.05	/	/	<=30	Pass
		Edge_1RB_Right	21.74	/	/	24.64	/	/	<=30	Pass
		Outer_Full	22.34	/	/	25.24	/	/	<=30	Pass
	3754.98	Inner_Full	23.52	/	/	26.42	/	/	<=30	Pass
		Inner_1RB_Left	23.58	/	/	26.48	/	/	<=30	Pass
		Inner_1RB_Right	23.16	/	/	26.06	/	/	<=30	Pass
		Edge_1RB_Left	22.14	/	/	25.04	/	/	<=30	Pass
		Edge_1RB_Right	21.70	/	/	24.60	/	/	<=30	Pass
CP-OFDM 64 QAM	3745.02	Outer_Full	22.44	/	/	25.34	/	/	<=30	Pass
		Inner_Full	23.60	/	/	26.50	/	/	<=30	Pass
		Inner_1RB_Left	23.77	/	/	26.67	/	/	<=30	Pass
		Inner_1RB_Right	23.33	/	/	26.23	/	/	<=30	Pass
		Edge_1RB_Left	21.99	/	/	24.89	/	/	<=30	Pass
	3750	Edge_1RB_Right	21.92	/	/	24.82	/	/	<=30	Pass
		Outer_Full	21.82	/	/	24.72	/	/	<=30	Pass
		Inner_Full	21.79	/	/	24.69	/	/	<=30	Pass
		Inner_1RB_Left	21.92	/	/	24.82	/	/	<=30	Pass
		Inner_1RB_Right	21.60	/	/	24.50	/	/	<=30	Pass
	3754.98	Edge_1RB_Left	22.05	/	/	24.95	/	/	<=30	Pass
		Edge_1RB_Right	21.84	/	/	24.74	/	/	<=30	Pass
		Outer_Full	22.01	/	/	24.91	/	/	<=30	Pass
		Inner_Full	22.07	/	/	24.97	/	/	<=30	Pass
		Inner_1RB_Left	22.03	/	/	24.93	/	/	<=30	Pass
CP-OFDM 256 QAM	3745.02	Inner_1RB_Right	21.68	/	/	24.58	/	/	<=30	Pass
		Edge_1RB_Left	22.18	/	/	25.08	/	/	<=30	Pass
		Edge_1RB_Right	21.62	/	/	24.52	/	/	<=30	Pass
		Outer_Full	21.95	/	/	24.85	/	/	<=30	Pass
		Inner_Full	21.99	/	/	24.89	/	/	<=30	Pass
	3750	Inner_1RB_Left	22.18	/	/	25.08	/	/	<=30	Pass
		Inner_1RB_Right	21.97	/	/	24.87	/	/	<=30	Pass
		Edge_1RB_Left	19.18	/	/	22.08	/	/	<=30	Pass
		Edge_1RB_Right	18.78	/	/	21.68	/	/	<=30	Pass
		Outer_Full	18.97	/	/	21.87	/	/	<=30	Pass
	3754.98	Inner_Full	18.83	/	/	21.73	/	/	<=30	Pass
		Inner_1RB_Left	19.01	/	/	21.91	/	/	<=30	Pass
		Inner_1RB_Right	18.78	/	/	21.68	/	/	<=30	Pass
		Edge_1RB_Left	19.15	/	/	22.05	/	/	<=30	Pass
		Edge_1RB_Right	18.90	/	/	21.80	/	/	<=30	Pass
	3750	Outer_Full	19.07	/	/	21.97	/	/	<=30	Pass
		Inner_Full	19.02	/	/	21.92	/	/	<=30	Pass
		Inner_1RB_Left	19.22	/	/	22.12	/	/	<=30	Pass
		Inner_1RB_Right	18.73	/	/	21.63	/	/	<=30	Pass

	3754.98	Edge_1RB_Left	19.07	/	/	21.97	/	/	<=30	Pass
		Edge_1RB_Right	18.86	/	/	21.76	/	/	<=30	Pass
		Outer_Full	19.07	/	/	21.97	/	/	<=30	Pass
		Inner_Full	19.06	/	/	21.96	/	/	<=30	Pass
		Inner_1RB_Left	19.17	/	/	22.07	/	/	<=30	Pass
		Inner_1RB_Right	18.72	/	/	21.62	/	/	<=30	Pass

Note1: Antenna Gain: Ant1: 2.90dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.10 30k_SISO_100MHz_NTNV_EIRP

5G NR n78a SCS=30kHz SISO 100MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum		
DFT-s-OFDM PI/2 BPSK	3750	Edge_1RB_Left	22.13	/	/	25.03	/	/	<=30	Pass
		Edge_1RB_Right	21.82	/	/	24.72	/	/	<=30	Pass
		Outer_Full	24.40	/	/	27.30	/	/	<=30	Pass
		Inner_Full	25.36	/	/	28.26	/	/	<=30	Pass
		Inner_1RB_Left	25.54	/	/	28.44	/	/	<=30	Pass
		Inner_1RB_Right	25.32	/	/	28.22	/	/	<=30	Pass
DFT-s-OFDM QPSK	3750	Edge_1RB_Left	22.09	/	/	24.99	/	/	<=30	Pass
		Edge_1RB_Right	21.86	/	/	24.76	/	/	<=30	Pass
		Outer_Full	24.39	/	/	27.29	/	/	<=30	Pass
		Inner_Full	25.28	/	/	28.18	/	/	<=30	Pass
		Inner_1RB_Left	25.59	/	/	28.49	/	/	<=30	Pass
		Inner_1RB_Right	25.27	/	/	28.17	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3750	Edge_1RB_Left	21.88	/	/	24.78	/	/	<=30	Pass
		Edge_1RB_Right	21.63	/	/	24.53	/	/	<=30	Pass
		Outer_Full	23.42	/	/	26.32	/	/	<=30	Pass
		Inner_Full	24.33	/	/	27.23	/	/	<=30	Pass
		Inner_1RB_Left	24.33	/	/	27.23	/	/	<=30	Pass
		Inner_1RB_Right	24.48	/	/	27.38	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3750	Edge_1RB_Left	22.00	/	/	24.90	/	/	<=30	Pass
		Edge_1RB_Right	21.79	/	/	24.69	/	/	<=30	Pass
		Outer_Full	22.94	/	/	25.84	/	/	<=30	Pass
		Inner_Full	22.96	/	/	25.86	/	/	<=30	Pass
		Inner_1RB_Left	22.82	/	/	25.72	/	/	<=30	Pass
		Inner_1RB_Right	22.72	/	/	25.62	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3750	Edge_1RB_Left	20.88	/	/	23.78	/	/	<=30	Pass
		Edge_1RB_Right	21.03	/	/	23.93	/	/	<=30	Pass
		Outer_Full	20.96	/	/	23.86	/	/	<=30	Pass
		Inner_Full	20.84	/	/	23.74	/	/	<=30	Pass
		Inner_1RB_Left	20.93	/	/	23.83	/	/	<=30	Pass
		Inner_1RB_Right	20.88	/	/	23.78	/	/	<=30	Pass
CP-OFDM QPSK	3750	Edge_1RB_Left	22.07	/	/	24.97	/	/	<=30	Pass
		Edge_1RB_Right	21.87	/	/	24.77	/	/	<=30	Pass
		Outer_Full	22.40	/	/	25.30	/	/	<=30	Pass
		Inner_Full	23.77	/	/	26.67	/	/	<=30	Pass
		Inner_1RB_Left	24.05	/	/	26.95	/	/	<=30	Pass
		Inner_1RB_Right	23.92	/	/	26.82	/	/	<=30	Pass
CP-OFDM 16 QAM	3750	Edge_1RB_Left	22.13	/	/	25.03	/	/	<=30	Pass
		Edge_1RB_Right	21.69	/	/	24.59	/	/	<=30	Pass
		Outer_Full	22.44	/	/	25.34	/	/	<=30	Pass
		Inner_Full	23.42	/	/	26.32	/	/	<=30	Pass
		Inner_1RB_Left	23.54	/	/	26.44	/	/	<=30	Pass
		Inner_1RB_Right	23.20	/	/	26.10	/	/	<=30	Pass
CP-OFDM 64 QAM	3750	Edge_1RB_Left	22.07	/	/	24.97	/	/	<=30	Pass
		Edge_1RB_Right	21.79	/	/	24.69	/	/	<=30	Pass

		Outer_Full	21.94	/	/	24.84	/	/	<=30	Pass
		Inner_Full	21.85	/	/	24.75	/	/	<=30	Pass
		Inner_1RB_Left	22.10	/	/	25.00	/	/	<=30	Pass
		Inner_1RB_Right	21.83	/	/	24.73	/	/	<=30	Pass
CP-OFDM 256 QAM	3750	Edge_1RB_Left	19.22	/	/	22.12	/	/	<=30	Pass
		Edge_1RB_Right	18.87	/	/	21.77	/	/	<=30	Pass
		Outer_Full	18.87	/	/	21.77	/	/	<=30	Pass
		Inner_Full	18.99	/	/	21.89	/	/	<=30	Pass
		Inner_1RB_Left	19.11	/	/	22.01	/	/	<=30	Pass
		Inner_1RB_Right	19.00	/	/	21.90	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: 2.90dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 30k_SISO_100MHz

5G NR n78a SCS=30kHz SISO 100MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	3750	Outer_Full	20	LV	-5.00	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-13.40	-0.0036	>=-2.5 & <=2.5	Pass
			-30	NV	-22.20	-0.0059	>=-2.5 & <=2.5	Pass
			-20	NV	-11.90	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-15.10	-0.0040	>=-2.5 & <=2.5	Pass
			0	NV	-8.00	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	3.70	0.0010	>=-2.5 & <=2.5	Pass
			20	NV	-20.00	-0.0053	>=-2.5 & <=2.5	Pass
			30	NV	-16.10	-0.0043	>=-2.5 & <=2.5	Pass
			40	NV	-10.50	-0.0028	>=-2.5 & <=2.5	Pass
			50	NV	-15.90	-0.0042	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 30k_SISO_10MHz_NTNV

5G NR n78a SCS=30kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	8.71	9.83	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	8.67	9.54	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	8.57	9.53	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	8.65	9.82	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	8.72	9.77	/	Pass
CP-OFDM QPSK	3750	Outer_Full	8.71	10.18	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	8.67	9.49	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	8.66	9.81	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	8.70	9.88	/	Pass

3.1.2 30k_SISO_20MHz_NTNV

5G NR n78a SCS=30kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	18.04	19.27	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	17.74	19.31	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	18.01	19.38	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	17.93	19.33	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	18.11	19.71	/	Pass
CP-OFDM QPSK	3750	Outer_Full	18.52	19.92	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	18.35	20.13	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	18.35	20.36	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	18.40	19.60	/	Pass

3.1.3 30k_SISO_30MHz_NTNV

5G NR n78a SCS=30kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	27.05	29.23	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	27.13	29.12	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	27.14	28.84	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	27.11	29.52	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	27.21	28.92	/	Pass
CP-OFDM QPSK	3750	Outer_Full	28.22	30.11	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	28.23	30.27	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	28.06	29.95	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	28.01	29.92	/	Pass

3.1.4 30k_SISO_40MHz_NTNV

5G NR n78a SCS=30kHz SISO 40MHz NTN						
Modulation	Frequency	RB	99% Bandwidth	26dB Bandwidth	Limit	Verdict

	(MHz)	Allocation	(MHz)	(MHz)	(MHz)	
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	36.27	38.45	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	36.11	38.58	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	36.12	38.43	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	36.12	38.49	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	36.23	38.89	/	Pass
CP-OFDM QPSK	3750	Outer_Full	38.16	40.47	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	38.16	40.53	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	38.05	40.54	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	38.19	40.73	/	Pass

3.1.5 30k_SISO_50MHz_NTNV

5G NR n78a SCS=30kHz SISO 50MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	46.01	49.19	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	46.26	48.96	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	46.06	48.98	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	46.30	49.26	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	46.09	49.48	/	Pass
CP-OFDM QPSK	3750	Outer_Full	47.84	51.23	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	48.09	51.16	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	47.90	50.87	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	47.55	50.84	/	Pass

3.1.6 30k_SISO_60MHz_NTNV

5G NR n78a SCS=30kHz SISO 60MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	58.27	62.05	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	58.57	62.28	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	58.06	61.98	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	58.23	62.31	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	58.23	62.02	/	Pass
CP-OFDM QPSK	3750	Outer_Full	58.34	62.02	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	58.00	62.46	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	58.50	62.17	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	58.13	61.91	/	Pass

3.1.7 30k_SISO_70MHz_NTNV

5G NR n78a SCS=30kHz SISO 70MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	64.79	69.27	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	64.89	69.41	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	64.91	69.26	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	64.72	69.18	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	64.80	69.28	/	Pass
CP-OFDM QPSK	3750	Outer_Full	68.14	72.85	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	67.98	72.21	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	67.93	72.68	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	67.94	72.52	/	Pass

3.1.8 30k_SISO_80MHz_NTNV

5G NR n78a SCS=30kHz SISO 80MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	77.72	83.00	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	77.58	82.85	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	77.70	82.68	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	77.42	82.54	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	78.01	82.69	/	Pass
CP-OFDM QPSK	3750	Outer_Full	78.13	83.00	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	78.51	82.74	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	78.10	83.08	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	78.17	82.91	/	Pass

3.1.9 30k_SISO_90MHz_NTNV


5G NR n78a SCS=30kHz SISO 90MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	87.37	92.81	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	87.27	92.77	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	87.33	92.92	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	87.26	92.89	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	87.39	93.02	/	Pass
CP-OFDM QPSK	3750	Outer_Full	88.07	94.03	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	88.06	93.81	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	88.17	93.66	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	88.30	93.54	/	Pass

3.1.10 30k_SISO_100MHz_NTNV


5G NR n78a SCS=30kHz SISO 100MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3750	Outer_Full	96.91	103.44	/	Pass
DFT-s-OFDM QPSK	3750	Outer_Full	97.23	103.08	/	Pass
DFT-s-OFDM 16 QAM	3750	Outer_Full	97.04	103.55	/	Pass
DFT-s-OFDM 64 QAM	3750	Outer_Full	97.22	103.44	/	Pass
DFT-s-OFDM 256 QAM	3750	Outer_Full	97.22	102.84	/	Pass
CP-OFDM QPSK	3750	Outer_Full	98.66	103.95	/	Pass
CP-OFDM 16 QAM	3750	Outer_Full	98.24	103.89	/	Pass
CP-OFDM 64 QAM	3750	Outer_Full	98.09	104.12	/	Pass
CP-OFDM 256 QAM	3750	Outer_Full	98.22	104.76	/	Pass

3.2 Test Graph


3.2.1 30k_SISO_10MHz_NTNV



n78a_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a 30kHz SISO NTN 10MHz CP-OFDM 256 QAM 3750MHz Outer Full Ant1




3.2.2 30k_SISO_20MHz_NTNV




n78a_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_20MHz_CP-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




3.2.3 30k_SISO_30MHz_NTNV




n78a_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_30MHz_CP-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_30MHz_CP-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_30MHz_CP-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




3.2.4 30k_SISO_40MHz_NTNV




n78a_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_40MHz_CP-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_40MHz_CP-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a 30kHz SISO NTN 40MHz CP-OFDM 256 QAM 3750MHz Outer Full Ant1




3.2.5 30k_SISO_50MHz_NTNV




n78a_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_50MHz_CP-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_50MHz_CP-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_50MHz_CP-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




3.2.6 30k_SISO_60MHz_NTNV




n78a_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_60MHz_CP-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_60MHz_CP-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_60MHz_CP-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




3.2.7 30k_SISO_70MHz_NTNV




n78a_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_16_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_64_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_256_QAM_3750MHz_Outer_Full_Ant1




n78a_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3750MHz_Outer_Full_Ant1



n78a_30kHz_SISO_NTNV_70MHz_CP-OFDM_16_QAM_3750MHz_Outer_Full_Ant1



n78a_30kHz_SISO_NTNV_70MHz_CP-OFDM_64_QAM_3750MHz_Outer_Full_Ant1



n78a_30kHz_SISO_NTNV_70MHz_CP-OFDM_256_QAM_3750MHz_Outer_Full_Ant1

