




N30-5M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N30-5M-CSE-MCH-CP-OFDM-QPSK-1RB0-10GHz-24GHz




N30-5M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N30-5M-CSE-HCH-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-24GHz




N30-5M-CSE-HCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N30-5M-CSE-HCH-CP-OFDM-QPSK-1RB0-10GHz-24GHz




N30-10M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-30MHz-10GHz




N30-10M-CSE-MCH-DFT-s-OFDM-Pi2 BPSK-1RB0-10GHz-24GHz



N30-10M-CSE-MCH-CP-OFDM-QPSK-1RB0-30MHz-10GHz



N30-10M-CSE-MCH-CP-OFDM-QPSK-1RB0-10GHz-24GHz



Effective (Isotropic) Radiated Power Output Data

Band width	Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)	EIRP(dBm)	Limit	Verdict	Gain
5MHz	DFT-s-OFDM PI/2 BPSK	2307.5MHz	Edge_Full_Left	22.31	23.31	23.98	Pass	1
			Edge_Full_Right	22.26	23.26	23.98	Pass	1
			Edge_1RB_Left	22.27	23.27	23.98	Pass	1
			Edge_1RB_Right	22.17	23.17	23.98	Pass	1
			Outer_Full	22.48	23.48	23.98	Pass	1
			Inner_Full	22.54	23.54	23.98	Pass	1
			Inner_1RB_Left	22.29	23.29	23.98	Pass	1
			Inner_1RB_Right	22.48	23.48	23.98	Pass	1
	DFT-s-OFDM QPSK		Edge_Full_Left	21.88	22.88	23.98	Pass	1
			Edge_Full_Right	21.86	22.86	23.98	Pass	1
			Edge_1RB_Left	21.69	22.69	23.98	Pass	1
			Edge_1RB_Right	21.73	22.73	23.98	Pass	1
			Outer_Full	21.75	22.75	23.98	Pass	1
			Inner_Full	22.28	23.28	23.98	Pass	1
			Inner_1RB_Left	22.37	23.37	23.98	Pass	1
			Inner_1RB_Right	22.44	23.44	23.98	Pass	1
	DFT-s-OFDM 16QAM		Edge_Full_Left	20.91	21.91	23.98	Pass	1
			Edge_Full_Right	20.83	21.83	23.98	Pass	1
			Edge_1RB_Left	20.75	21.75	23.98	Pass	1
			Edge_1RB_Right	20.66	21.66	23.98	Pass	1
			Outer_Full	20.98	21.98	23.98	Pass	1
			Inner_Full	21.85	22.85	23.98	Pass	1
			Inner_1RB_Left	21.47	22.47	23.98	Pass	1
			Inner_1RB_Right	21.67	22.67	23.98	Pass	1
	DFT-s-OFDM 64QAM		Edge_Full_Left	20.7	21.7	23.98	Pass	1
			Edge_Full_Right	20.73	21.73	23.98	Pass	1
			Edge_1RB_Left	20.44	21.44	23.98	Pass	1
			Edge_1RB_Right	20.28	21.28	23.98	Pass	1
			Outer_Full	20.7	21.7	23.98	Pass	1
			Inner_Full	20.36	21.36	23.98	Pass	1
			Inner_1RB_Left	20.53	21.53	23.98	Pass	1
			Inner_1RB_Right	20.47	21.47	23.98	Pass	1
	DFT-s-OFDM 256QAM		Edge_Full_Left	18.39	19.39	23.98	Pass	1
			Edge_Full_Right	18.52	19.52	23.98	Pass	1
			Edge_1RB_Left	18.12	19.12	23.98	Pass	1
			Edge_1RB_Right	18.28	19.28	23.98	Pass	1
			Outer_Full	18.43	19.43	23.98	Pass	1
			Inner_Full	18.2	19.2	23.98	Pass	1
			Inner_1RB_Left	18.19	19.19	23.98	Pass	1

	CP-OFDM QPSK	2310MHz	Inner_1RB_Right	18.31	19.31	23.98	Pass	1
			Edge_Full_Left	19.73	20.73	23.98	Pass	1
			Edge_Full_Right	19.82	20.82	23.98	Pass	1
			Edge_1RB_Left	19.92	20.92	23.98	Pass	1
			Edge_1RB_Right	19.75	20.75	23.98	Pass	1
			Outer_Full	19.91	20.91	23.98	Pass	1
			Inner_Full	21.4	22.4	23.98	Pass	1
			Inner_1RB_Left	21.3	22.3	23.98	Pass	1
			Inner_1RB_Right	21.15	22.15	23.98	Pass	1
	CP-OFDM 16QAM		Edge_Full_Left	19.57	20.57	23.98	Pass	1
			Edge_Full_Right	19.46	20.46	23.98	Pass	1
			Edge_1RB_Left	20.52	21.52	23.98	Pass	1
			Edge_1RB_Right	20.32	21.32	23.98	Pass	1
			Outer_Full	19.88	20.88	23.98	Pass	1
			Inner_Full	20.86	21.86	23.98	Pass	1
			Inner_1RB_Left	21.35	22.35	23.98	Pass	1
			Inner_1RB_Right	21.33	22.33	23.98	Pass	1
			CP-OFDM 64QAM	Edge_Full_Left	19.03	20.03	23.98	Pass
	Edge_Full_Right			19.01	20.01	23.98	Pass	1
	Edge_1RB_Left			19.14	20.14	23.98	Pass	1
	Edge_1RB_Right			19.13	20.13	23.98	Pass	1
	Outer_Full			19.46	20.46	23.98	Pass	1
	Inner_Full			19.37	20.37	23.98	Pass	1
	Inner_1RB_Left			18.9	19.9	23.98	Pass	1
	Inner_1RB_Right			18.95	19.95	23.98	Pass	1
	CP-OFDM 256QAM			Edge_Full_Left	16.67	17.67	23.98	Pass
			Edge_Full_Right	16.61	17.61	23.98	Pass	1
			Edge_1RB_Left	16.86	17.86	23.98	Pass	1
			Edge_1RB_Right	16.74	17.74	23.98	Pass	1
			Outer_Full	16.44	17.44	23.98	Pass	1
			Inner_Full	16.14	17.14	23.98	Pass	1
			Inner_1RB_Left	16.83	17.83	23.98	Pass	1
			Inner_1RB_Right	16.8	17.8	23.98	Pass	1
			DFT-s-OFDM PI/2 BPSK	Edge_Full_Left	22.05	23.05	23.98	Pass
	Edge_Full_Right			22.26	23.26	23.98	Pass	1
	Edge_1RB_Left			22.05	23.05	23.98	Pass	1
	Edge_1RB_Right			21.89	22.89	23.98	Pass	1
	Outer_Full			22.46	23.46	23.98	Pass	1
	Inner_Full			22.42	23.42	23.98	Pass	1
	Inner_1RB_Left			22.3	23.3	23.98	Pass	1
	Inner_1RB_Right			22.35	23.35	23.98	Pass	1
	DFT-s-OFDM QPSK			Edge_Full_Left	21.89	22.89	23.98	Pass
			Edge_Full_Right	21.62	22.62	23.98	Pass	1

		Edge_1RB_Left	21.89	22.89	23.98	Pass	1
		Edge_1RB_Right	21.81	22.81	23.98	Pass	1
		Outer_Full	21.97	22.97	23.98	Pass	1
		Inner_Full	22.28	23.28	23.98	Pass	1
		Inner_1RB_Left	22.35	23.35	23.98	Pass	1
		Inner_1RB_Right	22.28	23.28	23.98	Pass	1
	DFT-s-OFDM 16QAM	Edge_Full_Left	20.78	21.78	23.98	Pass	1
		Edge_Full_Right	20.55	21.55	23.98	Pass	1
		Edge_1RB_Left	20.48	21.48	23.98	Pass	1
		Edge_1RB_Right	20.84	21.84	23.98	Pass	1
		Outer_Full	20.92	21.92	23.98	Pass	1
		Inner_Full	21.81	22.81	23.98	Pass	1
		Inner_1RB_Left	21.61	22.61	23.98	Pass	1
		Inner_1RB_Right	21.46	22.46	23.98	Pass	1
	DFT-s-OFDM 64QAM	Edge_Full_Left	20.43	21.43	23.98	Pass	1
		Edge_Full_Right	20.68	21.68	23.98	Pass	1
		Edge_1RB_Left	20.49	21.49	23.98	Pass	1
		Edge_1RB_Right	20.54	21.54	23.98	Pass	1
		Outer_Full	20.53	21.53	23.98	Pass	1
		Inner_Full	20.29	21.29	23.98	Pass	1
		Inner_1RB_Left	20.33	21.33	23.98	Pass	1
		Inner_1RB_Right	20.46	21.46	23.98	Pass	1
	DFT-s-OFDM 256QAM	Edge_Full_Left	18.64	19.64	23.98	Pass	1
		Edge_Full_Right	18.71	19.71	23.98	Pass	1
		Edge_1RB_Left	18.19	19.19	23.98	Pass	1
		Edge_1RB_Right	18.27	19.27	23.98	Pass	1
		Outer_Full	18.45	19.45	23.98	Pass	1
		Inner_Full	18.15	19.15	23.98	Pass	1
		Inner_1RB_Left	18.54	19.54	23.98	Pass	1
		Inner_1RB_Right	18.44	19.44	23.98	Pass	1
	CP-OFDM QPSK	Edge_Full_Left	19.88	20.88	23.98	Pass	1
		Edge_Full_Right	19.96	20.96	23.98	Pass	1
		Edge_1RB_Left	19.47	20.47	23.98	Pass	1
		Edge_1RB_Right	19.45	20.45	23.98	Pass	1
		Outer_Full	19.88	20.88	23.98	Pass	1
		Inner_Full	21.35	22.35	23.98	Pass	1
		Inner_1RB_Left	21.18	22.18	23.98	Pass	1
		Inner_1RB_Right	21.21	22.21	23.98	Pass	1
	CP-OFDM 16QAM	Edge_Full_Left	19.61	20.61	23.98	Pass	1
		Edge_Full_Right	19.65	20.65	23.98	Pass	1
		Edge_1RB_Left	19.98	20.98	23.98	Pass	1
		Edge_1RB_Right	20.11	21.11	23.98	Pass	1
		Outer_Full	19.93	20.93	23.98	Pass	1

		CP-OFDM 64QAM	Inner_Full	20.91	21.91	23.98	Pass	1
			Inner_1RB_Left	20.92	21.92	23.98	Pass	1
			Inner_1RB_Right	21.05	22.05	23.98	Pass	1
			Edge_Full_Left	19.07	20.07	23.98	Pass	1
			Edge_Full_Right	19.17	20.17	23.98	Pass	1
			Edge_1RB_Left	19.4	20.4	23.98	Pass	1
			Edge_1RB_Right	19.25	20.25	23.98	Pass	1
			Outer_Full	19.71	20.71	23.98	Pass	1
			Inner_Full	19.35	20.35	23.98	Pass	1
			Inner_1RB_Left	19.06	20.06	23.98	Pass	1
			Inner_1RB_Right	19.29	20.29	23.98	Pass	1
		CP-OFDM 256QAM	Edge_Full_Left	16.48	17.48	23.98	Pass	1
			Edge_Full_Right	16.64	17.64	23.98	Pass	1
			Edge_1RB_Left	16.83	17.83	23.98	Pass	1
			Edge_1RB_Right	16.98	17.98	23.98	Pass	1
			Outer_Full	16.38	17.38	23.98	Pass	1
			Inner_Full	16.17	17.17	23.98	Pass	1
			Inner_1RB_Left	16.9	17.9	23.98	Pass	1
			Inner_1RB_Right	17.07	18.07	23.98	Pass	1
	2312.5MHz	DFT-s-OFDM PI/2 BPSK	Edge_Full_Left	22.25	23.25	23.98	Pass	1
			Edge_Full_Right	22.48	23.48	23.98	Pass	1
			Edge_1RB_Left	22.09	23.09	23.98	Pass	1
			Edge_1RB_Right	22.32	23.32	23.98	Pass	1
			Outer_Full	22.48	23.48	23.98	Pass	1
			Inner_Full	22.68	23.68	23.98	Pass	1
			Inner_1RB_Left	22.39	23.39	23.98	Pass	1
			Inner_1RB_Right	22.43	23.43	23.98	Pass	1
		DFT-s-OFDM QPSK	Edge_Full_Left	21.79	22.79	23.98	Pass	1
			Edge_Full_Right	21.15	22.15	23.98	Pass	1
			Edge_1RB_Left	21.77	22.77	23.98	Pass	1
			Edge_1RB_Right	21.1	22.1	23.98	Pass	1
			Outer_Full	21.67	22.67	23.98	Pass	1
			Inner_Full	22.62	23.62	23.98	Pass	1
			Inner_1RB_Left	22.36	23.36	23.98	Pass	1
			Inner_1RB_Right	21.98	22.98	23.98	Pass	1
		DFT-s-OFDM 16QAM	Edge_Full_Left	20.65	21.65	23.98	Pass	1
			Edge_Full_Right	20.03	21.03	23.98	Pass	1
			Edge_1RB_Left	20.56	21.56	23.98	Pass	1
			Edge_1RB_Right	19.87	20.87	23.98	Pass	1
			Outer_Full	20.65	21.65	23.98	Pass	1
			Inner_Full	21.7	22.7	23.98	Pass	1
			Inner_1RB_Left	21.49	22.49	23.98	Pass	1
			Inner_1RB_Right	20.94	21.94	23.98	Pass	1

	DFT-s-OFDM 64QAM	Edge_Full_Left	20.55	21.55	23.98	Pass	1
		Edge_Full_Right	19.79	20.79	23.98	Pass	1
		Edge_1RB_Left	20.15	21.15	23.98	Pass	1
		Edge_1RB_Right	19.51	20.51	23.98	Pass	1
		Outer_Full	20.26	21.26	23.98	Pass	1
		Inner_Full	20.05	21.05	23.98	Pass	1
		Inner_1RB_Left	20.28	21.28	23.98	Pass	1
		Inner_1RB_Right	19.4	20.4	23.98	Pass	1
	DFT-s-OFDM 256QAM	Edge_Full_Left	18.58	19.58	23.98	Pass	1
		Edge_Full_Right	17.84	18.84	23.98	Pass	1
		Edge_1RB_Left	18.62	19.62	23.98	Pass	1
		Edge_1RB_Right	18.04	19.04	23.98	Pass	1
		Outer_Full	18.4	19.4	23.98	Pass	1
		Inner_Full	18.44	19.44	23.98	Pass	1
		Inner_1RB_Left	18.52	19.52	23.98	Pass	1
		Inner_1RB_Right	17.97	18.97	23.98	Pass	1
	CP-OFDM QPSK	Edge_Full_Left	20.14	21.14	23.98	Pass	1
		Edge_Full_Right	19.83	20.83	23.98	Pass	1
		Edge_1RB_Left	19.8	20.8	23.98	Pass	1
		Edge_1RB_Right	19.85	20.85	23.98	Pass	1
		Outer_Full	19.85	20.85	23.98	Pass	1
		Inner_Full	21.06	22.06	23.98	Pass	1
		Inner_1RB_Left	21.4	22.4	23.98	Pass	1
		Inner_1RB_Right	20.51	21.51	23.98	Pass	1
	CP-OFDM 16QAM	Edge_Full_Left	19.76	20.76	23.98	Pass	1
		Edge_Full_Right	19.55	20.55	23.98	Pass	1
		Edge_1RB_Left	20.12	21.12	23.98	Pass	1
		Edge_1RB_Right	19.88	20.88	23.98	Pass	1
		Outer_Full	20	21	23.98	Pass	1
		Inner_Full	20.85	21.85	23.98	Pass	1
		Inner_1RB_Left	21.03	22.03	23.98	Pass	1
		Inner_1RB_Right	20.25	21.25	23.98	Pass	1
	CP-OFDM 64QAM	Edge_Full_Left	19.02	20.02	23.98	Pass	1
		Edge_Full_Right	19.43	20.43	23.98	Pass	1
		Edge_1RB_Left	19.52	20.52	23.98	Pass	1
		Edge_1RB_Right	19.67	20.67	23.98	Pass	1
		Outer_Full	19.67	20.67	23.98	Pass	1
		Inner_Full	19.49	20.49	23.98	Pass	1
		Inner_1RB_Left	19.37	20.37	23.98	Pass	1
		Inner_1RB_Right	19.5	20.5	23.98	Pass	1
	CP-OFDM 256QAM	Edge_Full_Left	16.88	17.88	23.98	Pass	1
		Edge_Full_Right	16.96	17.96	23.98	Pass	1
		Edge_1RB_Left	17.11	18.11	23.98	Pass	1

			Edge_1RB_Right	17.16	18.16	23.98	Pass	1
			Outer_Full	16.64	17.64	23.98	Pass	1
			Inner_Full	16.27	17.27	23.98	Pass	1
			Inner_1RB_Left	17	18	23.98	Pass	1
			Inner_1RB_Right	17.08	18.08	23.98	Pass	1
	DFT-s-OFDM PI/2 BPSK	2310MHz	Edge_Full_Left	21.98	22.98	23.98	Pass	1
			Edge_Full_Right	22.2	23.2	23.98	Pass	1
			Edge_1RB_Left	22.03	23.03	23.98	Pass	1
			Edge_1RB_Right	22.1	23.1	23.98	Pass	1
			Outer_Full	22.37	23.37	23.98	Pass	1
			Inner_Full	22.27	23.27	23.98	Pass	1
			Inner_1RB_Left	21.93	22.93	23.98	Pass	1
			Inner_1RB_Right	22.2	23.2	23.98	Pass	1
	DFT-s-OFDM QPSK		Edge_Full_Left	21.61	22.61	23.98	Pass	1
			Edge_Full_Right	21.69	22.69	23.98	Pass	1
			Edge_1RB_Left	21.69	22.69	23.98	Pass	1
			Edge_1RB_Right	21.53	22.53	23.98	Pass	1
			Outer_Full	21.58	22.58	23.98	Pass	1
			Inner_Full	22.17	23.17	23.98	Pass	1
			Inner_1RB_Left	22.16	23.16	23.98	Pass	1
			Inner_1RB_Right	22.13	23.13	23.98	Pass	1
	DFT-s-OFDM 16QAM		Edge_Full_Left	20.63	21.63	23.98	Pass	1
			Edge_Full_Right	20.46	21.46	23.98	Pass	1
			Edge_1RB_Left	20.48	21.48	23.98	Pass	1
			Edge_1RB_Right	20.43	21.43	23.98	Pass	1
			Outer_Full	20.95	21.95	23.98	Pass	1
			Inner_Full	21.83	22.83	23.98	Pass	1
			Inner_1RB_Left	21.24	22.24	23.98	Pass	1
			Inner_1RB_Right	21.32	22.32	23.98	Pass	1
	DFT-s-OFDM 64QAM		Edge_Full_Left	20.31	21.31	23.98	Pass	1
			Edge_Full_Right	20.45	21.45	23.98	Pass	1
			Edge_1RB_Left	20.12	21.12	23.98	Pass	1
			Edge_1RB_Right	20.2	21.2	23.98	Pass	1
			Outer_Full	20.34	21.34	23.98	Pass	1
			Inner_Full	20.16	21.16	23.98	Pass	1
			Inner_1RB_Left	20.27	21.27	23.98	Pass	1
			Inner_1RB_Right	20.27	21.27	23.98	Pass	1
	DFT-s-OFDM 256QAM		Edge_Full_Left	18.35	19.35	23.98	Pass	1
			Edge_Full_Right	18.43	19.43	23.98	Pass	1
			Edge_1RB_Left	18.22	19.22	23.98	Pass	1
			Edge_1RB_Right	18.36	19.36	23.98	Pass	1
			Outer_Full	18.19	19.19	23.98	Pass	1
			Inner_Full	18.18	19.18	23.98	Pass	1

			Inner_1RB_Left	18.27	19.27	23.98	Pass	1
			Inner_1RB_Right	18.22	19.22	23.98	Pass	1
	CP-OFDM QPSK		Edge_Full_Left	19.57	20.57	23.98	Pass	1
			Edge_Full_Right	19.58	20.58	23.98	Pass	1
			Edge_1RB_Left	19.21	20.21	23.98	Pass	1
			Edge_1RB_Right	19.34	20.34	23.98	Pass	1
			Outer_Full	19.78	20.78	23.98	Pass	1
			Inner_Full	21.19	22.19	23.98	Pass	1
			Inner_1RB_Left	20.97	21.97	23.98	Pass	1
			Inner_1RB_Right	21.22	22.22	23.98	Pass	1
	CP-OFDM 16QAM		Edge_Full_Left	19.7	20.7	23.98	Pass	1
			Edge_Full_Right	19.45	20.45	23.98	Pass	1
			Edge_1RB_Left	19.66	20.66	23.98	Pass	1
			Edge_1RB_Right	19.83	20.83	23.98	Pass	1
			Outer_Full	19.73	20.73	23.98	Pass	1
			Inner_Full	20.62	21.62	23.98	Pass	1
			Inner_1RB_Left	20.64	21.64	23.98	Pass	1
			Inner_1RB_Right	20.84	21.84	23.98	Pass	1
	CP-OFDM 64QAM		Edge_Full_Left	18.87	19.87	23.98	Pass	1
			Edge_Full_Right	18.86	19.86	23.98	Pass	1
			Edge_1RB_Left	19.3	20.3	23.98	Pass	1
			Edge_1RB_Right	19.13	20.13	23.98	Pass	1
			Outer_Full	19.27	20.27	23.98	Pass	1
			Inner_Full	19.24	20.24	23.98	Pass	1
			Inner_1RB_Left	19.2	20.2	23.98	Pass	1
			Inner_1RB_Right	19.19	20.19	23.98	Pass	1
	CP-OFDM 256QAM		Edge_Full_Left	16.39	17.39	23.98	Pass	1
			Edge_Full_Right	16.18	17.18	23.98	Pass	1
			Edge_1RB_Left	16.6	17.6	23.98	Pass	1
			Edge_1RB_Right	16.75	17.75	23.98	Pass	1
			Outer_Full	16.28	17.28	23.98	Pass	1
			Inner_Full	16.12	17.12	23.98	Pass	1
			Inner_1RB_Left	16.79	17.79	23.98	Pass	1
			Inner_1RB_Right	17	18	23.98	Pass	1

Frequency Stability

Bandwidth	Modulation	Frequency(MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
5MHz	DFT-s-OFDM PI/2 BPSK	2310	Outer_Full	20	LV	-5.76	-0.0025	2.5	Pass
					HV	-8	-0.0035	2.5	Pass
				-30	NV	8.47	0.0037	2.5	Pass
				-20	NV	-10.21	-0.0044	2.5	Pass
				-10	NV	3.86	0.0017	2.5	Pass
				0	NV	7.11	0.0031	2.5	Pass
				10	NV	-3.54	-0.0015	2.5	Pass
				20	NV	-4.14	-0.0018	2.5	Pass
				30	NV	-6.37	-0.0028	2.5	Pass
				40	NV	2.59	0.0011	2.5	Pass
	50			NV	-5.47	-0.0024	2.5	Pass	
	CP-OFDM QPSK			20	LV	-6.95	-0.0030	2.5	Pass
					HV	9.12	0.0039	2.5	Pass
				-30	NV	-5.39	-0.0023	2.5	Pass
				-20	NV	-9.6	-0.0042	2.5	Pass
				-10	NV	-8.3	-0.0036	2.5	Pass
				0	NV	6.78	0.0029	2.5	Pass
				10	NV	7.98	0.0035	2.5	Pass
				20	NV	-5.3	-0.0023	2.5	Pass
				30	NV	2.9	0.0013	2.5	Pass
				40	NV	9.2	0.0040	2.5	Pass
				50	NV	2.64	0.0011	2.5	Pass
10MHz		DFT-s-OFDM PI/2 BPSK	2310	Outer_Full	20	LV	-2.44	-0.0011	2.5
	HV					5.17	0.0022	2.5	Pass
	-30				NV	4.79	0.0021	2.5	Pass
	-20				NV	3.67	0.0016	2.5	Pass
	-10				NV	4.34	0.0019	2.5	Pass
	0				NV	3.07	0.0013	2.5	Pass
	10				NV	6.21	0.0027	2.5	Pass
	20				NV	-3.94	-0.0017	2.5	Pass
	30				NV	-3.82	-0.0017	2.5	Pass
	40				NV	-2.47	-0.0011	2.5	Pass
	50	NV			-6.62	-0.0029	2.5	Pass	
	CP-OFDM QPSK	20			LV	-2.69	-0.0012	2.5	Pass
					HV	2.06	0.0009	2.5	Pass
		-30			NV	5.8	0.0025	2.5	Pass
		-20			NV	-5.85	-0.0025	2.5	Pass

				-10	NV	10.66	0.0046	2.5	Pass
				0	NV	-3.74	-0.0016	2.5	Pass
				10	NV	-8.21	-0.0036	2.5	Pass
				20	NV	-2.96	-0.0013	2.5	Pass
				30	NV	4.41	0.0019	2.5	Pass
				40	NV	2.39	0.0010	2.5	Pass
				50	NV	2.54	0.0011	2.5	Pass

Field Strength of Spurious Radiation

NR N30-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4611.0	-65.09	-40	-25.09	-70.25	4.4	9.56	Horizontal	Pass
6916.5	-61.0	-40	-21.0	-67.11	4.91	11.02	Horizontal	Pass
9222.0	-57.91	-40	-17.91	-65.89	5.24	13.22	Horizontal	Pass
4611.0	-65.12	-40	-25.12	-70.28	4.4	9.56	Vertical	Pass
6916.5	-61.4	-40	-21.4	-67.51	4.91	11.02	Vertical	Pass
9222.0	-57.82	-40	-17.82	-65.8	5.24	13.22	Vertical	Pass

NR N30-Low channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4610.5	-64.9	-40	-24.9	-70.06	4.4	9.56	Horizontal	Pass
6915.75	-61.33	-40	-21.33	-67.44	4.91	11.02	Horizontal	Pass
9221.0	-57.54	-40	-17.54	-65.52	5.24	13.22	Horizontal	Pass
4610.5	-65.2	-40	-25.2	-70.36	4.4	9.56	Vertical	Pass
6915.75	-61.35	-40	-21.35	-67.46	4.91	11.02	Vertical	Pass
9221.0	-57.7	-40	-17.7	-65.68	5.24	13.22	Vertical	Pass

NR N30-Middle channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4615.5	-65.51	-40	-25.51	-70.68	4.4	9.57	Horizontal	Pass
6923.25	-61.84	-40	-21.84	-67.96	4.91	11.03	Horizontal	Pass
9231.0	-58.39	-40	-18.39	-66.37	5.24	13.22	Horizontal	Pass
4615.5	-65.51	-40	-25.51	-70.68	4.4	9.57	Vertical	Pass
6923.25	-61.4	-40	-21.4	-67.52	4.91	11.03	Vertical	Pass
9231.0	-57.91	-40	-17.91	-65.89	5.24	13.22	Vertical	Pass

NR N30-High channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4620.5	-65.61	-40	-25.61	-70.79	4.4	9.58	Horizontal	Pass
6930.75	-62.06	-40	-22.06	-68.19	4.91	11.04	Horizontal	Pass
9241.0	-57.94	-40	-17.94	-65.91	5.25	13.22	Horizontal	Pass
4620.5	-65.84	-40	-25.84	-71.02	4.4	9.58	Vertical	Pass
6930.75	-61.21	-40	-21.21	-67.34	4.91	11.04	Vertical	Pass
9241.0	-57.74	-40	-17.74	-65.71	5.25	13.22	Vertical	Pass