

	DFT-s-OFDM QPSK	Edge_Full_Left	23.31	26.31	30	Pass	3
		Edge_Full_Right	23.13	26.13	30	Pass	3
		Edge_1RB_Left	23.14	26.14	30	Pass	3
		Edge_1RB_Right	23.29	26.29	30	Pass	3
		Outer_Full	23.46	26.46	30	Pass	3
		Inner_Full	23.71	26.71	30	Pass	3
		Inner_1RB_Left	23.98	26.98	30	Pass	3
		Inner_1RB_Right	23.87	26.87	30	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	21.97	24.97	30	Pass	3
		Edge_Full_Right	22.1	25.1	30	Pass	3
		Edge_1RB_Left	21.48	24.48	30	Pass	3
		Edge_1RB_Right	21.72	24.72	30	Pass	3
		Outer_Full	22.21	25.21	30	Pass	3
		Inner_Full	22.7	25.7	30	Pass	3
		Inner_1RB_Left	22.76	25.76	30	Pass	3
		Inner_1RB_Right	22.97	25.97	30	Pass	3
	DFT-s-OFDM 64QAM	Edge_Full_Left	21.72	24.72	30	Pass	3
		Edge_Full_Right	21.52	24.52	30	Pass	3
		Edge_1RB_Left	21.76	24.76	30	Pass	3
		Edge_1RB_Right	21.74	24.74	30	Pass	3
		Outer_Full	21.37	24.37	30	Pass	3
		Inner_Full	21.71	24.71	30	Pass	3
		Inner_1RB_Left	22.03	25.03	30	Pass	3
		Inner_1RB_Right	21.55	24.55	30	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.47	22.47	30	Pass	3
		Edge_Full_Right	19.64	22.64	30	Pass	3
		Edge_1RB_Left	19.18	22.18	30	Pass	3
		Edge_1RB_Right	19.28	22.28	30	Pass	3
		Outer_Full	19.74	22.74	30	Pass	3
		Inner_Full	20.21	23.21	30	Pass	3
		Inner_1RB_Left	19.05	22.05	30	Pass	3
		Inner_1RB_Right	18.9	21.9	30	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	21.32	24.32	30	Pass	3
		Edge_Full_Right	21.26	24.26	30	Pass	3
		Edge_1RB_Left	20.79	23.79	30	Pass	3
		Edge_1RB_Right	20.89	23.89	30	Pass	3
		Outer_Full	21.3	24.3	30	Pass	3
		Inner_Full	22.82	25.82	30	Pass	3
		Inner_1RB_Left	22.51	25.51	30	Pass	3
		Inner_1RB_Right	22.37	25.37	30	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	21.17	24.17	30	Pass	3
		Edge_Full_Right	21.09	24.09	30	Pass	3
		Edge_1RB_Left	21.29	24.29	30	Pass	3

		1772.5MHz	Edge_1RB_Right	20.97	23.97	30	Pass	3
			Outer_Full	20.95	23.95	30	Pass	3
			Inner_Full	21.89	24.89	30	Pass	3
			Inner_1RB_Left	22.03	25.03	30	Pass	3
			Inner_1RB_Right	22.03	25.03	30	Pass	3
	CP-OFDM 64QAM		Edge_Full_Left	20.09	23.09	30	Pass	3
			Edge_Full_Right	20.71	23.71	30	Pass	3
			Edge_1RB_Left	20.05	23.05	30	Pass	3
			Edge_1RB_Right	20.35	23.35	30	Pass	3
			Outer_Full	20.55	23.55	30	Pass	3
			Inner_Full	20.63	23.63	30	Pass	3
			Inner_1RB_Left	19.96	22.96	30	Pass	3
			Inner_1RB_Right	20.31	23.31	30	Pass	3
	CP-OFDM 256QAM		Edge_Full_Left	17.86	20.86	30	Pass	3
			Edge_Full_Right	18.32	21.32	30	Pass	3
			Edge_1RB_Left	18.22	21.22	30	Pass	3
			Edge_1RB_Right	17.58	20.58	30	Pass	3
			Outer_Full	17.79	20.79	30	Pass	3
			Inner_Full	17.53	20.53	30	Pass	3
			Inner_1RB_Left	17.72	20.72	30	Pass	3
			Inner_1RB_Right	17.9	20.9	30	Pass	3
	DFT-s-OFDM PI/2 BPSK		Edge_Full_Left	23.4	26.4	30	Pass	3
			Edge_Full_Right	23.66	26.66	30	Pass	3
			Edge_1RB_Left	23.61	26.61	30	Pass	3
			Edge_1RB_Right	23.69	26.69	30	Pass	3
			Outer_Full	23.76	26.76	30	Pass	3
			Inner_Full	23.95	26.95	30	Pass	3
			Inner_1RB_Left	23.76	26.76	30	Pass	3
			Inner_1RB_Right	23.68	26.68	30	Pass	3
	DFT-s-OFDM QPSK		Edge_Full_Left	22.36	25.36	30	Pass	3
Edge_Full_Right		22.1	25.1	30	Pass	3		
Edge_1RB_Left		22.35	25.35	30	Pass	3		
Edge_1RB_Right		21.68	24.68	30	Pass	3		
Outer_Full		23.15	26.15	30	Pass	3		
Inner_Full		23.79	26.79	30	Pass	3		
Inner_1RB_Left		23.58	26.58	30	Pass	3		
Inner_1RB_Right		23	26	30	Pass	3		
DFT-s-OFDM 16QAM	Edge_Full_Left	20.83	23.83	30	Pass	3		
	Edge_Full_Right	20.69	23.69	30	Pass	3		
	Edge_1RB_Left	21.03	24.03	30	Pass	3		
	Edge_1RB_Right	20.41	23.41	30	Pass	3		
	Outer_Full	22.07	25.07	30	Pass	3		
	Inner_Full	22.56	25.56	30	Pass	3		

	DFT-s-OFDM 64QAM	Inner_1RB_Left	21.9	24.9	30	Pass	3
		Inner_1RB_Right	21.59	24.59	30	Pass	3
		Edge_Full_Left	20.94	23.94	30	Pass	3
		Edge_Full_Right	20.18	23.18	30	Pass	3
		Edge_1RB_Left	20.9	23.9	30	Pass	3
		Edge_1RB_Right	20.35	23.35	30	Pass	3
		Outer_Full	21.5	24.5	30	Pass	3
		Inner_Full	21.34	24.34	30	Pass	3
		Inner_1RB_Left	20.51	23.51	30	Pass	3
		Inner_1RB_Right	20.51	23.51	30	Pass	3
	DFT-s-OFDM 256QAM	Edge_Full_Left	19.12	22.12	30	Pass	3
		Edge_Full_Right	18.37	21.37	30	Pass	3
		Edge_1RB_Left	18.41	21.41	30	Pass	3
		Edge_1RB_Right	17.84	20.84	30	Pass	3
		Outer_Full	19.6	22.6	30	Pass	3
		Inner_Full	19.78	22.78	30	Pass	3
		Inner_1RB_Left	18.57	21.57	30	Pass	3
		Inner_1RB_Right	18.35	21.35	30	Pass	3
	CP-OFDM QPSK	Edge_Full_Left	20.83	23.83	30	Pass	3
		Edge_Full_Right	20.15	23.15	30	Pass	3
		Edge_1RB_Left	21	24	30	Pass	3
		Edge_1RB_Right	20.84	23.84	30	Pass	3
		Outer_Full	21.12	24.12	30	Pass	3
		Inner_Full	22.37	25.37	30	Pass	3
		Inner_1RB_Left	21.91	24.91	30	Pass	3
		Inner_1RB_Right	21.16	24.16	30	Pass	3
	CP-OFDM 16QAM	Edge_Full_Left	20.6	23.6	30	Pass	3
		Edge_Full_Right	20.22	23.22	30	Pass	3
		Edge_1RB_Left	20.32	23.32	30	Pass	3
		Edge_1RB_Right	20.42	23.42	30	Pass	3
		Outer_Full	21.32	24.32	30	Pass	3
		Inner_Full	21.61	24.61	30	Pass	3
		Inner_1RB_Left	21.05	24.05	30	Pass	3
		Inner_1RB_Right	20.95	23.95	30	Pass	3
	CP-OFDM 64QAM	Edge_Full_Left	20.12	23.12	30	Pass	3
		Edge_Full_Right	20.25	23.25	30	Pass	3
		Edge_1RB_Left	20.25	23.25	30	Pass	3
		Edge_1RB_Right	19.47	22.47	30	Pass	3
		Outer_Full	20.65	23.65	30	Pass	3
		Inner_Full	20.41	23.41	30	Pass	3
		Inner_1RB_Left	20.08	23.08	30	Pass	3
		Inner_1RB_Right	19.67	22.67	30	Pass	3
	CP-OFDM 256QAM	Edge_Full_Left	18.01	21.01	30	Pass	3

			Edge_Full_Right	18.46	21.46	30	Pass	3
			Edge_1RB_Left	17.72	20.72	30	Pass	3
			Edge_1RB_Right	17.63	20.63	30	Pass	3
			Outer_Full	17.61	20.61	30	Pass	3
			Inner_Full	17.52	20.52	30	Pass	3
			Inner_1RB_Left	17.67	20.67	30	Pass	3
			Inner_1RB_Right	17.84	20.84	30	Pass	3
20MHz	DFT-s-OFDM PI/2 BPSK	1720MHz	Edge_Full_Left	23.79	26.79	30	Pass	3
			Edge_Full_Right	23.8	26.8	30	Pass	3
			Edge_1RB_Left	23.47	26.47	30	Pass	3
			Edge_1RB_Right	23.6	26.6	30	Pass	3
			Outer_Full	23.98	26.98	30	Pass	3
			Inner_Full	23.97	26.97	30	Pass	3
			Inner_1RB_Left	23.81	26.81	30	Pass	3
	Inner_1RB_Right		23.83	26.83	30	Pass	3	
	DFT-s-OFDM QPSK		Edge_Full_Left	22.93	25.93	30	Pass	3
			Edge_Full_Right	22.92	25.92	30	Pass	3
			Edge_1RB_Left	23.04	26.04	30	Pass	3
			Edge_1RB_Right	22.99	25.99	30	Pass	3
			Outer_Full	23.26	26.26	30	Pass	3
			Inner_Full	23.93	26.93	30	Pass	3
			Inner_1RB_Left	23.45	26.45	30	Pass	3
	Inner_1RB_Right		23.83	26.83	30	Pass	3	
	DFT-s-OFDM 16QAM		Edge_Full_Left	21.99	24.99	30	Pass	3
			Edge_Full_Right	21.74	24.74	30	Pass	3
			Edge_1RB_Left	22.09	25.09	30	Pass	3
			Edge_1RB_Right	22.37	25.37	30	Pass	3
			Outer_Full	22.2	25.2	30	Pass	3
			Inner_Full	23.35	26.35	30	Pass	3
			Inner_1RB_Left	22.97	25.97	30	Pass	3
	Inner_1RB_Right		23.32	26.32	30	Pass	3	
	DFT-s-OFDM 64QAM		Edge_Full_Left	21.69	24.69	30	Pass	3
			Edge_Full_Right	21.64	24.64	30	Pass	3
			Edge_1RB_Left	21.5	24.5	30	Pass	3
			Edge_1RB_Right	21.71	24.71	30	Pass	3
			Outer_Full	21.81	24.81	30	Pass	3
			Inner_Full	21.7	24.7	30	Pass	3
			Inner_1RB_Left	21.73	24.73	30	Pass	3
	Inner_1RB_Right		21.42	24.42	30	Pass	3	
	DFT-s-OFDM 256QAM		Edge_Full_Left	19.99	22.99	30	Pass	3
			Edge_Full_Right	19.95	22.95	30	Pass	3
			Edge_1RB_Left	19.8	22.8	30	Pass	3
Edge_1RB_Right		19.3	22.3	30	Pass	3		

	CP-OFDM QPSK		Outer_Full	19.88	22.88	30	Pass	3
			Inner_Full	19.98	22.98	30	Pass	3
			Inner_1RB_Left	19.77	22.77	30	Pass	3
			Inner_1RB_Right	19.49	22.49	30	Pass	3
			Edge_Full_Left	21.31	24.31	30	Pass	3
			Edge_Full_Right	21.27	24.27	30	Pass	3
			Edge_1RB_Left	20.5	23.5	30	Pass	3
			Edge_1RB_Right	21.03	24.03	30	Pass	3
			Outer_Full	21.43	24.43	30	Pass	3
			Inner_Full	22.77	25.77	30	Pass	3
			Inner_1RB_Left	22.26	25.26	30	Pass	3
			Inner_1RB_Right	22.43	25.43	30	Pass	3
	CP-OFDM 16QAM		Edge_Full_Left	21.18	24.18	30	Pass	3
			Edge_Full_Right	21.84	24.84	30	Pass	3
			Edge_1RB_Left	20.98	23.98	30	Pass	3
			Edge_1RB_Right	20.66	23.66	30	Pass	3
			Outer_Full	21.01	24.01	30	Pass	3
			Inner_Full	22.42	25.42	30	Pass	3
			Inner_1RB_Left	21.86	24.86	30	Pass	3
			Inner_1RB_Right	22.02	25.02	30	Pass	3
			Edge_Full_Left	20.94	23.94	30	Pass	3
			Edge_Full_Right	20.94	23.94	30	Pass	3
			Edge_1RB_Left	20.57	23.57	30	Pass	3
			Edge_1RB_Right	20.55	23.55	30	Pass	3
	CP-OFDM 64QAM		Outer_Full	21.01	24.01	30	Pass	3
			Inner_Full	20.95	23.95	30	Pass	3
			Inner_1RB_Left	20.64	23.64	30	Pass	3
			Inner_1RB_Right	20.84	23.84	30	Pass	3
			Edge_Full_Left	18.45	21.45	30	Pass	3
			Edge_Full_Right	18.92	21.92	30	Pass	3
			Edge_1RB_Left	18.23	21.23	30	Pass	3
			Edge_1RB_Right	18.4	21.4	30	Pass	3
			Outer_Full	17.63	20.63	30	Pass	3
			Inner_Full	17.45	20.45	30	Pass	3
			Inner_1RB_Left	18.01	21.01	30	Pass	3
			Inner_1RB_Right	17.79	20.79	30	Pass	3
	DFT-s-OFDM PI/2 BPSK	1745MHz	Edge_Full_Left	23.21	26.21	30	Pass	3
			Edge_Full_Right	23.94	26.94	30	Pass	3
			Edge_1RB_Left	23.39	26.39	30	Pass	3
			Edge_1RB_Right	23.33	26.33	30	Pass	3
			Outer_Full	23.94	26.94	30	Pass	3
			Inner_Full	23.85	26.85	30	Pass	3
			Inner_1RB_Left	23.84	26.84	30	Pass	3

	DFT-s-OFDM QPSK	Inner_1RB_Right	23.8	26.8	30	Pass	3
		Edge_Full_Left	23.07	26.07	30	Pass	3
		Edge_Full_Right	23.26	26.26	30	Pass	3
		Edge_1RB_Left	22.71	25.71	30	Pass	3
		Edge_1RB_Right	22.59	25.59	30	Pass	3
		Outer_Full	23.31	26.31	30	Pass	3
		Inner_Full	23.88	26.88	30	Pass	3
		Inner_1RB_Left	23.77	26.77	30	Pass	3
		Inner_1RB_Right	23.67	26.67	30	Pass	3
	DFT-s-OFDM 16QAM	Edge_Full_Left	21.7	24.7	30	Pass	3
		Edge_Full_Right	21.78	24.78	30	Pass	3
		Edge_1RB_Left	21.89	24.89	30	Pass	3
		Edge_1RB_Right	21.72	24.72	30	Pass	3
		Outer_Full	22.41	25.41	30	Pass	3
		Inner_Full	23.57	26.57	30	Pass	3
		Inner_1RB_Left	23.45	26.45	30	Pass	3
		Inner_1RB_Right	23.39	26.39	30	Pass	3
		Edge_Full_Left	21.37	24.37	30	Pass	3
	DFT-s-OFDM 64QAM	Edge_Full_Right	21.52	24.52	30	Pass	3
		Edge_1RB_Left	21.43	24.43	30	Pass	3
		Edge_1RB_Right	21.67	24.67	30	Pass	3
		Outer_Full	22.22	25.22	30	Pass	3
		Inner_Full	21.8	24.8	30	Pass	3
		Inner_1RB_Left	21.94	24.94	30	Pass	3
		Inner_1RB_Right	21.61	24.61	30	Pass	3
		Edge_Full_Left	19.93	22.93	30	Pass	3
		Edge_Full_Right	19.84	22.84	30	Pass	3
	DFT-s-OFDM 256QAM	Edge_1RB_Left	19.96	22.96	30	Pass	3
		Edge_1RB_Right	19.68	22.68	30	Pass	3
		Outer_Full	19.83	22.83	30	Pass	3
		Inner_Full	19.64	22.64	30	Pass	3
		Inner_1RB_Left	20.03	23.03	30	Pass	3
		Inner_1RB_Right	19.84	22.84	30	Pass	3
		Edge_Full_Left	20.93	23.93	30	Pass	3
		Edge_Full_Right	21.49	24.49	30	Pass	3
		Edge_1RB_Left	20.8	23.8	30	Pass	3
	CP-OFDM QPSK	Edge_1RB_Right	21.09	24.09	30	Pass	3
		Outer_Full	21.29	24.29	30	Pass	3
		Inner_Full	22.74	25.74	30	Pass	3
		Inner_1RB_Left	22.71	25.71	30	Pass	3
		Inner_1RB_Right	22.34	25.34	30	Pass	3
		Edge_Full_Left	21.27	24.27	30	Pass	3
		Edge_Full_Right	21.84	24.84	30	Pass	3
	CP-OFDM 16QAM						

		1770MHz	Edge_1RB_Left	21.17	24.17	30	Pass	3
			Edge_1RB_Right	21.03	24.03	30	Pass	3
			Outer_Full	21.44	24.44	30	Pass	3
			Inner_Full	22.38	25.38	30	Pass	3
			Inner_1RB_Left	22.11	25.11	30	Pass	3
			Inner_1RB_Right	22.06	25.06	30	Pass	3
	CP-OFDM 64QAM		Edge_Full_Left	21.03	24.03	30	Pass	3
			Edge_Full_Right	20.64	23.64	30	Pass	3
			Edge_1RB_Left	20.21	23.21	30	Pass	3
			Edge_1RB_Right	20.69	23.69	30	Pass	3
			Outer_Full	20.99	23.99	30	Pass	3
			Inner_Full	21.24	24.24	30	Pass	3
	CP-OFDM 256QAM		Inner_1RB_Left	20.82	23.82	30	Pass	3
			Inner_1RB_Right	20.61	23.61	30	Pass	3
			Edge_Full_Left	18.32	21.32	30	Pass	3
			Edge_Full_Right	18.51	21.51	30	Pass	3
			Edge_1RB_Left	18.19	21.19	30	Pass	3
			Edge_1RB_Right	18.08	21.08	30	Pass	3
			Outer_Full	17.79	20.79	30	Pass	3
			Inner_Full	17.86	20.86	30	Pass	3
	DFT-s-OFDM PI/2 BPSK		Inner_1RB_Left	18.22	21.22	30	Pass	3
			Inner_1RB_Right	18.16	21.16	30	Pass	3
			Edge_Full_Left	23.82	26.82	30	Pass	3
			Edge_Full_Right	22.94	25.94	30	Pass	3
			Edge_1RB_Left	23.45	26.45	30	Pass	3
			Edge_1RB_Right	23.18	26.18	30	Pass	3
			Outer_Full	23.48	26.48	30	Pass	3
			Inner_Full	23.58	26.58	30	Pass	3
	DFT-s-OFDM QPSK		Inner_1RB_Left	23.85	26.85	30	Pass	3
			Inner_1RB_Right	23.58	26.58	30	Pass	3
			Edge_Full_Left	22.44	25.44	30	Pass	3
			Edge_Full_Right	21.82	24.82	30	Pass	3
			Edge_1RB_Left	21.94	24.94	30	Pass	3
			Edge_1RB_Right	21.11	24.11	30	Pass	3
			Outer_Full	22.58	25.58	30	Pass	3
			Inner_Full	23.33	26.33	30	Pass	3
	DFT-s-OFDM 16QAM		Inner_1RB_Left	23.9	26.9	30	Pass	3
			Inner_1RB_Right	22.5	25.5	30	Pass	3
			Edge_Full_Left	21.84	24.84	30	Pass	3
			Edge_Full_Right	20.41	23.41	30	Pass	3
			Edge_1RB_Left	21.5	24.5	30	Pass	3
			Edge_1RB_Right	20.38	23.38	30	Pass	3
				Outer_Full	21.68	24.68	30	Pass

	DFT-s-OFDM 64QAM	Inner_Full	22.08	25.08	30	Pass	3
		Inner_1RB_Left	23.11	26.11	30	Pass	3
		Inner_1RB_Right	21.87	24.87	30	Pass	3
		Edge_Full_Left	21.29	24.29	30	Pass	3
		Edge_Full_Right	20	23	30	Pass	3
		Edge_1RB_Left	21.1	24.1	30	Pass	3
		Edge_1RB_Right	19.78	22.78	30	Pass	3
		Outer_Full	21.25	24.25	30	Pass	3
		Inner_Full	20.68	23.68	30	Pass	3
		Inner_1RB_Left	21.33	24.33	30	Pass	3
	DFT-s-OFDM 256QAM	Inner_1RB_Right	20.4	23.4	30	Pass	3
		Edge_Full_Left	19.27	22.27	30	Pass	3
		Edge_Full_Right	18.34	21.34	30	Pass	3
		Edge_1RB_Left	19.34	22.34	30	Pass	3
		Edge_1RB_Right	18.19	21.19	30	Pass	3
		Outer_Full	19.53	22.53	30	Pass	3
		Inner_Full	19.64	22.64	30	Pass	3
		Inner_1RB_Left	19.53	22.53	30	Pass	3
		Inner_1RB_Right	18.17	21.17	30	Pass	3
		Edge_Full_Left	21.46	24.46	30	Pass	3
	CP-OFDM QPSK	Edge_Full_Right	20.13	23.13	30	Pass	3
		Edge_1RB_Left	20.33	23.33	30	Pass	3
		Edge_1RB_Right	20.85	23.85	30	Pass	3
		Outer_Full	21.27	24.27	30	Pass	3
		Inner_Full	21.55	24.55	30	Pass	3
		Inner_1RB_Left	22.21	25.21	30	Pass	3
		Inner_1RB_Right	20.52	23.52	30	Pass	3
		Edge_Full_Left	21.53	24.53	30	Pass	3
		Edge_Full_Right	20.22	23.22	30	Pass	3
		Edge_1RB_Left	21.02	24.02	30	Pass	3
	CP-OFDM 16QAM	Edge_1RB_Right	19.93	22.93	30	Pass	3
		Outer_Full	21.33	24.33	30	Pass	3
		Inner_Full	21.39	24.39	30	Pass	3
		Inner_1RB_Left	21.69	24.69	30	Pass	3
		Inner_1RB_Right	20.51	23.51	30	Pass	3
		Edge_Full_Left	20.86	23.86	30	Pass	3
		Edge_Full_Right	20.82	23.82	30	Pass	3
		Edge_1RB_Left	20.68	23.68	30	Pass	3
		Edge_1RB_Right	20.16	23.16	30	Pass	3
		Outer_Full	20.88	23.88	30	Pass	3
	CP-OFDM 64QAM	Inner_Full	20.68	23.68	30	Pass	3
		Inner_1RB_Left	20.28	23.28	30	Pass	3
		Inner_1RB_Right	20.31	23.31	30	Pass	3

	CP-OFDM 256QAM		Edge_Full_Left	18.62	21.62	30	Pass	3
			Edge_Full_Right	17.73	20.73	30	Pass	3
			Edge_1RB_Left	17.83	20.83	30	Pass	3
			Edge_1RB_Right	17.58	20.58	30	Pass	3
			Outer_Full	18.13	21.13	30	Pass	3
			Inner_Full	17.37	20.37	30	Pass	3
			Inner_1RB_Left	17.7	20.7	30	Pass	3
			Inner_1RB_Right	17.47	20.47	30	Pass	3

Frequency Stability

Bandwidth	Modulation	Frequency(MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Result (ppm)	Limit (ppm)	Verdict
5MHz	DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	20	LV	6	0.0034	2.5	Pass
					HV	7.79	0.0045	2.5	Pass
				-30	NV	10.09	0.0058	2.5	Pass
				-20	NV	4.42	0.0025	2.5	Pass
				-10	NV	-5.16	-0.0030	2.5	Pass
				0	NV	2.86	0.0016	2.5	Pass
				10	NV	8.29	0.0048	2.5	Pass
				20	NV	7.97	0.0046	2.5	Pass
				30	NV	-8.45	-0.0048	2.5	Pass
				40	NV	-8.22	-0.0047	2.5	Pass
	50			NV	-9.45	-0.0054	2.5	Pass	
	CP-OFDM QPSK			20	LV	-4.8	-0.0028	2.5	Pass
					HV	-5.68	-0.0033	2.5	Pass
				-30	NV	3.83	0.0022	2.5	Pass
				-20	NV	-4.99	-0.0029	2.5	Pass
				-10	NV	3.48	0.0020	2.5	Pass
				0	NV	-5.51	-0.0032	2.5	Pass
				10	NV	-3.52	-0.0020	2.5	Pass
				20	NV	2.15	0.0012	2.5	Pass
				30	NV	2.82	0.0016	2.5	Pass
				40	NV	3.16	0.0018	2.5	Pass
				50	NV	-3.38	-0.0019	2.5	Pass
10MHz		DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	20	LV	-2.19	-0.0013	2.5
	HV					9.71	0.0056	2.5	Pass
	-30				NV	6.46	0.0037	2.5	Pass
	-20				NV	-1.94	-0.0011	2.5	Pass
	-10				NV	-5.14	-0.0029	2.5	Pass
	0				NV	-4.42	-0.0025	2.5	Pass
	10				NV	1.97	0.0011	2.5	Pass
	20				NV	3.95	0.0023	2.5	Pass
	30				NV	5.88	0.0034	2.5	Pass
	40				NV	4.17	0.0024	2.5	Pass
	50	NV			3.26	0.0019	2.5	Pass	
	CP-OFDM QPSK	20			LV	4.99	0.0029	2.5	Pass
					HV	-3.75	-0.0021	2.5	Pass
		-30			NV	5.65	0.0032	2.5	Pass
		-20			NV	4.25	0.0024	2.5	Pass

				-10	NV	-4.95	-0.0028	2.5	Pass
				0	NV	5.29	0.0030	2.5	Pass
				10	NV	-2.79	-0.0016	2.5	Pass
				20	NV	9.32	0.0053	2.5	Pass
				30	NV	10.35	0.0059	2.5	Pass
				40	NV	8.78	0.0050	2.5	Pass
				50	NV	7.93	0.0045	2.5	Pass
15MHz	DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	20	LV	-2.52	-0.0014	2.5	Pass
					HV	-2.08	-0.0012	2.5	Pass
				-30	NV	8.31	0.0048	2.5	Pass
				-20	NV	2.86	0.0016	2.5	Pass
				-10	NV	-8.41	-0.0048	2.5	Pass
				0	NV	-2.11	-0.0012	2.5	Pass
				10	NV	2.62	0.0015	2.5	Pass
				20	NV	-8.94	-0.0051	2.5	Pass
				30	NV	-5.93	-0.0034	2.5	Pass
				40	NV	3.77	0.0022	2.5	Pass
	50			NV	4.71	0.0027	2.5	Pass	
	CP-OFDM QPSK			20	LV	-8.71	-0.0050	2.5	Pass
					HV	-3.49	-0.0020	2.5	Pass
				-30	NV	-9.56	-0.0055	2.5	Pass
				-20	NV	9.24	0.0053	2.5	Pass
				-10	NV	-2.55	-0.0015	2.5	Pass
				0	NV	6.7	0.0038	2.5	Pass
				10	NV	4.23	0.0024	2.5	Pass
				20	NV	-4.24	-0.0024	2.5	Pass
				30	NV	9.36	0.0054	2.5	Pass
40		NV	3.72	0.0021	2.5	Pass			
50	NV	4.58	0.0026	2.5	Pass				
20MHz	DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	20	LV	-4.83	-0.0028	2.5	Pass
					HV	-4.32	-0.0025	2.5	Pass
				-30	NV	6.94	0.0040	2.5	Pass
				-20	NV	-5.34	-0.0031	2.5	Pass
				-10	NV	3.73	0.0021	2.5	Pass
				0	NV	-5.15	-0.0030	2.5	Pass
				10	NV	6.34	0.0036	2.5	Pass
				20	NV	-9.05	-0.0052	2.5	Pass
				30	NV	-4.57	-0.0026	2.5	Pass
				40	NV	3.44	0.0020	2.5	Pass
	50			NV	2.71	0.0016	2.5	Pass	
	CP-OFDM QPSK			20	LV	-6.86	-0.0039	2.5	Pass
					HV	6.81	0.0039	2.5	Pass
				-30	NV	-3.5	-0.0020	2.5	Pass

				-20	NV	-4.44	-0.0025	2.5	Pass
				-10	NV	-3.91	-0.0022	2.5	Pass
				0	NV	-2.18	-0.0012	2.5	Pass
				10	NV	-8.25	-0.0047	2.5	Pass
				20	NV	9.57	0.0055	2.5	Pass
				30	NV	6.43	0.0037	2.5	Pass
				40	NV	3.95	0.0023	2.5	Pass
				50	NV	7.17	0.0041	2.5	Pass

Field Strength of Spurious Radiation

NR N66-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3422.0	-66.04	-13	-53.04	-70.66	3.36	7.98	Horizontal	Pass
5133.0	-62.89	-13	-49.89	-68.5	4.61	10.22	Horizontal	Pass
6844.0	-60.93	-13	-47.93	-66.96	4.9	10.93	Horizontal	Pass
3422.0	-66.76	-13	-53.76	-71.38	3.36	7.98	Vertical	Pass
5133.0	-63.51	-13	-50.51	-69.12	4.61	10.22	Vertical	Pass
6844.0	-61.09	-13	-48.09	-67.12	4.9	10.93	Vertical	Pass

NR N66-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3472.0	-66.84	-13	-53.84	-71.55	3.39	8.1	Horizontal	Pass
5208.0	-63.19	-13	-50.19	-68.82	4.64	10.27	Horizontal	Pass
6944.0	-61.51	-13	-48.51	-67.66	4.91	11.06	Horizontal	Pass
3472.0	-66.67	-13	-53.67	-71.38	3.39	8.1	Vertical	Pass
5208.0	-63.1	-13	-50.1	-68.73	4.64	10.27	Vertical	Pass
6944.0	-61.05	-13	-48.05	-67.2	4.91	11.06	Vertical	Pass

NR N66-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#1								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3522.0	-67.21	-13	-54.21	-71.99	3.42	8.2	Horizontal	Pass
5283.0	-63.17	-13	-50.17	-68.83	4.66	10.32	Horizontal	Pass
7044.0	-60.94	-13	-47.94	-67.2	4.92	11.18	Horizontal	Pass
3522.0	-66.87	-13	-53.87	-71.65	3.42	8.2	Vertical	Pass
5283.0	-63.29	-13	-50.29	-68.95	4.66	10.32	Vertical	Pass
7044.0	-61.24	-13	-48.24	-67.5	4.92	11.18	Vertical	Pass