

Pair your Link

1. Connect your mobile device to your Swivl.
2. Power everything on and open the Swivl app.
3. Update app and firmware if prompted.
4. Connect your Link to your Swivl's USB port.
5. Visit swivl.com/setup for additional help.



Warranty. This product is guaranteed against manufacturing defects for one (1) year from the original date of purchase. Swivl's sole obligation in the event of such defects during this period is to repair or replace the defective part or product with a comparable part or product. This is done at Swivl's sole discretion. Except for such replacement, the sale, or other handling of this product is without warranty, condition or other liability even though the defect or loss is caused by negligence or other fault. Damage resulting from use, misuse, accident, or normal wear and tear is not covered by this or any warranty. Swivl assumes no liability for incidental or consequential damages relating to or resulting from the use of this product or any of its parts. When servicing your warranty request, Swivl may require you to furnish proof of purchase. Visit swivl.com/warranty for details.

Carrying and handling. Product contains sensitive components. Do not drop, disassemble, microwave, burn, paint or insert foreign objects into device. Do not use if damaged.

Radio frequency interference. This product uses 1.9Ghz wireless technology for wireless audio transmission. High saturation of similar technology in the immediate vicinity may degrade audio.

Avoid water. Do not expose this product to water or rain, or handle near wet locations. Do not spill food or liquid on the product. In the case that it gets wet, unplug any cables and allow it to fully dry before

turning it back on again. Damage due to liquid is not covered.

Avoid operation. Do not use this product while driving. Use of this product may be prohibited while travelling in aircraft as it emits radio frequencies during operation.

Acceptable temperatures. The product is designed to be used between 0 degrees and 40 degrees C (32 degrees and 104 degrees F). It can be stored between -20 degrees and 50 degrees C (-4 degrees and 122 degrees F). Low or high temperature conditions might lead the product to temporarily stop working, or working properly. Allow unit to return to room temperature after storage at high or low temperatures before operation.

RF exposure information and statement. The SAR limit is 1.6 W/kg averaged over one gram of tissue. The device has also been tested against this SAR limit. The highest SAR value reported under this standard during product certification for properly worn on the body is 0.21W/kg. This device was tested for typical body-worn operations kept 0 mm from the body. To maintain compliance with FCC/ISED RF exposure requirements, use accessories that maintain a 0 mm separation distance. The use of accessories that do not satisfy these requirements may not comply with FCC/ISED RF exposure requirements, and should be avoided. La limite SAR est de 1,6 W / kg en moyenne sur un gramme de tissu. L'appareil a également été testé par rapport à cette limite SAR. La valeur DAS la plus élevée

rapportée dans le cadre de cette norme lors de la certification du produit pour un port correct sur le corps est 0,21 W / kg. Cet appareil a été testé pour des opérations typiques portées sur le corps, gardées à 0 mm du corps. Pour maintenir la conformité avec les exigences d'exposition RF de la FCC / ISED, utilisez des accessoires qui maintiennent une distance de séparation de 0 mm. L'utilisation d'accessoires qui ne satisfont pas à ces exigences peut ne pas être conforme aux exigences d'exposition aux RF de la FCC / ISED et doit être évitée.

Body-worn operation. This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 0 mm must be maintained, including the antenna. Accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna. Cet appareil a été testé pour des opérations typiques portées sur le corps. Pour se conformer aux exigences d'exposition RF, une distance de séparation minimale de 0 mm doit être maintenue, y compris l'antenne. Les accessoires utilisés par cet appareil ne doivent contenir aucun composant métallique. Les accessoires portés sur le corps qui ne satisfont pas à ces exigences peuvent ne pas être conformes aux exigences d'exposition aux RF et doivent être évités. Utilisez uniquement l'antenne fournie ou une antenne approuvée.

FCC statement. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna, increase the separation between the equipment and receiver, connect the equipment into an outlet on a circuit different from that to which the receiver is connected, consult the dealer or an experienced radio/TV technician for help.

Important. Any modifications to the unit, unless expressly approved by the party responsible for compliance, could void the user's authority to operate the equipment. The product has demonstrated EMC compliance under conditions that included the use of compliant peripheral

devices and shielded cables between system components. It is important that you use the compliant peripheral devices and shielded cables between system components to reduce the possibility of causing interference to radios, televisions and other electronics devices.

Canadian compliance statement. Complies with the Canadian ICES-003 Class B specifications. Cet appareil numerique de la Classe B est conforme a la norme NMB-003 du Canada. This device complies with RSS-213 of Industry Canada. This Class B device meets all the requirements of the Canadian interference-causing equipment regulations. Cet appareil numerique de la Classe B respecte toutes les exigences du Reglement sur le materiel brouilleur du Canada. This device complies with Industry Canada license-exempt RSS-213 standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device. Cet appareil est conforme aux normes CNR exemptes de licence d'Industrie Canada. Le fonctionnement est soumis aux deus conditions suivantes: (1) cet appareil ne doit pa provoquer d'interferences et (2) cet appareil doit accepter toute interference, y compris celles susceptibles de provoquer un fonctionnement non souhaité de l'appareil.

EU compliance statement. Swvl hereby declares that this wireless device is in compliance with the essential requirements and other relevant provisions of the RED DIRECTIVE 2014/53/EU.

**(888) 837 6209
support@swivl.com**

TM and © 2021 Swivl. All rights reserved. Swivl, the Swivl logo, and all other company, product, and service names or slogans are trademarks of Swivl. Patent pending. Printed in China.

MC-00457