
Appendix A: Conducted power Data

Test Result

Band	Channel	Conducted power(dBm)	Limit(dBm)	Verdict
GSM850	128	32.92	38.45	PASS
GSM850	190	33.04	38.45	PASS
GSM850	251	32.88	38.45	PASS

Band	Channel	Up Slot Num	Conducted power(dBm)	Limit(dBm)	Verdict
GPRS850	128	1	32.92	38.45	PASS
GPRS850	128	2	32.06	38.45	PASS
GPRS850	128	3	30.13	38.45	PASS
GPRS850	128	4	29.06	38.45	PASS
GPRS850	190	1	33.03	38.45	PASS
GPRS850	190	2	32.18	38.45	PASS
GPRS850	190	3	30.24	38.45	PASS
GPRS850	190	4	29.17	38.45	PASS
GPRS850	251	1	32.87	38.45	PASS
GPRS850	251	2	32.01	38.45	PASS
GPRS850	251	3	30.05	38.45	PASS
GPRS850	251	4	28.98	38.45	PASS


Band	Channel	Up Slot Num	Conducted power(dBm)	Limit(dBm)	Verdict
EGPRS850	128	1	26.09	38.45	PASS
EGPRS850	128	2	24.94	38.45	PASS
EGPRS850	128	3	22.86	38.45	PASS
EGPRS850	128	4	21.82	38.45	PASS
EGPRS850	190	1	26.74	38.45	PASS
EGPRS850	190	2	25.66	38.45	PASS
EGPRS850	190	3	23.51	38.45	PASS
EGPRS850	190	4	22.37	38.45	PASS
EGPRS850	251	1	27.05	38.45	PASS
EGPRS850	251	2	25.90	38.45	PASS
EGPRS850	251	3	23.76	38.45	PASS
EGPRS850	251	4	22.68	38.45	PASS


Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	128	9.55	13	PASS
GPRS850	128	9.74	13	PASS
EGPRS850	128	12.79	13	PASS
GSM850	190	9.52	13	PASS
GPRS850	190	9.71	13	PASS
EGPRS850	190	12.76	13	PASS
GSM850	251	9.52	13	PASS
GPRS850	251	9.74	13	PASS
EGPRS850	251	12.72	13	PASS

Test Graphs







Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM850	128	0.245	0.31	---	PASS
GPRS850	128	0.247	0.32	---	PASS
EGPRS850	128	0.243	0.31	---	PASS
GSM850	190	0.243	0.31	---	PASS
GPRS850	190	0.247	0.32	---	PASS
EGPRS850	190	0.246	0.31	---	PASS
GSM850	251	0.247	0.31	---	PASS
GPRS850	251	0.245	0.31	---	PASS
EGPRS850	251	0.243	0.31	---	PASS


Test Graphs






Date: 22.FEB.2025 15:46:29

GSM850-251-5-PASS



Date: 22.FEB.2025 16:05:25

GPRS850-251-5-PASS



Date: 22.FEB.2025 16:17:54


EGPRS850-251-8-PASS

Appendix D: Band Edge

Test Result

Band	Channel	Freq (MHz)	Result (dBm)	Limit(dBm)	Verdict
GSM850	128	824.00	-25.02	-13	PASS
GPRS850	128	823.99	-24.48	-13	PASS
EGPRS850	128	824.00	-31.48	-13	PASS
GSM850	251	849.02	-24.36	-13	PASS
GPRS850	251	849.02	-24.77	-13	PASS
EGPRS850	251	849.02	-31.71	-13	PASS

Test Graphs





Appendix E: Conducted Spurious Emission


Test Result


Band	Channel	Frequency Range(MHz)	Max.Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM850	128	0.009~0.15MHz	0.04	-55.99	-33	PASS
GPRS850	128	0.009~0.15MHz	0.04	-56.91	-33	PASS
GSM850	128	0.15~30MHz	0.16	-51.83	-23	PASS
GPRS850	128	0.15~30MHz	0.15	-52.37	-23	PASS
GSM850	128	30~1000MHz	160.85	-44.79	-13	PASS
GPRS850	128	30~1000MHz	314.76	-44.86	-13	PASS
GSM850	128	1000~10000MHz	1648.3	-34.13	-13	PASS
GPRS850	128	1000~10000MHz	1648.3	-34.19	-13	PASS
EGPRS850	128	0.009~0.15MHz	0.04	-56.65	-33	PASS
EGPRS850	128	0.15~30MHz	0.18	-52.22	-23	PASS
EGPRS850	128	30~1000MHz	283.66	-44.67	-13	PASS
EGPRS850	128	1000~10000MHz	3186.7	-44.91	-13	PASS
GSM850	190	0.009~0.15MHz	0.04	-56.84	-33	PASS
GPRS850	190	0.009~0.15MHz	0.04	-56.41	-33	PASS
GSM850	190	0.15~30MHz	0.19	-52.87	-23	PASS
GPRS850	190	0.15~30MHz	0.17	-53.31	-23	PASS
GSM850	190	30~1000MHz	196.61	-44.63	-13	PASS
GPRS850	190	30~1000MHz	360.64	-44.86	-13	PASS
GSM850	190	1000~10000MHz	1673.2	-32.17	-13	PASS
GPRS850	190	1000~10000MHz	1673.2	-35.13	-13	PASS
EGPRS850	190	0.009~0.15MHz	0.04	-57.67	-33	PASS
EGPRS850	190	0.15~30MHz	0.19	-52.47	-23	PASS
EGPRS850	190	30~1000MHz	950.21	-44.73	-13	PASS
EGPRS850	190	1000~10000MHz	1672.9	-43.71	-13	PASS
GSM850	251	0.009~0.15MHz	0.04	-55.75	-33	PASS
GPRS850	251	0.009~0.15MHz	0.04	-58.62	-33	PASS
GSM850	251	0.15~30MHz	0.15	-52.75	-23	PASS
GPRS850	251	0.15~30MHz	0.19	-51.99	-23	PASS
GSM850	251	30~1000MHz	716.86	-44.76	-13	PASS
GPRS850	251	30~1000MHz	229.85	-44.88	-13	PASS
GSM850	251	1000~10000MHz	3188.8	-44.17	-13	PASS
GPRS850	251	1000~10000MHz	1697.5	-35.23	-13	PASS
EGPRS850	251	0.009~0.15MHz	0.04	-55.59	-33	PASS
EGPRS850	251	0.15~30MHz	0.16	-52.26	-23	PASS
EGPRS850	251	30~1000MHz	175.02	-44.71	-13	PASS
EGPRS850	251	1000~10000MHz	3186.1	-44.03	-13	PASS


Test Graphs














Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VN	NT	-15.01	-0.018212	±2.5	PASS
GSM850	128	VL	NT	-14.95	-0.018139	±2.5	PASS
GSM850	128	VH	NT	-12.27	-0.014887	±2.5	PASS
GPRS850	128	VN	NT	-15.11	-0.018333	±2.5	PASS
GPRS850	128	VL	NT	-15.66	-0.019000	±2.5	PASS
GPRS850	128	VH	NT	-14.75	-0.017896	±2.5	PASS
EGPRS850	128	VN	NT	-6.72	-0.008153	±2.5	PASS
EGPRS850	128	VL	NT	-9.49	-0.011514	±2.5	PASS
EGPRS850	128	VH	NT	-9.65	-0.011708	±2.5	PASS
GSM850	190	VN	NT	-11.72	-0.014009	±2.5	PASS
GSM850	190	VL	NT	-11.43	-0.013662	±2.5	PASS
GSM850	190	VH	NT	-12.46	-0.014894	±2.5	PASS
GPRS850	190	VN	NT	-14.66	-0.017523	±2.5	PASS
GPRS850	190	VL	NT	-12.82	-0.015324	±2.5	PASS
GPRS850	190	VH	NT	-16.14	-0.019292	±2.5	PASS
EGPRS850	190	VN	NT	-8.56	-0.010232	±2.5	PASS
EGPRS850	190	VL	NT	-8.52	-0.010184	±2.5	PASS
EGPRS850	190	VH	NT	-8.23	-0.009837	±2.5	PASS
GSM850	251	VN	NT	-17.95	-0.021148	±2.5	PASS
GSM850	251	VL	NT	-13.08	-0.015410	±2.5	PASS
GSM850	251	VH	NT	-12.59	-0.014833	±2.5	PASS
GPRS850	251	VN	NT	-15.50	-0.018261	±2.5	PASS
GPRS850	251	VL	NT	-11.91	-0.014032	±2.5	PASS
GPRS850	251	VH	NT	-17.47	-0.020582	±2.5	PASS
EGPRS850	251	VN	NT	-7.94	-0.009354	±2.5	PASS
EGPRS850	251	VL	NT	-8.65	-0.010191	±2.5	PASS
EGPRS850	251	VH	NT	-11.30	-0.013313	±2.5	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	NV	-30	-12.27	-0.014887	±2.5	PASS
GSM850	128	NV	-20	-14.59	-0.017702	±2.5	PASS
GSM850	128	NV	-10	-10.85	-0.013164	±2.5	PASS

GSM850	128	NV	0	-12.79	-0.015518	±2.5	PASS
GSM850	128	NV	10	-15.14	-0.018369	±2.5	PASS
GSM850	128	NV	20	-15.43	-0.018721	±2.5	PASS
GSM850	128	NV	30	-10.30	-0.012497	±2.5	PASS
GSM850	128	NV	40	-10.94	-0.013273	±2.5	PASS
GSM850	128	NV	50	-11.43	-0.013868	±2.5	PASS
GPRS850	128	NV	-30	-15.40	-0.018685	±2.5	PASS
GPRS850	128	NV	-20	-16.59	-0.020129	±2.5	PASS
GPRS850	128	NV	-10	-15.01	-0.018212	±2.5	PASS
GPRS850	128	NV	0	-14.75	-0.017896	±2.5	PASS
GPRS850	128	NV	10	-15.88	-0.019267	±2.5	PASS
GPRS850	128	NV	20	-17.08	-0.020723	±2.5	PASS
GPRS850	128	NV	30	-21.92	-0.026595	±2.5	PASS
GPRS850	128	NV	40	-16.43	-0.019934	±2.5	PASS
GPRS850	128	NV	50	-17.11	-0.020760	±2.5	PASS
EGPRS850	128	NV	-30	-6.72	-0.008153	±2.5	PASS
EGPRS850	128	NV	-20	-7.91	-0.009597	±2.5	PASS
EGPRS850	128	NV	-10	-7.59	-0.009209	±2.5	PASS
EGPRS850	128	NV	0	-7.26	-0.008809	±2.5	PASS
EGPRS850	128	NV	10	-13.75	-0.016683	±2.5	PASS
EGPRS850	128	NV	20	-14.56	-0.017666	±2.5	PASS
EGPRS850	128	NV	30	-10.27	-0.012461	±2.5	PASS
EGPRS850	128	NV	40	-11.14	-0.013516	±2.5	PASS
EGPRS850	128	NV	50	-11.33	-0.013747	±2.5	PASS
GSM850	190	NV	-30	-10.69	-0.012778	±2.5	PASS
GSM850	190	NV	-20	-12.95	-0.015479	±2.5	PASS
GSM850	190	NV	-10	-12.82	-0.015324	±2.5	PASS
GSM850	190	NV	0	-10.53	-0.012587	±2.5	PASS
GSM850	190	NV	10	-12.37	-0.014786	±2.5	PASS
GSM850	190	NV	20	-15.95	-0.019065	±2.5	PASS
GSM850	190	NV	30	-14.75	-0.017631	±2.5	PASS
GSM850	190	NV	40	-9.75	-0.011654	±2.5	PASS
GSM850	190	NV	50	-11.91	-0.014236	±2.5	PASS
GPRS850	190	NV	-30	-12.75	-0.015240	±2.5	PASS
GPRS850	190	NV	-20	-12.27	-0.014667	±2.5	PASS
GPRS850	190	NV	-10	-13.75	-0.016436	±2.5	PASS
GPRS850	190	NV	0	-13.88	-0.016591	±2.5	PASS
GPRS850	190	NV	10	-12.33	-0.014738	±2.5	PASS
GPRS850	190	NV	20	-12.69	-0.015169	±2.5	PASS
GPRS850	190	NV	30	-14.82	-0.017715	±2.5	PASS
GPRS850	190	NV	40	-17.08	-0.020416	±2.5	PASS

GPRS850	190	NV	50	-13.72	-0.016400	±2.5	PASS
EGPRS850	190	NV	-30	-5.62	-0.006718	±2.5	PASS
EGPRS850	190	NV	-20	-5.52	-0.006598	±2.5	PASS
EGPRS850	190	NV	-10	-6.62	-0.007913	±2.5	PASS
EGPRS850	190	NV	0	-6.91	-0.008260	±2.5	PASS
EGPRS850	190	NV	10	-7.17	-0.008570	±2.5	PASS
EGPRS850	190	NV	20	-10.98	-0.013125	±2.5	PASS
EGPRS850	190	NV	30	-4.71	-0.005630	±2.5	PASS
EGPRS850	190	NV	40	-6.62	-0.007913	±2.5	PASS
EGPRS850	190	NV	50	-9.07	-0.010842	±2.5	PASS
GSM850	251	NV	-30	-15.08	-0.017766	±2.5	PASS
GSM850	251	NV	-20	-13.75	-0.016199	±2.5	PASS
GSM850	251	NV	-10	-12.24	-0.014420	±2.5	PASS
GSM850	251	NV	0	-14.37	-0.016930	±2.5	PASS
GSM850	251	NV	10	-14.66	-0.017271	±2.5	PASS
GSM850	251	NV	20	-12.37	-0.014574	±2.5	PASS
GSM850	251	NV	30	-13.66	-0.016093	±2.5	PASS
GSM850	251	NV	40	-14.79	-0.017425	±2.5	PASS
GSM850	251	NV	50	-13.62	-0.016046	±2.5	PASS
GPRS850	251	NV	-30	-14.08	-0.016588	±2.5	PASS
GPRS850	251	NV	-20	-17.63	-0.020770	±2.5	PASS
GPRS850	251	NV	-10	-10.27	-0.012099	±2.5	PASS
GPRS850	251	NV	0	-16.89	-0.019899	±2.5	PASS
GPRS850	251	NV	10	-13.14	-0.015481	±2.5	PASS
GPRS850	251	NV	20	-14.46	-0.017036	±2.5	PASS
GPRS850	251	NV	30	-16.34	-0.019251	±2.5	PASS
GPRS850	251	NV	40	-17.08	-0.020123	±2.5	PASS
GPRS850	251	NV	50	-13.04	-0.015363	±2.5	PASS
EGPRS850	251	NV	-30	-7.04	-0.008294	±2.5	PASS
EGPRS850	251	NV	-20	-5.46	-0.006433	±2.5	PASS
EGPRS850	251	NV	-10	-9.10	-0.010721	±2.5	PASS
EGPRS850	251	NV	0	-12.85	-0.015139	±2.5	PASS
EGPRS850	251	NV	10	-11.69	-0.013772	±2.5	PASS
EGPRS850	251	NV	20	-11.33	-0.013348	±2.5	PASS
EGPRS850	251	NV	30	-12.49	-0.014715	±2.5	PASS
EGPRS850	251	NV	40	-10.75	-0.012665	±2.5	PASS
EGPRS850	251	NV	50	-9.59	-0.011298	±2.5	PASS