
AppendixA: Conducted Power Output Data

Band	Channel	Conducted Power(dBm)	Limit(dBm)	Verdict
Band4	1312	22.85	30	PASS
Band4	1413	22.84	30	PASS
Band4	1513	22.52	30	PASS

Band	Channel	SubTest	Conducted Power(dBm)	Limit(dBm)	Verdict
Band4	1312	1	22.02	30	PASS
Band4	1312	2	21.42	30	PASS
Band4	1312	3	21.36	30	PASS
Band4	1312	4	21.35	30	PASS
Band4	1413	1	22.03	30	PASS
Band4	1413	2	21.47	30	PASS
Band4	1413	3	21.36	30	PASS
Band4	1413	4	21.39	30	PASS
Band4	1513	1	21.76	30	PASS
Band4	1513	2	21.20	30	PASS
Band4	1513	3	21.11	30	PASS
Band4	1513	4	21.07	30	PASS

Band	Channel	SubTest	Conducted Power(dBm)	Limit(dBm)	Verdict
Band4	1312	1	20.46	30	PASS
Band4	1312	2	19.46	30	PASS
Band4	1312	3	20.00	30	PASS
Band4	1312	4	17.43	30	PASS
Band4	1312	5	20.33	30	PASS
Band4	1413	1	20.43	30	PASS
Band4	1413	2	19.24	30	PASS
Band4	1413	3	20.21	30	PASS
Band4	1413	4	17.47	30	PASS
Band4	1413	5	20.25	30	PASS
Band4	1513	1	19.24	30	PASS
Band4	1513	2	18.97	30	PASS
Band4	1513	3	20.06	30	PASS
Band4	1513	4	17.20	30	PASS
Band4	1513	5	19.96	30	PASS

AppendixB:Peak-to-Average Ratio


Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band4	1312	3.3	13	PASS
Band4	1413	3.3	13	PASS
Band4	1513	3.3	13	PASS

Band	Channel	SubTest	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band4	1312	1	3.27	13	PASS
Band4	1312	2	3.78	13	PASS
Band4	1312	3	4.29	13	PASS
Band4	1312	4	4.17	13	PASS
Band4	1413	1	3.24	13	PASS
Band4	1413	2	3.75	13	PASS
Band4	1413	3	4.07	13	PASS
Band4	1413	4	4.04	13	PASS
Band4	1513	1	3.3	13	PASS
Band4	1513	2	3.78	13	PASS
Band4	1513	3	4.01	13	PASS
Band4	1513	4	4.04	13	PASS

Band	Channel	SubTest	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band4	1312	1	4.46	13	PASS
Band4	1312	2	5.48	13	PASS
Band4	1312	3	5	13	PASS
Band4	1312	4	5.42	13	PASS
Band4	1312	5	4.36	13	PASS
Band4	1413	1	4.52	13	PASS
Band4	1413	2	5.45	13	PASS
Band4	1413	3	5	13	PASS
Band4	1413	4	5.42	13	PASS
Band4	1413	5	4.33	13	PASS
Band4	1513	1	4.39	13	PASS
Band4	1513	2	5.48	13	PASS
Band4	1513	3	5.03	13	PASS
Band4	1513	4	5.45	13	PASS
Band4	1513	5	4.33	13	PASS

Test Graphs





Complementary Cumulative Distribution Function (1000000 samples)

	Trace 1
Mean	20.97 dBm
Peak	24.79 dBm
Crest	3.82 dB


10 %	1.76 dB
1 %	2.69 dB
.1 %	3.27 dB
.01 %	3.53 dB

Date: 21.FEB.2025 00:44:37

Band4-1312-1-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	20.39 dBm
Peak	25.42 dBm
Crest	5.04 dB
10 %	2.69 dB
1 %	3.46 dB
.1 %	3.78 dB
.01 %	4.04 dB

Date: 21.FEB.2025 00:45:46

Band4-1312-2-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	19.81 dBm
Peak	25.21 dBm
Crest	5.40 dB
10 %	2.98 dB
1 %	3.91 dB
.1 %	4.29 dB
.01 %	4.58 dB

Date: 21.FEB.2025 00:46:56

Band4-1312-3-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	20.24	dBm
Peak	25.64	dBm
Crest	5.40	dB
10 %	3.01	dB
1 %	3.81	dB
.1 %	4.17	dB
.01 %	4.42	dB

Date: 21.FEB.2025 00:48:04

Band4-1312-4-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	20.60 dBm
Peak	25.57 dBm
Crest	4.97 dB
10 %	2.66 dB
1 %	3.43 dB
.1 %	3.75 dB
.01 %	3.97 dB

Date: 21.FEB.2025 00:46:05

Band4-1413-2-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	19.67 dBm
Peak	25.07 dBm
Crest	5.40 dB
10 %	2.95 dB
1 %	3.72 dB
.1 %	4.07 dB
.01 %	4.29 dB

Date: 21.FEB.2025 00:47:15

Band4-1413-3-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	20.52 dBm
Peak	25.92 dBm
Crest	5.40 dB
10 %	2.98 dB
1 %	3.75 dB
.1 %	4.04 dB
.01 %	4.29 dB

Date: 21.FEB.2025 00:48:23

Band4-1413-4-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	20.81 dBm
Peak	26.20 dBm
Crest	5.39 dB
10 %	1.73 dB
1 %	2.72 dB
.1 %	3.30 dB
.01 %	3.59 dB

Date: 21.FEB.2025 00:45:14

Band4-1513-1-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	19.34 dBm
Peak	24.65 dBm
Crest	5.31 dB
10 %	2.69 dB
1 %	3.46 dB
.1 %	3.78 dB
.01 %	4.04 dB

Date: 21.FEB.2025 00:46:23

Band4-1513-2-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1
Mean 19.28 dBm
Peak 24.58 dBm
Crest 5.30 dB


10 %	2.92 dB
1 %	3.69 dB
.1 %	4.01 dB
.01 %	4.26 dB

Date: 21.FEB.2025 00:47:32

Band4-1513-3-PASS



RBW 5 MHz




Complementary Cumulative Distribution Function (1000000 samples)

Trace 1
Mean 19.95 dBm
Peak 25.28 dBm
Crest 5.33 dB

10 %	2.98 dB
1 %	3.72 dB
.1 %	4.04 dB
.01 %	4.33 dB


Date: 21.FEB.2025 00:48:41

Band4-1513-4-PASS





RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	18.51 dBm
Peak	25.14 dBm
Crest	6.63 dB
10 %	3.91 dB
1 %	5.03 dB
.1 %	5.48 dB
.01 %	5.80 dB

Date: 21.FEB.2025 01:58:26

Band4-1312-2-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	19.25	dBm
Peak	25.21	dBm
Crest	5.96	dB
10 %	3.11	dB
1 %	4.46	dB
.1 %	5.00	dB
.01 %	5.35	dB

Date: 21.FEB.2025 02:01:05

Band4-1312-3-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	16.47 dBm
Peak	22.74 dBm
Crest	6.27 dB
10 %	3.59 dB
1 %	4.84 dB
.1 %	5.42 dB
.01 %	5.80 dB

Date: 21.FEB.2025 02:03:46

Band4-1312-4-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	19.36 dBm
Peak	24.51 dBm
Crest	5.15 dB
10 %	2.72 dB
1 %	3.88 dB
.1 %	4.36 dB
.01 %	4.65 dB

Date: 21.FEB.2025 02:06:31

Band4-1312-5-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	19.14 dBm
Peak	26.34 dBm
Crest	7.20 dB
10 %	2.56 dB
1 %	3.81 dB
.1 %	4.52 dB
.01 %	5.54 dB

Date: 21.FEB.2025 01:56:39

Band4-1413-1-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1
Mean 18.78 dBm
Peak 25.28 dBm
Crest 6.50 dB


10 %	3.91 dB
1 %	5.00 dB
.1 %	5.45 dB
.01 %	5.80 dB

Date: 21.FEB.2025 01:59:26

Band4-1413-2-PASS



RBW 5 MHz



Center 1.7326 GHz

Complementary Cumulative Distribution Function (1000000 samples)

Trace 1

Mean 19.49 dBm

Peak 25.57 dBm

Crest 6.07 dB


10 %	3.11 dB
1 %	4.46 dB
.1 %	5.00 dB
.01 %	5.38 dB

Date: 21.FEB.2025 02:02:04

Band4-1413-3-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	16.75 dBm
Peak	22.96 dBm
Crest	6.21 dB
10 %	3.59 dB
1 %	4.84 dB
.1 %	5.42 dB
.01 %	5.80 dB

Date: 21.FEB.2025 02:04:50

Band4-1413-4-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	18.69 dBm
Peak	24.08 dBm
Crest	5.39 dB
10 %	2.53 dB
1 %	3.75 dB
.1 %	4.39 dB
.01 %	4.81 dB

Date: 21.FEB.2025 01:57:42

Band4-1513-1-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	18.35 dBm
Peak	25.21 dBm
Crest	6.87 dB
10 %	3.94 dB
1 %	5.03 dB
.1 %	5.48 dB
.01 %	5.83 dB

Date: 21.FEB.2025 02:00:25

Band4-1513-2-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	19.10 dBm
Peak	25.21 dBm
Crest	6.11 dB
10 %	3.14 dB
1 %	4.49 dB
.1 %	5.03 dB
.01 %	5.42 dB

Date: 21.FEB.2025 02:03:07

Band4-1513-3-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1


Mean	16.41 dBm
Peak	22.74 dBm
Crest	6.33 dB
10 %	3.59 dB
1 %	4.87 dB
.1 %	5.45 dB
.01 %	5.83 dB

Date: 21.FEB.2025 02:05:49

Band4-1513-4-PASS



RBW 5 MHz



Complementary Cumulative Distribution Function (1000000 samples)

Trace 1

Mean	19.23 dBm
Peak	24.37 dBm
Crest	5.14 dB
10 %	2.69 dB
1 %	3.85 dB
.1 %	4.33 dB
.01 %	4.65 dB

Date: 21.FEB.2025 02:07:24

Band4-1513-5-PASS

AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result

Band	Channel	Occupied Bandwidth (kHz)	26dB Bandwidth (kHz)	Limit(kHz)	Verdict
Band4	1312	4.17	4.75	---	PASS
Band4	1413	4.17	4.72	---	PASS
Band4	1513	4.17	4.73	---	PASS

Band	Channel	SubTest	Occupied Bandwidth (kHz)	26dB Bandwidth (kHz)	Limit(kHz)	Verdict
Band4	1312	1	4.17	4.72	---	PASS
Band4	1312	2	4.16	4.73	---	PASS
Band4	1312	3	4.16	4.72	---	PASS
Band4	1312	4	4.16	4.71	---	PASS
Band4	1413	1	4.17	4.73	---	PASS
Band4	1413	2	4.17	4.71	---	PASS
Band4	1413	3	4.17	4.73	---	PASS
Band4	1413	4	4.17	4.72	---	PASS
Band4	1513	1	4.17	4.73	---	PASS
Band4	1513	2	4.16	4.71	---	PASS
Band4	1513	3	4.16	4.72	---	PASS
Band4	1513	4	4.17	4.71	---	PASS

Band	Channel	SubTest	Occupied Bandwidth (kHz)	26dB Bandwidth (kHz)	Limit(kHz)	Verdict
Band4	1312	1	4.18	4.73	---	PASS
Band4	1312	2	4.19	4.72	---	PASS
Band4	1312	3	4.18	4.73	---	PASS
Band4	1312	4	4.18	4.73	---	PASS
Band4	1312	5	4.16	4.72	---	PASS
Band4	1413	1	4.19	4.74	---	PASS
Band4	1413	2	4.18	4.71	---	PASS
Band4	1413	3	4.19	4.73	---	PASS
Band4	1413	4	4.18	4.75	---	PASS
Band4	1413	5	4.17	4.72	---	PASS
Band4	1513	1	4.19	4.74	---	PASS

Band4	1513	2	4.18	4.73	---	PASS
Band4	1513	3	4.19	4.72	---	PASS
Band4	1513	4	4.18	4.73	---	PASS
Band4	1513	5	4.17	4.72	---	PASS

Four spectral plots showing the power spectrum of a signal for different bands: Band4-1312-PASS, Band4-1413-PASS, Band4-1513-PASS, and Band4-1613-PASS. Each plot displays a blue trace of the power spectrum, a red horizontal line at -10 dBm, and a green horizontal line at -10 dBm. The plots are arranged in a 2x2 grid. The top-left plot is for Band4-1312-PASS, the top-right for Band4-1413-PASS, the bottom-left for Band4-1513-PASS, and the bottom-right for Band4-1613-PASS. Each plot includes a title bar with parameters: Ref, Att, BW, Delta, and a table of markers. The x-axis is labeled 'Center' and 'Span', and the y-axis is labeled 'dBm'.

Ref	Att	BW	Delta
30 dBm	40 dB	100 kHz	3 [T1]

Marker	Power [dBm]	Frequency [GHz]
1	1.71001	1.71001
2	1.71001	1.71001
3	1.71001	1.71001

Center: 1.7124 GHz, Span: 10 MHz

Ref	Att	BW	Delta
30 dBm	40 dB	100 kHz	3 [T1]

Marker	Power [dBm]	Frequency [GHz]
1	1.73021	1.73021
2	1.73021	1.73021
3	1.73021	1.73021

Center: 1.7326 GHz, Span: 10 MHz

Ref	Att	BW	Delta
30 dBm	40 dB	100 kHz	3 [T1]

Marker	Power [dBm]	Frequency [GHz]
1	1.75024	1.75024
2	1.75024	1.75024
3	1.75024	1.75024

Center: 1.7526 GHz, Span: 10 MHz


Ref	Att	BW	Delta
30 dBm	40 dB	100 kHz	3 [T1]

Marker	Power [dBm]	Frequency [GHz]
1	1.77024	1.77024
2	1.77024	1.77024
3	1.77024	1.77024

Center: 1.7726 GHz, Span: 10 MHz



1 PR
MAXH




Date: 21.FEB.2025 01:20:20

Band4-1413-4-PASS



1 PR
MAXH




Date: 21.FEB.2025 01:19:05

Band4-1513-3-PASS



1 PR
MAXH



Date: 21.FEB.2025 02:52:39

Band4-1413-5-PASS

AppendixD:Band Edge


Test Result

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band4	1312	1710.00	-30.59	-13	PASS
Band4	1513	1755.00	-30.15	-13	PASS

Band	Channel	SubTest	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band4	1312	1	1710.00	-31.62	-13	PASS
Band4	1312	2	1709.87	-30.80	-13	PASS
Band4	1312	3	1709.88	-29.58	-13	PASS
Band4	1312	4	1709.87	-29.52	-13	PASS
Band4	1513	1	1755.00	-31.46	-13	PASS
Band4	1513	2	1755.11	-30.60	-13	PASS
Band4	1513	3	1755.12	-29.36	-13	PASS
Band4	1513	4	1755.09	-29.02	-13	PASS

Band	Channel	SubTest	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band4	1312	1	1710.00	-33.90	-13	PASS
Band4	1312	2	1709.88	-31.08	-13	PASS
Band4	1312	3	1709.84	-31.94	-13	PASS
Band4	1312	4	1709.88	-32.62	-13	PASS
Band4	1312	5	1710.00	-33.16	-13	PASS
Band4	1513	1	1755.00	-33.13	-13	PASS
Band4	1513	2	1755.12	-30.49	-13	PASS
Band4	1513	3	1755.12	-31.25	-13	PASS
Band4	1513	4	1755.12	-31.50	-13	PASS
Band4	1513	5	1755.13	-32.55	-13	PASS

Test Graphs



AppendixE:Conducted SpuriousEmission

Test Result

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band4	1312	0.009~0.15MHz	0.04	-48.08	-43	PASS
Band4	1312	0.15~30MHz	0.51	-43.37	-33	PASS
Band4	1312	30~1000MHz	198.3	-50.53	-13	PASS
Band4	1312	1000~20000MHz	3185	-43.72	-13	PASS
Band4	1413	0.009~0.15MHz	0.04	-48.3	-43	PASS
Band4	1413	0.15~30MHz	0.51	-40.91	-33	PASS
Band4	1413	30~1000MHz	202.18	-50.5	-13	PASS
Band4	1413	1000~20000MHz	3185	-43.75	-13	PASS
Band4	1513	0.009~0.15MHz	0.04	-47.37	-43	PASS
Band4	1513	0.15~30MHz	0.51	-41.68	-33	PASS
Band4	1513	30~1000MHz	30	-50.43	-13	PASS
Band4	1513	1000~20000MHz	2434.5	-41.93	-13	PASS

Band	Channel	SubTest	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band4	1312	1	0.009~0.15MHz	0.04	-48.23	-43	PASS
Band4	1312	1	0.15~30MHz	0.51	-42.26	-33	PASS
Band4	1312	1	30~1000MHz	199.27	-50.57	-13	PASS
Band4	1312	1	1000~20000MHz	5132.5	-41.57	-13	PASS
Band4	1312	2	0.009~0.15MHz	0.04	-48.09	-43	PASS
Band4	1312	2	0.15~30MHz	0.96	-35.26	-33	PASS
Band4	1312	2	30~1000MHz	199.27	-50.53	-13	PASS
Band4	1312	2	1000~20000MHz	3422.5	-43.13	-13	PASS
Band4	1312	3	0.009~0.15MHz	0.04	-48	-43	PASS
Band4	1312	3	0.15~30MHz	0.96	-35.4	-33	PASS
Band4	1312	3	30~1000MHz	201.21	-50.48	-13	PASS
Band4	1312	3	1000~20000MHz	5132.5	-42.13	-13	PASS
Band4	1312	4	0.009~0.15MHz	0.04	-47.38	-43	PASS
Band4	1312	4	0.15~30MHz	0.96	-33.24	-33	PASS
Band4	1312	4	30~1000MHz	30.49	-50.48	-13	PASS
Band4	1312	4	1000~20000MHz	2434.5	-42.14	-13	PASS
Band4	1413	1	0.009~0.15MHz	0.04	-47.81	-43	PASS
Band4	1413	1	0.15~30MHz	0.51	-45.33	-33	PASS
Band4	1413	1	30~1000MHz	204.12	-50.55	-13	PASS
Band4	1413	1	1000~20000MHz	3460.5	-42.87	-13	PASS
Band4	1413	2	0.009~0.15MHz	0.04	-47.46	-43	PASS
Band4	1413	2	0.15~30MHz	0.96	-36.74	-33	PASS


Band4	1413	2	30~1000MHz	198.78	-50.48	-13	PASS
Band4	1413	2	1000~20000MHz	3460.5	-42.8	-13	PASS
Band4	1413	3	0.009~0.15MHz	0.04	-47.7	-43	PASS
Band4	1413	3	0.15~30MHz	0.96	-35.82	-33	PASS
Band4	1413	3	30~1000MHz	236.61	-50.53	-13	PASS
Band4	1413	3	1000~20000MHz	5199	-42.77	-13	PASS
Band4	1413	4	0.009~0.15MHz	0.04	-47.36	-43	PASS
Band4	1413	4	0.15~30MHz	0.96	-34.37	-33	PASS
Band4	1413	4	30~1000MHz	30	-50.47	-13	PASS
Band4	1413	4	1000~20000MHz	3460.5	-42.81	-13	PASS
Band4	1513	1	0.009~0.15MHz	0.04	-48.37	-43	PASS
Band4	1513	1	0.15~30MHz	0.51	-43.5	-33	PASS
Band4	1513	1	30~1000MHz	230.79	-50.54	-13	PASS
Band4	1513	1	1000~20000MHz	2434.5	-42.41	-13	PASS
Band4	1513	2	0.009~0.15MHz	0.04	-48.01	-43	PASS
Band4	1513	2	0.15~30MHz	0.96	-36.96	-33	PASS
Band4	1513	2	30~1000MHz	200.24	-50.49	-13	PASS
Band4	1513	2	1000~20000MHz	3498.5	-43.42	-13	PASS
Band4	1513	3	0.009~0.15MHz	0.04	-47.18	-43	PASS
Band4	1513	3	0.15~30MHz	0.96	-37.21	-33	PASS
Band4	1513	3	30~1000MHz	199.27	-50.5	-13	PASS
Band4	1513	3	1000~20000MHz	5256	-43.12	-13	PASS
Band4	1513	4	0.009~0.15MHz	0.04	-47.61	-43	PASS
Band4	1513	4	0.15~30MHz	0.51	-41.52	-33	PASS
Band4	1513	4	30~1000MHz	200.24	-50.5	-13	PASS
Band4	1513	4	1000~20000MHz	3194.5	-44	-13	PASS


Band	Channel	SubTest	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band4	1312	1	0.009~0.15MHz	0.04	-47.48	-43	PASS
Band4	1312	1	0.15~30MHz	0.51	-43.37	-33	PASS
Band4	1312	1	30~1000MHz	202.66	-50.51	-13	PASS
Band4	1312	1	1000~20000MHz	5132.5	-42.43	-13	PASS
Band4	1312	2	0.009~0.15MHz	0.04	-47.75	-43	PASS
Band4	1312	2	0.15~30MHz	0.54	-42.86	-33	PASS
Band4	1312	2	30~1000MHz	228.37	-50.56	-13	PASS
Band4	1312	2	1000~20000MHz	5132.5	-42.25	-13	PASS
Band4	1312	3	0.009~0.15MHz	0.04	-47.31	-43	PASS
Band4	1312	3	0.15~30MHz	0.51	-40.32	-33	PASS
Band4	1312	3	30~1000MHz	199.27	-50.52	-13	PASS
Band4	1312	3	1000~20000MHz	5132.5	-41.32	-13	PASS
Band4	1312	4	0.009~0.15MHz	0.04	-47.46	-43	PASS


Band4	1312	4	0.15~30MHz	0.51	-42.19	-33	PASS
Band4	1312	4	30~1000MHz	30	-50.48	-13	PASS
Band4	1312	4	1000~20000MHz	3422.5	-43.65	-13	PASS
Band4	1312	5	0.009~0.15MHz	0.04	-47.85	-43	PASS
Band4	1312	5	0.15~30MHz	0.51	-41.86	-33	PASS
Band4	1312	5	30~1000MHz	237.1	-50.51	-13	PASS
Band4	1312	5	1000~20000MHz	5132.5	-41.9	-13	PASS
Band4	1413	1	0.009~0.15MHz	0.04	-46.85	-43	PASS
Band4	1413	1	0.15~30MHz	0.51	-42.47	-33	PASS
Band4	1413	1	30~1000MHz	200.72	-50.48	-13	PASS
Band4	1413	1	1000~20000MHz	3460.5	-42.32	-13	PASS
Band4	1413	2	0.009~0.15MHz	0.04	-48	-43	PASS
Band4	1413	2	0.15~30MHz	0.51	-41.05	-33	PASS
Band4	1413	2	30~1000MHz	200.72	-50.52	-13	PASS
Band4	1413	2	1000~20000MHz	2434.5	-41.98	-13	PASS
Band4	1413	3	0.009~0.15MHz	0.04	-47.47	-43	PASS
Band4	1413	3	0.15~30MHz	0.51	-43.15	-33	PASS
Band4	1413	3	30~1000MHz	199.27	-50.49	-13	PASS
Band4	1413	3	1000~20000MHz	5199	-42.22	-13	PASS
Band4	1413	4	0.009~0.15MHz	0.04	-47.55	-43	PASS
Band4	1413	4	0.15~30MHz	0.51	-41.98	-33	PASS
Band4	1413	4	30~1000MHz	30	-50.49	-13	PASS
Band4	1413	4	1000~20000MHz	3460.5	-43.56	-13	PASS
Band4	1413	5	0.009~0.15MHz	0.04	-47.77	-43	PASS
Band4	1413	5	0.15~30MHz	0.51	-40.29	-33	PASS
Band4	1413	5	30~1000MHz	30.49	-50.45	-13	PASS
Band4	1413	5	1000~20000MHz	3460.5	-42.49	-13	PASS
Band4	1513	1	0.009~0.15MHz	0.04	-47.57	-43	PASS
Band4	1513	1	0.15~30MHz	0.51	-41.64	-33	PASS
Band4	1513	1	30~1000MHz	240.98	-50.52	-13	PASS
Band4	1513	1	1000~20000MHz	3498.5	-43.15	-13	PASS
Band4	1513	2	0.009~0.15MHz	0.04	-47.48	-43	PASS
Band4	1513	2	0.15~30MHz	0.51	-42.16	-33	PASS
Band4	1513	2	30~1000MHz	237.1	-50.55	-13	PASS
Band4	1513	2	1000~20000MHz	3498.5	-43.3	-13	PASS
Band4	1513	3	0.009~0.15MHz	0.04	-47.98	-43	PASS
Band4	1513	3	0.15~30MHz	0.51	-41.53	-33	PASS
Band4	1513	3	30~1000MHz	238.55	-50.53	-13	PASS
Band4	1513	3	1000~20000MHz	3498.5	-43	-13	PASS
Band4	1513	4	0.009~0.15MHz	0.04	-47.04	-43	PASS
Band4	1513	4	0.15~30MHz	0.51	-41.55	-33	PASS
Band4	1513	4	30~1000MHz	236.61	-50.53	-13	PASS
Band4	1513	4	1000~20000MHz	3498.5	-43.93	-13	PASS


Band4	1513	5	0.009~0.15MHz	0.04	-47.5	-43	PASS
Band4	1513	5	0.15~30MHz	0.51	-41.4	-33	PASS
Band4	1513	5	30~1000MHz	200.24	-50.45	-13	PASS
Band4	1513	5	1000~20000MHz	2434.5	-43.15	-13	PASS


Test Graphs






























































AppendixF:Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VN	NT	-3.18	-0.001857	±2.5	PASS
Band4	1312	VL	NT	0.16	0.000093	±2.5	PASS
Band4	1312	VH	NT	0.85	0.000496	±2.5	PASS
Band4	1413	VN	NT	-6.41	-0.003700	±2.5	PASS
Band4	1413	VL	NT	-3.93	-0.002268	±2.5	PASS
Band4	1413	VH	NT	-5.81	-0.003353	±2.5	PASS
Band4	1513	VN	NT	1.62	0.000924	±2.5	PASS
Band4	1513	VL	NT	0.79	0.000451	±2.5	PASS
Band4	1513	VH	NT	-4.68	-0.002670	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	1.49	0.000870	±2.5	PASS
Band4	1312	NV	-20	1.55	0.000905	±2.5	PASS
Band4	1312	NV	-10	-1.62	-0.000946	±2.5	PASS
Band4	1312	NV	0	-1.19	-0.000695	±2.5	PASS
Band4	1312	NV	10	-1.79	-0.001045	±2.5	PASS
Band4	1312	NV	20	-0.63	-0.000368	±2.5	PASS
Band4	1312	NV	30	-3.94	-0.002301	±2.5	PASS
Band4	1312	NV	40	-0.11	-0.000064	±2.5	PASS
Band4	1312	NV	50	-3.03	-0.001769	±2.5	PASS
Band4	1413	NV	-30	-5.57	-0.003215	±2.5	PASS
Band4	1413	NV	-20	-3.23	-0.001864	±2.5	PASS
Band4	1413	NV	-10	-4.61	-0.002661	±2.5	PASS
Band4	1413	NV	0	-4.59	-0.002649	±2.5	PASS
Band4	1413	NV	10	-6.93	-0.004000	±2.5	PASS
Band4	1413	NV	20	-2.81	-0.001622	±2.5	PASS
Band4	1413	NV	30	-2.38	-0.001374	±2.5	PASS
Band4	1413	NV	40	-1.14	-0.000658	±2.5	PASS
Band4	1413	NV	50	-1.43	-0.000825	±2.5	PASS
Band4	1513	NV	-30	0.28	0.000160	±2.5	PASS
Band4	1513	NV	-20	-5.52	-0.003150	±2.5	PASS
Band4	1513	NV	-10	-6.62	-0.003777	±2.5	PASS
Band4	1513	NV	0	-7.40	-0.004222	±2.5	PASS

Band4	1513	NV	10	-0.96	-0.000548	±2.5	PASS
Band4	1513	NV	20	-2.76	-0.001575	±2.5	PASS
Band4	1513	NV	30	-0.71	-0.000405	±2.5	PASS
Band4	1513	NV	40	-4.94	-0.002819	±2.5	PASS
Band4	1513	NV	50	-3.49	-0.001991	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	-6.64	-0.003878	±2.5	PASS
Band4	1312	1	VL	NT	-2.21	-0.001291	±2.5	PASS
Band4	1312	1	VH	NT	-3.32	-0.001939	±2.5	PASS
Band4	1312	2	VN	NT	-4.11	-0.002400	±2.5	PASS
Band4	1312	2	VL	NT	-0.34	-0.000199	±2.5	PASS
Band4	1312	2	VH	NT	-6.17	-0.003603	±2.5	PASS
Band4	1312	3	VN	NT	-4.64	-0.002710	±2.5	PASS
Band4	1312	3	VL	NT	-2.70	-0.001577	±2.5	PASS
Band4	1312	3	VH	NT	-0.33	-0.000193	±2.5	PASS
Band4	1312	4	VN	NT	-2.14	-0.001250	±2.5	PASS
Band4	1312	4	VL	NT	-0.92	-0.000537	±2.5	PASS
Band4	1312	4	VH	NT	0.68	0.000397	±2.5	PASS
Band4	1413	1	VN	NT	-9.19	-0.005304	±2.5	PASS
Band4	1413	1	VL	NT	-7.64	-0.004410	±2.5	PASS
Band4	1413	1	VH	NT	-9.99	-0.005766	±2.5	PASS
Band4	1413	2	VN	NT	-6.99	-0.004034	±2.5	PASS
Band4	1413	2	VL	NT	-8.23	-0.004750	±2.5	PASS
Band4	1413	2	VH	NT	-5.21	-0.003007	±2.5	PASS
Band4	1413	3	VN	NT	-7.76	-0.004479	±2.5	PASS
Band4	1413	3	VL	NT	-4.49	-0.002591	±2.5	PASS
Band4	1413	3	VH	NT	-2.89	-0.001668	±2.5	PASS
Band4	1413	4	VN	NT	-8.57	-0.004946	±2.5	PASS
Band4	1413	4	VL	NT	-4.88	-0.002817	±2.5	PASS
Band4	1413	4	VH	NT	-6.16	-0.003555	±2.5	PASS
Band4	1513	1	VN	NT	-7.60	-0.004336	±2.5	PASS
Band4	1513	1	VL	NT	-2.91	-0.001660	±2.5	PASS
Band4	1513	1	VH	NT	-6.03	-0.003441	±2.5	PASS
Band4	1513	2	VN	NT	-2.38	-0.001358	±2.5	PASS
Band4	1513	2	VL	NT	-6.54	-0.003732	±2.5	PASS
Band4	1513	2	VH	NT	-4.52	-0.002579	±2.5	PASS
Band4	1513	3	VN	NT	-7.60	-0.004336	±2.5	PASS
Band4	1513	3	VL	NT	-4.53	-0.002585	±2.5	PASS
Band4	1513	3	VH	NT	-6.14	-0.003503	±2.5	PASS

Band4	1513	4	VN	NT	-5.04	-0.002876	±2.5	PASS
Band4	1513	4	VL	NT	-5.29	-0.003018	±2.5	PASS
Band4	1513	4	VH	NT	-4.44	-0.002533	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	-1.86	-0.001086	±2.5	PASS
Band4	1312	1	NV	-20	-0.12	-0.000070	±2.5	PASS
Band4	1312	1	NV	-10	-3.56	-0.002079	±2.5	PASS
Band4	1312	1	NV	0	-3.60	-0.002102	±2.5	PASS
Band4	1312	1	NV	10	-0.29	-0.000169	±2.5	PASS
Band4	1312	1	NV	20	0.27	0.000158	±2.5	PASS
Band4	1312	1	NV	30	-1.35	-0.000788	±2.5	PASS
Band4	1312	1	NV	40	-2.18	-0.001273	±2.5	PASS
Band4	1312	1	NV	50	-3.08	-0.001799	±2.5	PASS
Band4	1312	2	NV	-30	-5.06	-0.002955	±2.5	PASS
Band4	1312	2	NV	-20	-2.93	-0.001711	±2.5	PASS
Band4	1312	2	NV	-10	-2.93	-0.001711	±2.5	PASS
Band4	1312	2	NV	0	-1.75	-0.001022	±2.5	PASS
Band4	1312	2	NV	10	0.34	0.000199	±2.5	PASS
Band4	1312	2	NV	20	-0.49	-0.000286	±2.5	PASS
Band4	1312	2	NV	30	0.21	0.000123	±2.5	PASS
Band4	1312	2	NV	40	-0.89	-0.000520	±2.5	PASS
Band4	1312	2	NV	50	-2.12	-0.001238	±2.5	PASS
Band4	1312	3	NV	-30	-0.36	-0.000210	±2.5	PASS
Band4	1312	3	NV	-20	0.98	0.000572	±2.5	PASS
Band4	1312	3	NV	-10	-2.96	-0.001729	±2.5	PASS
Band4	1312	3	NV	0	-3.65	-0.002132	±2.5	PASS
Band4	1312	3	NV	10	-3.45	-0.002015	±2.5	PASS
Band4	1312	3	NV	20	-2.30	-0.001343	±2.5	PASS
Band4	1312	3	NV	30	-0.51	-0.000298	±2.5	PASS
Band4	1312	3	NV	40	-3.51	-0.002050	±2.5	PASS
Band4	1312	3	NV	50	-3.73	-0.002178	±2.5	PASS
Band4	1312	4	NV	-30	-4.81	-0.002809	±2.5	PASS
Band4	1312	4	NV	-20	-1.49	-0.000870	±2.5	PASS
Band4	1312	4	NV	-10	-3.40	-0.001986	±2.5	PASS
Band4	1312	4	NV	0	-4.01	-0.002342	±2.5	PASS
Band4	1312	4	NV	10	-0.43	-0.000251	±2.5	PASS
Band4	1312	4	NV	20	-0.82	-0.000479	±2.5	PASS
Band4	1312	4	NV	30	-2.84	-0.001658	±2.5	PASS

Band4	1312	4	NV	40	-0.32	-0.000187	±2.5	PASS
Band4	1312	4	NV	50	-1.49	-0.000870	±2.5	PASS
Band4	1413	1	NV	-30	-5.09	-0.002938	±2.5	PASS
Band4	1413	1	NV	-20	-0.57	-0.000329	±2.5	PASS
Band4	1413	1	NV	-10	-7.05	-0.004069	±2.5	PASS
Band4	1413	1	NV	0	-5.06	-0.002920	±2.5	PASS
Band4	1413	1	NV	10	-1.60	-0.000923	±2.5	PASS
Band4	1413	1	NV	20	-7.47	-0.004311	±2.5	PASS
Band4	1413	1	NV	30	-5.01	-0.002892	±2.5	PASS
Band4	1413	1	NV	40	-4.25	-0.002453	±2.5	PASS
Band4	1413	1	NV	50	-1.07	-0.000618	±2.5	PASS
Band4	1413	2	NV	-30	-3.78	-0.002182	±2.5	PASS
Band4	1413	2	NV	-20	-0.94	-0.000543	±2.5	PASS
Band4	1413	2	NV	-10	-4.84	-0.002793	±2.5	PASS
Band4	1413	2	NV	0	-3.43	-0.001980	±2.5	PASS
Band4	1413	2	NV	10	-5.23	-0.003019	±2.5	PASS
Band4	1413	2	NV	20	-6.62	-0.003821	±2.5	PASS
Band4	1413	2	NV	30	-6.69	-0.003861	±2.5	PASS
Band4	1413	2	NV	40	-3.01	-0.001737	±2.5	PASS
Band4	1413	2	NV	50	-6.12	-0.003532	±2.5	PASS
Band4	1413	3	NV	-30	-1.70	-0.000981	±2.5	PASS
Band4	1413	3	NV	-20	-5.94	-0.003428	±2.5	PASS
Band4	1413	3	NV	-10	-2.34	-0.001351	±2.5	PASS
Band4	1413	3	NV	0	-5.57	-0.003215	±2.5	PASS
Band4	1413	3	NV	10	-5.90	-0.003405	±2.5	PASS
Band4	1413	3	NV	20	-5.46	-0.003151	±2.5	PASS
Band4	1413	3	NV	30	-4.56	-0.002632	±2.5	PASS
Band4	1413	3	NV	40	-3.56	-0.002055	±2.5	PASS
Band4	1413	3	NV	50	-3.35	-0.001934	±2.5	PASS
Band4	1413	4	NV	-30	-4.21	-0.002430	±2.5	PASS
Band4	1413	4	NV	-20	-3.78	-0.002182	±2.5	PASS
Band4	1413	4	NV	-10	-3.38	-0.001951	±2.5	PASS
Band4	1413	4	NV	0	-2.88	-0.001662	±2.5	PASS
Band4	1413	4	NV	10	-2.11	-0.001218	±2.5	PASS
Band4	1413	4	NV	20	-3.27	-0.001887	±2.5	PASS
Band4	1413	4	NV	30	-6.82	-0.003936	±2.5	PASS
Band4	1413	4	NV	40	-6.29	-0.003630	±2.5	PASS
Band4	1413	4	NV	50	-4.13	-0.002384	±2.5	PASS
Band4	1513	1	NV	-30	-2.49	-0.001421	±2.5	PASS
Band4	1513	1	NV	-20	-1.65	-0.000941	±2.5	PASS
Band4	1513	1	NV	-10	-4.11	-0.002345	±2.5	PASS

Band4	1513	1	NV	0	-2.18	-0.001244	±2.5	PASS
Band4	1513	1	NV	10	-3.58	-0.002043	±2.5	PASS
Band4	1513	1	NV	20	-2.73	-0.001558	±2.5	PASS
Band4	1513	1	NV	30	-5.80	-0.003309	±2.5	PASS
Band4	1513	1	NV	40	-2.20	-0.001255	±2.5	PASS
Band4	1513	1	NV	50	-3.19	-0.001820	±2.5	PASS
Band4	1513	2	NV	-30	-3.78	-0.002157	±2.5	PASS
Band4	1513	2	NV	-20	-0.60	-0.000342	±2.5	PASS
Band4	1513	2	NV	-10	-3.23	-0.001843	±2.5	PASS
Band4	1513	2	NV	0	-0.16	-0.000091	±2.5	PASS
Band4	1513	2	NV	10	-2.92	-0.001666	±2.5	PASS
Band4	1513	2	NV	20	-4.13	-0.002356	±2.5	PASS
Band4	1513	2	NV	30	-4.30	-0.002453	±2.5	PASS
Band4	1513	2	NV	40	-3.49	-0.001991	±2.5	PASS
Band4	1513	2	NV	50	-6.26	-0.003572	±2.5	PASS
Band4	1513	3	NV	-30	-7.70	-0.004393	±2.5	PASS
Band4	1513	3	NV	-20	-5.64	-0.003218	±2.5	PASS
Band4	1513	3	NV	-10	-6.96	-0.003971	±2.5	PASS
Band4	1513	3	NV	0	-4.89	-0.002790	±2.5	PASS
Band4	1513	3	NV	10	-3.33	-0.001900	±2.5	PASS
Band4	1513	3	NV	20	-0.77	-0.000439	±2.5	PASS
Band4	1513	3	NV	30	-2.17	-0.001238	±2.5	PASS
Band4	1513	3	NV	40	-3.03	-0.001729	±2.5	PASS
Band4	1513	3	NV	50	-0.93	-0.000531	±2.5	PASS
Band4	1513	4	NV	-30	-3.53	-0.002014	±2.5	PASS
Band4	1513	4	NV	-20	-5.26	-0.003001	±2.5	PASS
Band4	1513	4	NV	-10	-6.24	-0.003560	±2.5	PASS
Band4	1513	4	NV	0	-7.25	-0.004137	±2.5	PASS
Band4	1513	4	NV	10	-4.28	-0.002442	±2.5	PASS
Band4	1513	4	NV	20	-3.05	-0.001740	±2.5	PASS
Band4	1513	4	NV	30	-4.38	-0.002499	±2.5	PASS
Band4	1513	4	NV	40	-3.30	-0.001883	±2.5	PASS
Band4	1513	4	NV	50	-3.17	-0.001809	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	VN	NT	-8.33	-0.004865	±2.5	PASS
Band4	1312	1	VL	NT	-8.04	-0.004695	±2.5	PASS
Band4	1312	1	VH	NT	-7.05	-0.004117	±2.5	PASS
Band4	1312	2	VN	NT	-6.77	-0.003954	±2.5	PASS

Band4	1312	2	VL	NT	-7.16	-0.004181	±2.5	PASS
Band4	1312	2	VH	NT	0.19	0.000111	±2.5	PASS
Band4	1312	3	VN	NT	-7.72	-0.004508	±2.5	PASS
Band4	1312	3	VL	NT	-6.66	-0.003889	±2.5	PASS
Band4	1312	3	VH	NT	-6.23	-0.003638	±2.5	PASS
Band4	1312	4	VN	NT	-6.12	-0.003574	±2.5	PASS
Band4	1312	4	VL	NT	-4.99	-0.002914	±2.5	PASS
Band4	1312	4	VH	NT	-4.39	-0.002564	±2.5	PASS
Band4	1312	5	VN	NT	-9.90	-0.005781	±2.5	PASS
Band4	1312	5	VL	NT	-5.57	-0.003253	±2.5	PASS
Band4	1312	5	VH	NT	-5.41	-0.003159	±2.5	PASS
Band4	1413	1	VN	NT	-14.83	-0.008559	±2.5	PASS
Band4	1413	1	VL	NT	-8.90	-0.005137	±2.5	PASS
Band4	1413	1	VH	NT	-5.82	-0.003359	±2.5	PASS
Band4	1413	2	VN	NT	-12.17	-0.007024	±2.5	PASS
Band4	1413	2	VL	NT	-9.12	-0.005264	±2.5	PASS
Band4	1413	2	VH	NT	-5.36	-0.003094	±2.5	PASS
Band4	1413	3	VN	NT	-12.53	-0.007232	±2.5	PASS
Band4	1413	3	VL	NT	-8.10	-0.004675	±2.5	PASS
Band4	1413	3	VH	NT	-7.86	-0.004537	±2.5	PASS
Band4	1413	4	VN	NT	-8.90	-0.005137	±2.5	PASS
Band4	1413	4	VL	NT	-5.54	-0.003198	±2.5	PASS
Band4	1413	4	VH	NT	-4.65	-0.002684	±2.5	PASS
Band4	1413	5	VN	NT	-12.59	-0.007267	±2.5	PASS
Band4	1413	5	VL	NT	-6.77	-0.003907	±2.5	PASS
Band4	1413	5	VH	NT	-8.87	-0.005119	±2.5	PASS
Band4	1513	1	VN	NT	-7.54	-0.004302	±2.5	PASS
Band4	1513	1	VL	NT	-6.76	-0.003857	±2.5	PASS
Band4	1513	1	VH	NT	-3.88	-0.002214	±2.5	PASS
Band4	1513	2	VN	NT	-9.83	-0.005609	±2.5	PASS
Band4	1513	2	VL	NT	-6.40	-0.003652	±2.5	PASS
Band4	1513	2	VH	NT	-6.94	-0.003960	±2.5	PASS
Band4	1513	3	VN	NT	-10.79	-0.006157	±2.5	PASS
Band4	1513	3	VL	NT	-7.40	-0.004222	±2.5	PASS
Band4	1513	3	VH	NT	-2.67	-0.001523	±2.5	PASS
Band4	1513	4	VN	NT	-9.66	-0.005512	±2.5	PASS
Band4	1513	4	VL	NT	-8.61	-0.004913	±2.5	PASS
Band4	1513	4	VH	NT	-7.80	-0.004451	±2.5	PASS
Band4	1513	5	VN	NT	-10.76	-0.006139	±2.5	PASS
Band4	1513	5	VL	NT	-6.18	-0.003526	±2.5	PASS
Band4	1513	5	VH	NT	-6.87	-0.003920	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	1	NV	-30	-2.78	-0.001623	±2.5	PASS
Band4	1312	1	NV	-20	-3.63	-0.002120	±2.5	PASS
Band4	1312	1	NV	-10	-3.33	-0.001945	±2.5	PASS
Band4	1312	1	NV	0	-3.58	-0.002091	±2.5	PASS
Band4	1312	1	NV	10	-1.98	-0.001156	±2.5	PASS
Band4	1312	1	NV	20	-2.01	-0.001174	±2.5	PASS
Band4	1312	1	NV	30	-2.80	-0.001635	±2.5	PASS
Band4	1312	1	NV	40	-2.51	-0.001466	±2.5	PASS
Band4	1312	1	NV	50	-1.70	-0.000993	±2.5	PASS
Band4	1312	2	NV	-30	-4.33	-0.002529	±2.5	PASS
Band4	1312	2	NV	-20	-1.44	-0.000841	±2.5	PASS
Band4	1312	2	NV	-10	-5.24	-0.003060	±2.5	PASS
Band4	1312	2	NV	0	-4.87	-0.002844	±2.5	PASS
Band4	1312	2	NV	10	-1.69	-0.000987	±2.5	PASS
Band4	1312	2	NV	20	-1.42	-0.000829	±2.5	PASS
Band4	1312	2	NV	30	0.30	0.000175	±2.5	PASS
Band4	1312	2	NV	40	-2.73	-0.001594	±2.5	PASS
Band4	1312	2	NV	50	-1.96	-0.001145	±2.5	PASS
Band4	1312	3	NV	-30	-0.26	-0.000152	±2.5	PASS
Band4	1312	3	NV	-20	-4.27	-0.002494	±2.5	PASS
Band4	1312	3	NV	-10	-1.94	-0.001133	±2.5	PASS
Band4	1312	3	NV	0	-1.12	-0.000654	±2.5	PASS
Band4	1312	3	NV	10	-2.78	-0.001623	±2.5	PASS
Band4	1312	3	NV	20	-4.06	-0.002371	±2.5	PASS
Band4	1312	3	NV	30	-2.32	-0.001355	±2.5	PASS
Band4	1312	3	NV	40	-3.38	-0.001974	±2.5	PASS
Band4	1312	3	NV	50	2.17	0.001267	±2.5	PASS
Band4	1312	4	NV	-30	1.03	0.000601	±2.5	PASS
Band4	1312	4	NV	-20	-1.81	-0.001057	±2.5	PASS
Band4	1312	4	NV	-10	-1.93	-0.001127	±2.5	PASS
Band4	1312	4	NV	0	-1.81	-0.001057	±2.5	PASS
Band4	1312	4	NV	10	0.59	0.000345	±2.5	PASS
Band4	1312	4	NV	20	0.15	0.000088	±2.5	PASS
Band4	1312	4	NV	30	1.44	0.000841	±2.5	PASS
Band4	1312	4	NV	40	-0.42	-0.000245	±2.5	PASS
Band4	1312	4	NV	50	0.03	0.000018	±2.5	PASS
Band4	1312	5	NV	-30	-2.94	-0.001717	±2.5	PASS
Band4	1312	5	NV	-20	-4.95	-0.002891	±2.5	PASS

Band4	1312	5	NV	-10	-2.88	-0.001682	±2.5	PASS
Band4	1312	5	NV	0	-2.17	-0.001267	±2.5	PASS
Band4	1312	5	NV	10	0.06	0.000035	±2.5	PASS
Band4	1312	5	NV	20	-2.78	-0.001623	±2.5	PASS
Band4	1312	5	NV	30	-4.06	-0.002371	±2.5	PASS
Band4	1312	5	NV	40	-0.81	-0.000473	±2.5	PASS
Band4	1312	5	NV	50	-1.39	-0.000812	±2.5	PASS
Band4	1413	1	NV	-30	-4.73	-0.002730	±2.5	PASS
Band4	1413	1	NV	-20	-5.89	-0.003400	±2.5	PASS
Band4	1413	1	NV	-10	-4.03	-0.002326	±2.5	PASS
Band4	1413	1	NV	0	-7.88	-0.004548	±2.5	PASS
Band4	1413	1	NV	10	-4.92	-0.002840	±2.5	PASS
Band4	1413	1	NV	20	-4.20	-0.002424	±2.5	PASS
Band4	1413	1	NV	30	-4.41	-0.002545	±2.5	PASS
Band4	1413	1	NV	40	-6.23	-0.003596	±2.5	PASS
Band4	1413	1	NV	50	-3.69	-0.002130	±2.5	PASS
Band4	1413	2	NV	-30	-4.07	-0.002349	±2.5	PASS
Band4	1413	2	NV	-20	-6.27	-0.003619	±2.5	PASS
Band4	1413	2	NV	-10	-5.17	-0.002984	±2.5	PASS
Band4	1413	2	NV	0	-5.86	-0.003382	±2.5	PASS
Band4	1413	2	NV	10	-4.26	-0.002459	±2.5	PASS
Band4	1413	2	NV	20	-4.17	-0.002407	±2.5	PASS
Band4	1413	2	NV	30	-1.09	-0.000629	±2.5	PASS
Band4	1413	2	NV	40	-2.10	-0.001212	±2.5	PASS
Band4	1413	2	NV	50	-7.04	-0.004063	±2.5	PASS
Band4	1413	3	NV	-30	-8.00	-0.004617	±2.5	PASS
Band4	1413	3	NV	-20	-3.48	-0.002009	±2.5	PASS
Band4	1413	3	NV	-10	-5.19	-0.002995	±2.5	PASS
Band4	1413	3	NV	0	-2.90	-0.001674	±2.5	PASS
Band4	1413	3	NV	10	-3.86	-0.002228	±2.5	PASS
Band4	1413	3	NV	20	-5.40	-0.003117	±2.5	PASS
Band4	1413	3	NV	30	-1.21	-0.000698	±2.5	PASS
Band4	1413	3	NV	40	-1.13	-0.000652	±2.5	PASS
Band4	1413	3	NV	50	-4.17	-0.002407	±2.5	PASS
Band4	1413	4	NV	-30	-6.56	-0.003786	±2.5	PASS
Band4	1413	4	NV	-20	-3.71	-0.002141	±2.5	PASS
Band4	1413	4	NV	-10	-0.82	-0.000473	±2.5	PASS
Band4	1413	4	NV	0	-5.18	-0.002990	±2.5	PASS
Band4	1413	4	NV	10	-3.51	-0.002026	±2.5	PASS
Band4	1413	4	NV	20	-6.07	-0.003503	±2.5	PASS
Band4	1413	4	NV	30	-4.44	-0.002563	±2.5	PASS

Band4	1413	4	NV	40	-4.51	-0.002603	±2.5	PASS
Band4	1413	4	NV	50	-2.77	-0.001599	±2.5	PASS
Band4	1413	5	NV	-30	-4.08	-0.002355	±2.5	PASS
Band4	1413	5	NV	-20	-4.38	-0.002528	±2.5	PASS
Band4	1413	5	NV	-10	-7.48	-0.004317	±2.5	PASS
Band4	1413	5	NV	0	-6.14	-0.003544	±2.5	PASS
Band4	1413	5	NV	10	-4.32	-0.002493	±2.5	PASS
Band4	1413	5	NV	20	-6.83	-0.003942	±2.5	PASS
Band4	1413	5	NV	30	-4.61	-0.002661	±2.5	PASS
Band4	1413	5	NV	40	-3.17	-0.001830	±2.5	PASS
Band4	1413	5	NV	50	-7.22	-0.004167	±2.5	PASS
Band4	1513	1	NV	-30	-5.51	-0.003144	±2.5	PASS
Band4	1513	1	NV	-20	-6.04	-0.003446	±2.5	PASS
Band4	1513	1	NV	-10	-5.04	-0.002876	±2.5	PASS
Band4	1513	1	NV	0	-5.68	-0.003241	±2.5	PASS
Band4	1513	1	NV	10	-5.79	-0.003304	±2.5	PASS
Band4	1513	1	NV	20	-2.86	-0.001632	±2.5	PASS
Band4	1513	1	NV	30	-6.29	-0.003589	±2.5	PASS
Band4	1513	1	NV	40	-7.77	-0.004433	±2.5	PASS
Band4	1513	1	NV	50	-5.86	-0.003344	±2.5	PASS
Band4	1513	2	NV	-30	-3.28	-0.001872	±2.5	PASS
Band4	1513	2	NV	-20	-5.28	-0.003013	±2.5	PASS
Band4	1513	2	NV	-10	-4.29	-0.002448	±2.5	PASS
Band4	1513	2	NV	0	-3.18	-0.001814	±2.5	PASS
Band4	1513	2	NV	10	-4.56	-0.002602	±2.5	PASS
Band4	1513	2	NV	20	-4.23	-0.002414	±2.5	PASS
Band4	1513	2	NV	30	-4.02	-0.002294	±2.5	PASS
Band4	1513	2	NV	40	-1.13	-0.000645	±2.5	PASS
Band4	1513	2	NV	50	-3.25	-0.001854	±2.5	PASS
Band4	1513	3	NV	-30	-4.75	-0.002710	±2.5	PASS
Band4	1513	3	NV	-20	-5.86	-0.003344	±2.5	PASS
Band4	1513	3	NV	-10	-4.84	-0.002762	±2.5	PASS
Band4	1513	3	NV	0	-7.68	-0.004382	±2.5	PASS
Band4	1513	3	NV	10	-4.31	-0.002459	±2.5	PASS
Band4	1513	3	NV	20	-4.35	-0.002482	±2.5	PASS
Band4	1513	3	NV	30	-7.07	-0.004034	±2.5	PASS
Band4	1513	3	NV	40	-7.19	-0.004102	±2.5	PASS
Band4	1513	3	NV	50	-4.52	-0.002579	±2.5	PASS
Band4	1513	4	NV	-30	-3.73	-0.002128	±2.5	PASS
Band4	1513	4	NV	-20	-4.72	-0.002693	±2.5	PASS
Band4	1513	4	NV	-10	-6.15	-0.003509	±2.5	PASS

Band4	1513	4	NV	0	-3.47	-0.001980	±2.5	PASS
Band4	1513	4	NV	10	-4.60	-0.002625	±2.5	PASS
Band4	1513	4	NV	20	-1.85	-0.001056	±2.5	PASS
Band4	1513	4	NV	30	-3.07	-0.001752	±2.5	PASS
Band4	1513	4	NV	40	0.29	0.000165	±2.5	PASS
Band4	1513	4	NV	50	-7.25	-0.004137	±2.5	PASS
Band4	1513	5	NV	-30	-5.59	-0.003190	±2.5	PASS
Band4	1513	5	NV	-20	-6.79	-0.003874	±2.5	PASS
Band4	1513	5	NV	-10	-4.61	-0.002630	±2.5	PASS
Band4	1513	5	NV	0	-7.15	-0.004080	±2.5	PASS
Band4	1513	5	NV	10	-5.26	-0.003001	±2.5	PASS
Band4	1513	5	NV	20	-4.69	-0.002676	±2.5	PASS
Band4	1513	5	NV	30	-7.15	-0.004080	±2.5	PASS
Band4	1513	5	NV	40	-7.50	-0.004279	±2.5	PASS
Band4	1513	5	NV	50	-3.46	-0.001974	±2.5	PASS