

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	22.74	22.4	33.01	PASS
Band2	TestMode	9262	22.75	22.41	33.01	PASS
Band2	TestMode	9400	23.25	22.91	33.01	PASS
Band2	Voice	9400	23.23	22.89	33.01	PASS
Band2	TestMode	9538	23.18	22.84	33.01	PASS
Band2	Voice	9538	23.16	22.82	33.01	PASS
Band4	Voice	1312	23.33	22.73	30.00	PASS
Band4	TestMode	1312	23.41	22.81	30.00	PASS
Band4	Voice	1413	23.16	22.56	30.00	PASS
Band4	TestMode	1413	23.24	22.64	30.00	PASS
Band4	TestMode	1513	23.32	22.72	30.00	PASS
Band4	Voice	1513	23.25	22.65	30.00	PASS
Band5	Voice	4132	23.56	17.95	38.45	PASS
Band5	TestMode	4132	23.59	17.98	38.45	PASS
Band5	TestMode	4183	23.76	18.15	38.45	PASS
Band5	Voice	4183	23.75	18.14	38.45	PASS
Band5	Voice	4233	23.77	18.16	38.45	PASS
Band5	TestMode	4233	23.79	18.18	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.94	21.6	33.01	PASS
Band2	9262	2	21.58	21.24	33.01	PASS
Band2	9262	3	21.28	20.94	33.01	PASS
Band2	9262	4	21.38	21.04	33.01	PASS
Band2	9400	1	22.29	21.95	33.01	PASS
Band2	9400	2	21.97	21.63	33.01	PASS
Band2	9400	3	21.76	21.42	33.01	PASS
Band2	9400	4	21.83	21.49	33.01	PASS
Band2	9538	1	22.11	21.77	33.01	PASS
Band2	9538	2	21.81	21.47	33.01	PASS
Band2	9538	3	21.32	20.98	33.01	PASS
Band2	9538	4	21.63	21.29	33.01	PASS

Band4	1312	1	23.37	22.77	30.00	PASS
Band4	1312	2	23.33	22.73	30.00	PASS
Band4	1312	3	23.14	22.54	30.00	PASS
Band4	1312	4	23.16	22.56	30.00	PASS
Band4	1413	1	22.38	21.78	30.00	PASS
Band4	1413	2	22.50	21.9	30.00	PASS
Band4	1413	3	22.56	21.96	30.00	PASS
Band4	1413	4	22.60	22	30.00	PASS
Band4	1513	1	22.64	22.04	30.00	PASS
Band4	1513	2	22.58	21.98	30.00	PASS
Band4	1513	3	22.49	21.89	30.00	PASS
Band4	1513	4	22.50	21.9	30.00	PASS
Band5	4132	1	22.70	17.09	38.5	PASS
Band5	4132	2	22.49	16.88	38.5	PASS
Band5	4132	3	21.84	16.23	38.5	PASS
Band5	4132	4	22.10	16.49	38.5	PASS
Band5	4183	1	22.79	17.18	38.5	PASS
Band5	4183	2	22.69	17.08	38.5	PASS
Band5	4183	3	22.30	16.69	38.5	PASS
Band5	4183	4	22.23	16.62	38.5	PASS
Band5	4233	1	22.50	16.89	38.5	PASS
Band5	4233	2	22.36	16.75	38.5	PASS
Band5	4233	3	21.97	16.36	38.5	PASS
Band5	4233	4	22.06	16.45	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	19.36	19.02	33.01	PASS
Band2	9262	2	20.04	19.7	33.01	PASS
Band2	9262	3	19.89	19.55	33.01	PASS
Band2	9262	4	20.14	19.8	33.01	PASS
Band2	9262	5	21.91	21.57	33.01	PASS
Band2	9400	1	20.10	19.76	33.01	PASS
Band2	9400	2	20.48	20.14	33.01	PASS
Band2	9400	3	20.42	20.08	33.01	PASS
Band2	9400	4	20.69	20.35	33.01	PASS
Band2	9400	5	22.29	21.95	33.01	PASS
Band2	9538	1	19.75	19.41	33.01	PASS
Band2	9538	2	20.24	19.9	33.01	PASS
Band2	9538	3	20.10	19.76	33.01	PASS

Band2	9538	4	20.37	20.03	33.01	PASS
Band2	9538	5	21.91	21.57	33.01	PASS
Band4	1312	1	23.16	22.56	30.00	PASS
Band4	1312	2	23.04	22.44	30.00	PASS
Band4	1312	3	22.85	22.25	30.00	PASS
Band4	1312	4	22.95	22.35	30.00	PASS
Band4	1312	5	23.23	22.63	30.00	PASS
Band4	1413	1	22.36	21.76	30.00	PASS
Band4	1413	2	22.39	21.79	30.00	PASS
Band4	1413	3	22.27	21.67	30.00	PASS
Band4	1413	4	22.58	21.98	30.00	PASS
Band4	1413	5	22.55	21.95	30.00	PASS
Band4	1513	1	22.58	21.98	30.00	PASS
Band4	1513	2	22.41	21.81	30.00	PASS
Band4	1513	3	22.30	21.7	30.00	PASS
Band4	1513	4	22.39	21.79	30.00	PASS
Band4	1513	5	22.70	22.1	30.00	PASS
Band5	4132	1	20.66	15.05	38.5	PASS
Band5	4132	2	20.85	15.24	38.5	PASS
Band5	4132	3	20.57	14.96	38.5	PASS
Band5	4132	4	20.20	14.59	38.5	PASS
Band5	4132	5	22.75	17.14	38.5	PASS
Band5	4183	1	20.81	15.2	38.5	PASS
Band5	4183	2	20.91	15.3	38.5	PASS
Band5	4183	3	20.70	15.09	38.5	PASS
Band5	4183	4	20.43	14.82	38.5	PASS
Band5	4183	5	23.01	17.4	38.5	PASS
Band5	4233	1	20.84	15.23	38.5	PASS
Band5	4233	2	20.94	15.33	38.5	PASS
Band5	4233	3	20.68	15.07	38.5	PASS
Band5	4233	4	20.43	14.82	38.5	PASS
Band5	4233	5	22.86	17.25	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	3.04	13	PASS
Band4	1413	3.29	13	PASS
Band5	4183	3.14	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth

Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1467	4.657	---	PASS
Band2	9400	4.1432	4.666	---	PASS
Band2	9538	4.1379	4.663	---	PASS
Band4	1312	4.1560	4.676	---	PASS
Band4	1413	4.1471	4.652	---	PASS
Band4	1513	4.1538	4.677	---	PASS
Band5	4132	4.1470	4.669	---	PASS
Band5	4183	4.1484	4.666	---	PASS
Band5	4233	4.1587	4.664	---	PASS

Test Graphs(WCDMA)






AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-24.11	-13	PASS
Band2	9538	1910.00	-23.13	-13	PASS
Band4	1312	1710.00	-22.42	-13	PASS
Band4	1513	1755.00	-22.88	-13	PASS
Band5	4132	824.00	-21.71	-13	PASS
Band5	4233	849.00	-22.67	-13	PASS

Test Graphs(WCDMA)



JianYan Testing Group Shenzhen Co., Ltd.

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2504084


AppendixE:Conducted SpuriousEmission


Test Result(WCDMA)


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-55.92	-43	PASS
Band2	9262	0.15~30MHz	0.16	-47.18	-23	PASS
Band2	9262	30~1000MHz	964.05	-45.61	-13	PASS
Band2	9262	1000~20000MHz	19989.23	-30.73	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-57.14	-43	PASS
Band2	9400	0.15~30MHz	0.15	-45.97	-23	PASS
Band2	9400	30~1000MHz	895.47	-45.52	-13	PASS
Band2	9400	1000~20000MHz	19918.93	-29.63	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-56.41	-43	PASS
Band2	9538	0.15~30MHz	0.16	-47.33	-23	PASS
Band2	9538	30~1000MHz	889.55	-45.52	-13	PASS
Band2	9538	1000~20000MHz	19678.27	-30.79	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-54.51	-43	PASS
Band4	1312	0.15~30MHz	0.16	-47.25	-23	PASS
Band4	1312	30~1000MHz	949.33	-46.23	-13	PASS
Band4	1312	1000~20000MHz	19906.27	-30.45	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-52.59	-43	PASS
Band4	1413	0.15~30MHz	0.15	-47.9	-23	PASS
Band4	1413	30~1000MHz	808.75	-45.51	-13	PASS
Band4	1413	1000~20000MHz	19982.9	-30.77	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-55.97	-43	PASS
Band4	1513	0.15~30MHz	0.15	-45.83	-23	PASS
Band4	1513	30~1000MHz	979.31	-44.76	-13	PASS
Band4	1513	1000~20000MHz	19969.6	-30.85	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-56.38	-33	PASS
Band5	4132	0.15~30MHz	0.15	-48.24	-13	PASS
Band5	4132	30~1000MHz	929.97	-54.28	-13	PASS
Band5	4132	1000~10000MHz	7307.2	-36.46	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-55.54	-33	PASS
Band5	4183	0.15~30MHz	0.15	-47.42	-13	PASS
Band5	4183	30~1000MHz	406.07	-54.63	-13	PASS
Band5	4183	1000~10000MHz	5881.9	-36.62	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-56.96	-33	PASS
Band5	4233	0.15~30MHz	0.15	-46.72	-13	PASS
Band5	4233	30~1000MHz	68.32	-54.93	-13	PASS
Band5	4233	1000~10000MHz	5942.8	-36.56	-13	PASS


Test Graphs(WCDMA)














AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	0.61	0.000729	±2.5	Pass
	-20	-0.92	-0.001100		
	-10	-0.25	-0.000299		
	0	1.20	0.001434		
	10	2.60	0.003108		
	20	-1.12	-0.001339		
	30	0.07	0.000084		
	40	-0.82	-0.000980		
	50	1.59	0.001901		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.50	0.49	0.000586	±2.5	Pass
	3.87	-2.95	-0.003526		
	4.45	-0.83	-0.000992		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	1.18	0.000681	Within authorized band for BAND IV	Pass
	-20	4.56	0.002632		
	-10	2.72	0.001570		
	0	-7.35	-0.004242		
	10	-3.93	-0.002268		
	20	3.29	0.001899		
	30	6.16	0.003555		
	40	-1.85	-0.001068		
	50	-2.02	-0.001166		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.50	4.52	0.002609	Within authorized band for BAND IV	Pass
	3.87	3.70	0.002136		
	4.45	-6.32	-0.003648		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	-4.33	-0.002303	Within authorized band for BAND II	Pass
	-20	9.73	0.005176		
	-10	0.79	0.000420		
	0	-0.25	-0.000133		
	10	-1.12	-0.000596		
	20	-0.92	-0.000489		
	30	-8.78	-0.004670		
	40	4.86	0.002585		
	50	-6.35	-0.003378		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.50	7.32	0.003894	Within authorized band for BAND II	Pass
	3.87	5.03	0.002676		
	4.45	-1.92	-0.001021		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

