







11N20SISO Ant1 5825




11N40SISO Ant1 5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5775




11AX20SISO_Ant1_5180




11AX20SISO_Ant1_5200




11AX20SISO_Ant1_5240




11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785




11AX20SISO_Ant1_5825




11AX40SISO_Ant1_5190




11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5755




11AX40SISO_Ant1_5795



11AX80SISO_Ant1_5210



11AX80SISO Ant1 5775



1.6 Appendix D: Maximum power spectral density


1.6.1 Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	-1.31	≤11.00	PASS
		5200	-1.75	≤11.00	PASS
		5240	-1.33	≤11.00	PASS
		5745	-9.85	≤30.00	PASS
		5785	-9.58	≤30.00	PASS
		5825	-9.23	≤30.00	PASS
11N20SISO	Ant1	5180	-1.30	≤11.00	PASS
		5200	-1.87	≤11.00	PASS
		5240	-1.83	≤11.00	PASS
		5745	-8.93	≤30.00	PASS
		5785	-9.68	≤30.00	PASS
		5825	-9.36	≤30.00	PASS
11N40SISO	Ant1	5190	-3.93	≤11.00	PASS
		5230	-4.26	≤11.00	PASS
		5755	-11.95	≤30.00	PASS
		5795	-12.18	≤30.00	PASS
11AC20SISO	Ant1	5180	-2.25	≤11.00	PASS
		5200	-1.89	≤11.00	PASS
		5240	-2.08	≤11.00	PASS
		5745	-9.75	≤30.00	PASS
		5785	-9.95	≤30.00	PASS
		5825	-9.95	≤30.00	PASS
11AC40SISO	Ant1	5190	-4.40	≤11.00	PASS
		5230	-5.10	≤11.00	PASS
		5755	-12.73	≤30.00	PASS
		5795	-12.88	≤30.00	PASS
11AC80SISO	Ant1	5210	-7.41	≤11.00	PASS
		5775	-13.39	≤30.00	PASS
11AX20SISO	Ant1	5180	-1.78	≤11.00	PASS
		5200	-2.50	≤11.00	PASS
		5240	-2.38	≤11.00	PASS
		5745	-10.03	≤30.00	PASS
		5785	-10.44	≤30.00	PASS
		5825	-9.71	≤30.00	PASS
11AX40SISO	Ant1	5190	-4.60	≤11.00	PASS
		5230	-1.71	≤11.00	PASS
		5755	-13.26	≤30.00	PASS
		5795	-12.53	≤30.00	PASS
11AX80SISO	Ant1	5210	-7.50	≤11.00	PASS
		5775	-15.95	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

1.6.2 Test Graphs







11A_Ant1_5745




11A_Ant1_5785




11A Ant1 5825



11N20SISO_Ant1 5180



11N20SISO_Ant1_5200



11N20SISO_Ant1_5240