

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	22.62	21.17	33.01	PASS
Band2	TestMode	9262	22.63	21.18	33.01	PASS
Band2	TestMode	9400	22.79	21.34	33.01	PASS
Band2	Voice	9400	22.82	21.37	33.01	PASS
Band2	TestMode	9538	22.78	21.33	33.01	PASS
Band2	Voice	9538	22.84	21.39	33.01	PASS
Band4	Voice	1312	22.52	22.35	30.00	PASS
Band4	TestMode	1312	22.48	22.31	30.00	PASS
Band4	Voice	1413	22.70	22.53	30.00	PASS
Band4	TestMode	1413	22.66	22.49	30.00	PASS
Band4	TestMode	1513	22.60	22.43	30.00	PASS
Band4	Voice	1513	22.62	22.45	30.00	PASS
Band5	Voice	4132	23.25	16.27	38.45	PASS
Band5	TestMode	4132	23.18	16.2	38.45	PASS
Band5	TestMode	4183	23.30	16.32	38.45	PASS
Band5	Voice	4183	23.23	16.25	38.45	PASS
Band5	Voice	4233	23.21	16.23	38.45	PASS
Band5	TestMode	4233	23.18	16.2	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.57	20.12	33.01	PASS
Band2	9262	2	21.04	19.59	33.01	PASS
Band2	9262	3	21.07	19.62	33.01	PASS
Band2	9262	4	21.05	19.6	33.01	PASS
Band2	9400	1	21.74	20.29	33.01	PASS
Band2	9400	2	21.22	19.77	33.01	PASS
Band2	9400	3	21.26	19.81	33.01	PASS
Band2	9400	4	21.26	19.81	33.01	PASS
Band2	9538	1	21.80	20.35	33.01	PASS
Band2	9538	2	21.23	19.78	33.01	PASS
Band2	9538	3	21.27	19.82	33.01	PASS
Band2	9538	4	21.29	19.84	33.01	PASS

Band4	1312	1	21.51	21.34	30.00	PASS
Band4	1312	2	21.05	20.88	30.00	PASS
Band4	1312	3	21.12	20.95	30.00	PASS
Band4	1312	4	20.98	20.81	30.00	PASS
Band4	1413	1	21.74	21.57	30.00	PASS
Band4	1413	2	21.24	21.07	30.00	PASS
Band4	1413	3	21.27	21.1	30.00	PASS
Band4	1413	4	21.15	20.98	30.00	PASS
Band4	1513	1	21.67	21.5	30.00	PASS
Band4	1513	2	21.14	20.97	30.00	PASS
Band4	1513	3	21.18	21.01	30.00	PASS
Band4	1513	4	21.07	20.9	30.00	PASS
Band5	4132	1	22.16	15.18	38.5	PASS
Band5	4132	2	21.63	14.65	38.5	PASS
Band5	4132	3	21.67	14.69	38.5	PASS
Band5	4132	4	21.64	14.66	38.5	PASS
Band5	4183	1	22.27	15.29	38.5	PASS
Band5	4183	2	21.74	14.76	38.5	PASS
Band5	4183	3	21.78	14.8	38.5	PASS
Band5	4183	4	21.73	14.75	38.5	PASS
Band5	4233	1	22.14	15.16	38.5	PASS
Band5	4233	2	21.62	14.64	38.5	PASS
Band5	4233	3	21.65	14.67	38.5	PASS
Band5	4233	4	21.58	14.6	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	19.53	18.08	33.01	PASS
Band2	9262	2	20.02	18.57	33.01	PASS
Band2	9262	3	20.52	19.07	33.01	PASS
Band2	9262	4	19.55	18.1	33.01	PASS
Band2	9262	5	21.50	20.05	33.01	PASS
Band2	9400	1	19.67	18.22	33.01	PASS
Band2	9400	2	20.21	18.76	33.01	PASS
Band2	9400	3	20.72	19.27	33.01	PASS
Band2	9400	4	19.73	18.28	33.01	PASS
Band2	9400	5	21.68	20.23	33.01	PASS
Band2	9538	1	19.72	18.27	33.01	PASS
Band2	9538	2	20.24	18.79	33.01	PASS
Band2	9538	3	20.75	19.3	33.01	PASS

Band2	9538	4	19.74	18.29	33.01	PASS
Band2	9538	5	21.72	20.27	33.01	PASS
Band4	1312	1	19.50	19.33	30.00	PASS
Band4	1312	2	19.99	19.82	30.00	PASS
Band4	1312	3	20.46	20.29	30.00	PASS
Band4	1312	4	19.47	19.3	30.00	PASS
Band4	1312	5	21.47	21.3	30.00	PASS
Band4	1413	1	19.65	19.48	30.00	PASS
Band4	1413	2	20.13	19.96	30.00	PASS
Band4	1413	3	20.62	20.45	30.00	PASS
Band4	1413	4	19.63	19.46	30.00	PASS
Band4	1413	5	21.62	21.45	30.00	PASS
Band4	1513	1	19.56	19.39	30.00	PASS
Band4	1513	2	20.04	19.87	30.00	PASS
Band4	1513	3	20.53	20.36	30.00	PASS
Band4	1513	4	19.56	19.39	30.00	PASS
Band4	1513	5	21.54	21.37	30.00	PASS
Band5	4132	1	20.11	13.13	38.5	PASS
Band5	4132	2	20.57	13.59	38.5	PASS
Band5	4132	3	21.10	14.12	38.5	PASS
Band5	4132	4	20.07	13.09	38.5	PASS
Band5	4132	5	22.07	15.09	38.5	PASS
Band5	4183	1	20.16	13.18	38.5	PASS
Band5	4183	2	20.66	13.68	38.5	PASS
Band5	4183	3	21.17	14.19	38.5	PASS
Band5	4183	4	20.16	13.18	38.5	PASS
Band5	4183	5	22.16	15.18	38.5	PASS
Band5	4233	1	20.03	13.05	38.5	PASS
Band5	4233	2	20.54	13.56	38.5	PASS
Band5	4233	3	21.04	14.06	38.5	PASS
Band5	4233	4	20.04	13.06	38.5	PASS
Band5	4233	5	21.99	15.01	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2)
ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.87	13	PASS
Band4	1413	2.71	13	PASS
Band5	4183	3.15	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs(WCDMA)




AppendixC:26dB Bandwidth andOccupied Bandwidth


Test Result(WCDMA)

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1488	4.698	---	PASS
Band2	9400	4.1479	4.700	---	PASS
Band2	9538	4.1534	4.711	---	PASS
Band4	1312	4.1740	4.744	---	PASS
Band4	1413	4.1659	4.715	---	PASS
Band4	1513	4.1643	4.734	---	PASS
Band5	4132	4.1517	4.685	---	PASS
Band5	4183	4.1515	4.691	---	PASS
Band5	4233	4.1394	4.678	---	PASS


Test Graphs(WCDMA)




Band5-4132



Band5-4183



Band5-4233



AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-19.86	-13	PASS
Band2	9538	1910.00	-19.03	-13	PASS
Band4	1312	1710.00	-17.67	-13	PASS
Band4	1513	1755.00	-19.48	-13	PASS
Band5	4132	824.00	-19.66	-13	PASS
Band5	4233	849.00	-21.08	-13	PASS

Test Graphs(WCDMA)



JianYan Testing Group Shenzhen Co., Ltd.

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2505025


AppendixE:Conducted SpuriousEmission


Test Result(WCDMA)


Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-54.02	-43	PASS
Band2	9262	0.15~30MHz	0.16	-46.78	-23	PASS
Band2	9262	30~1000MHz	785.53	-45.42	-13	PASS
Band2	9262	1000~20000MHz	19504.73	-30.87	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-57.23	-43	PASS
Band2	9400	0.15~30MHz	0.17	-46.85	-23	PASS
Band2	9400	30~1000MHz	922.34	-44.59	-13	PASS
Band2	9400	1000~20000MHz	19839.77	-30.14	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-54.28	-43	PASS
Band2	9538	0.15~30MHz	0.15	-46.06	-23	PASS
Band2	9538	30~1000MHz	819.13	-45.47	-13	PASS
Band2	9538	1000~20000MHz	19969.6	-30.35	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-56.49	-43	PASS
Band4	1312	0.15~30MHz	0.16	-47.11	-23	PASS
Band4	1312	30~1000MHz	295.17	-46.07	-13	PASS
Band4	1312	1000~20000MHz	19937.93	-30.27	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-56.24	-43	PASS
Band4	1413	0.15~30MHz	0.15	-45.4	-23	PASS
Band4	1413	30~1000MHz	943.9	-45.52	-13	PASS
Band4	1413	1000~20000MHz	19823.3	-30.48	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-54.69	-43	PASS
Band4	1513	0.15~30MHz	0.16	-46.33	-23	PASS
Band4	1513	30~1000MHz	717.12	-45.2	-13	PASS
Band4	1513	1000~20000MHz	19984.8	-30.53	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-54.68	-33	PASS
Band5	4132	0.15~30MHz	0.15	-45.45	-13	PASS
Band5	4132	30~1000MHz	575.69	-54.95	-13	PASS
Band5	4132	1000~10000MHz	7643.5	-36.77	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-56.13	-33	PASS
Band5	4183	0.15~30MHz	0.15	-46.29	-13	PASS
Band5	4183	30~1000MHz	963.63	-54.18	-13	PASS
Band5	4183	1000~10000MHz	7296.4	-36.79	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-56.54	-33	PASS
Band5	4233	0.15~30MHz	0.15	-45.82	-13	PASS
Band5	4233	30~1000MHz	423.3	-38.93	-13	PASS
Band5	4233	1000~10000MHz	7289.5	-37.02	-13	PASS


Test Graphs(WCDMA)














AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	-2.30	-0.002749	±2.5	Pass
	-20	-2.01	-0.002403		
	-10	-2.68	-0.003203		
	0	-2.25	-0.002689		
	10	-5.27	-0.006299		
	20	-1.61	-0.001924		
	30	-1.16	-0.001387		
	40	-2.96	-0.003538		
	50	-2.76	-0.003299		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.00	-1.60	-0.001913	±2.5	Pass
	3.87	-3.21	-0.003837		
	4.45	-3.17	-0.003789		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND IV 12.2k RMC Middle Frequency=1413 channel=1732.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (℃)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	0.28	0.000162	Within authorized band for BAND IV	Pass
	-20	-1.04	-0.000600		
	-10	-3.03	-0.001749		
	0	-1.57	-0.000906		
	10	-2.34	-0.001351		
	20	-2.10	-0.001212		
	30	-5.57	-0.003215		
	40	-1.32	-0.000762		
	50	-3.33	-0.001922		
Voltage					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.00	-3.35	-0.001934	Within authorized band for BAND IV	Pass
	3.87	-2.83	-0.001633		
	4.45	-3.15	-0.001818		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.87	-30	1.57	0.000835	Within authorized band for BAND II	Pass
	-20	1.08	0.000574		
	-10	4.03	0.002144		
	0	0.69	0.000367		
	10	2.03	0.001080		
	20	3.58	0.001904		
	30	2.46	0.001309		
	40	1.21	0.000644		
	50	-1.44	-0.000766		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.00	0.99	0.000527	Within authorized band for BAND II	Pass
	3.87	2.96	0.001574		
	4.45	0.45	0.000239		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band4	1413	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

