

1. Effective (Isotropic) Radiated Power Output Data

1.1 B26c_15MHz_ERP

1.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	821.5	1	0	24.09	0.15	22.09	<=38.45	Pass
			38	24.09	0.15	22.09	<=38.45	Pass
			74	24.06	0.15	22.06	<=38.45	Pass
		36	0	22.91	0.15	20.91	<=38.45	Pass
			18	22.95	0.15	20.95	<=38.45	Pass
			39	22.97	0.15	20.97	<=38.45	Pass
		75	0	22.98	0.15	20.98	<=38.45	Pass
	831.5	1	0	23.96	0.15	21.96	<=38.45	Pass
			38	23.95	0.15	21.95	<=38.45	Pass
			74	23.83	0.15	21.83	<=38.45	Pass
		36	0	22.96	0.15	20.96	<=38.45	Pass
			18	22.96	0.15	20.96	<=38.45	Pass
			39	22.94	0.15	20.94	<=38.45	Pass
		75	0	22.97	0.15	20.97	<=38.45	Pass
	841.5	1	0	24.03	0.15	22.03	<=38.45	Pass
			38	24.08	0.15	22.08	<=38.45	Pass
			74	23.97	0.15	21.97	<=38.45	Pass
		36	0	22.96	0.15	20.96	<=38.45	Pass
			18	22.90	0.15	20.90	<=38.45	Pass
			39	22.85	0.15	20.85	<=38.45	Pass
		75	0	22.92	0.15	20.92	<=38.45	Pass
16QAM	821.5	1	0	23.11	0.15	21.11	<=38.45	Pass
			38	23.25	0.15	21.25	<=38.45	Pass
			74	23.18	0.15	21.18	<=38.45	Pass
		36	0	21.99	0.15	19.99	<=38.45	Pass
			18	22.00	0.15	20.00	<=38.45	Pass
			39	22.02	0.15	20.02	<=38.45	Pass
		75	0	21.99	0.15	19.99	<=38.45	Pass
	831.5	1	0	23.00	0.15	21.00	<=38.45	Pass
			38	23.02	0.15	21.02	<=38.45	Pass
			74	22.91	0.15	20.91	<=38.45	Pass
		36	0	21.99	0.15	19.99	<=38.45	Pass
			18	21.97	0.15	19.97	<=38.45	Pass
			39	21.97	0.15	19.97	<=38.45	Pass
		75	0	21.93	0.15	19.93	<=38.45	Pass
	841.5	1	0	23.00	0.15	21.00	<=38.45	Pass
			38	22.97	0.15	20.97	<=38.45	Pass
			74	22.92	0.15	20.92	<=38.45	Pass
		36	0	22.00	0.15	20.00	<=38.45	Pass
			18	21.97	0.15	19.97	<=38.45	Pass
			39	21.89	0.15	19.89	<=38.45	Pass
		75	0	21.97	0.15	19.97	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B26c_15MHz

2.1.1 Test Result

Band: 26c / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	821.5	75	0	20	3.23	-1.402	-0.0017	-2.5 to 2.5	Pass
					3.8	-3.519	-0.0043	-2.5 to 2.5	Pass
					4.37	-1.044	-0.0013	-2.5 to 2.5	Pass
				-30	3.8	-2.718	-0.0033	-2.5 to 2.5	Pass
				-20	3.8	-0.830	-0.0010	-2.5 to 2.5	Pass
				-10	3.8	-2.260	-0.0028	-2.5 to 2.5	Pass
				0	3.8	-2.775	-0.0034	-2.5 to 2.5	Pass
				10	3.8	-2.618	-0.0032	-2.5 to 2.5	Pass
				30	3.8	-2.232	-0.0027	-2.5 to 2.5	Pass
				40	3.8	-3.090	-0.0038	-2.5 to 2.5	Pass
				50	3.8	-1.416	-0.0017	-2.5 to 2.5	Pass
	831.5	75	0	20	3.23	-0.701	-0.0008	-2.5 to 2.5	Pass
					3.8	-0.143	-0.0002	-2.5 to 2.5	Pass
					4.37	0.315	0.0004	-2.5 to 2.5	Pass
				-30	3.8	-1.602	-0.0019	-2.5 to 2.5	Pass
				-20	3.8	-0.844	-0.0010	-2.5 to 2.5	Pass
				-10	3.8	-0.916	-0.0011	-2.5 to 2.5	Pass
				0	3.8	-0.687	-0.0008	-2.5 to 2.5	Pass
				10	3.8	-0.529	-0.0006	-2.5 to 2.5	Pass
				30	3.8	-2.117	-0.0025	-2.5 to 2.5	Pass
				40	3.8	0.343	0.0004	-2.5 to 2.5	Pass
				50	3.8	0.372	0.0004	-2.5 to 2.5	Pass
	841.5	75	0	20	3.23	0.744	0.0009	-2.5 to 2.5	Pass
					3.8	-0.200	-0.0002	-2.5 to 2.5	Pass
					4.37	-0.801	-0.0010	-2.5 to 2.5	Pass
				-30	3.8	1.130	0.0013	-2.5 to 2.5	Pass
				-20	3.8	0.186	0.0002	-2.5 to 2.5	Pass
				-10	3.8	-0.129	-0.0002	-2.5 to 2.5	Pass
				0	3.8	0.730	0.0009	-2.5 to 2.5	Pass
				10	3.8	0.587	0.0007	-2.5 to 2.5	Pass
				30	3.8	-0.014	0.0000	-2.5 to 2.5	Pass
				40	3.8	0.114	0.0001	-2.5 to 2.5	Pass
				50	3.8	0.072	0.0001	-2.5 to 2.5	Pass
16QAM	821.5	75	0	20	3.23	-1.845	-0.0022	-2.5 to 2.5	Pass
					3.8	-2.804	-0.0034	-2.5 to 2.5	Pass
					4.37	-2.003	-0.0024	-2.5 to 2.5	Pass
				-30	3.8	-0.901	-0.0011	-2.5 to 2.5	Pass
				-20	3.8	-1.917	-0.0023	-2.5 to 2.5	Pass
				-10	3.8	-2.775	-0.0034	-2.5 to 2.5	Pass
				0	3.8	-0.672	-0.0008	-2.5 to 2.5	Pass
				10	3.8	-2.017	-0.0025	-2.5 to 2.5	Pass
				30	3.8	-1.202	-0.0015	-2.5 to 2.5	Pass
				40	3.8	-1.073	-0.0013	-2.5 to 2.5	Pass
				50	3.8	-1.287	-0.0016	-2.5 to 2.5	Pass
	831.5	75	0	20	3.23	-1.359	-0.0016	-2.5 to 2.5	Pass
					3.8	0.730	0.0009	-2.5 to 2.5	Pass
					4.37	-0.129	-0.0002	-2.5 to 2.5	Pass
				-30	3.8	-2.918	-0.0035	-2.5 to 2.5	Pass
				-20	3.8	-3.691	-0.0044	-2.5 to 2.5	Pass

				-10	3.8	1.216	0.0015	-2.5 to 2.5	Pass
				0	3.8	-1.674	-0.0020	-2.5 to 2.5	Pass
				10	3.8	-1.245	-0.0015	-2.5 to 2.5	Pass
				30	3.8	-0.958	-0.0012	-2.5 to 2.5	Pass
				40	3.8	-1.316	-0.0016	-2.5 to 2.5	Pass
				50	3.8	-1.216	-0.0015	-2.5 to 2.5	Pass
	841.5	75	0	20	3.23	-1.259	-0.0015	-2.5 to 2.5	Pass
					3.8	-0.372	-0.0004	-2.5 to 2.5	Pass
					4.37	1.273	0.0015	-2.5 to 2.5	Pass
				-30	3.8	0.215	0.0003	-2.5 to 2.5	Pass
				-20	3.8	1.059	0.0013	-2.5 to 2.5	Pass
				-10	3.8	-1.116	-0.0013	-2.5 to 2.5	Pass
				0	3.8	-1.616	-0.0019	-2.5 to 2.5	Pass
				10	3.8	-0.544	-0.0006	-2.5 to 2.5	Pass
				30	3.8	0.529	0.0006	-2.5 to 2.5	Pass
				40	3.8	0.572	0.0007	-2.5 to 2.5	Pass
				50	3.8	1.273	0.0015	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B26c_15MHz

3.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	Refer To Test Graph		Pass
16QAM	831.5	75	0	Refer To Test Graph		Pass

3.1.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band26c_OBW


4.1.1 Test Result

Band: 26c / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
15	QPSK	821.5	75	0	13.612	Pass
		831.5	75	0	13.584	Pass
		841.5	75	0	13.545	Pass
	16QAM	821.5	75	0	13.613	Pass
		831.5	75	0	13.603	Pass
		841.5	75	0	13.571	Pass


4.1.2 Test Graph




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2 Band26c_XDB


4.2.1 Test Result

Band: 26c / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
15	QPSK	821.5	75	0	15.031	Pass
		831.5	75	0	14.916	Pass
		841.5	75	0	14.893	Pass
	16QAM	821.5	75	0	14.966	Pass
		831.5	75	0	14.897	Pass
		841.5	75	0	14.951	Pass


4.2.2 Test Graph




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




5. Peak-Average Ratio

5.1 B26c_15MHz


5.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	821.5	75	0	4.82	<=13	Pass
	831.5	75	0	4.92	<=13	Pass
	841.5	75	0	4.91	<=13	Pass
16QAM	821.5	75	0	5.59	<=13	Pass
	831.5	75	0	5.75	<=13	Pass
	841.5	75	0	5.79	<=13	Pass


5.1.2 Test Graph




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




6. Spurious Emission

6.1 B26c_15MHz


6.1.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	821.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	831.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
16QAM	821.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	831.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass


6.1.2 Test Graph




Band26c_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV




Band26c_15MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV



Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26c_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	0	1	849.016	-40.74	-13	Pass
849	850	0.003	0	2	850.006	-44.07	-13	Pass
850	864	0.1	15.23					


Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV



Band26c_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV




Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	0	1	811.930	-29.90	-13	Pass
813	814	0.15	1.76	2	813.970	-28.29	-20	Pass
814	829	0.15	1.76	/	/	/	/	/


Band26c_15MHz_16QAM_MCH_831.5MHz_RB_1_0_NTNV




Band26c_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV



Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26c	15	821.5	841.5	0.2564	0.0043	ppm	13M6G7D	/	24.09
26c	15	821.5	841.5	0.2113	0.0044	ppm	13M6W7D	/	23.25

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
26c	15	821.5	841.5	0.1618	0.0043	ppm	13M6G7D	/	22.09
26c	15	821.5	841.5	0.1334	0.0044	ppm	13M6W7D	/	21.25