







Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS




Band2-9400-2-0.15~30MHz-PASS




Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS







Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS



Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Date: 5.APR.2025 10:50:44

Band2-9538-3-30~1000MHz-PASS




Date: 5.APR.2025 10:51:01


Band2-9538-3-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS




Band2-9262-1-30~1000MHz-PASS




Band2-9262-1-1000~20000MHz-PASS




Band2-9262-2-0.009~0.15MHz-PASS




Band2-9262-2-0.15~30MHz-PASS




Band2-9262-2-30~1000MHz-PASS




Band2-9262-2-1000~20000MHz-PASS




Band2-9262-3-0.009~0.15MHz-PASS




Band2-9262-3-0.15~30MHz-PASS




Band2-9262-4-0.009~0.15MHz-PASS




Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS




Band2-9262-4-1000~20000MHz-PASS




Band2-9262-5-30~1000MHz-PASS




Band2-9262-5-1000~20000MHz-PASS




Band2-9400-1-0.009~0.15MHz-PASS




Band2-9400-1-0.15~30MHz-PASS




Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS




Band2-9400-2-0.15~30MHz-PASS




Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS




Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS




Band2-9400-5-0.009~0.15MHz-PASS




Band2-9400-5-0.15~30MHz-PASS




Band2-9400-5-30~1000MHz-PASS




Band2-9400-5-1000~20000MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS




Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-7.15	-0.003860	±2.5	PASS
Band2	9262	VL	NT	-6.89	-0.003719	±2.5	PASS
Band2	9262	VH	NT	-6.42	-0.003466	±2.5	PASS
Band2	9400	VN	NT	-4.61	-0.002452	±2.5	PASS
Band2	9400	VL	NT	-3.32	-0.001766	±2.5	PASS
Band2	9400	VH	NT	-6.31	-0.003356	±2.5	PASS
Band2	9538	VN	NT	2.37	0.001242	±2.5	PASS
Band2	9538	VL	NT	0.14	0.000073	±2.5	PASS
Band2	9538	VH	NT	-2.68	-0.001405	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	0.77	0.000416	±2.5	PASS
Band2	9262	NV	-20	-4.38	-0.002365	±2.5	PASS
Band2	9262	NV	-10	-2.59	-0.001398	±2.5	PASS
Band2	9262	NV	0	-2.70	-0.001458	±2.5	PASS
Band2	9262	NV	10	-2.21	-0.001193	±2.5	PASS
Band2	9262	NV	20	-3.50	-0.001889	±2.5	PASS
Band2	9262	NV	30	0.61	0.000329	±2.5	PASS
Band2	9262	NV	40	-1.09	-0.000588	±2.5	PASS
Band2	9262	NV	50	-3.36	-0.001814	±2.5	PASS
Band2	9400	NV	-30	-6.01	-0.003197	±2.5	PASS
Band2	9400	NV	-20	1.39	0.000739	±2.5	PASS
Band2	9400	NV	-10	1.12	0.000596	±2.5	PASS
Band2	9400	NV	0	-1.34	-0.000713	±2.5	PASS
Band2	9400	NV	10	-1.90	-0.001011	±2.5	PASS
Band2	9400	NV	20	0.67	0.000356	±2.5	PASS
Band2	9400	NV	30	-3.23	-0.001718	±2.5	PASS
Band2	9400	NV	40	-7.02	-0.003734	±2.5	PASS
Band2	9400	NV	50	2.34	0.001245	±2.5	PASS
Band2	9538	NV	-30	-4.83	-0.002532	±2.5	PASS
Band2	9538	NV	-20	1.43	0.000750	±2.5	PASS
Band2	9538	NV	-10	-2.04	-0.001069	±2.5	PASS
Band2	9538	NV	0	2.40	0.001258	±2.5	PASS

Band2	9538	NV	10	-2.69	-0.001410	±2.5	PASS
Band2	9538	NV	20	-1.21	-0.000634	±2.5	PASS
Band2	9538	NV	30	-4.79	-0.002511	±2.5	PASS
Band2	9538	NV	40	-2.92	-0.001531	±2.5	PASS
Band2	9538	NV	50	-4.64	-0.002432	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-13.68	-0.007385	±2.5	PASS
Band2	9262	1	VL	NT	-10.76	-0.005809	±2.5	PASS
Band2	9262	1	VH	NT	-6.70	-0.003617	±2.5	PASS
Band2	9262	2	VN	NT	-8.14	-0.004394	±2.5	PASS
Band2	9262	2	VL	NT	-5.01	-0.002705	±2.5	PASS
Band2	9262	2	VH	NT	-3.65	-0.001970	±2.5	PASS
Band2	9262	3	VN	NT	-4.32	-0.002332	±2.5	PASS
Band2	9262	3	VL	NT	-1.16	-0.000626	±2.5	PASS
Band2	9262	3	VH	NT	-0.75	-0.000405	±2.5	PASS
Band2	9262	4	VN	NT	-3.05	-0.001647	±2.5	PASS
Band2	9262	4	VL	NT	-6.36	-0.003433	±2.5	PASS
Band2	9262	4	VH	NT	-2.15	-0.001161	±2.5	PASS
Band2	9400	1	VN	NT	-4.55	-0.002420	±2.5	PASS
Band2	9400	1	VL	NT	-4.95	-0.002633	±2.5	PASS
Band2	9400	1	VH	NT	-2.90	-0.001543	±2.5	PASS
Band2	9400	2	VN	NT	-6.95	-0.003697	±2.5	PASS
Band2	9400	2	VL	NT	-5.63	-0.002995	±2.5	PASS
Band2	9400	2	VH	NT	-4.02	-0.002138	±2.5	PASS
Band2	9400	3	VN	NT	-4.45	-0.002367	±2.5	PASS
Band2	9400	3	VL	NT	-2.73	-0.001452	±2.5	PASS
Band2	9400	3	VH	NT	-4.33	-0.002303	±2.5	PASS
Band2	9400	4	VN	NT	-6.66	-0.003543	±2.5	PASS
Band2	9400	4	VL	NT	-5.23	-0.002782	±2.5	PASS
Band2	9400	4	VH	NT	-1.89	-0.001005	±2.5	PASS
Band2	9538	1	VN	NT	-7.37	-0.003863	±2.5	PASS
Band2	9538	1	VL	NT	-7.68	-0.004026	±2.5	PASS
Band2	9538	1	VH	NT	-5.01	-0.002626	±2.5	PASS
Band2	9538	2	VN	NT	-5.55	-0.002909	±2.5	PASS
Band2	9538	2	VL	NT	-1.85	-0.000970	±2.5	PASS
Band2	9538	2	VH	NT	-3.13	-0.001641	±2.5	PASS
Band2	9538	3	VN	NT	-6.36	-0.003334	±2.5	PASS
Band2	9538	3	VL	NT	-4.10	-0.002149	±2.5	PASS
Band2	9538	3	VH	NT	-1.28	-0.000671	±2.5	PASS

Band2	9538	4	VN	NT	-4.49	-0.002354	±2.5	PASS
Band2	9538	4	VL	NT	2.77	0.001452	±2.5	PASS
Band2	9538	4	VH	NT	-0.85	-0.000446	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-6.70	-0.003617	±2.5	PASS
Band2	9262	1	NV	-20	-3.55	-0.001916	±2.5	PASS
Band2	9262	1	NV	-10	-6.20	-0.003347	±2.5	PASS
Band2	9262	1	NV	0	-4.61	-0.002489	±2.5	PASS
Band2	9262	1	NV	10	-2.19	-0.001182	±2.5	PASS
Band2	9262	1	NV	20	-2.68	-0.001447	±2.5	PASS
Band2	9262	1	NV	30	-6.01	-0.003244	±2.5	PASS
Band2	9262	1	NV	40	-2.62	-0.001414	±2.5	PASS
Band2	9262	1	NV	50	-1.94	-0.001047	±2.5	PASS
Band2	9262	2	NV	-30	-4.28	-0.002311	±2.5	PASS
Band2	9262	2	NV	-20	-0.33	-0.000178	±2.5	PASS
Band2	9262	2	NV	-10	-1.39	-0.000750	±2.5	PASS
Band2	9262	2	NV	0	-4.92	-0.002656	±2.5	PASS
Band2	9262	2	NV	10	0.11	0.000059	±2.5	PASS
Band2	9262	2	NV	20	-2.17	-0.001171	±2.5	PASS
Band2	9262	2	NV	30	2.63	0.001420	±2.5	PASS
Band2	9262	2	NV	40	-2.30	-0.001242	±2.5	PASS
Band2	9262	2	NV	50	0.21	0.000113	±2.5	PASS
Band2	9262	3	NV	-30	-2.25	-0.001215	±2.5	PASS
Band2	9262	3	NV	-20	-5.58	-0.003012	±2.5	PASS
Band2	9262	3	NV	-10	-1.80	-0.000972	±2.5	PASS
Band2	9262	3	NV	0	-6.54	-0.003531	±2.5	PASS
Band2	9262	3	NV	10	-1.10	-0.000594	±2.5	PASS
Band2	9262	3	NV	20	-1.14	-0.000615	±2.5	PASS
Band2	9262	3	NV	30	-4.00	-0.002159	±2.5	PASS
Band2	9262	3	NV	40	-4.82	-0.002602	±2.5	PASS
Band2	9262	3	NV	50	-2.01	-0.001085	±2.5	PASS
Band2	9262	4	NV	-30	-4.33	-0.002338	±2.5	PASS
Band2	9262	4	NV	-20	-3.88	-0.002095	±2.5	PASS
Band2	9262	4	NV	-10	2.11	0.001139	±2.5	PASS
Band2	9262	4	NV	0	-1.96	-0.001058	±2.5	PASS
Band2	9262	4	NV	10	-1.48	-0.000799	±2.5	PASS
Band2	9262	4	NV	20	-0.73	-0.000394	±2.5	PASS
Band2	9262	4	NV	30	-4.06	-0.002192	±2.5	PASS

Band2	9262	4	NV	40	-1.83	-0.000988	±2.5	PASS
Band2	9262	4	NV	50	-3.73	-0.002014	±2.5	PASS
Band2	9400	1	NV	-30	-5.85	-0.003112	±2.5	PASS
Band2	9400	1	NV	-20	0.41	0.000218	±2.5	PASS
Band2	9400	1	NV	-10	-1.99	-0.001059	±2.5	PASS
Band2	9400	1	NV	0	-1.77	-0.000941	±2.5	PASS
Band2	9400	1	NV	10	-4.43	-0.002356	±2.5	PASS
Band2	9400	1	NV	20	-3.72	-0.001979	±2.5	PASS
Band2	9400	1	NV	30	-6.81	-0.003622	±2.5	PASS
Band2	9400	1	NV	40	-1.57	-0.000835	±2.5	PASS
Band2	9400	1	NV	50	-0.80	-0.000426	±2.5	PASS
Band2	9400	2	NV	-30	-4.09	-0.002176	±2.5	PASS
Band2	9400	2	NV	-20	-1.97	-0.001048	±2.5	PASS
Band2	9400	2	NV	-10	-3.28	-0.001745	±2.5	PASS
Band2	9400	2	NV	0	-1.38	-0.000734	±2.5	PASS
Band2	9400	2	NV	10	-1.20	-0.000638	±2.5	PASS
Band2	9400	2	NV	20	-1.97	-0.001048	±2.5	PASS
Band2	9400	2	NV	30	-1.32	-0.000702	±2.5	PASS
Band2	9400	2	NV	40	2.50	0.001330	±2.5	PASS
Band2	9400	2	NV	50	1.91	0.001016	±2.5	PASS
Band2	9400	3	NV	-30	-2.42	-0.001287	±2.5	PASS
Band2	9400	3	NV	-20	-4.74	-0.002521	±2.5	PASS
Band2	9400	3	NV	-10	-3.00	-0.001596	±2.5	PASS
Band2	9400	3	NV	0	0.73	0.000388	±2.5	PASS
Band2	9400	3	NV	10	-0.87	-0.000463	±2.5	PASS
Band2	9400	3	NV	20	0.26	0.000138	±2.5	PASS
Band2	9400	3	NV	30	-2.98	-0.001585	±2.5	PASS
Band2	9400	3	NV	40	0.93	0.000495	±2.5	PASS
Band2	9400	3	NV	50	0.41	0.000218	±2.5	PASS
Band2	9400	4	NV	-30	-1.24	-0.000660	±2.5	PASS
Band2	9400	4	NV	-20	-3.89	-0.002069	±2.5	PASS
Band2	9400	4	NV	-10	-5.76	-0.003064	±2.5	PASS
Band2	9400	4	NV	0	-1.74	-0.000926	±2.5	PASS
Band2	9400	4	NV	10	-1.61	-0.000856	±2.5	PASS
Band2	9400	4	NV	20	-0.21	-0.000112	±2.5	PASS
Band2	9400	4	NV	30	-1.65	-0.000878	±2.5	PASS
Band2	9400	4	NV	40	-2.03	-0.001080	±2.5	PASS
Band2	9400	4	NV	50	-0.64	-0.000340	±2.5	PASS
Band2	9538	1	NV	-30	0.06	0.000031	±2.5	PASS
Band2	9538	1	NV	-20	-1.62	-0.000849	±2.5	PASS
Band2	9538	1	NV	-10	-6.82	-0.003575	±2.5	PASS

Band2	9538	1	NV	0	0.08	0.000042	±2.5	PASS
Band2	9538	1	NV	10	-1.57	-0.000823	±2.5	PASS
Band2	9538	1	NV	20	-2.53	-0.001326	±2.5	PASS
Band2	9538	1	NV	30	0.75	0.000393	±2.5	PASS
Band2	9538	1	NV	40	-2.07	-0.001085	±2.5	PASS
Band2	9538	1	NV	50	-2.90	-0.001520	±2.5	PASS
Band2	9538	2	NV	-30	-3.97	-0.002081	±2.5	PASS
Band2	9538	2	NV	-20	1.29	0.000676	±2.5	PASS
Band2	9538	2	NV	-10	-3.71	-0.001945	±2.5	PASS
Band2	9538	2	NV	0	-2.92	-0.001531	±2.5	PASS
Band2	9538	2	NV	10	-2.54	-0.001332	±2.5	PASS
Band2	9538	2	NV	20	-5.71	-0.002993	±2.5	PASS
Band2	9538	2	NV	30	-5.02	-0.002632	±2.5	PASS
Band2	9538	2	NV	40	-4.28	-0.002244	±2.5	PASS
Band2	9538	2	NV	50	-2.85	-0.001494	±2.5	PASS
Band2	9538	3	NV	-30	-1.68	-0.000881	±2.5	PASS
Band2	9538	3	NV	-20	-3.56	-0.001866	±2.5	PASS
Band2	9538	3	NV	-10	-3.30	-0.001730	±2.5	PASS
Band2	9538	3	NV	0	-2.22	-0.001164	±2.5	PASS
Band2	9538	3	NV	10	-6.36	-0.003334	±2.5	PASS
Band2	9538	3	NV	20	-4.41	-0.002312	±2.5	PASS
Band2	9538	3	NV	30	-3.03	-0.001588	±2.5	PASS
Band2	9538	3	NV	40	-5.76	-0.003020	±2.5	PASS
Band2	9538	3	NV	50	-3.40	-0.001782	±2.5	PASS
Band2	9538	4	NV	-30	-3.44	-0.001803	±2.5	PASS
Band2	9538	4	NV	-20	-4.13	-0.002165	±2.5	PASS
Band2	9538	4	NV	-10	-3.38	-0.001772	±2.5	PASS
Band2	9538	4	NV	0	-1.98	-0.001038	±2.5	PASS
Band2	9538	4	NV	10	-2.20	-0.001153	±2.5	PASS
Band2	9538	4	NV	20	-2.12	-0.001111	±2.5	PASS
Band2	9538	4	NV	30	-3.10	-0.001625	±2.5	PASS
Band2	9538	4	NV	40	-5.92	-0.003103	±2.5	PASS
Band2	9538	4	NV	50	-2.63	-0.001379	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-13.59	-0.007336	±2.5	PASS
Band2	9262	1	VL	NT	-12.13	-0.006548	±2.5	PASS
Band2	9262	1	VH	NT	-7.75	-0.004184	±2.5	PASS
Band2	9262	2	VN	NT	-11.04	-0.005960	±2.5	PASS

Band2	9262	2	VL	NT	-7.18	-0.003876	±2.5	PASS
Band2	9262	2	VH	NT	-7.70	-0.004157	±2.5	PASS
Band2	9262	3	VN	NT	-10.21	-0.005512	±2.5	PASS
Band2	9262	3	VL	NT	-7.02	-0.003790	±2.5	PASS
Band2	9262	3	VH	NT	-6.17	-0.003331	±2.5	PASS
Band2	9262	4	VN	NT	-11.13	-0.006008	±2.5	PASS
Band2	9262	4	VL	NT	-9.05	-0.004886	±2.5	PASS
Band2	9262	4	VH	NT	-7.24	-0.003908	±2.5	PASS
Band2	9262	5	VN	NT	-13.53	-0.007304	±2.5	PASS
Band2	9262	5	VL	NT	-4.93	-0.002661	±2.5	PASS
Band2	9262	5	VH	NT	-8.35	-0.004508	±2.5	PASS
Band2	9400	1	VN	NT	-8.35	-0.004441	±2.5	PASS
Band2	9400	1	VL	NT	-3.78	-0.002011	±2.5	PASS
Band2	9400	1	VH	NT	-4.41	-0.002346	±2.5	PASS
Band2	9400	2	VN	NT	-7.25	-0.003856	±2.5	PASS
Band2	9400	2	VL	NT	-6.72	-0.003574	±2.5	PASS
Band2	9400	2	VH	NT	-6.52	-0.003468	±2.5	PASS
Band2	9400	3	VN	NT	-8.23	-0.004378	±2.5	PASS
Band2	9400	3	VL	NT	-9.01	-0.004793	±2.5	PASS
Band2	9400	3	VH	NT	-7.10	-0.003777	±2.5	PASS
Band2	9400	4	VN	NT	-10.98	-0.005840	±2.5	PASS
Band2	9400	4	VL	NT	-7.39	-0.003931	±2.5	PASS
Band2	9400	4	VH	NT	-2.09	-0.001112	±2.5	PASS
Band2	9400	5	VN	NT	-12.20	-0.006489	±2.5	PASS
Band2	9400	5	VL	NT	-9.08	-0.004830	±2.5	PASS
Band2	9400	5	VH	NT	-6.32	-0.003362	±2.5	PASS
Band2	9538	1	VN	NT	-13.78	-0.007224	±2.5	PASS
Band2	9538	1	VL	NT	-6.97	-0.003654	±2.5	PASS
Band2	9538	1	VH	NT	-4.98	-0.002611	±2.5	PASS
Band2	9538	2	VN	NT	-14.54	-0.007622	±2.5	PASS
Band2	9538	2	VL	NT	-5.71	-0.002993	±2.5	PASS
Band2	9538	2	VH	NT	-6.99	-0.003664	±2.5	PASS
Band2	9538	3	VN	NT	-8.21	-0.004304	±2.5	PASS
Band2	9538	3	VL	NT	-9.18	-0.004812	±2.5	PASS
Band2	9538	3	VH	NT	-6.12	-0.003208	±2.5	PASS
Band2	9538	4	VN	NT	-9.40	-0.004928	±2.5	PASS
Band2	9538	4	VL	NT	-3.18	-0.001667	±2.5	PASS
Band2	9538	4	VH	NT	-2.74	-0.001436	±2.5	PASS
Band2	9538	5	VN	NT	-8.90	-0.004666	±2.5	PASS
Band2	9538	5	VL	NT	-6.75	-0.003538	±2.5	PASS
Band2	9538	5	VH	NT	-7.85	-0.004115	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-8.15	-0.004400	±2.5	PASS
Band2	9262	1	NV	-20	-5.49	-0.002964	±2.5	PASS
Band2	9262	1	NV	-10	-7.57	-0.004087	±2.5	PASS
Band2	9262	1	NV	0	-4.17	-0.002251	±2.5	PASS
Band2	9262	1	NV	10	-7.97	-0.004303	±2.5	PASS
Band2	9262	1	NV	20	-4.48	-0.002418	±2.5	PASS
Band2	9262	1	NV	30	-2.05	-0.001107	±2.5	PASS
Band2	9262	1	NV	40	-3.24	-0.001749	±2.5	PASS
Band2	9262	1	NV	50	-5.59	-0.003018	±2.5	PASS
Band2	9262	2	NV	-30	-2.10	-0.001134	±2.5	PASS
Band2	9262	2	NV	-20	-5.55	-0.002996	±2.5	PASS
Band2	9262	2	NV	-10	-5.38	-0.002904	±2.5	PASS
Band2	9262	2	NV	0	-4.03	-0.002176	±2.5	PASS
Band2	9262	2	NV	10	-3.83	-0.002068	±2.5	PASS
Band2	9262	2	NV	20	-3.73	-0.002014	±2.5	PASS
Band2	9262	2	NV	30	-1.94	-0.001047	±2.5	PASS
Band2	9262	2	NV	40	-5.73	-0.003093	±2.5	PASS
Band2	9262	2	NV	50	-3.34	-0.001803	±2.5	PASS
Band2	9262	3	NV	-30	-6.66	-0.003595	±2.5	PASS
Band2	9262	3	NV	-20	-4.32	-0.002332	±2.5	PASS
Band2	9262	3	NV	-10	-5.53	-0.002985	±2.5	PASS
Band2	9262	3	NV	0	-4.22	-0.002278	±2.5	PASS
Band2	9262	3	NV	10	-4.37	-0.002359	±2.5	PASS
Band2	9262	3	NV	20	-3.86	-0.002084	±2.5	PASS
Band2	9262	3	NV	30	-2.10	-0.001134	±2.5	PASS
Band2	9262	3	NV	40	-6.90	-0.003725	±2.5	PASS
Band2	9262	3	NV	50	-2.19	-0.001182	±2.5	PASS
Band2	9262	4	NV	-30	-4.76	-0.002570	±2.5	PASS
Band2	9262	4	NV	-20	-2.99	-0.001614	±2.5	PASS
Band2	9262	4	NV	-10	-3.18	-0.001717	±2.5	PASS
Band2	9262	4	NV	0	-3.77	-0.002035	±2.5	PASS
Band2	9262	4	NV	10	-2.70	-0.001458	±2.5	PASS
Band2	9262	4	NV	20	-6.02	-0.003250	±2.5	PASS
Band2	9262	4	NV	30	-0.80	-0.000432	±2.5	PASS
Band2	9262	4	NV	40	-3.72	-0.002008	±2.5	PASS
Band2	9262	4	NV	50	-5.17	-0.002791	±2.5	PASS
Band2	9262	5	NV	-30	-5.18	-0.002796	±2.5	PASS
Band2	9262	5	NV	-20	-4.94	-0.002667	±2.5	PASS

Band2	9262	5	NV	-10	-5.51	-0.002975	±2.5	PASS
Band2	9262	5	NV	0	-5.41	-0.002921	±2.5	PASS
Band2	9262	5	NV	10	-2.18	-0.001177	±2.5	PASS
Band2	9262	5	NV	20	-0.96	-0.000518	±2.5	PASS
Band2	9262	5	NV	30	-3.03	-0.001636	±2.5	PASS
Band2	9262	5	NV	40	-2.04	-0.001101	±2.5	PASS
Band2	9262	5	NV	50	-3.58	-0.001933	±2.5	PASS
Band2	9400	1	NV	-30	-5.52	-0.002936	±2.5	PASS
Band2	9400	1	NV	-20	-2.48	-0.001319	±2.5	PASS
Band2	9400	1	NV	-10	0.57	0.000303	±2.5	PASS
Band2	9400	1	NV	0	-2.91	-0.001548	±2.5	PASS
Band2	9400	1	NV	10	-4.36	-0.002319	±2.5	PASS
Band2	9400	1	NV	20	-6.62	-0.003521	±2.5	PASS
Band2	9400	1	NV	30	-0.62	-0.000330	±2.5	PASS
Band2	9400	1	NV	40	0.08	0.000043	±2.5	PASS
Band2	9400	1	NV	50	-1.59	-0.000846	±2.5	PASS
Band2	9400	2	NV	-30	-5.11	-0.002718	±2.5	PASS
Band2	9400	2	NV	-20	-3.39	-0.001803	±2.5	PASS
Band2	9400	2	NV	-10	-2.16	-0.001149	±2.5	PASS
Band2	9400	2	NV	0	-5.85	-0.003112	±2.5	PASS
Band2	9400	2	NV	10	0.44	0.000234	±2.5	PASS
Band2	9400	2	NV	20	-6.23	-0.003314	±2.5	PASS
Band2	9400	2	NV	30	-3.72	-0.001979	±2.5	PASS
Band2	9400	2	NV	40	-3.82	-0.002032	±2.5	PASS
Band2	9400	2	NV	50	-2.35	-0.001250	±2.5	PASS
Band2	9400	3	NV	-30	-6.81	-0.003622	±2.5	PASS
Band2	9400	3	NV	-20	-1.40	-0.000745	±2.5	PASS
Band2	9400	3	NV	-10	-3.46	-0.001840	±2.5	PASS
Band2	9400	3	NV	0	-3.15	-0.001676	±2.5	PASS
Band2	9400	3	NV	10	-5.94	-0.003160	±2.5	PASS
Band2	9400	3	NV	20	-4.66	-0.002479	±2.5	PASS
Band2	9400	3	NV	30	-2.59	-0.001378	±2.5	PASS
Band2	9400	3	NV	40	-3.53	-0.001878	±2.5	PASS
Band2	9400	3	NV	50	0.06	0.000032	±2.5	PASS
Band2	9400	4	NV	-30	-0.81	-0.000431	±2.5	PASS
Band2	9400	4	NV	-20	-4.06	-0.002160	±2.5	PASS
Band2	9400	4	NV	-10	-1.18	-0.000628	±2.5	PASS
Band2	9400	4	NV	0	-2.57	-0.001367	±2.5	PASS
Band2	9400	4	NV	10	2.27	0.001207	±2.5	PASS
Band2	9400	4	NV	20	-3.80	-0.002021	±2.5	PASS
Band2	9400	4	NV	30	-2.43	-0.001293	±2.5	PASS

Band2	9400	4	NV	40	-4.68	-0.002489	±2.5	PASS
Band2	9400	4	NV	50	-2.19	-0.001165	±2.5	PASS
Band2	9400	5	NV	-30	-5.20	-0.002766	±2.5	PASS
Band2	9400	5	NV	-20	-4.76	-0.002532	±2.5	PASS
Band2	9400	5	NV	-10	-5.79	-0.003080	±2.5	PASS
Band2	9400	5	NV	0	-2.45	-0.001303	±2.5	PASS
Band2	9400	5	NV	10	-3.73	-0.001984	±2.5	PASS
Band2	9400	5	NV	20	0.27	0.000144	±2.5	PASS
Band2	9400	5	NV	30	-6.14	-0.003266	±2.5	PASS
Band2	9400	5	NV	40	-4.94	-0.002628	±2.5	PASS
Band2	9400	5	NV	50	-0.83	-0.000441	±2.5	PASS
Band2	9538	1	NV	-30	-2.15	-0.001127	±2.5	PASS
Band2	9538	1	NV	-20	-4.64	-0.002432	±2.5	PASS
Band2	9538	1	NV	-10	-2.31	-0.001211	±2.5	PASS
Band2	9538	1	NV	0	-6.42	-0.003365	±2.5	PASS
Band2	9538	1	NV	10	-0.54	-0.000283	±2.5	PASS
Band2	9538	1	NV	20	-5.26	-0.002757	±2.5	PASS
Band2	9538	1	NV	30	-4.76	-0.002495	±2.5	PASS
Band2	9538	1	NV	40	-0.41	-0.000215	±2.5	PASS
Band2	9538	1	NV	50	-1.24	-0.000650	±2.5	PASS
Band2	9538	2	NV	-30	-3.88	-0.002034	±2.5	PASS
Band2	9538	2	NV	-20	2.03	0.001064	±2.5	PASS
Band2	9538	2	NV	-10	-0.83	-0.000435	±2.5	PASS
Band2	9538	2	NV	0	-6.10	-0.003198	±2.5	PASS
Band2	9538	2	NV	10	-2.04	-0.001069	±2.5	PASS
Band2	9538	2	NV	20	-2.20	-0.001153	±2.5	PASS
Band2	9538	2	NV	30	-1.19	-0.000624	±2.5	PASS
Band2	9538	2	NV	40	-4.28	-0.002244	±2.5	PASS
Band2	9538	2	NV	50	0.65	0.000341	±2.5	PASS
Band2	9538	3	NV	-30	-5.20	-0.002726	±2.5	PASS
Band2	9538	3	NV	-20	-2.02	-0.001059	±2.5	PASS
Band2	9538	3	NV	-10	-5.72	-0.002999	±2.5	PASS
Band2	9538	3	NV	0	-0.57	-0.000299	±2.5	PASS
Band2	9538	3	NV	10	-4.18	-0.002191	±2.5	PASS
Band2	9538	3	NV	20	-1.61	-0.000844	±2.5	PASS
Band2	9538	3	NV	30	-1.42	-0.000744	±2.5	PASS
Band2	9538	3	NV	40	-3.67	-0.001924	±2.5	PASS
Band2	9538	3	NV	50	-4.43	-0.002322	±2.5	PASS
Band2	9538	4	NV	-30	-1.07	-0.000561	±2.5	PASS
Band2	9538	4	NV	-20	-3.47	-0.001819	±2.5	PASS
Band2	9538	4	NV	-10	-4.75	-0.002490	±2.5	PASS

Band2	9538	4	NV	0	-2.07	-0.001085	±2.5	PASS
Band2	9538	4	NV	10	-2.36	-0.001237	±2.5	PASS
Band2	9538	4	NV	20	-0.99	-0.000519	±2.5	PASS
Band2	9538	4	NV	30	-2.03	-0.001064	±2.5	PASS
Band2	9538	4	NV	40	-3.26	-0.001709	±2.5	PASS
Band2	9538	4	NV	50	-3.07	-0.001609	±2.5	PASS
Band2	9538	5	NV	-30	-4.49	-0.002354	±2.5	PASS
Band2	9538	5	NV	-20	-3.05	-0.001599	±2.5	PASS
Band2	9538	5	NV	-10	-0.50	-0.000262	±2.5	PASS
Band2	9538	5	NV	0	-1.51	-0.000792	±2.5	PASS
Band2	9538	5	NV	10	-2.92	-0.001531	±2.5	PASS
Band2	9538	5	NV	20	-4.80	-0.002516	±2.5	PASS
Band2	9538	5	NV	30	-0.44	-0.000231	±2.5	PASS
Band2	9538	5	NV	40	-1.95	-0.001022	±2.5	PASS
Band2	9538	5	NV	50	-3.73	-0.001955	±2.5	PASS

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9262	PASS	PASS
Band2	9400	PASS	PASS
Band2	9538	PASS	PASS

Test Graphs

