



Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant1	5.001	30	Pass
NVNT	BLE	2442	Ant1	5.303	30	Pass
NVNT	BLE	2478	Ant1	4.862	30	Pass





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2404	Ant1	1.166	0.5	Pass
NVNT	BLE	2442	Ant1	1.159	0.5	Pass
NVNT	BLE	2478	Ant1	1.14	0.5	Pass





Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2404	Ant1	2.057
NVNT	BLE	2442	Ant1	2.049
NVNT	BLE	2478	Ant1	2.05






Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2404	Ant1	-11.974	8	Pass
NVNT	BLE	2442	Ant1	-11.745	8	Pass
NVNT	BLE	2478	Ant1	-12.13	8	Pass






Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant1	-59.1	-20	Pass
NVNT	BLE	2478	Ant1	-61.01	-20	Pass






Band Edge NVNT BLE 2478MHz Ant1 Emission




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2404	Ant1	-52.84	-20	Pass
NVNT	BLE	2442	Ant1	-53.27	-20	Pass
NVNT	BLE	2478	Ant1	-52.44	-20	Pass






Tx. Spurious NVNT BLE 2442MHz Ant1 Emission



Tx. Spurious NVNT BLE 2478MHz Ant1 Ref



Tx. Spurious NVNT BLE 2478MHz Ant1 Emission

