


Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	29.45	19.10
60	5300	23.75	19.10
64	5320	26.25	19.10

CH52




Date: 20.AUG.2021 09:54:55

CH60
26 dB Bandwidth




Date: 20.AUG.2021 09:55:41

CH64




Date: 20.AUG.2021 09:56:27


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:54:52



Date: 20.AUG.2021 09:55:21




Date: 20.AUG.2021 09:56:02

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.20	76.80

CH58 26 dB Bandwidth



Date: 20.AUG.2021 10:07:11

99 % Occupied Bandwidth




Date: 20.AUG.2021 10:06:46

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.15	16.70
116	5580	20.15	16.70
140	5700	20.29	16.70

CH100




Date: 20.AUG.2021 09:28:45

CH116
26 dB Bandwidth




Date: 20.AUG.2021 09:29:31

CH140




Date: 20.AUG.2021 09:30:26


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:28:25



Date: 20.AUG.2021 09:29:10




Date: 20.AUG.2021 09:30:06

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.50	17.70
116	5580	20.40	17.70
140	5700	20.65	17.70

CH100




Date: 20.AUG.2021 09:37:31

CH116
26 dB Bandwidth




Date: 20.AUG.2021 09:38:08

CH140




Date: 20.AUG.2021 09:38:45


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:37:10



Date: 20.AUG.2021 09:37:48




Date: 20.AUG.2021 09:38:25

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.20	75.20
122	5610	80.39	75.20

CH106




Date: 20.AUG.2021 09:48:18

CH122
26 dB Bandwidth




Date: 20.AUG.2021 09:49:10

99 % Occupied Bandwidth



Date: 20.AUG.2021 09:47:53




Date: 20.AUG.2021 09:48:44

Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	27.75	19.10
116	5580	23.60	19.10
140	5700	28.29	19.10

CH100




Date: 20.AUG.2021 09:57:36

CH116
26 dB Bandwidth




Date: 20.AUG.2021 09:58:15

CH140




Date: 20.AUG.2021 09:58:59


99 % Occupied Bandwidth



Date: 20.AUG.2021 09:57:19



Date: 20.AUG.2021 09:57:56




Date: 20.AUG.2021 09:58:41

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.80	38.00
110	5550	39.50	37.80
134	5670	39.50	37.60

CH102




Date: 20.AUG.2021 10:03:27

CH110
26 dB Bandwidth




Date: 20.AUG.2021 10:04:20

CH134




Date: 20.AUG.2021 10:05:12


99 % Occupied Bandwidth



Date: 20.AUG.2021 10:02:59



Date: 20.AUG.2021 10:03:52




Date: 20.AUG.2021 10:04:43

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.20	76.80
122	5610	80.81	76.80

CH106




Date: 20.AUG.2021 10:08:11

CH122
26 dB Bandwidth




Date: 20.AUG.2021 10:09:06

99 % Occupied Bandwidth



Date: 20.AUG.2021 10:07:45




Date: 20.AUG.2021 10:08:40

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.20	22.00	0.50	Complies
157	5785	15.15	23.40	0.50	Complies
165	5825	15.15	23.50	0.50	Complies

CH149




Date: 12.MAR.2021 09:40:22

CH157
6 dB Bandwidth




Date: 12.MAR.2021 09:43:11

CH165




Date: 12.MAR.2021 09:44:17


99 % Occupied Bandwidth



Date: 12.MAR.2021 09:39:52



Date: 12.MAR.2021 09:42:40




Date: 12.MAR.2021 09:43:48

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.15	25.00	0.50	Complies
157	5785	15.15	25.50	0.50	Complies
165	5825	15.05	25.40	0.50	Complies

CH149




Date: 12.MAR.2021 09:55:34

CH157
6 dB Bandwidth




Date: 12.MAR.2021 09:56:49

CH165




Date: 12.MAR.2021 09:57:51


99 % Occupied Bandwidth



Date: 12.MAR.2021 09:55:34



Date: 12.MAR.2021 09:56:18




Date: 12.MAR.2021 09:57:22

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	31.60	50.00	0.50	Complies
159	5795	32.61	50.00	0.50	Complies

CH151




Date: 12.MAR.2021 09:59:12

CH159 6 dB Bandwidth




Date: 12.MAR.2021 10:00:23

99 % Occupied Bandwidth



Date: 12.MAR.2021 09:59:40




Date: 12.MAR.2021 09:59:50

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.89	24.50	0.50	Complies
157	5785	16.70	24.90	0.50	Complies
165	5825	16.76	25.00	0.50	Complies

CH149




Date: 12.MAR.2021 10:09:29

CH157
6 dB Bandwidth




Date: 12.MAR.2021 10:10:44

CH165




Date: 12.MAR.2021 10:11:53


99 % Occupied Bandwidth



Date: 12.MAR.2021 10:09:02



Date: 12.MAR.2021 10:10:11




Date: 12.MAR.2021 10:11:24

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.30	47.40	0.50	Complies
159	5795	36.60	46.20	0.50	Complies

CH151




Date: 12.MAR.2021 10:13:18

CH159 6 dB Bandwidth




Date: 12.MAR.2021 10:14:30

99 % Occupied Bandwidth



Date: 12.MAR.2021 10:12:48



Date: 12.MAR.2021 10:14:02

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.44	0.59	14.03	24.42	0.2767	Complies
40	5200	13.13	0.59	13.72	24.42	0.2767	Complies
48	5240	13.14	0.59	13.73	24.42	0.2767	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.83	0.59	13.42	24.42	0.2767	Complies
40	5200	12.74	0.59	13.33	24.42	0.2767	Complies
48	5240	12.75	0.59	13.34	24.42	0.2767	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.95	0.59	13.54	24.42	0.2767	Complies
40	5200	12.89	0.59	13.48	24.42	0.2767	Complies
48	5240	13.47	0.59	14.06	24.42	0.2767	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.88	0.59	13.47	24.42	0.2767	Complies
40	5200	13.84	0.59	14.43	24.42	0.2767	Complies
48	5240	14.17	0.59	14.76	24.42	0.2767	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.64	24.42	0.2767	Complies
40	5200	19.78	24.42	0.2767	Complies
48	5240	20.03	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.11	0.64	13.75	24.42	0.2767	Complies
40	5200	13.50	0.64	14.14	24.42	0.2767	Complies
48	5240	13.53	0.64	14.17	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.99	0.64	13.63	24.42	0.2767	Complies
40	5200	13.41	0.64	14.05	24.42	0.2767	Complies
48	5240	13.46	0.64	14.10	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.06	0.64	13.70	24.42	0.2767	Complies
40	5200	13.23	0.64	13.87	24.42	0.2767	Complies
48	5240	13.34	0.64	13.98	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.31	0.64	13.95	24.42	0.2767	Complies
40	5200	13.92	0.64	14.56	24.42	0.2767	Complies
48	5240	14.05	0.64	14.69	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.78	24.42	0.2767	Complies
40	5200	20.18	24.42	0.2767	Complies
48	5240	20.26	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.02	1.19	17.21	24.42	0.2767	Complies
46	5230	15.79	1.19	16.98	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.85	1.19	17.04	24.42	0.2767	Complies
46	5230	15.94	1.19	17.13	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.69	1.19	16.88	24.42	0.2767	Complies
46	5230	15.84	1.19	17.03	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.16	1.19	17.35	24.42	0.2767	Complies
46	5230	16.24	1.19	17.43	24.42	0.2767	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.14	24.42	0.2767	Complies
46	5230	23.17	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.34	0.62	13.96	24.42	0.2767	Complies
40	5200	13.62	0.62	14.24	24.42	0.2767	Complies
48	5240	13.81	0.62	14.43	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.22	0.62	13.84	24.42	0.2767	Complies
40	5200	13.54	0.62	14.16	24.42	0.2767	Complies
48	5240	13.74	0.62	14.36	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.16	0.62	13.78	24.42	0.2767	Complies
40	5200	13.43	0.62	14.05	24.42	0.2767	Complies
48	5240	13.61	0.62	14.23	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.53	0.62	14.15	24.42	0.2767	Complies
40	5200	14.12	0.62	14.74	24.42	0.2767	Complies
48	5240	14.23	0.62	14.85	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.96	24.42	0.2767	Complies
40	5200	20.33	24.42	0.2767	Complies
48	5240	20.50	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.15	1.15	17.30	24.42	0.2767	Complies
46	5230	16.02	1.15	17.17	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.02	1.15	17.17	24.42	0.2767	Complies
46	5230	16.11	1.15	17.26	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.83	1.15	16.98	24.42	0.2767	Complies
46	5230	16.03	1.15	17.18	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.32	1.15	17.47	24.42	0.2767	Complies
46	5230	16.39	1.15	17.54	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.25	24.42	0.2767	Complies
46	5230	23.31	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.35	2.06	17.41	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.25	2.06	17.31	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.78	2.06	16.84	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.68	2.06	17.74	24.42	0.2767	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.36	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.88	2.11	14.99	24.42	0.2767	Complies
40	5200	13.12	2.11	15.23	24.42	0.2767	Complies
48	5240	12.95	2.11	15.06	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.75	2.11	14.86	24.42	0.2767	Complies
40	5200	13.08	2.11	15.19	24.42	0.2767	Complies
48	5240	12.77	2.11	14.88	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.56	2.11	14.67	24.42	0.2767	Complies
40	5200	13.04	2.11	15.15	24.42	0.2767	Complies
48	5240	12.68	2.11	14.79	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.01	2.11	15.12	24.42	0.2767	Complies
40	5200	13.22	2.11	15.33	24.42	0.2767	Complies
48	5240	13.12	2.11	15.23	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.93	24.42	0.2767	Complies
40	5200	21.24	24.42	0.2767	Complies
48	5240	21.01	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.13	2.13	17.26	24.42	0.2767	Complies
46	5230	15.55	2.13	17.68	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.01	2.13	17.14	24.42	0.2767	Complies
46	5230	15.47	2.13	17.60	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.12	2.13	17.25	24.42	0.2767	Complies
46	5230	15.43	2.13	17.56	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.35	2.13	17.48	24.42	0.2767	Complies
46	5230	15.83	2.13	17.96	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.31	24.42	0.2767	Complies
46	5230	23.73	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.53	2.22	17.75	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.36	2.22	17.58	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.31	2.22	17.53	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.81	2.22	18.03	24.42	0.2767	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.75	24.42	0.2767	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.72	0.59	8.31	18.40	0.0692	Complies
60	5300	7.04	0.59	7.63	18.40	0.0692	Complies
64	5320	7.51	0.59	8.10	18.40	0.0692	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.27	0.59	7.86	18.40	0.0692	Complies
60	5300	7.02	0.59	7.61	18.40	0.0692	Complies
64	5320	7.44	0.59	8.03	18.40	0.0692	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.19	0.59	7.78	18.40	0.0692	Complies
60	5300	7.12	0.59	7.71	18.40	0.0692	Complies
64	5320	7.46	0.59	8.05	18.40	0.0692	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.26	0.59	8.85	18.40	0.0692	Complies
60	5300	8.26	0.59	8.85	18.40	0.0692	Complies
64	5320	8.27	0.59	8.86	18.40	0.0692	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.24	18.40	0.0692	Complies
60	5300	14.00	18.40	0.0692	Complies
64	5320	14.30	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.14	0.64	7.78	18.40	0.0692	Complies
60	5300	7.38	0.64	8.02	18.40	0.0692	Complies
64	5320	7.23	0.64	7.87	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.98	0.64	7.62	18.40	0.0692	Complies
60	5300	7.24	0.64	7.88	18.40	0.0692	Complies
64	5320	7.17	0.64	7.81	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.07	0.64	7.71	18.40	0.0692	Complies
60	5300	7.25	0.64	7.89	18.40	0.0692	Complies
64	5320	7.02	0.64	7.66	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.48	0.64	8.12	18.40	0.0692	Complies
60	5300	7.73	0.64	8.37	18.40	0.0692	Complies
64	5320	7.56	0.64	8.20	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.83	18.40	0.0692	Complies
60	5300	14.06	18.40	0.0692	Complies
64	5320	13.91	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.33	1.19	11.52	18.40	0.0692	Complies
62	5310	10.29	1.19	11.48	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.32	1.19	11.51	18.40	0.0692	Complies
62	5310	10.07	1.19	11.26	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.19	1.19	11.38	18.40	0.0692	Complies
62	5310	10.14	1.19	11.33	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.51	1.19	11.70	18.40	0.0692	Complies
62	5310	10.68	1.19	11.87	18.40	0.0692	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.55	18.40	0.0692	Complies
62	5310	17.51	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.32	0.62	7.94	18.40	0.0692	Complies
60	5300	7.56	0.62	8.18	18.40	0.0692	Complies
64	5320	7.46	0.62	8.08	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.22	0.62	7.84	18.40	0.0692	Complies
60	5300	7.45	0.62	8.07	18.40	0.0692	Complies
64	5320	7.35	0.62	7.97	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.17	0.62	7.79	18.40	0.0692	Complies
60	5300	7.36	0.62	7.98	18.40	0.0692	Complies
64	5320	7.24	0.62	7.86	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.69	0.62	8.31	18.40	0.0692	Complies
60	5300	7.83	0.62	8.45	18.40	0.0692	Complies
64	5320	7.78	0.62	8.40	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.00	18.40	0.0692	Complies
60	5300	14.20	18.40	0.0692	Complies
64	5320	14.11	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.51	1.15	11.66	18.40	0.0692	Complies
62	5310	10.49	1.15	11.64	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.43	1.15	11.58	18.40	0.0692	Complies
62	5310	10.35	1.15	11.50	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.35	1.15	11.50	18.40	0.0692	Complies
62	5310	10.32	1.15	11.47	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.75	1.15	11.90	18.40	0.0692	Complies
62	5310	10.81	1.15	11.96	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.68	18.40	0.0692	Complies
62	5310	17.67	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.46	2.06	11.52	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.39	2.06	11.45	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.25	2.06	11.31	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.71	2.06	11.77	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.53	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.76	2.11	8.87	18.40	0.0692	Complies
60	5300	6.53	2.11	8.64	18.40	0.0692	Complies
64	5320	6.71	2.11	8.82	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.65	2.11	8.76	18.40	0.0692	Complies
60	5300	6.42	2.11	8.53	18.40	0.0692	Complies
64	5320	6.65	2.11	8.76	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.61	2.11	8.72	18.40	0.0692	Complies
60	5300	6.31	2.11	8.42	18.40	0.0692	Complies
64	5320	6.63	2.11	8.74	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.96	2.11	9.07	18.40	0.0692	Complies
60	5300	6.75	2.11	8.86	18.40	0.0692	Complies
64	5320	7.11	2.11	9.22	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.88	18.40	0.0692	Complies
60	5300	14.63	18.40	0.0692	Complies
64	5320	14.91	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.68	2.13	11.81	18.40	0.0692	Complies
62	5310	9.72	2.13	11.85	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.64	2.13	11.77	18.40	0.0692	Complies
62	5310	9.61	2.13	11.74	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.76	2.13	11.89	18.40	0.0692	Complies
62	5310	9.52	2.13	11.65	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.53	2.13	11.66	18.40	0.0692	Complies
62	5310	9.68	2.13	11.81	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.81	18.40	0.0692	Complies
62	5310	17.79	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.69	2.22	11.91	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.52	2.22	11.74	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.43	2.22	11.65	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.62	2.22	11.84	18.40	0.0692	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.81	18.40	0.0692	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.58	0.59	8.17	18.40	0.0692	Complies
116	5580	7.52	0.59	8.11	18.40	0.0692	Complies
140	5700	7.62	0.59	8.21	18.40	0.0692	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.41	0.59	8.00	18.40	0.0692	Complies
116	5580	7.45	0.59	8.04	18.40	0.0692	Complies
140	5700	7.54	0.59	8.13	18.40	0.0692	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.23	0.59	7.82	18.40	0.0692	Complies
116	5580	7.38	0.59	7.97	18.40	0.0692	Complies
140	5700	7.45	0.59	8.04	18.40	0.0692	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	8.31	0.59	8.90	18.40	0.0692	Complies
116	5580	8.29	0.59	8.88	18.40	0.0692	Complies
140	5700	8.35	0.59	8.94	18.40	0.0692	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.26	18.40	0.0692	Complies
116	5580	14.29	18.40	0.0692	Complies
140	5700	14.37	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.47	0.64	7.11	18.40	0.0692	Complies
116	5580	7.17	0.64	7.81	18.40	0.0692	Complies
140	5700	7.26	0.64	7.90	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.36	0.64	7.00	18.40	0.0692	Complies
116	5580	7.10	0.64	7.74	18.40	0.0692	Complies
140	5700	7.02	0.64	7.66	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.27	0.64	6.91	18.40	0.0692	Complies
116	5580	7.05	0.64	7.69	18.40	0.0692	Complies
140	5700	6.99	0.64	7.63	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.85	0.64	7.49	18.40	0.0692	Complies
116	5580	7.26	0.64	7.90	18.40	0.0692	Complies
140	5700	7.47	0.64	8.11	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.15	18.40	0.0692	Complies
116	5580	13.81	18.40	0.0692	Complies
140	5700	13.85	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.17	1.19	11.36	18.40	0.0692	Complies
110	5550	10.23	1.19	11.42	18.40	0.0692	Complies
134	5670	10.32	1.19	11.51	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.88	1.19	11.07	18.40	0.0692	Complies
110	5550	10.26	1.19	11.45	18.40	0.0692	Complies
134	5670	10.35	1.19	11.54	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.75	1.19	10.94	18.40	0.0692	Complies
110	5550	10.17	1.19	11.36	18.40	0.0692	Complies
134	5670	10.17	1.19	11.36	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.26	1.19	11.45	18.40	0.0692	Complies
110	5550	10.41	1.19	11.60	18.40	0.0692	Complies
134	5670	10.45	1.19	11.64	18.40	0.0692	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.23	18.40	0.0692	Complies
110	5550	17.48	18.40	0.0692	Complies
134	5670	17.53	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.67	0.62	7.29	18.40	0.0692	Complies
116	5580	7.32	0.62	7.94	18.40	0.0692	Complies
140	5700	7.39	0.62	8.01	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.58	0.62	7.20	18.40	0.0692	Complies
116	5580	7.21	0.62	7.83	18.40	0.0692	Complies
140	5700	7.25	0.62	7.87	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.49	0.62	7.11	18.40	0.0692	Complies
116	5580	7.16	0.62	7.78	18.40	0.0692	Complies
140	5700	7.18	0.62	7.80	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	7.01	0.62	7.63	18.40	0.0692	Complies
116	5580	7.53	0.62	8.15	18.40	0.0692	Complies
140	5700	7.66	0.62	8.28	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.34	18.40	0.0692	Complies
116	5580	13.95	18.40	0.0692	Complies
140	5700	14.02	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.28	1.15	11.43	18.40	0.0692	Complies
110	5550	10.41	1.15	11.56	18.40	0.0692	Complies
134	5670	10.51	1.15	11.66	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.12	1.15	11.27	18.40	0.0692	Complies
110	5550	10.38	1.15	11.53	18.40	0.0692	Complies
134	5670	10.45	1.15	11.60	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.03	1.15	11.18	18.40	0.0692	Complies
110	5550	10.34	1.15	11.49	18.40	0.0692	Complies
134	5670	10.33	1.15	11.48	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.48	1.15	11.63	18.40	0.0692	Complies
110	5550	10.52	1.15	11.67	18.40	0.0692	Complies
134	5670	10.72	1.15	11.87	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.40	18.40	0.0692	Complies
110	5550	17.58	18.40	0.0692	Complies
134	5670	17.67	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.29	2.06	11.35	18.40	0.0692	Complies
122	5610	9.32	2.06	11.38	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.12	2.06	11.18	18.40	0.0692	Complies
122	5610	9.29	2.06	11.35	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.04	2.06	11.10	18.40	0.0692	Complies
122	5610	9.22	2.06	11.28	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.58	2.06	11.64	18.40	0.0692	Complies
122	5610	9.62	2.06	11.68	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.34	18.40	0.0692	Complies
122	5610	17.44	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.59	2.11	8.70	18.40	0.0692	Complies
116	5580	6.31	2.11	8.42	18.40	0.0692	Complies
140	5700	5.64	2.11	7.75	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.34	2.11	8.45	18.40	0.0692	Complies
116	5580	6.25	2.11	8.36	18.40	0.0692	Complies
140	5700	5.48	2.11	7.59	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.29	2.11	8.40	18.40	0.0692	Complies
116	5580	6.19	2.11	8.30	18.40	0.0692	Complies
140	5700	6.42	2.11	8.53	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.72	2.11	8.83	18.40	0.0692	Complies
116	5580	6.56	2.11	8.67	18.40	0.0692	Complies
140	5700	5.96	2.11	8.07	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.62	18.40	0.0692	Complies
116	5580	14.46	18.40	0.0692	Complies
140	5700	14.02	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.23	2.13	11.36	18.40	0.0692	Complies
110	5550	9.21	2.13	11.34	18.40	0.0692	Complies
134	5670	9.66	2.13	11.79	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.18	2.13	11.31	18.40	0.0692	Complies
110	5550	9.18	2.13	11.31	18.40	0.0692	Complies
134	5670	9.58	2.13	11.71	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.12	2.13	11.25	18.40	0.0692	Complies
110	5550	9.15	2.13	11.28	18.40	0.0692	Complies
134	5670	9.49	2.13	11.62	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.48	2.13	11.61	18.40	0.0692	Complies
110	5550	9.58	2.13	11.71	18.40	0.0692	Complies
134	5670	9.89	2.13	12.02	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.41	18.40	0.0692	Complies
110	5550	17.44	18.40	0.0692	Complies
134	5670	17.81	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.41	2.22	11.63	18.40	0.0692	Complies
122	5610	9.49	2.22	11.71	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.33	2.22	11.55	18.40	0.0692	Complies
122	5610	9.35	2.22	11.57	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.23	2.22	11.45	18.40	0.0692	Complies
122	5610	9.29	2.22	11.51	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.69	2.22	11.91	18.40	0.0692	Complies
122	5610	9.71	2.22	11.93	18.40	0.0692	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.66	18.40	0.0692	Complies
122	5610	17.70	18.40	0.0692	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.64	0.59	14.23	24.42	0.2767	Complies
157	5785	13.75	0.59	14.34	24.42	0.2767	Complies
165	5825	13.28	0.59	13.87	24.42	0.2767	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.13	0.59	15.72	24.42	0.2767	Complies
157	5785	15.17	0.59	15.76	24.42	0.2767	Complies
165	5825	14.93	0.59	15.52	24.42	0.2767	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.08	0.59	14.67	24.42	0.2767	Complies
157	5785	14.13	0.59	14.72	24.42	0.2767	Complies
165	5825	13.02	0.59	13.61	24.42	0.2767	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.65	0.59	15.24	24.42	0.2767	Complies
157	5785	14.61	0.59	15.20	24.42	0.2767	Complies
165	5825	13.74	0.59	14.33	24.42	0.2767	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.02	24.42	0.2767	Complies
157	5785	21.06	24.42	0.2767	Complies
165	5825	20.42	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.83	0.64	15.47	24.42	0.2767	Complies
157	5785	14.05	0.64	14.69	24.42	0.2767	Complies
165	5825	14.74	0.64	15.38	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.86	0.64	14.50	24.42	0.2767	Complies
157	5785	13.93	0.64	14.57	24.42	0.2767	Complies
165	5825	13.92	0.64	14.56	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.54	0.64	15.18	24.42	0.2767	Complies
157	5785	14.57	0.64	15.21	24.42	0.2767	Complies
165	5825	14.35	0.64	14.99	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.63	0.64	15.27	24.42	0.2767	Complies
157	5785	15.34	0.64	15.98	24.42	0.2767	Complies
165	5825	14.59	0.64	15.23	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.14	24.42	0.2767	Complies
157	5785	21.17	24.42	0.2767	Complies
165	5825	21.07	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.76	1.19	16.95	24.42	0.2767	Complies
159	5795	16.07	1.19	17.26	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.78	1.19	16.97	24.42	0.2767	Complies
159	5795	16.35	1.19	17.54	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.62	1.19	16.81	24.42	0.2767	Complies
159	5795	16.18	1.19	17.37	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.18	1.19	17.37	24.42	0.2767	Complies
159	5795	15.12	1.19	16.31	24.42	0.2767	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.05	24.42	0.2767	Complies
159	5795	23.17	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.79	0.62	15.41	24.42	0.2767	Complies
157	5785	14.33	0.62	14.95	24.42	0.2767	Complies
165	5825	14.28	0.62	14.90	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.62	0.62	14.24	24.42	0.2767	Complies
157	5785	13.25	0.62	13.87	24.42	0.2767	Complies
165	5825	13.36	0.62	13.98	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.15	0.62	14.77	24.42	0.2767	Complies
157	5785	13.61	0.62	14.23	24.42	0.2767	Complies
165	5825	13.64	0.62	14.26	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.66	0.62	15.28	24.42	0.2767	Complies
157	5785	14.28	0.62	14.90	24.42	0.2767	Complies
165	5825	14.17	0.62	14.79	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.97	24.42	0.2767	Complies
157	5785	20.54	24.42	0.2767	Complies
165	5825	20.52	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.62	1.15	15.77	24.42	0.2767	Complies
159	5795	14.98	1.15	16.13	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.03	1.15	16.18	24.42	0.2767	Complies
159	5795	14.75	1.15	15.90	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.17	1.15	16.32	24.42	0.2767	Complies
159	5795	14.96	1.15	16.11	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.64	1.15	16.79	24.42	0.2767	Complies
159	5795	15.28	1.15	16.43	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.30	24.42	0.2767	Complies
159	5795	22.17	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.97	2.06	17.03	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.65	2.06	15.71	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.13	2.06	17.19	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.08	2.06	16.14	24.42	0.2767	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.58	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.82	2.11	16.93	24.42	0.2767	Complies
157	5785	14.92	2.11	17.03	24.42	0.2767	Complies
165	5825	14.81	2.11	16.92	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.69	2.11	15.80	24.42	0.2767	Complies
157	5785	13.74	2.11	15.85	24.42	0.2767	Complies
165	5825	13.26	2.11	15.37	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.25	2.11	16.36	24.42	0.2767	Complies
157	5785	14.17	2.11	16.28	24.42	0.2767	Complies
165	5825	13.98	2.11	16.09	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.57	2.11	16.68	24.42	0.2767	Complies
157	5785	14.59	2.11	16.70	24.42	0.2767	Complies
165	5825	14.02	2.11	16.13	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.48	24.42	0.2767	Complies
157	5785	22.51	24.42	0.2767	Complies
165	5825	22.18	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.73	2.13	16.86	24.42	0.2767	Complies
159	5795	15.32	2.13	17.45	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.31	2.13	17.44	24.42	0.2767	Complies
159	5795	15.04	2.13	17.17	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.38	2.13	17.51	24.42	0.2767	Complies
159	5795	15.37	2.13	17.50	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.89	2.13	18.02	24.42	0.2767	Complies
159	5795	15.98	2.13	18.11	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.50	24.42	0.2767	Complies
159	5795	23.60	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.37	2.22	17.59	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.28	2.22	16.50	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.21	2.22	17.43	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.73	2.22	16.95	24.42	0.2767	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.16	24.42	0.2767	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.70	0.64	13.34	24.43	0.2773	Complies
40	5200	13.03	0.64	13.67	24.43	0.2773	Complies
48	5240	13.08	0.64	13.72	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.64	0.64	13.28	24.43	0.2773	Complies
40	5200	13.08	0.64	13.72	24.43	0.2773	Complies
48	5240	13.03	0.64	13.67	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.76	0.64	13.40	24.43	0.2773	Complies
40	5200	12.90	0.64	13.54	24.43	0.2773	Complies
48	5240	12.96	0.64	13.60	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.92	0.64	13.56	24.43	0.2773	Complies
40	5200	13.52	0.64	14.16	24.43	0.2773	Complies
48	5240	13.70	0.64	14.34	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.42	24.43	0.2773	Complies
40	5200	19.80	24.43	0.2773	Complies
48	5240	19.86	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.60	1.19	16.79	24.43	0.2773	Complies
46	5230	15.31	1.19	16.50	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.44	1.19	16.63	24.43	0.2773	Complies
46	5230	15.49	1.19	16.68	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.22	1.19	16.41	24.43	0.2773	Complies
46	5230	15.47	1.19	16.66	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.83	1.19	17.02	24.43	0.2773	Complies
46	5230	15.87	1.19	17.06	24.43	0.2773	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.74	24.43	0.2773	Complies
46	5230	22.75	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.91	0.62	13.53	24.43	0.2773	Complies
40	5200	13.23	0.62	13.85	24.43	0.2773	Complies
48	5240	13.33	0.62	13.95	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.84	0.62	13.46	24.43	0.2773	Complies
40	5200	13.21	0.62	13.83	24.43	0.2773	Complies
48	5240	13.38	0.62	14.00	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.70	0.62	13.32	24.43	0.2773	Complies
40	5200	13.01	0.62	13.63	24.43	0.2773	Complies
48	5240	13.14	0.62	13.76	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.07	0.62	13.69	24.43	0.2773	Complies
40	5200	13.81	0.62	14.43	24.43	0.2773	Complies
48	5240	13.86	0.62	14.48	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.53	24.43	0.2773	Complies
40	5200	19.97	24.43	0.2773	Complies
48	5240	20.08	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.82	1.15	16.97	24.43	0.2773	Complies
46	5230	15.66	1.15	16.81	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.57	1.15	16.72	24.43	0.2773	Complies
46	5230	15.66	1.15	16.81	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.44	1.15	16.59	24.43	0.2773	Complies
46	5230	15.62	1.15	16.77	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.00	1.15	17.15	24.43	0.2773	Complies
46	5230	16.01	1.15	17.16	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.88	24.43	0.2773	Complies
46	5230	22.91	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.00	2.06	17.06	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.92	2.06	16.98	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.31	2.06	16.37	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.30	2.06	17.36	24.43	0.2773	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.98	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.41	2.11	14.52	24.43	0.2773	Complies
40	5200	12.80	2.11	14.91	24.43	0.2773	Complies
48	5240	12.64	2.11	14.75	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.39	2.11	14.50	24.43	0.2773	Complies
40	5200	12.75	2.11	14.86	24.43	0.2773	Complies
48	5240	12.30	2.11	14.41	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.22	2.11	14.33	24.43	0.2773	Complies
40	5200	12.68	2.11	14.79	24.43	0.2773	Complies
48	5240	12.36	2.11	14.47	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.62	2.11	14.73	24.43	0.2773	Complies
40	5200	12.79	2.11	14.90	24.43	0.2773	Complies
48	5240	12.65	2.11	14.76	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.54	24.43	0.2773	Complies
40	5200	20.88	24.43	0.2773	Complies
48	5240	20.62	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.67	2.13	16.80	24.43	0.2773	Complies
46	5230	15.21	2.13	17.34	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.60	2.13	16.73	24.43	0.2773	Complies
46	5230	15.04	2.13	17.17	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.70	2.13	16.83	24.43	0.2773	Complies
46	5230	15.00	2.13	17.13	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.92	2.13	17.05	24.43	0.2773	Complies
46	5230	15.51	2.13	17.64	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.88	24.43	0.2773	Complies
46	5230	23.35	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.20	2.22	17.42	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.90	2.22	17.12	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.95	2.22	17.17	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.44	2.22	17.66	24.43	0.2773	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.37	24.43	0.2773	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.76	0.64	7.40	18.41	0.0693	Complies
60	5300	6.96	0.64	7.60	18.41	0.0693	Complies
64	5320	6.74	0.64	7.38	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.64	0.64	7.28	18.41	0.0693	Complies
60	5300	6.87	0.64	7.51	18.41	0.0693	Complies
64	5320	6.72	0.64	7.36	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.64	0.64	7.28	18.41	0.0693	Complies
60	5300	6.77	0.64	7.41	18.41	0.0693	Complies
64	5320	6.56	0.64	7.20	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.01	0.64	7.65	18.41	0.0693	Complies
60	5300	7.29	0.64	7.93	18.41	0.0693	Complies
64	5320	7.21	0.64	7.85	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.42	18.41	0.0693	Complies
60	5300	13.64	18.41	0.0693	Complies
64	5320	13.47	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.03	1.19	11.22	18.41	0.0693	Complies
62	5310	9.93	1.19	11.12	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.94	1.19	11.13	18.41	0.0693	Complies
62	5310	9.67	1.19	10.86	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.71	1.19	10.90	18.41	0.0693	Complies
62	5310	9.76	1.19	10.95	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.12	1.19	11.31	18.41	0.0693	Complies
62	5310	10.22	1.19	11.41	18.41	0.0693	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.16	18.41	0.0693	Complies
62	5310	17.11	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.01	0.62	7.63	18.41	0.0693	Complies
60	5300	7.18	0.62	7.80	18.41	0.0693	Complies
64	5320	7.07	0.62	7.69	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.77	0.62	7.39	18.41	0.0693	Complies
60	5300	7.00	0.62	7.62	18.41	0.0693	Complies
64	5320	6.88	0.62	7.50	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.80	0.62	7.42	18.41	0.0693	Complies
60	5300	7.05	0.62	7.67	18.41	0.0693	Complies
64	5320	6.75	0.62	7.37	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	7.34	0.62	7.96	18.41	0.0693	Complies
60	5300	7.37	0.62	7.99	18.41	0.0693	Complies
64	5320	7.39	0.62	8.01	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.63	18.41	0.0693	Complies
60	5300	13.80	18.41	0.0693	Complies
64	5320	13.67	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.13	1.15	11.28	18.41	0.0693	Complies
62	5310	10.10	1.15	11.25	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.08	1.15	11.23	18.41	0.0693	Complies
62	5310	10.01	1.15	11.16	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.93	1.15	11.08	18.41	0.0693	Complies
62	5310	9.85	1.15	11.00	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.36	1.15	11.51	18.41	0.0693	Complies
62	5310	10.34	1.15	11.49	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.30	18.41	0.0693	Complies
62	5310	17.25	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.08	2.06	11.14	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.93	2.06	10.99	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.92	2.06	10.98	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.31	2.06	11.37	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.14	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.43	2.11	8.54	18.41	0.0693	Complies
60	5300	6.10	2.11	8.21	18.41	0.0693	Complies
64	5320	6.23	2.11	8.34	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.25	2.11	8.36	18.41	0.0693	Complies
60	5300	5.98	2.11	8.09	18.41	0.0693	Complies
64	5320	6.27	2.11	8.38	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.14	2.11	8.25	18.41	0.0693	Complies
60	5300	5.94	2.11	8.05	18.41	0.0693	Complies
64	5320	6.30	2.11	8.41	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	6.54	2.11	8.65	18.41	0.0693	Complies
60	5300	6.41	2.11	8.52	18.41	0.0693	Complies
64	5320	6.76	2.11	8.87	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.47	18.41	0.0693	Complies
60	5300	14.24	18.41	0.0693	Complies
64	5320	14.52	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.20	2.13	11.33	18.41	0.0693	Complies
62	5310	9.39	2.13	11.52	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.18	2.13	11.31	18.41	0.0693	Complies
62	5310	9.17	2.13	11.30	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.34	2.13	11.47	18.41	0.0693	Complies
62	5310	9.15	2.13	11.28	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	9.19	2.13	11.32	18.41	0.0693	Complies
62	5310	9.37	2.13	11.50	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.38	18.41	0.0693	Complies
62	5310	17.43	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.38	2.22	11.60	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.08	2.22	11.30	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.99	2.22	11.21	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.23	2.22	11.45	18.41	0.0693	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.41	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.08	0.64	6.72	18.41	0.0693	Complies
116	5580	6.75	0.64	7.39	18.41	0.0693	Complies
140	5700	6.82	0.64	7.46	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.89	0.64	6.53	18.41	0.0693	Complies
116	5580	6.80	0.64	7.44	18.41	0.0693	Complies
140	5700	6.60	0.64	7.24	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.88	0.64	6.52	18.41	0.0693	Complies
116	5580	6.65	0.64	7.29	18.41	0.0693	Complies
140	5700	6.55	0.64	7.19	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.46	0.64	7.10	18.41	0.0693	Complies
116	5580	6.81	0.64	7.45	18.41	0.0693	Complies
140	5700	7.07	0.64	7.71	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.74	18.41	0.0693	Complies
116	5580	13.41	18.41	0.0693	Complies
140	5700	13.42	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.70	1.19	10.89	18.41	0.0693	Complies
110	5550	9.81	1.19	11.00	18.41	0.0693	Complies
134	5670	9.96	1.19	11.15	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.50	1.19	10.69	18.41	0.0693	Complies
110	5550	9.77	1.19	10.96	18.41	0.0693	Complies
134	5670	10.02	1.19	11.21	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.27	1.19	10.46	18.41	0.0693	Complies
110	5550	9.70	1.19	10.89	18.41	0.0693	Complies
134	5670	9.81	1.19	11.00	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.81	1.19	11.00	18.41	0.0693	Complies
110	5550	9.92	1.19	11.11	18.41	0.0693	Complies
134	5670	10.08	1.19	11.27	18.41	0.0693	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	16.79	18.41	0.0693	Complies
110	5550	17.01	18.41	0.0693	Complies
134	5670	17.18	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.21	0.62	6.83	18.41	0.0693	Complies
116	5580	6.92	0.62	7.54	18.41	0.0693	Complies
140	5700	6.95	0.62	7.57	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.25	0.62	6.87	18.41	0.0693	Complies
116	5580	6.75	0.62	7.37	18.41	0.0693	Complies
140	5700	6.92	0.62	7.54	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.18	0.62	6.80	18.41	0.0693	Complies
116	5580	6.75	0.62	7.37	18.41	0.0693	Complies
140	5700	6.73	0.62	7.35	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.69	0.62	7.31	18.41	0.0693	Complies
116	5580	7.20	0.62	7.82	18.41	0.0693	Complies
140	5700	7.18	0.62	7.80	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.98	18.41	0.0693	Complies
116	5580	13.55	18.41	0.0693	Complies
140	5700	13.59	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.84	1.15	10.99	18.41	0.0693	Complies
110	5550	10.07	1.15	11.22	18.41	0.0693	Complies
134	5670	10.18	1.15	11.33	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.76	1.15	10.91	18.41	0.0693	Complies
110	5550	9.96	1.15	11.11	18.41	0.0693	Complies
134	5670	9.96	1.15	11.11	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.56	1.15	10.71	18.41	0.0693	Complies
110	5550	10.00	1.15	11.15	18.41	0.0693	Complies
134	5670	9.88	1.15	11.03	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.16	1.15	11.31	18.41	0.0693	Complies
110	5550	10.17	1.15	11.32	18.41	0.0693	Complies
134	5670	10.37	1.15	11.52	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.01	18.41	0.0693	Complies
110	5550	17.22	18.41	0.0693	Complies
134	5670	17.27	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.80	2.06	10.86	18.41	0.0693	Complies
122	5610	8.94	2.06	11.00	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.65	2.06	10.71	18.41	0.0693	Complies
122	5610	8.82	2.06	10.88	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.63	2.06	10.69	18.41	0.0693	Complies
122	5610	8.75	2.06	10.81	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.25	2.06	11.31	18.41	0.0693	Complies
122	5610	9.28	2.06	11.34	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.92	18.41	0.0693	Complies
122	5610	17.03	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.13	2.11	8.24	18.41	0.0693	Complies
116	5580	5.90	2.11	8.01	18.41	0.0693	Complies
140	5700	5.34	2.11	7.45	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.92	2.11	8.03	18.41	0.0693	Complies
116	5580	5.80	2.11	7.91	18.41	0.0693	Complies
140	5700	5.07	2.11	7.18	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	5.93	2.11	8.04	18.41	0.0693	Complies
116	5580	5.85	2.11	7.96	18.41	0.0693	Complies
140	5700	6.00	2.11	8.11	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	6.33	2.11	8.44	18.41	0.0693	Complies
116	5580	6.07	2.11	8.18	18.41	0.0693	Complies
140	5700	5.56	2.11	7.67	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.21	18.41	0.0693	Complies
116	5580	14.04	18.41	0.0693	Complies
140	5700	13.64	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.77	2.13	10.90	18.41	0.0693	Complies
110	5550	8.82	2.13	10.95	18.41	0.0693	Complies
134	5670	9.19	2.13	11.32	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.82	2.13	10.95	18.41	0.0693	Complies
110	5550	8.86	2.13	10.99	18.41	0.0693	Complies
134	5670	9.18	2.13	11.31	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	8.66	2.13	10.79	18.41	0.0693	Complies
110	5550	8.84	2.13	10.97	18.41	0.0693	Complies
134	5670	9.13	2.13	11.26	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	9.15	2.13	11.28	18.41	0.0693	Complies
110	5550	9.10	2.13	11.23	18.41	0.0693	Complies
134	5670	9.54	2.13	11.67	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.01	18.41	0.0693	Complies
110	5550	17.06	18.41	0.0693	Complies
134	5670	17.42	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.05	2.22	11.27	18.41	0.0693	Complies
122	5610	9.05	2.22	11.27	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.95	2.22	11.17	18.41	0.0693	Complies
122	5610	8.89	2.22	11.11	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.83	2.22	11.05	18.41	0.0693	Complies
122	5610	8.85	2.22	11.07	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	9.27	2.22	11.49	18.41	0.0693	Complies
122	5610	9.28	2.22	11.50	18.41	0.0693	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.27	18.41	0.0693	Complies
122	5610	17.26	18.41	0.0693	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.60	0.64	15.24	24.43	0.2773	Complies
157	5785	13.78	0.64	14.42	24.43	0.2773	Complies
165	5825	14.57	0.64	15.21	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.73	0.64	14.37	24.43	0.2773	Complies
157	5785	13.64	0.64	14.28	24.43	0.2773	Complies
165	5825	13.70	0.64	14.34	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.38	0.64	15.02	24.43	0.2773	Complies
157	5785	14.43	0.64	15.07	24.43	0.2773	Complies
165	5825	14.17	0.64	14.81	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.46	0.64	15.10	24.43	0.2773	Complies
157	5785	15.15	0.64	15.79	24.43	0.2773	Complies
165	5825	14.44	0.64	15.08	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.96	24.43	0.2773	Complies
157	5785	20.95	24.43	0.2773	Complies
165	5825	20.89	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.51	1.19	16.70	24.43	0.2773	Complies
159	5795	15.91	1.19	17.10	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.49	1.19	16.68	24.43	0.2773	Complies
159	5795	16.10	1.19	17.29	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 3
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.49	1.19	16.68	24.43	0.2773	Complies
159	5795	16.07	1.19	17.26	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 4
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.05	1.19	17.24	24.43	0.2773	Complies
159	5795	14.88	1.19	16.07	24.43	0.2773	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.85	24.43	0.2773	Complies
159	5795	22.98	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.59	0.62	15.21	24.43	0.2773	Complies
157	5785	14.22	0.62	14.84	24.43	0.2773	Complies
165	5825	14.09	0.62	14.71	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.34	0.62	13.96	24.43	0.2773	Complies
157	5785	13.02	0.62	13.64	24.43	0.2773	Complies
165	5825	13.08	0.62	13.70	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.98	0.62	14.60	24.43	0.2773	Complies
157	5785	13.48	0.62	14.10	24.43	0.2773	Complies
165	5825	13.45	0.62	14.07	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.48	0.62	15.10	24.43	0.2773	Complies
157	5785	14.17	0.62	14.79	24.43	0.2773	Complies
165	5825	13.88	0.62	14.50	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.77	24.43	0.2773	Complies
157	5785	20.40	24.43	0.2773	Complies
165	5825	20.29	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.35	1.15	15.50	24.43	0.2773	Complies
159	5795	14.74	1.15	15.89	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.80	1.15	15.95	24.43	0.2773	Complies
159	5795	14.53	1.15	15.68	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.05	1.15	16.20	24.43	0.2773	Complies
159	5795	14.69	1.15	15.84	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.47	1.15	16.62	24.43	0.2773	Complies
159	5795	15.00	1.15	16.15	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.11	24.43	0.2773	Complies
159	5795	21.91	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.69	2.06	16.75	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.39	2.06	15.45	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.91	2.06	16.97	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.84	2.06	15.90	24.43	0.2773	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.33	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.68	2.11	16.79	24.43	0.2773	Complies
157	5785	14.68	2.11	16.79	24.43	0.2773	Complies
165	5825	14.58	2.11	16.69	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.49	2.11	15.60	24.43	0.2773	Complies
157	5785	13.57	2.11	15.68	24.43	0.2773	Complies
165	5825	12.98	2.11	15.09	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.03	2.11	16.14	24.43	0.2773	Complies
157	5785	13.89	2.11	16.00	24.43	0.2773	Complies
165	5825	13.87	2.11	15.98	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.41	2.11	16.52	24.43	0.2773	Complies
157	5785	14.46	2.11	16.57	24.43	0.2773	Complies
165	5825	13.89	2.11	16.00	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.30	24.43	0.2773	Complies
157	5785	22.30	24.43	0.2773	Complies
165	5825	22.00	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.50	2.13	16.63	24.43	0.2773	Complies
159	5795	15.11	2.13	17.24	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.13	2.13	17.26	24.43	0.2773	Complies
159	5795	14.93	2.13	17.06	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.11	2.13	17.24	24.43	0.2773	Complies
159	5795	15.12	2.13	17.25	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.79	2.13	17.92	24.43	0.2773	Complies
159	5795	15.77	2.13	17.90	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.31	24.43	0.2773	Complies
159	5795	23.40	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.12	2.22	17.34	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.05	2.22	16.27	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.96	2.22	17.18	24.43	0.2773	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	14.62	2.22	16.84	24.43	0.2773	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.95	24.43	0.2773	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.11	0.59	4.70	11.42	Complies
40	5200	3.94	0.59	4.53	11.42	Complies
48	5240	4.16	0.59	4.75	11.42	Complies



Date: 17.AUG.2021 11:32:14




Date: 17.AUG.2021 11:33:56




Date: 17.AUG.2021 11:34:50

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.61	0.59	4.20	11.42	Complies
40	5200	3.16	0.59	3.75	11.42	Complies
48	5240	3.97	0.59	4.56	11.42	Complies



Date: 20.AUG.2021 10:41:46




Date: 20.AUG.2021 10:42:48




Date: 20.AUG.2021 10:46:37

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.24	0.59	4.83	11.42	Complies
40	5200	4.39	0.59	4.98	11.42	Complies
48	5240	3.72	0.59	4.31	11.42	Complies



Date: 20.AUG.2021 14:24:58




Date: 20.AUG.2021 14:25:26




Date: 20.AUG.2021 14:25:52

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.37	0.59	3.96	11.42	Complies
40	5200	4.06	0.59	4.65	11.42	Complies
48	5240	3.62	0.59	4.21	11.42	Complies



Date: 20.AUG.2021 15:25:22



Date: 20.AUG.2021 15:26:15




Date: 20.AUG.2021 15:26:38

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.46	11.42	Complies
40	5200	10.52	11.42	Complies
48	5240	10.48	11.42	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.30	0.62	4.92	11.42	Complies
40	5200	4.25	0.62	4.87	11.42	Complies
48	5240	4.33	0.62	4.95	11.42	Complies



Date: 17.AUG.2021 11:53:43




Date: 17.AUG.2021 11:52:18




Date: 17.AUG.2021 11:56:05

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.98	0.62	4.60	11.42	Complies
40	5200	3.86	0.62	4.48	11.42	Complies
48	5240	4.33	0.62	4.95	11.42	Complies



Date: 20.AUG.2021 11:29:42




Date: 20.AUG.2021 11:02:32




Date: 20.AUG.2021 11:04:01

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.09	0.62	4.71	11.42	Complies
40	5200	4.16	0.62	4.78	11.42	Complies
48	5240	3.30	0.62	3.92	11.42	Complies



Date: 20.AUG.2021 14:33:34




Date: 20.AUG.2021 14:33:57




Date: 20.AUG.2021 14:34:19

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.40	0.62	4.02	11.42	Complies
40	5200	3.08	0.62	3.70	11.42	Complies
48	5240	4.20	0.62	4.82	11.42	Complies



Date: 20.AUG.2021 15:33:20



Date: 20.AUG.2021 15:34:49



Date: 20.AUG.2021 15:35:50


Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.60	11.42	Complies
40	5200	10.51	11.42	Complies
48	5240	10.71	11.42	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.51	1.15	4.66	11.42	Complies
46	5230	3.49	1.15	4.64	11.42	Complies

CH38



Date: 17.AUG.2021 13:49:27

CH46




Date: 17.AUG.2021 13:51:00

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.28	1.15	3.43	11.42	Complies
46	5230	1.36	1.15	2.51	11.42	Complies

CH38



Date: 20.AUG.2021 11:13:11


CH46




Date: 20.AUG.2021 11:14:14

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.00	1.15	4.15	11.42	Complies
46	5230	2.39	1.15	3.54	11.42	Complies




Date: 20.AUG.2021 14:43:04




Date: 20.AUG.2021 14:43:38

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.04	1.15	4.19	11.42	Complies
46	5230	3.34	1.15	4.49	11.42	Complies



Date: 20.AUG.2021 15:44:04



Date: 20.AUG.2021 15:45:28

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.15	11.42	Complies
46	5230	9.90	11.42	Complies