










11BE40MIMO_Ant2_5230



11BE40MIMO_Ant3_5230




11BE40MIMO_Ant1_5270












11BE40MIMO_Ant2_5670




11BE40MIMO_Ant3_5670




11BE40MIMO_Ant1_5710






11BE40MIMO_Ant2_5755




11BE40MIMO_Ant3_5755




11BE40MIMO_Ant1_5795




11BE40MIMO_Ant2_5795




11BE40MIMO_Ant3_5795



11BE80MIMO_Ant1_5210



11BE80MIMO_Ant2_5210



11BE80MIMO_Ant3_5210




11BE80MIMO_Ant1_5290












11BE80MIMO_Ant2_5775



11BE80MIMO_Ant3_5775




11BE160MIMO_Ant1_5250





8. Maximum conducted output power

8.1. Block diagram of test setup



8.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Maximum Output Power	For FCC: outdoor access point: 1 W(30 dBm) indoor access point: 1 W(30 dBm) fixed point-to-point access points1 W(30 dBm) client devices: 250 mW (24 dBm)	5150-5250
	For RSS: e.i.r.p. power: not exceed 200 mW (23 dBm) or $10 + 10 \log_{10} B$	
	For FCC: 250 mW (24 dBm) or $11 + 10 \log_{10} B$	5250-5350
	For RSS: For conducted output power: 250 mW (24 dBm) or $11 + 10 \log_{10} B$	
	For RSS: e.i.r.p. power: not exceed 1.0 W (30 dBm) or $17 + 10 \log_{10} B$	
	For FCC: 250 mW (24 dBm) or $11 + 10 \log_{10} B$	For FCC:5470 - 5725 For IC:5470 - 5600 5650 - 5725
	For RSS: For conducted output power: 250 mW (24 dBm) or $11 + 10 \log_{10} B$	
	For RSS: e.i.r.p. power: not exceed 1.0 W (30 dBm) or $17 + 10 \log_{10} B$	5725-5850
	1 Watt (30 dBm)	
Note 1: For FCC: B=26 bandwidth; For ISDE: B=99% bandwidth. Note 2: The EUT incorporates a MIMO function. The Antenna directional gain is 6.98 dBi. The Output Power limit is the above limits-(6.98-6)dB		

8.3. Test procedure

Connect each EUT's antenna output to power sensor by RF cable and attenuator
Measure the output power of each antenna port by power sensor.

8.4. Test Result

Test Engineer:	Haofeng	Test Site:	RF Measurement System 4#
Ambient Condition:	24.9℃,50.5%RH	Test Date:	2024.04.01-2024.05.23
Test Power Supply:	AC 120V/60Hz	Sample Number:	S24032709-002

Test Mode	Antenna	Frequency [MHz]	TPC Mode	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dB]	Result [dBm]	Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A-CDD	Ant1	5180	NA	3.18	95.86	0.18	3.36	≤29.02	10.34	22.18	PASS
	Ant2	5180	NA	3.60	95.21	0.21	3.81	≤29.02	10.79	22.18	PASS
	Ant3	5180	NA	1.10	95.17	0.21	1.31	≤29.02	8.29	22.18	PASS
	total	5180	NA	---	---	---	7.73	≤29.02	14.71	22.18	PASS
	Ant1	5200	NA	3.28	95.89	0.18	3.46	≤29.02	10.44	22.18	PASS
	Ant2	5200	NA	3.65	95.86	0.18	3.83	≤29.02	10.81	22.18	PASS
	Ant3	5200	NA	1.43	95.89	0.18	1.61	≤29.02	8.59	22.18	PASS
	total	5200	NA	---	---	---	7.84	≤29.02	14.82	22.18	PASS
	Ant1	5240	NA	3.92	95.86	0.18	4.10	≤29.02	11.08	22.18	PASS
	Ant2	5240	NA	4.26	95.86	0.18	4.44	≤29.02	11.42	22.18	PASS
	Ant3	5240	NA	2.64	95.89	0.18	2.82	≤29.02	9.80	22.18	PASS
	total	5240	NA	---	---	---	8.61	≤29.02	15.59	22.18	PASS
	Ant1	5260	TPC L	3.83	95.86	0.18	4.01	≤22.20	10.99	29.18	PASS
			TPC H	10.10	95.86	0.18	10.28	≤22.20	17.26	29.18	PASS
	Ant2	5260	TPC L	4.05	95.86	0.18	4.23	≤22.20	11.21	29.18	PASS
			TPC H	10.08	95.86	0.18	10.26	≤22.20	17.24	29.18	PASS
	Ant3	5260	TPC L	5.45	95.86	0.18	5.63	≤22.20	12.61	29.18	PASS
			TPC H	11.55	95.86	0.18	11.73	≤22.20	18.71	29.18	PASS
	total	5260	TPC L	---	---	---	9.46	≤22.20	16.44	29.18	PASS
			TPC H	---	---	---	15.58	≤22.20	22.56	29.18	PASS
	Ant1	5280	TPC L	3.79	95.86	0.18	3.97	≤22.20	10.95	29.18	PASS
			TPC H	10.07	95.86	0.18	10.25	≤22.20	17.23	29.18	PASS
	Ant2	5280	TPC L	4.07	95.89	0.18	4.25	≤22.20	11.23	29.18	PASS
			TPC H	10.10	95.89	0.18	10.28	≤22.20	17.26	29.18	PASS
	Ant3	5280	TPC L	5.13	95.86	0.18	5.31	≤22.20	12.29	29.18	PASS
			TPC H	11.43	95.86	0.18	11.61	≤22.20	18.59	29.18	PASS
	total	5280	TPC L	---	---	---	9.32	≤22.20	16.30	29.18	PASS
			TPC H	---	---	---	15.53	≤22.20	22.51	29.18	PASS
	Ant1	5320	TPC L	2.33	95.86	0.18	2.51	≤22.20	9.49	29.18	PASS
			TPC H	9.03	95.86	0.18	9.21	≤22.20	16.19	29.18	PASS
	Ant2	5320	TPC L	2.94	95.86	0.18	3.12	≤22.20	10.10	29.18	PASS
			TPC H	9.34	95.86	0.18	9.52	≤22.20	16.50	29.18	PASS
	Ant3	5320	TPC L	4.14	95.86	0.18	4.32	≤22.20	11.30	29.18	PASS
			TPC H	10.50	95.86	0.18	10.68	≤22.20	17.66	29.18	PASS
	total	5320	TPC L	---	---	---	8.15	≤22.20	15.13	29.18	PASS
			TPC H	---	---	---	14.62	≤22.20	21.60	29.18	PASS
	Ant1	5500	TPC L	2.52	95.86	0.18	2.70	≤22.63	9.68	29.18	PASS
			TPC H	9.37	95.86	0.18	9.55	≤22.63	16.53	29.18	PASS
	Ant2	5500	TPC L	3.00	95.21	0.21	3.21	≤22.63	10.19	29.18	PASS
			TPC H	9.72	95.21	0.21	9.93	≤22.63	16.91	29.18	PASS
	Ant3	5500	TPC L	2.08	95.86	0.18	2.26	≤22.63	9.24	29.18	PASS
			TPC H	8.87	95.86	0.18	9.05	≤22.63	16.03	29.18	PASS
	total	5500	TPC L	---	---	---	7.51	≤22.63	14.49	29.18	PASS
			TPC H	---	---	---	14.30	≤22.63	21.28	29.18	PASS
	Ant1	5580	TPC L	2.34	95.86	0.18	2.52	≤22.63	9.50	29.18	PASS
			TPC H	8.97	95.86	0.18	9.15	≤22.63	16.13	29.18	PASS
	Ant2	5580	TPC L	1.98	95.89	0.18	2.16	≤22.63	9.14	29.18	PASS
			TPC H	9.52	95.89	0.18	9.70	≤22.63	16.68	29.18	PASS
	Ant3	5580	TPC L	3.28	95.86	0.18	3.46	≤22.63	10.44	29.18	PASS
			TPC H	10.01	95.86	0.18	10.19	≤22.63	17.17	29.18	PASS
	total	5580	TPC L	---	---	---	7.52	≤22.63	14.50	29.18	PASS
			TPC H	---	---	---	14.47	≤22.63	21.45	29.18	PASS
	Ant1	5700	TPC L	3.18	95.89	0.18	3.36	≤22.63	10.34	29.18	PASS
			TPC H	9.74	95.89	0.18	9.92	≤22.63	16.90	29.18	PASS
	Ant2	5700	TPC L	1.95	95.86	0.18	2.13	≤22.63	9.11	29.18	PASS
			TPC H	9.96	95.86	0.18	10.14	≤22.63	17.12	29.18	PASS
	Ant3	5700	TPC L	2.87	95.89	0.18	3.05	≤22.63	10.03	29.18	PASS
			TPC H	9.43	95.89	0.18	9.61	≤22.63	16.59	29.18	PASS
	total	5700	TPC L	---	---	---	7.65	≤22.63	14.63	29.18	PASS
			TPC H	---	---	---	14.67	≤22.63	21.65	29.18	PASS
	Ant1	5720	TPC L	3.28	95.86	0.18	3.46	≤22.63	10.44	29.18	PASS

11N20 MIMO	Ant2	5720	TPC_H	9.79	95.86	0.18	9.97	≤22.63	16.95	29.18	PASS
			TPC_L	1.85	95.86	0.18	2.03	≤22.63	9.01	29.18	PASS
		5720	TPC_H	10.11	95.86	0.18	10.29	≤22.63	17.27	29.18	PASS
			TPC_L	2.81	95.86	0.18	2.99	≤22.63	9.97	29.18	PASS
		5720	TPC_H	9.33	95.86	0.18	9.51	≤22.63	16.49	29.18	PASS
			TPC_L	---	---	---	7.64	≤22.63	14.62	29.18	PASS
	total	5720	TPC_H	---	---	---	14.71	≤22.63	21.69	29.18	PASS
			TPC_L	---	---	---	---	---	---	---	---
	Ant1	5745	NA	11.94	95.86	0.18	12.12	≤29.02	19.10	---	PASS
	Ant2	5745	NA	12.46	95.89	0.18	12.64	≤29.02	19.62	---	PASS
	Ant3	5745	NA	10.74	95.86	0.18	10.92	≤29.02	17.90	---	PASS
	total	5745	NA	---	---	---	16.72	≤29.02	23.70	---	PASS
	Ant1	5785	NA	10.88	95.86	0.18	11.06	≤29.02	18.04	---	PASS
	Ant2	5785	NA	11.19	95.89	0.18	11.37	≤29.02	18.35	---	PASS
	Ant3	5785	NA	10.05	95.86	0.18	10.23	≤29.02	17.21	---	PASS
	total	5785	NA	---	---	---	15.68	≤29.02	22.66	---	PASS
	Ant1	5825	NA	11.75	95.86	0.18	11.93	≤29.02	18.91	---	PASS
	Ant2	5825	NA	12.06	95.86	0.18	12.24	≤29.02	19.22	---	PASS
	Ant3	5825	NA	10.46	95.86	0.18	10.64	≤29.02	17.62	---	PASS
	total	5825	NA	---	---	---	16.43	≤29.02	23.41	---	PASS
	Ant1	5180	NA	8.46	88.68	0.52	8.98	≤29.02	15.96	22.18	PASS
	Ant2	5180	NA	8.60	87.04	0.60	9.20	≤29.02	16.18	22.18	PASS
	Ant3	5180	NA	6.95	88.68	0.52	7.47	≤29.02	14.45	22.18	PASS
	total	5180	NA	---	---	---	13.39	≤29.02	20.37	22.18	PASS
	Ant1	5200	NA	8.47	88.68	0.52	8.99	≤29.02	15.97	22.18	PASS
	Ant2	5200	NA	8.56	87.04	0.60	9.16	≤29.02	16.14	22.18	PASS
	Ant3	5200	NA	7.29	88.68	0.52	7.81	≤29.02	14.79	22.18	PASS
	total	5200	NA	---	---	---	13.46	≤29.02	20.44	22.18	PASS
	Ant1	5240	NA	8.98	88.68	0.52	9.50	≤29.02	16.48	22.18	PASS
	Ant2	5240	NA	9.02	87.04	0.60	9.62	≤29.02	16.60	22.18	PASS
	Ant3	5240	NA	7.42	88.68	0.52	7.94	≤29.02	14.92	22.18	PASS
	total	5240	NA	---	---	---	13.86	≤29.02	20.84	22.18	PASS
	Ant1	5260	TPC_L	3.25	87.04	0.60	3.85	≤22.20	10.83	29.18	PASS
			TPC_H	9.78	87.04	0.60	10.38	≤22.20	17.36	29.18	PASS
	Ant2	5260	TPC_L	3.47	87.04	0.60	4.07	≤22.20	11.05	29.18	PASS
			TPC_H	9.76	87.04	0.60	10.36	≤22.20	17.34	29.18	PASS
	Ant3	5260	TPC_L	4.93	87.04	0.60	5.53	≤22.20	12.51	29.18	PASS
			TPC_H	11.22	87.04	0.60	11.82	≤22.20	18.80	29.18	PASS
	total	5260	TPC_L	---	---	---	9.32	≤22.20	16.30	29.18	PASS
			TPC_H	---	---	---	15.68	≤22.20	22.66	29.18	PASS
	Ant1	5280	TPC_L	3.22	87.04	0.60	3.82	≤22.20	10.80	29.18	PASS
			TPC_H	9.73	87.04	0.60	10.33	≤22.20	17.31	29.18	PASS
	Ant2	5280	TPC_L	3.48	87.04	0.60	4.08	≤22.20	11.06	29.18	PASS
			TPC_H	9.78	87.04	0.60	10.38	≤22.20	17.36	29.18	PASS
	Ant3	5280	TPC_L	4.58	87.04	0.60	5.18	≤22.20	12.16	29.18	PASS
			TPC_H	11.06	87.04	0.60	11.66	≤22.20	18.64	29.18	PASS
	total	5280	TPC_L	---	---	---	9.17	≤22.20	16.15	29.18	PASS
			TPC_H	---	---	---	15.61	≤22.20	22.59	29.18	PASS
	Ant1	5320	TPC_L	1.96	87.04	0.60	2.56	≤22.20	9.54	29.18	PASS
			TPC_H	8.76	87.04	0.60	9.36	≤22.20	16.34	29.18	PASS
	Ant2	5320	TPC_L	2.62	87.04	0.60	3.22	≤22.20	10.20	29.18	PASS
			TPC_H	9.04	87.04	0.60	9.64	≤22.20	16.62	29.18	PASS
	Ant3	5320	TPC_L	3.97	88.68	0.52	4.49	≤22.20	11.47	29.18	PASS
			TPC_H	10.19	88.68	0.52	10.71	≤22.20	17.69	29.18	PASS
	total	5320	TPC_L	---	---	---	8.27	≤22.20	15.25	29.18	PASS
			TPC_H	---	---	---	14.71	≤22.20	21.69	29.18	PASS
	Ant1	5500	TPC_L	2.10	88.68	0.52	2.62	≤22.63	9.60	29.18	PASS
			TPC_H	9.04	88.68	0.52	9.56	≤22.63	16.54	29.18	PASS
	Ant2	5500	TPC_L	2.67	87.04	0.60	3.27	≤22.63	10.25	29.18	PASS
			TPC_H	9.35	87.04	0.60	9.95	≤22.63	16.93	29.18	PASS
	Ant3	5500	TPC_L	1.84	87.04	0.60	2.44	≤22.63	9.42	29.18	PASS
			TPC_H	8.44	87.04	0.60	9.04	≤22.63	16.02	29.18	PASS
	total	5500	TPC_L	---	---	---	7.56	≤22.63	14.54	29.18	PASS
			TPC_H	---	---	---	14.30	≤22.63	21.28	29.18	PASS
	Ant1	5580	TPC_L	2.16	87.04	0.60	2.76	≤22.63	9.74	29.18	PASS
			TPC_H	8.64	87.04	0.60	9.24	≤22.63	16.22	29.18	PASS
	Ant2	5580	TPC_L	2.45	88.68	0.52	2.97	≤22.63	9.95	29.18	PASS
			TPC_H	9.17	88.68	0.52	9.69	≤22.63	16.67	29.18	PASS
	Ant3	5580	TPC_L	3.04	87.04	0.60	3.64	≤22.63	10.62	29.18	PASS
			TPC_H	9.63	87.04	0.60	10.23	≤22.63	17.21	29.18	PASS
	total	5580	TPC_L	---	---	---	7.91	≤22.63	14.89	29.18	PASS
			TPC_H	---	---	---	14.51	≤22.63	21.49	29.18	PASS

11N40 MIMO	Ant1	5700	TPC L	3.00	88.68	0.52	3.52	≤22.63	10.50	29.18	PASS
			TPC H	9.49	88.68	0.52	10.01	≤22.63	16.99	29.18	PASS
	Ant2	5700	TPC L	2.82	88.68	0.52	3.34	≤22.63	10.32	29.18	PASS
			TPC H	9.58	88.68	0.52	10.10	≤22.63	17.08	29.18	PASS
	Ant3	5700	TPC L	2.66	87.04	0.60	3.26	≤22.63	10.24	29.18	PASS
			TPC H	9.05	87.04	0.60	9.65	≤22.63	16.63	29.18	PASS
	total	5700	TPC L	---	---	---	8.15	≤22.63	15.13	29.18	PASS
			TPC H	---	---	---	14.70	≤22.63	21.68	29.18	PASS
	Ant1	5720	TPC L	3.15	88.68	0.52	3.67	≤22.63	10.65	29.18	PASS
			TPC H	9.47	88.68	0.52	9.99	≤22.63	16.97	29.18	PASS
	Ant2	5720	TPC L	3.19	87.04	0.60	3.79	≤22.63	10.77	29.18	PASS
			TPC H	9.68	87.04	0.60	10.28	≤22.63	17.26	29.18	PASS
	Ant3	5720	TPC L	2.62	87.04	0.60	3.22	≤22.63	10.20	29.18	PASS
			TPC H	8.93	87.04	0.60	9.53	≤22.63	16.51	29.18	PASS
	total	5720	TPC L	---	---	---	8.34	≤22.63	15.32	29.18	PASS
			TPC H	---	---	---	14.72	≤22.63	21.70	29.18	PASS
	Ant1	5745	NA	9.58	87.04	0.60	10.18	≤29.02	17.16	---	PASS
	Ant2	5745	NA	10.00	88.68	0.52	10.52	≤29.02	17.50	---	PASS
	Ant3	5745	NA	8.59	88.68	0.52	9.11	≤29.02	16.09	---	PASS
	total	5745	NA	---	---	---	14.75	≤29.02	21.73	---	PASS
	Ant1	5785	NA	8.53	88.68	0.52	9.05	≤29.02	16.03	---	PASS
	Ant2	5785	NA	8.76	87.04	0.60	9.36	≤29.02	16.34	---	PASS
	Ant3	5785	NA	7.94	87.04	0.60	8.54	≤29.02	15.52	---	PASS
	total	5785	NA	---	---	---	13.77	≤29.02	20.75	---	PASS
	Ant1	5825	NA	9.33	88.68	0.52	9.85	≤29.02	16.83	---	PASS
	Ant2	5825	NA	9.63	87.04	0.60	10.23	≤29.02	17.21	---	PASS
	Ant3	5825	NA	8.53	87.04	0.60	9.13	≤29.02	16.11	---	PASS
	total	5825	NA	---	---	---	14.53	≤29.02	21.51	---	PASS
	Ant1	5190	NA	9.52	80.65	0.93	10.45	≤29.02	17.43	22.18	PASS
	Ant2	5190	NA	9.72	80.65	0.93	10.65	≤29.02	17.63	22.18	PASS
	Ant3	5190	NA	7.97	78.13	1.07	9.04	≤29.02	16.02	22.18	PASS
	total	5190	NA	---	---	---	14.87	≤29.02	21.85	22.18	PASS
	Ant1	5230	NA	9.33	78.13	1.07	10.40	≤29.02	17.38	22.18	PASS
	Ant2	5230	NA	9.36	80.65	0.93	10.29	≤29.02	17.27	22.18	PASS
	Ant3	5230	NA	8.46	75.00	1.25	9.71	≤29.02	16.69	22.18	PASS
	total	5230	NA	---	---	---	14.91	≤29.02	21.89	22.18	PASS
	Ant1	5270	TPC L	5.23	78.13	1.07	6.30	≤22.20	13.28	29.18	PASS
			TPC H	11.87	78.13	1.07	12.94	≤22.20	19.92	29.18	PASS
	Ant2	5270	TPC L	5.49	78.13	1.07	6.56	≤22.20	13.54	29.18	PASS
			TPC H	11.86	78.13	1.07	12.93	≤22.20	19.91	29.18	PASS
	Ant3	5270	TPC L	6.65	78.13	1.07	7.72	≤22.20	14.70	29.18	PASS
			TPC H	13.07	78.13	1.07	14.14	≤22.20	21.12	29.18	PASS
	total	5270	TPC L	---	---	---	11.68	≤22.20	18.66	29.18	PASS
			TPC H	---	---	---	18.15	≤22.20	25.13	29.18	PASS
	Ant1	5310	TPC L	4.45	78.13	1.07	5.52	≤22.20	12.50	29.18	PASS
			TPC H	11.06	78.13	1.07	12.13	≤22.20	19.11	29.18	PASS
	Ant2	5310	TPC L	5.06	78.13	1.07	6.13	≤22.20	13.11	29.18	PASS
			TPC H	11.26	78.13	1.07	12.33	≤22.20	19.31	29.18	PASS
	Ant3	5310	TPC L	6.05	78.13	1.07	7.12	≤22.20	14.10	29.18	PASS
			TPC H	12.29	78.13	1.07	13.36	≤22.20	20.34	29.18	PASS
	total	5310	TPC L	---	---	---	11.08	≤22.20	18.06	29.18	PASS
			TPC H	---	---	---	17.41	≤22.20	24.39	29.18	PASS
	Ant1	5510	TPC L	4.55	78.13	1.07	5.62	≤22.63	12.60	29.18	PASS
			TPC H	11.36	78.13	1.07	12.43	≤22.63	19.41	29.18	PASS
	Ant2	5510	TPC L	5.22	78.13	1.07	6.29	≤22.63	13.27	29.18	PASS
			TPC H	11.66	78.13	1.07	12.73	≤22.63	19.71	29.18	PASS
	Ant3	5510	TPC L	4.00	78.13	1.07	5.07	≤22.63	12.05	29.18	PASS
			TPC H	10.66	78.13	1.07	11.73	≤22.63	18.71	29.18	PASS
	total	5510	TPC L	---	---	---	10.46	≤22.63	17.44	29.18	PASS
			TPC H	---	---	---	17.09	≤22.63	24.07	29.18	PASS
	Ant1	5550	TPC L	5.28	78.13	1.07	6.35	≤22.63	13.33	29.18	PASS
			TPC H	11.97	78.13	1.07	13.04	≤22.63	20.02	29.18	PASS
	Ant2	5550	TPC L	5.76	78.13	1.07	6.83	≤22.63	13.81	29.18	PASS
			TPC H	12.28	78.13	1.07	13.35	≤22.63	20.33	29.18	PASS
	Ant3	5550	TPC L	4.35	78.13	1.07	5.42	≤22.63	12.40	29.18	PASS
			TPC H	10.91	78.13	1.07	11.98	≤22.63	18.96	29.18	PASS
	total	5550	TPC L	---	---	---	11.01	≤22.63	17.99	29.18	PASS
			TPC H	---	---	---	17.60	≤22.63	24.58	29.18	PASS
	Ant1	5670	TPC L	4.59	80.65	0.93	5.52	≤22.63	12.50	29.18	PASS
			TPC H	11.14	80.65	0.93	12.07	≤22.63	19.05	29.18	PASS
	Ant2	5670	TPC L	3.55	80.65	0.93	4.48	≤22.63	11.46	29.18	PASS

			TPC_H	10.52	80.65	0.93	11.45	≤22.63	18.43	29.18	PASS
			TPC_L	5.00	78.13	1.07	6.07	≤22.63	13.05	29.18	PASS
			TPC_H	11.55	78.13	1.07	12.62	≤22.63	19.60	29.18	PASS
	total	5670	TPC_L	---	---	---	10.18	≤22.63	17.16	29.18	PASS
			TPC_H	---	---	---	16.84	≤22.63	23.82	29.18	PASS
	Ant1	5710	TPC_L	5.21	78.13	1.07	6.28	≤22.63	13.26	29.18	PASS
			TPC_H	11.72	78.13	1.07	12.79	≤22.63	19.77	29.18	PASS
	Ant2	5710	TPC_L	5.33	78.13	1.07	6.40	≤22.63	13.38	29.18	PASS
			TPC_H	11.90	78.13	1.07	12.97	≤22.63	19.95	29.18	PASS
	Ant3	5710	TPC_L	4.83	78.13	1.07	5.90	≤22.63	12.88	29.18	PASS
			TPC_H	11.20	78.13	1.07	12.27	≤22.63	19.25	29.18	PASS
	total	5710	TPC_L	---	---	---	10.97	≤22.63	17.95	29.18	PASS
			TPC_H	---	---	---	17.46	≤22.63	24.44	29.18	PASS
	Ant1	5755	NA	9.33	78.13	1.07	10.40	≤29.02	17.38	---	PASS
	Ant2	5755	NA	9.69	78.13	1.07	10.76	≤29.02	17.74	---	PASS
	Ant3	5755	NA	7.90	78.13	1.07	8.97	≤29.02	15.95	---	PASS
	total	5755	NA	---	---	---	14.88	≤29.02	21.86	---	PASS
	Ant1	5795	NA	8.69	78.13	1.07	9.76	≤29.02	16.74	---	PASS
	Ant2	5795	NA	8.75	80.65	0.93	9.68	≤29.02	16.66	---	PASS
	Ant3	5795	NA	7.37	78.13	1.07	8.44	≤29.02	15.42	---	PASS
	total	5795	NA	---	---	---	14.11	≤29.02	21.09	---	PASS
11AC20 MIMO	Ant1	5180	NA	8.74	95.65	0.19	8.93	≤29.02	15.91	22.18	PASS
	Ant2	5180	NA	8.95	95.62	0.19	9.14	≤29.02	16.12	22.18	PASS
	Ant3	5180	NA	7.35	95.62	0.19	7.54	≤29.02	14.52	22.18	PASS
	total	5180	NA	---	---	---	13.36	≤29.02	20.34	22.18	PASS
	Ant1	5200	NA	8.84	95.62	0.19	9.03	≤29.02	16.01	22.18	PASS
	Ant2	5200	NA	8.95	95.62	0.19	9.14	≤29.02	16.12	22.18	PASS
	Ant3	5200	NA	7.40	95.62	0.19	7.59	≤29.02	14.57	22.18	PASS
	total	5200	NA	---	---	---	13.41	≤29.02	20.39	22.18	PASS
	Ant1	5240	NA	9.35	94.93	0.23	9.58	≤29.02	16.56	22.18	PASS
	Ant2	5240	NA	9.35	95.62	0.19	9.54	≤29.02	16.52	22.18	PASS
	Ant3	5240	NA	7.97	96.32	0.16	8.13	≤29.02	15.11	22.18	PASS
	total	5240	NA	---	---	---	13.90	≤29.02	20.88	22.18	PASS
	Ant1	5260	TPC_L	4.52	96.32	0.16	4.68	≤22.20	11.66	29.18	PASS
			TPC_H	10.96	96.32	0.16	11.12	≤22.20	18.10	29.18	PASS
	Ant2	5260	TPC_L	4.83	95.62	0.19	5.02	≤22.20	12.00	29.18	PASS
			TPC_H	10.92	95.62	0.19	11.11	≤22.20	18.09	29.18	PASS
	Ant3	5260	TPC_L	6.36	95.62	0.19	6.55	≤22.20	13.53	29.18	PASS
			TPC_H	12.47	95.62	0.19	12.66	≤22.20	19.64	29.18	PASS
	total	5260	TPC_L	---	---	---	10.27	≤22.20	17.25	29.18	PASS
			TPC_H	---	---	---	16.46	≤22.20	23.44	29.18	PASS
	Ant1	5280	TPC_L	4.57	94.93	0.23	4.80	≤22.20	11.78	29.18	PASS
			TPC_H	10.94	94.93	0.23	11.17	≤22.20	18.15	29.18	PASS
	Ant2	5280	TPC_L	4.87	95.62	0.19	5.06	≤22.20	12.04	29.18	PASS
			TPC_H	10.99	95.62	0.19	11.18	≤22.20	18.16	29.18	PASS
	Ant3	5280	TPC_L	5.99	95.62	0.19	6.18	≤22.20	13.16	29.18	PASS
			TPC_H	12.35	95.62	0.19	12.54	≤22.20	19.52	29.18	PASS
	total	5280	TPC_L	---	---	---	10.16	≤22.20	17.14	29.18	PASS
			TPC_H	---	---	---	16.45	≤22.20	23.43	29.18	PASS
	Ant1	5320	TPC_L	3.42	95.65	0.19	3.61	≤22.20	10.59	29.18	PASS
			TPC_H	9.95	95.65	0.19	10.14	≤22.20	17.12	29.18	PASS
	Ant2	5320	TPC_L	4.08	94.93	0.23	4.31	≤22.20	11.29	29.18	PASS
			TPC_H	10.28	94.93	0.23	10.51	≤22.20	17.49	29.18	PASS
	Ant3	5320	TPC_L	5.15	95.62	0.19	5.34	≤22.20	12.32	29.18	PASS
			TPC_H	11.37	95.62	0.19	11.56	≤22.20	18.54	29.18	PASS
	total	5320	TPC_L	---	---	---	9.25	≤22.20	16.23	29.18	PASS
			TPC_H	---	---	---	15.55	≤22.20	22.53	29.18	PASS
	Ant1	5500	TPC_L	3.78	95.62	0.19	3.97	≤22.63	10.95	29.18	PASS
			TPC_H	10.27	95.62	0.19	10.46	≤22.63	17.44	29.18	PASS
	Ant2	5500	TPC_L	4.39	95.62	0.19	4.58	≤22.63	11.56	29.18	PASS
			TPC_H	10.59	95.62	0.19	10.78	≤22.63	17.76	29.18	PASS
	Ant3	5500	TPC_L	2.55	95.65	0.19	2.74	≤22.63	9.72	29.18	PASS
			TPC_H	8.84	95.65	0.19	9.03	≤22.63	16.01	29.18	PASS
	total	5500	TPC_L	---	---	---	8.60	≤22.63	15.58	29.18	PASS
			TPC_H	---	---	---	14.93	≤22.63	21.91	29.18	PASS
	Ant1	5580	TPC_L	3.28	95.62	0.19	3.47	≤22.63	10.45	29.18	PASS
			TPC_H	9.82	95.62	0.19	10.01	≤22.63	16.99	29.18	PASS
	Ant2	5580	TPC_L	3.83	95.62	0.19	4.02	≤22.63	11.00	29.18	PASS
			TPC_H	10.49	95.62	0.19	10.68	≤22.63	17.66	29.18	PASS
	Ant3	5580	TPC_L	4.18	95.62	0.19	4.37	≤22.63	11.35	29.18	PASS
			TPC_H	10.20	95.62	0.19	10.39	≤22.63	17.37	29.18	PASS

11AC40 MIMO	total	5580	TPC_L	---	---	---	8.74	≤22.63	15.72	29.18	PASS
			TPC_H	---	---	---	15.14	≤22.63	22.12	29.18	PASS
	Ant1	5700	TPC_L	4.16	95.62	0.19	4.35	≤22.63	11.33	29.18	PASS
			TPC_H	10.59	95.62	0.19	10.78	≤22.63	17.76	29.18	PASS
	Ant2	5700	TPC_L	4.08	95.65	0.19	4.27	≤22.63	11.25	29.18	PASS
			TPC_H	10.91	95.65	0.19	11.10	≤22.63	18.08	29.18	PASS
	Ant3	5700	TPC_L	3.80	95.62	0.19	3.99	≤22.63	10.97	29.18	PASS
			TPC_H	10.35	95.62	0.19	10.54	≤22.63	17.52	29.18	PASS
	total	5700	TPC_L	---	---	---	8.98	≤22.63	15.96	29.18	PASS
			TPC_H	---	---	---	15.58	≤22.63	22.56	29.18	PASS
	Ant1	5720	TPC_L	4.20	95.62	0.19	4.39	≤22.63	11.37	29.18	PASS
			TPC_H	10.62	95.62	0.19	10.81	≤22.63	17.79	29.18	PASS
	Ant2	5720	TPC_L	4.30	95.62	0.19	4.49	≤22.63	11.47	29.18	PASS
			TPC_H	11.08	95.62	0.19	11.27	≤22.63	18.25	29.18	PASS
	Ant3	5720	TPC_L	2.83	95.62	0.19	3.02	≤22.63	10.00	29.18	PASS
			TPC_H	8.93	95.62	0.19	9.12	≤22.63	16.10	29.18	PASS
	total	5720	TPC_L	---	---	---	8.79	≤22.63	15.77	29.18	PASS
			TPC_H	---	---	---	15.27	≤22.63	22.25	29.18	PASS
	Ant1	5745	NA	9.86	95.65	0.19	10.05	≤29.02	17.03	---	PASS
	Ant2	5745	NA	10.33	95.62	0.19	10.52	≤29.02	17.50	---	PASS
	Ant3	5745	NA	8.30	95.62	0.19	8.49	≤29.02	15.47	---	PASS
	total	5745	NA	---	---	---	14.54	≤29.02	21.52	---	PASS
	Ant1	5785	NA	8.84	95.62	0.19	9.03	≤29.02	16.01	---	PASS
	Ant2	5785	NA	9.12	95.62	0.19	9.31	≤29.02	16.29	---	PASS
	Ant3	5785	NA	8.34	95.62	0.19	8.53	≤29.02	15.51	---	PASS
	total	5785	NA	---	---	---	13.74	≤29.02	20.72	---	PASS
	Ant1	5825	NA	9.67	95.62	0.19	9.86	≤29.02	16.84	---	PASS
	Ant2	5825	NA	10.02	95.65	0.19	10.21	≤29.02	17.19	---	PASS
	Ant3	5825	NA	8.62	95.62	0.19	8.81	≤29.02	15.79	---	PASS
	total	5825	NA	---	---	---	14.44	≤29.02	21.42	---	PASS
	Ant1	5190	NA	10.14	91.55	0.38	10.52	≤29.02	17.50	22.18	PASS
	Ant2	5190	NA	10.35	91.55	0.38	10.73	≤29.02	17.71	22.18	PASS
	Ant3	5190	NA	7.85	90.28	0.44	8.29	≤29.02	15.27	22.18	PASS
	total	5190	NA	---	---	---	14.75	≤29.02	21.73	22.18	PASS
	Ant1	5230	NA	9.91	90.28	0.44	10.35	≤29.02	17.33	22.18	PASS
	Ant2	5230	NA	10.06	90.28	0.44	10.5	≤29.02	17.48	22.18	PASS
	Ant3	5230	NA	9.08	91.55	0.38	9.46	≤29.02	16.44	22.18	PASS
	total	5230	NA	---	---	---	14.9	≤29.02	21.88	22.18	PASS
	Ant1	5270	TPC_L	6.86	91.55	0.38	7.24	≤22.20	14.22	29.18	PASS
			TPC_H	13.30	91.55	0.38	13.68	≤22.20	20.66	29.18	PASS
	Ant2	5270	TPC_L	7.15	91.55	0.38	7.53	≤22.20	14.51	29.18	PASS
			TPC_H	13.31	91.55	0.38	13.69	≤22.20	20.67	29.18	PASS
	Ant3	5270	TPC_L	8.34	90.28	0.44	8.78	≤22.20	15.76	29.18	PASS
			TPC_H	14.40	90.28	0.44	14.84	≤22.20	21.82	29.18	PASS
	total	5270	TPC_L	---	---	---	12.67	≤22.20	19.65	29.18	PASS
			TPC_H	---	---	---	18.88	≤22.20	25.86	29.18	PASS
	Ant1	5310	TPC_L	6.00	91.55	0.38	6.38	≤22.20	13.36	29.18	PASS
			TPC_H	12.56	91.55	0.38	12.94	≤22.20	19.92	29.18	PASS
	Ant2	5310	TPC_L	6.60	91.55	0.38	6.98	≤22.20	13.96	29.18	PASS
			TPC_H	12.77	91.55	0.38	13.15	≤22.20	20.13	29.18	PASS
	Ant3	5310	TPC_L	7.56	91.55	0.38	7.94	≤22.20	14.92	29.18	PASS
			TPC_H	13.77	91.55	0.38	14.15	≤22.20	21.13	29.18	PASS
	total	5310	TPC_L	---	---	---	11.92	≤22.20	18.90	29.18	PASS
			TPC_H	---	---	---	18.22	≤22.20	25.20	29.18	PASS
	Ant1	5510	TPC_L	5.99	90.28	0.44	6.43	≤22.63	13.41	29.18	PASS
			TPC_H	12.83	90.28	0.44	13.27	≤22.63	20.25	29.18	PASS
	Ant2	5510	TPC_L	6.67	91.55	0.38	7.05	≤22.63	14.03	29.18	PASS
			TPC_H	13.16	91.55	0.38	13.54	≤22.63	20.52	29.18	PASS
	Ant3	5510	TPC_L	5.50	90.28	0.44	5.94	≤22.63	12.92	29.18	PASS
			TPC_H	11.80	90.28	0.44	12.24	≤22.63	19.22	29.18	PASS
	total	5510	TPC_L	---	---	---	11.27	≤22.63	18.25	29.18	PASS
			TPC_H	---	---	---	17.82	≤22.63	24.80	29.18	PASS
	Ant1	5550	TPC_L	6.75	91.55	0.38	7.13	≤22.63	14.11	29.18	PASS
			TPC_H	13.37	91.55	0.38	13.75	≤22.63	20.73	29.18	PASS
	Ant2	5550	TPC_L	7.26	91.55	0.38	7.64	≤22.63	14.62	29.18	PASS
			TPC_H	13.80	91.55	0.38	14.18	≤22.63	21.16	29.18	PASS
	Ant3	5550	TPC_L	5.78	91.55	0.38	6.16	≤22.63	13.14	29.18	PASS
			TPC_H	12.46	91.55	0.38	12.84	≤22.63	19.82	29.18	PASS
	total	5550	TPC_L	---	---	---	11.79	≤22.63	18.77	29.18	PASS
			TPC_H	---	---	---	18.40	≤22.63	25.38	29.18	PASS
	Ant1	5670	TPC_L	5.98	90.28	0.44	6.42	≤22.63	13.40	29.18	PASS

	Ant2	5670	TPC_H	12.55	90.28	0.44	12.99	≤22.63	19.97	29.18	PASS
			TPC_L	5.50	91.55	0.38	5.88	≤22.63	12.86	29.18	PASS
	Ant3	5670	TPC_H	12.13	91.55	0.38	12.51	≤22.63	19.49	29.18	PASS
			TPC_L	6.41	91.55	0.38	6.79	≤22.63	13.77	29.18	PASS
	total	5670	TPC_H	12.99	91.55	0.38	13.37	≤22.63	20.35	29.18	PASS
			TPC_L	---	---	---	11.15	≤22.63	18.13	29.18	PASS
	Ant1	5710	TPC_H	---	---	---	17.74	≤22.63	24.72	29.18	PASS
			TPC_L	6.72	90.28	0.44	7.16	≤22.63	14.14	29.18	PASS
	Ant2	5710	TPC_H	13.03	90.28	0.44	13.47	≤22.63	20.45	29.18	PASS
			TPC_L	6.75	90.28	0.44	7.19	≤22.63	14.17	29.18	PASS
	Ant3	5710	TPC_H	13.45	90.28	0.44	13.89	≤22.63	20.87	29.18	PASS
			TPC_L	6.30	91.55	0.38	6.68	≤22.63	13.66	29.18	PASS
	total	5710	TPC_H	12.64	91.55	0.38	13.02	≤22.63	20.00	29.18	PASS
			TPC_L	---	---	---	11.79	≤22.63	18.77	29.18	PASS
	Ant1	5755	TPC_H	---	---	---	18.25	≤22.63	25.23	29.18	PASS
			TPC_L	---	---	---	---	---	---	---	---
	Ant2	5755	TPC_H	9.89	90.28	0.44	10.33	≤29.02	17.31	---	PASS
			TPC_L	10.28	91.55	0.38	10.66	≤29.02	17.64	---	PASS
	Ant3	5755	TPC_H	8.46	90.28	0.44	8.90	≤29.02	15.88	---	PASS
			TPC_L	---	---	---	14.80	≤29.02	21.78	---	PASS
	Ant1	5795	TPC_H	---	---	---	---	---	---	---	---
			TPC_L	9.22	90.28	0.44	9.66	≤29.02	16.64	---	PASS
	Ant2	5795	TPC_H	9.30	90.28	0.44	9.74	≤29.02	16.72	---	PASS
			TPC_L	7.55	90.28	0.44	7.99	≤29.02	14.97	---	PASS
	Ant3	5795	TPC_H	---	---	---	13.97	≤29.02	20.95	---	PASS
			TPC_L	---	---	---	---	---	---	---	---
11AC80 MIMO	Ant1	5210	TPC_H	9.78	84.21	0.75	10.53	≤29.02	17.51	22.18	PASS
			TPC_L	9.94	82.05	0.86	10.80	≤29.02	17.78	22.18	PASS
	Ant2	5210	TPC_H	8.61	84.21	0.75	9.36	≤29.02	16.34	22.18	PASS
			TPC_L	---	---	---	15.04	≤29.02	22.02	22.18	PASS
	Ant3	5210	TPC_H	---	---	---	---	---	---	---	---
			TPC_L	---	---	---	---	---	---	---	---
	Ant1	5290	TPC_H	5.76	84.21	0.75	6.51	≤22.20	13.49	29.18	PASS
			TPC_L	12.41	84.21	0.75	13.16	≤22.20	20.14	29.18	PASS
	Ant2	5290	TPC_H	6.15	84.21	0.75	6.90	≤22.20	13.88	29.18	PASS
			TPC_L	12.57	84.21	0.75	13.32	≤22.20	20.30	29.18	PASS
	Ant3	5290	TPC_H	7.31	82.05	0.86	8.17	≤22.20	15.15	29.18	PASS
			TPC_L	13.36	82.05	0.86	14.22	≤22.20	21.20	29.18	PASS
	total	5290	TPC_H	---	---	---	12.02	≤22.20	19.00	29.18	PASS
			TPC_L	---	---	---	18.36	≤22.20	25.34	29.18	PASS
	Ant1	5530	TPC_H	6.09	84.21	0.75	6.84	≤22.63	13.82	29.18	PASS
			TPC_L	12.66	84.21	0.75	13.41	≤22.63	20.39	29.18	PASS
	Ant2	5530	TPC_H	6.59	84.21	0.75	7.34	≤22.63	14.32	29.18	PASS
			TPC_L	13.06	84.21	0.75	13.81	≤22.63	20.79	29.18	PASS
	Ant3	5530	TPC_H	5.19	82.05	0.86	6.05	≤22.63	13.03	29.18	PASS
			TPC_L	11.85	82.05	0.86	12.71	≤22.63	19.69	29.18	PASS
	total	5530	TPC_H	---	---	---	11.55	≤22.63	18.53	29.18	PASS
			TPC_L	---	---	---	18.10	≤22.63	25.08	29.18	PASS
	Ant1	5610	TPC_H	5.44	84.21	0.75	6.19	≤22.63	13.17	29.18	PASS
			TPC_L	11.95	84.21	0.75	12.70	≤22.63	19.68	29.18	PASS
	Ant2	5610	TPC_H	5.98	84.62	0.73	6.71	≤22.63	13.69	29.18	PASS
			TPC_L	12.62	84.62	0.73	13.35	≤22.63	20.33	29.18	PASS
	Ant3	5610	TPC_H	6.31	84.21	0.75	7.06	≤22.63	14.04	29.18	PASS
			TPC_L	12.77	84.21	0.75	13.52	≤22.63	20.50	29.18	PASS
	total	5610	TPC_H	---	---	---	11.44	≤22.63	18.42	29.18	PASS
			TPC_L	---	---	---	17.98	≤22.63	24.96	29.18	PASS
	Ant1	5690	TPC_H	5.92	84.21	0.75	6.67	≤22.63	13.65	29.18	PASS
			TPC_L	12.39	84.21	0.75	13.14	≤22.63	20.12	29.18	PASS
	Ant2	5690	TPC_H	5.51	84.21	0.75	6.26	≤22.63	13.24	29.18	PASS
			TPC_L	12.15	84.21	0.75	12.90	≤22.63	19.88	29.18	PASS
	Ant3	5690	TPC_H	6.17	84.21	0.75	6.92	≤22.63	13.90	29.18	PASS
			TPC_L	12.58	84.21	0.75	13.33	≤22.63	20.31	29.18	PASS
	total	5690	TPC_H	---	---	---	11.40	≤22.63	18.38	29.18	PASS
			TPC_L	---	---	---	17.90	≤22.63	24.88	29.18	PASS
	Ant1	5775	TPC_H	8.11	84.21	0.75	8.86	≤29.02	15.84	---	PASS
			TPC_L	8.34	84.21	0.75	9.09	≤29.02	16.07	---	PASS
	Ant2	5775	TPC_H	7.19	84.21	0.75	7.94	≤29.02	14.92	---	PASS
			TPC_L	---	---	---	13.43	≤29.02	20.41	---	PASS
11AC160 MIMO	Ant1	5250	TPC_H	3.23	72	1.43	4.66	≤22.20	11.64	22.18	PASS
			TPC_L	9.35	72	1.43	10.78	≤22.20	17.76	22.18	PASS
	Ant2	5250	TPC_H	3.57	75	1.25	4.82	≤22.20	11.8	22.18	PASS
			TPC_L	9.59	75	1.25	10.84	≤22.20	17.82	22.18	PASS
	Ant3	5250	TPC_H	1.72	72	1.43	3.15	≤22.20	10.13	22.18	PASS
			TPC_L	8.04	72	1.43	9.47	≤22.20	16.45	22.18	PASS
	total	5250	TPC_H	---	---	---	9.08	≤22.20	16.06	22.18	PASS
			TPC_L	---	---	---	15.18	≤22.20	22.16	22.18	PASS

	Ant1	5570	TPC L	4.13	72.00	1.43	5.56	≤22.63	12.54	29.18	PASS
			TPC H	10.88	72.00	1.43	12.31	≤22.63	19.29	29.18	PASS
	Ant2	5570	TPC L	4.66	72.00	1.43	6.09	≤22.63	13.07	29.18	PASS
			TPC H	11.47	72.00	1.43	12.90	≤22.63	19.88	29.18	PASS
	Ant3	5570	TPC L	3.61	72.00	1.43	5.04	≤22.63	12.02	29.18	PASS
			TPC H	9.82	72.00	1.43	11.25	≤22.63	18.23	29.18	PASS
	total	5570	TPC L	---	---	---	10.36	≤22.63	17.34	29.18	PASS
			TPC H	---	---	---	16.98	≤22.63	23.96	29.18	PASS
11AX20 MIMO	Ant1	5180	NA	8.49	81.58	0.88	9.37	≤29.02	16.35	22.18	PASS
	Ant2	5180	NA	8.59	81.58	0.88	9.47	≤29.02	16.45	22.18	PASS
	Ant3	5180	NA	7.07	81.58	0.88	7.95	≤29.02	14.93	22.18	PASS
	total	5180	NA	---	---	---	13.75	≤29.02	20.73	22.18	PASS
	Ant1	5200	NA	8.48	81.58	0.88	9.36	≤29.02	16.34	22.18	PASS
	Ant2	5200	NA	8.58	81.58	0.88	9.46	≤29.02	16.44	22.18	PASS
	Ant3	5200	NA	6.97	83.78	0.77	7.74	≤29.02	14.72	22.18	PASS
	total	5200	NA	---	---	---	13.69	≤29.02	20.67	22.18	PASS
	Ant1	5240	NA	8.99	83.78	0.77	9.76	≤29.02	16.74	22.18	PASS
	Ant2	5240	NA	9.01	81.58	0.88	9.89	≤29.02	16.87	22.18	PASS
	Ant3	5240	NA	7.79	81.58	0.88	8.67	≤29.02	15.65	22.18	PASS
	total	5240	NA	---	---	---	14.24	≤29.02	21.22	22.18	PASS
	Ant1	5260	TPC L	3.22	81.58	0.88	4.10	≤22.20	11.08	29.18	PASS
			TPC H	9.74	81.58	0.88	10.62	≤22.20	17.60	29.18	PASS
	Ant2	5260	TPC L	3.41	81.58	0.88	4.29	≤22.20	11.27	29.18	PASS
			TPC H	9.59	81.58	0.88	10.47	≤22.20	17.45	29.18	PASS
	Ant3	5260	TPC L	4.91	81.58	0.88	5.79	≤22.20	12.77	29.18	PASS
			TPC H	11.21	81.58	0.88	12.09	≤22.20	19.07	29.18	PASS
	total	5260	TPC L	---	---	---	9.57	≤22.20	16.55	29.18	PASS
			TPC H	---	---	---	15.89	≤22.20	22.87	29.18	PASS
	Ant1	5280	TPC L	3.13	81.58	0.88	4.01	≤22.20	10.99	29.18	PASS
			TPC H	9.71	81.58	0.88	10.59	≤22.20	17.57	29.18	PASS
	Ant2	5280	TPC L	3.39	81.58	0.88	4.27	≤22.20	11.25	29.18	PASS
			TPC H	9.62	81.58	0.88	10.50	≤22.20	17.48	29.18	PASS
	Ant3	5280	TPC L	4.55	81.58	0.88	5.43	≤22.20	12.41	29.18	PASS
			TPC H	11.06	81.58	0.88	11.94	≤22.20	18.92	29.18	PASS
	total	5280	TPC L	---	---	---	9.39	≤22.20	16.37	29.18	PASS
			TPC H	---	---	---	15.83	≤22.20	22.81	29.18	PASS
	Ant1	5320	TPC L	1.72	81.58	0.88	2.60	≤22.20	9.58	29.18	PASS
			TPC H	8.67	81.58	0.88	9.55	≤22.20	16.53	29.18	PASS
	Ant2	5320	TPC L	2.34	83.78	0.77	3.11	≤22.20	10.09	29.18	PASS
			TPC H	8.95	83.78	0.77	9.72	≤22.20	16.70	29.18	PASS
	Ant3	5320	TPC L	3.90	81.58	0.88	4.78	≤22.20	11.76	29.18	PASS
			TPC H	10.17	81.58	0.88	11.05	≤22.20	18.03	29.18	PASS
	total	5320	TPC L	---	---	---	8.37	≤22.20	15.35	29.18	PASS
			TPC H	---	---	---	14.93	≤22.20	21.91	29.18	PASS
	Ant1	5500	TPC L	1.85	81.58	0.88	2.73	≤22.63	9.71	29.18	PASS
			TPC H	8.96	81.58	0.88	9.84	≤22.63	16.82	29.18	PASS
	Ant2	5500	TPC L	2.45	81.58	0.88	3.33	≤22.63	10.31	29.18	PASS
			TPC H	9.24	81.58	0.88	10.12	≤22.63	17.10	29.18	PASS
	Ant3	5500	TPC L	1.78	81.58	0.88	2.66	≤22.63	9.64	29.18	PASS
			TPC H	8.48	81.58	0.88	9.36	≤22.63	16.34	29.18	PASS
	total	5500	TPC L	---	---	---	7.69	≤22.63	14.67	29.18	PASS
			TPC H	---	---	---	14.56	≤22.63	21.54	29.18	PASS
	Ant1	5580	TPC L	2.14	83.78	0.77	2.91	≤22.63	9.89	29.18	PASS
			TPC H	8.55	83.78	0.77	9.32	≤22.63	16.30	29.18	PASS
	Ant2	5580	TPC L	2.21	83.78	0.77	2.98	≤22.63	9.96	29.18	PASS
			TPC H	9.10	83.78	0.77	9.87	≤22.63	16.85	29.18	PASS
	Ant3	5580	TPC L	3.01	83.78	0.77	3.78	≤22.63	10.76	29.18	PASS
			TPC H	9.63	83.78	0.77	10.40	≤22.63	17.38	29.18	PASS
	total	5580	TPC L	---	---	---	8.01	≤22.63	14.99	29.18	PASS
			TPC H	---	---	---	14.66	≤22.63	21.64	29.18	PASS
	Ant1	5700	TPC L	2.96	83.78	0.77	3.73	≤22.63	10.71	29.18	PASS
			TPC H	9.37	83.78	0.77	10.14	≤22.63	17.12	29.18	PASS
	Ant2	5700	TPC L	2.56	81.58	0.88	3.44	≤22.63	10.42	29.18	PASS
			TPC H	9.58	81.58	0.88	10.46	≤22.63	17.44	29.18	PASS
	Ant3	5700	TPC L	2.58	81.58	0.88	3.46	≤22.63	10.44	29.18	PASS
			TPC H	9.08	81.58	0.88	9.96	≤22.63	16.94	29.18	PASS
	total	5700	TPC L	---	---	---	8.32	≤22.63	15.30	29.18	PASS
			TPC H	---	---	---	14.96	≤22.63	21.94	29.18	PASS
	Ant1	5720	TPC L	3.06	81.58	0.88	3.94	≤22.63	10.92	29.18	PASS
			TPC H	9.34	81.58	0.88	10.22	≤22.63	17.20	29.18	PASS
	Ant2	5720	TPC L	3.13	81.58	0.88	4.01	≤22.63	10.99	29.18	PASS

	Ant3	5720	TPC_H	9.75	81.58	0.88	10.63	≤22.63	17.61	29.18	PASS
			TPC_L	2.60	83.78	0.77	3.37	≤22.63	10.35	29.18	PASS
	total	5720	TPC_H	8.97	83.78	0.77	9.74	≤22.63	16.72	29.18	PASS
			TPC_L	---	---	---	8.55	≤22.63	15.53	29.18	PASS
	Ant1	5745	TPC_H	---	---	---	14.98	≤22.63	21.96	29.18	PASS
			TPC_L	---	---	---	---	---	---	---	---
	Ant1	5745	NA	9.57	83.78	0.77	10.34	≤29.02	17.32	---	PASS
	Ant2	5745	NA	9.96	83.78	0.77	10.73	≤29.02	17.71	---	PASS
	Ant3	5745	NA	8.98	81.58	0.88	9.86	≤29.02	16.84	---	PASS
	total	5745	NA	---	---	---	15.10	≤29.02	22.08	---	PASS
	Ant1	5785	NA	8.49	81.58	0.88	9.37	≤29.02	16.35	---	PASS
	Ant2	5785	NA	8.76	81.58	0.88	9.64	≤29.02	16.62	---	PASS
	Ant3	5785	NA	7.08	81.58	0.88	7.96	≤29.02	14.94	---	PASS
	total	5785	NA	---	---	---	13.82	≤29.02	20.80	---	PASS
	Ant1	5825	NA	9.31	83.78	0.77	10.08	≤29.02	17.06	---	PASS
	Ant2	5825	NA	9.65	81.58	0.88	10.53	≤29.02	17.51	---	PASS
	Ant3	5825	NA	8.60	83.78	0.77	9.37	≤29.02	16.35	---	PASS
	total	5825	NA	---	---	---	14.79	≤29.02	21.77	---	PASS
11AX40 MIMO	Ant1	5190	NA	9.53	81.58	0.88	10.41	≤29.02	17.39	22.18	PASS
	Ant2	5190	NA	9.59	81.58	0.88	10.47	≤29.02	17.45	22.18	PASS
	Ant3	5190	NA	8.41	81.58	0.88	9.29	≤29.02	16.27	22.18	PASS
	total	5190	NA	---	---	---	14.86	≤29.02	21.84	22.18	PASS
	Ant1	5230	NA	9.64	81.58	0.88	10.52	≤29.02	17.5	22.18	PASS
	Ant2	5230	NA	9.89	78.95	1.03	10.92	≤29.02	17.9	22.18	PASS
	Ant3	5230	NA	8.58	81.58	0.88	9.46	≤29.02	16.44	22.18	PASS
	total	5230	NA	---	---	---	15.11	≤29.02	22.09	22.18	PASS
	Ant1	5270	TPC_L	5.61	83.78	0.77	6.38	≤22.20	13.36	29.18	PASS
			TPC_H	12.26	83.78	0.77	13.03	≤22.20	20.01	29.18	PASS
	Ant2	5270	TPC_L	5.85	81.58	0.88	6.73	≤22.20	13.71	29.18	PASS
			TPC_H	12.17	81.58	0.88	13.05	≤22.20	20.03	29.18	PASS
	Ant3	5270	TPC_L	7.07	83.78	0.77	7.84	≤22.20	14.82	29.18	PASS
			TPC_H	13.50	83.78	0.77	14.27	≤22.20	21.25	29.18	PASS
	total	5270	TPC_L	---	---	---	11.80	≤22.20	18.78	29.18	PASS
			TPC_H	---	---	---	18.26	≤22.20	25.24	29.18	PASS
	Ant1	5310	TPC_L	4.83	81.58	0.88	5.71	≤22.20	12.69	29.18	PASS
			TPC_H	11.47	81.58	0.88	12.35	≤22.20	19.33	29.18	PASS
	Ant2	5310	TPC_L	5.41	81.58	0.88	6.29	≤22.20	13.27	29.18	PASS
			TPC_H	11.61	81.58	0.88	12.49	≤22.20	19.47	29.18	PASS
	Ant3	5310	TPC_L	6.23	81.58	0.88	7.11	≤22.20	14.09	29.18	PASS
			TPC_H	12.32	81.58	0.88	13.20	≤22.20	20.18	29.18	PASS
	total	5310	TPC_L	---	---	---	11.18	≤22.20	18.16	29.18	PASS
			TPC_H	---	---	---	17.47	≤22.20	24.45	29.18	PASS
	Ant1	5510	TPC_L	4.90	81.58	0.88	5.78	≤22.63	12.76	29.18	PASS
			TPC_H	11.75	81.58	0.88	12.63	≤22.63	19.61	29.18	PASS
	Ant2	5510	TPC_L	5.52	81.58	0.88	6.40	≤22.63	13.38	29.18	PASS
			TPC_H	12.07	81.58	0.88	12.95	≤22.63	19.93	29.18	PASS
	Ant3	5510	TPC_L	4.39	81.58	0.88	5.27	≤22.63	12.25	29.18	PASS
			TPC_H	10.94	81.58	0.88	11.82	≤22.63	18.80	29.18	PASS
	total	5510	TPC_L	---	---	---	10.61	≤22.63	17.59	29.18	PASS
			TPC_H	---	---	---	17.26	≤22.63	24.24	29.18	PASS
	Ant1	5550	TPC_L	5.63	83.78	0.77	6.40	≤22.63	13.38	29.18	PASS
			TPC_H	12.33	83.78	0.77	13.10	≤22.63	20.08	29.18	PASS
	Ant2	5550	TPC_L	6.08	81.58	0.88	6.96	≤22.63	13.94	29.18	PASS
			TPC_H	12.71	81.58	0.88	13.59	≤22.63	20.57	29.18	PASS
	Ant3	5550	TPC_L	4.71	81.58	0.88	5.59	≤22.63	12.57	29.18	PASS
			TPC_H	11.34	81.58	0.88	12.22	≤22.63	19.20	29.18	PASS
	total	5550	TPC_L	---	---	---	11.12	≤22.63	18.10	29.18	PASS
			TPC_H	---	---	---	17.78	≤22.63	24.76	29.18	PASS
	Ant1	5670	TPC_L	4.96	81.58	0.88	5.84	≤22.63	12.82	29.18	PASS
			TPC_H	11.51	81.58	0.88	12.39	≤22.63	19.37	29.18	PASS
	Ant2	5670	TPC_L	3.95	81.58	0.88	4.83	≤22.63	11.81	29.18	PASS
			TPC_H	11.02	81.58	0.88	11.90	≤22.63	18.88	29.18	PASS
	Ant3	5670	TPC_L	5.33	81.58	0.88	6.21	≤22.63	13.19	29.18	PASS
			TPC_H	11.79	81.58	0.88	12.67	≤22.63	19.65	29.18	PASS
	total	5670	TPC_L	---	---	---	10.44	≤22.63	17.42	29.18	PASS
			TPC_H	---	---	---	17.10	≤22.63	24.08	29.18	PASS
	Ant1	5710	TPC_L	5.58	81.58	0.88	6.46	≤22.63	13.44	29.18	PASS
			TPC_H	12.08	81.58	0.88	12.96	≤22.63	19.94	29.18	PASS
	Ant2	5710	TPC_L	5.64	81.58	0.88	6.52	≤22.63	13.50	29.18	PASS
			TPC_H	12.40	81.58	0.88	13.28	≤22.63	20.26	29.18	PASS
	Ant3	5710	TPC_L	5.19	81.58	0.88	6.07	≤22.63	13.05	29.18	PASS
			TPC_H	11.58	81.58	0.88	12.46	≤22.63	19.44	29.18	PASS

	total	5710	TPC_L	---	---	---	11.13	≤22.63	18.11	29.18	PASS
			TPC_H	---	---	---	17.68	≤22.63	24.66	29.18	PASS
	Ant1	5755	NA	9.60	81.58	0.88	10.48	≤29.02	17.46	---	PASS
	Ant2	5755	NA	10.10	83.78	0.77	10.87	≤29.02	17.85	---	PASS
	Ant3	5755	NA	10.03	81.58	0.88	10.91	≤29.02	17.89	---	PASS
	total	5755	NA	---	---	---	15.53	≤29.02	22.51	---	PASS
	Ant1	5795	NA	8.91	83.78	0.77	9.68	≤29.02	16.66	---	PASS
	Ant2	5795	NA	9.12	81.58	0.88	10.00	≤29.02	16.98	---	PASS
	Ant3	5795	NA	10.04	81.58	0.88	10.92	≤29.02	17.90	---	PASS
11AX80 MIMO	total	5795	NA	---	---	---	15.00	≤29.02	21.98	---	PASS
	Ant1	5210	NA	9.56	80.56	0.94	10.5	≤29.02	17.48	22.18	PASS
	Ant2	5210	NA	9.71	80.56	0.94	10.65	≤29.02	17.63	22.18	PASS
	Ant3	5210	NA	8.47	80.56	0.94	9.41	≤29.02	16.39	22.18	PASS
	total	5210	NA	---	---	---	14.99	≤29.02	21.97	22.18	PASS
	Ant1	5290	TPC_L	5.96	80.56	0.94	6.90	≤22.20	13.88	29.18	PASS
			TPC_H	12.65	80.56	0.94	13.59	≤22.20	20.57	29.18	PASS
	Ant2	5290	TPC_L	6.35	80.56	0.94	7.29	≤22.20	14.27	29.18	PASS
			TPC_H	12.84	80.56	0.94	13.78	≤22.20	20.76	29.18	PASS
	Ant3	5290	TPC_L	6.80	80.56	0.94	7.74	≤22.20	14.72	29.18	PASS
			TPC_H	12.87	80.56	0.94	13.81	≤22.20	20.79	29.18	PASS
	total	5290	TPC_L	---	---	---	12.09	≤22.20	19.07	29.18	PASS
			TPC_H	---	---	---	18.50	≤22.20	25.48	29.18	PASS
	Ant1	5530	TPC_L	6.59	80.56	0.94	7.53	≤22.63	14.51	29.18	PASS
			TPC_H	12.93	80.56	0.94	13.87	≤22.63	20.85	29.18	PASS
	Ant2	5530	TPC_L	6.76	80.56	0.94	7.70	≤22.63	14.68	29.18	PASS
			TPC_H	13.34	80.56	0.94	14.28	≤22.63	21.26	29.18	PASS
	Ant3	5530	TPC_L	5.41	82.86	0.82	6.23	≤22.63	13.21	29.18	PASS
			TPC_H	12.12	82.86	0.82	12.94	≤22.63	19.92	29.18	PASS
	total	5530	TPC_L	---	---	---	11.97	≤22.63	18.95	29.18	PASS
			TPC_H	---	---	---	18.50	≤22.63	25.48	29.18	PASS
	Ant1	5610	TPC_L	5.64	80.56	0.94	6.58	≤22.63	13.56	29.18	PASS
			TPC_H	12.28	80.56	0.94	13.22	≤22.63	20.20	29.18	PASS
	Ant2	5610	TPC_L	6.20	80.56	0.94	7.14	≤22.63	14.12	29.18	PASS
			TPC_H	12.89	80.56	0.94	13.83	≤22.63	20.81	29.18	PASS
	Ant3	5610	TPC_L	6.50	80.56	0.94	7.44	≤22.63	14.42	29.18	PASS
			TPC_H	13.14	80.56	0.94	14.08	≤22.63	21.06	29.18	PASS
	total	5610	TPC_L	---	---	---	11.84	≤22.63	18.82	29.18	PASS
			TPC_H	---	---	---	18.50	≤22.63	25.48	29.18	PASS
	Ant1	5690	TPC_L	6.17	80.56	0.94	7.11	≤22.63	14.09	29.18	PASS
			TPC_H	12.74	80.56	0.94	13.68	≤22.63	20.66	29.18	PASS
	Ant2	5690	TPC_L	5.73	80.56	0.94	6.67	≤22.63	13.65	29.18	PASS
			TPC_H	12.44	80.56	0.94	13.38	≤22.63	20.36	29.18	PASS
	Ant3	5690	TPC_L	6.41	82.86	0.82	7.23	≤22.63	14.21	29.18	PASS
			TPC_H	12.86	82.86	0.82	13.68	≤22.63	20.66	29.18	PASS
	total	5690	TPC_L	---	---	---	11.78	≤22.63	18.76	29.18	PASS
			TPC_H	---	---	---	18.35	≤22.63	25.33	29.18	PASS
	Ant1	5775	NA	8.14	80.56	0.94	9.08	≤29.02	16.06	---	PASS
	Ant2	5775	NA	8.52	80.56	0.94	9.46	≤29.02	16.44	---	PASS
	Ant3	5775	NA	9.03	80.56	0.94	9.97	≤29.02	16.95	---	PASS
	total	5775	NA	---	---	---	14.29	≤29.02	21.27	---	PASS
11AX160 MIMO	Ant1	5250	TPC_L	3.49	82.86	0.82	4.31	≤23.00	11.29	22.18	PASS
			TPC_H	9.91	82.86	0.82	10.73	≤23.00	17.71	22.18	PASS
	Ant2	5250	TPC_L	4	82.86	0.82	4.82	≤23.00	11.8	22.18	PASS
			TPC_H	10.15	82.86	0.82	10.97	≤23.00	17.95	22.18	PASS
	Ant3	5250	TPC_L	2.23	80.56	0.94	3.17	≤23.00	10.15	22.18	PASS
			TPC_H	8.24	80.56	0.94	9.18	≤23.00	16.16	22.18	PASS
	total	5250	TPC_L	---	---	---	8.93	≤23.00	15.91	22.18	PASS
			TPC_H	---	---	---	15.13	≤23.00	22.11	22.18	PASS
	Ant1	5570	TPC_L	4.71	80.56	0.94	5.65	≤22.63	12.63	29.18	PASS
			TPC_H	11.71	80.56	0.94	12.65	≤22.63	19.63	29.18	PASS
	Ant2	5570	TPC_L	5.30	80.56	0.94	6.24	≤22.63	13.22	29.18	PASS
			TPC_H	12.25	80.56	0.94	13.19	≤22.63	20.17	29.18	PASS
	Ant3	5570	TPC_L	4.06	80.56	0.94	5.00	≤22.63	11.98	29.18	PASS
			TPC_H	10.46	80.56	0.94	11.40	≤22.63	18.38	29.18	PASS
	total	5570	TPC_L	---	---	---	10.43	≤22.63	17.41	29.18	PASS
			TPC_H	---	---	---	17.25	≤22.63	24.23	29.18	PASS
11BE20 MIMO	Ant1	5180	NA	8.54	83.78	0.77	9.31	≤29.02	16.29	22.18	PASS
	Ant2	5180	NA	8.64	81.58	0.88	9.52	≤29.02	16.50	22.18	PASS
	Ant3	5180	NA	7.13	83.78	0.77	7.90	≤29.02	14.88	22.18	PASS
	total	5180	NA	---	---	---	13.74	≤29.02	20.72	22.18	PASS
	Ant1	5200	NA	8.57	83.78	0.77	9.34	≤29.02	16.32	22.18	PASS

Ant2	5200	NA	8.63	82.05	0.86	9.49	≤29.02	16.47	22.18	PASS
Ant3	5200	NA	7.44	81.58	0.88	8.32	≤29.02	15.30	22.18	PASS
total	5200	NA	---	---	---	13.85	≤29.02	20.83	22.18	PASS
Ant1	5240	NA	9.05	81.58	0.88	9.93	≤29.02	16.91	22.18	PASS
Ant2	5240	NA	9.01	81.58	0.88	9.89	≤29.02	16.87	22.18	PASS
Ant3	5240	NA	7.93	81.58	0.88	8.81	≤29.02	15.79	22.18	PASS
total	5240	NA	---	---	---	14.34	≤29.02	21.32	22.18	PASS
Ant1	5260	TPC_L	3.04	83.78	0.77	3.81	≤22.20	10.79	29.18	PASS
		TPC_H	9.89	83.78	0.77	10.66	≤22.20	17.64	29.18	PASS
Ant2	5260	TPC_L	2.80	81.58	0.88	3.68	≤22.20	10.66	29.18	PASS
		TPC_H	9.71	81.58	0.88	10.59	≤22.20	17.57	29.18	PASS
Ant3	5260	TPC_L	4.72	83.78	0.77	5.49	≤22.20	12.47	29.18	PASS
		TPC_H	11.23	83.78	0.77	12.00	≤22.20	18.98	29.18	PASS
total	5260	TPC_L	---	---	---	9.18	≤22.20	16.16	29.18	PASS
		TPC_H	---	---	---	15.90	≤22.20	22.88	29.18	PASS
Ant1	5280	TPC_L	2.92	83.78	0.77	3.69	≤22.20	10.67	29.18	PASS
		TPC_H	9.76	83.78	0.77	10.53	≤22.20	17.51	29.18	PASS
Ant2	5280	TPC_L	2.78	83.78	0.77	3.55	≤22.20	10.53	29.18	PASS
		TPC_H	9.70	83.78	0.77	10.47	≤22.20	17.45	29.18	PASS
Ant3	5280	TPC_L	4.33	83.78	0.77	5.10	≤22.20	12.08	29.18	PASS
		TPC_H	11.01	83.78	0.77	11.78	≤22.20	18.76	29.18	PASS
total	5280	TPC_L	---	---	---	8.94	≤22.20	15.92	29.18	PASS
		TPC_H	---	---	---	15.74	≤22.20	22.72	29.18	PASS
Ant1	5320	TPC_L	1.56	81.58	0.88	2.44	≤22.20	9.42	29.18	PASS
		TPC_H	8.72	81.58	0.88	9.60	≤22.20	16.58	29.18	PASS
Ant2	5320	TPC_L	2.20	83.78	0.77	2.97	≤22.20	9.95	29.18	PASS
		TPC_H	9.00	83.78	0.77	9.77	≤22.20	16.75	29.18	PASS
Ant3	5320	TPC_L	3.76	81.58	0.88	4.64	≤22.20	11.62	29.18	PASS
		TPC_H	9.90	81.58	0.88	10.78	≤22.20	17.76	29.18	PASS
total	5320	TPC_L	---	---	---	8.23	≤22.20	15.21	29.18	PASS
		TPC_H	---	---	---	14.85	≤22.20	21.83	29.18	PASS
Ant1	5500	TPC_L	1.89	83.78	0.77	2.66	≤22.63	9.64	29.18	PASS
		TPC_H	9.07	83.78	0.77	9.84	≤22.63	16.82	29.18	PASS
Ant2	5500	TPC_L	2.50	83.78	0.77	3.27	≤22.63	10.25	29.18	PASS
		TPC_H	9.28	83.78	0.77	10.05	≤22.63	17.03	29.18	PASS
Ant3	5500	TPC_L	1.83	83.78	0.77	2.60	≤22.63	9.58	29.18	PASS
		TPC_H	8.48	83.78	0.77	9.25	≤22.63	16.23	29.18	PASS
total	5500	TPC_L	---	---	---	7.63	≤22.63	14.61	29.18	PASS
		TPC_H	---	---	---	14.50	≤22.63	21.48	29.18	PASS
Ant1	5580	TPC_L	2.17	83.78	0.77	2.94	≤22.63	9.92	29.18	PASS
		TPC_H	8.61	83.78	0.77	9.38	≤22.63	16.36	29.18	PASS
Ant2	5580	TPC_L	2.23	83.78	0.77	3.00	≤22.63	9.98	29.18	PASS
		TPC_H	9.08	83.78	0.77	9.85	≤22.63	16.83	29.18	PASS
Ant3	5580	TPC_L	3.03	81.58	0.88	3.91	≤22.63	10.89	29.18	PASS
		TPC_H	9.52	81.58	0.88	10.40	≤22.63	17.38	29.18	PASS
total	5580	TPC_L	---	---	---	8.08	≤22.63	15.06	29.18	PASS
		TPC_H	---	---	---	14.67	≤22.63	21.65	29.18	PASS
Ant1	5700	TPC_L	2.54	83.78	0.77	3.31	≤22.63	10.29	29.18	PASS
		TPC_H	9.44	83.78	0.77	10.21	≤22.63	17.19	29.18	PASS
Ant2	5700	TPC_L	2.60	81.58	0.88	3.48	≤22.63	10.46	29.18	PASS
		TPC_H	9.64	81.58	0.88	10.52	≤22.63	17.50	29.18	PASS
Ant3	5700	TPC_L	2.63	81.58	0.88	3.51	≤22.63	10.49	29.18	PASS
		TPC_H	8.88	81.58	0.88	9.76	≤22.63	16.74	29.18	PASS
total	5700	TPC_L	---	---	---	8.21	≤22.63	15.19	29.18	PASS
		TPC_H	---	---	---	14.95	≤22.63	21.93	29.18	PASS
Ant1	5720	TPC_L	3.09	83.78	0.77	3.86	≤22.63	10.84	29.18	PASS
		TPC_H	9.42	83.78	0.77	10.19	≤22.63	17.17	29.18	PASS
Ant2	5720	TPC_L	2.73	83.78	0.77	3.50	≤22.63	10.48	29.18	PASS
		TPC_H	9.73	83.78	0.77	10.50	≤22.63	17.48	29.18	PASS
Ant3	5720	TPC_L	2.60	83.78	0.77	3.37	≤22.63	10.35	29.18	PASS
		TPC_H	8.61	83.78	0.77	9.38	≤22.63	16.36	29.18	PASS
total	5720	TPC_L	---	---	---	8.35	≤22.63	15.33	29.18	PASS
		TPC_H	---	---	---	14.82	≤22.63	21.80	29.18	PASS
Ant1	5745	NA	9.42	83.78	0.77	10.19	≤29.02	17.17	---	PASS
Ant2	5745	NA	9.95	83.78	0.77	10.72	≤29.02	17.70	---	PASS
Ant3	5745	NA	9.14	83.78	0.77	9.91	≤29.02	16.89	---	PASS
total	5745	NA	---	---	---	15.06	≤29.02	22.04	---	PASS
Ant1	5785	NA	8.37	83.78	0.77	9.14	≤29.02	16.12	---	PASS
Ant2	5785	NA	8.85	81.58	0.88	9.73	≤29.02	16.71	---	PASS
Ant3	5785	NA	9.58	83.78	0.77	10.35	≤29.02	17.33	---	PASS
total	5785	NA	---	---	---	14.54	≤29.02	21.52	---	PASS

	Ant1	5825	NA	9.27	81.58	0.88	10.15	≤29.02	17.13	---	PASS
	Ant2	5825	NA	9.61	81.58	0.88	10.49	≤29.02	17.47	---	PASS
	Ant3	5825	NA	9.30	81.58	0.88	10.18	≤29.02	17.16	---	PASS
	total	5825	NA	---	---	---	15.05	≤29.02	22.03	---	PASS
11BE40 MIMO	Ant1	5190	NA	9.96	81.58	0.88	10.84	≤29.02	17.82	22.18	PASS
	Ant2	5190	NA	10.10	81.58	0.88	10.98	≤29.02	17.96	22.18	PASS
	Ant3	5190	NA	8.45	83.78	0.77	9.22	≤29.02	16.20	22.18	PASS
	total	5190	NA	---	---	---	15.19	≤29.02	22.17	22.18	PASS
	Ant1	5230	NA	9.73	81.58	0.88	10.61	≤29.02	17.59	22.18	PASS
	Ant2	5230	NA	9.97	81.58	0.88	10.85	≤29.02	17.83	22.18	PASS
	Ant3	5230	NA	8.66	83.78	0.77	9.43	≤29.02	16.41	22.18	PASS
	total	5230	NA	---	---	---	15.11	≤29.02	22.09	22.18	PASS
	Ant1	5270	TPC L	5.42	83.78	0.77	6.19	≤22.20	13.17	29.18	PASS
			TPC H	12.27	83.78	0.77	13.04	≤22.20	20.02	29.18	PASS
	Ant2	5270	TPC L	5.62	82.05	0.86	6.48	≤22.20	13.46	29.18	PASS
			TPC H	12.26	82.05	0.86	13.12	≤22.20	20.10	29.18	PASS
	Ant3	5270	TPC L	6.84	81.58	0.88	7.72	≤22.20	14.70	29.18	PASS
			TPC H	13.51	81.58	0.88	14.39	≤22.20	21.37	29.18	PASS
	total	5270	TPC L	---	---	---	11.62	≤22.20	18.60	29.18	PASS
			TPC H	---	---	---	18.33	≤22.20	25.31	29.18	PASS
	Ant1	5310	TPC L	4.61	83.78	0.77	5.38	≤22.20	12.36	29.18	PASS
			TPC H	11.51	83.78	0.77	12.28	≤22.20	19.26	29.18	PASS
	Ant2	5310	TPC L	5.23	83.78	0.77	6.00	≤22.20	12.98	29.18	PASS
			TPC H	11.72	83.78	0.77	12.49	≤22.20	19.47	29.18	PASS
	Ant3	5310	TPC L	6.25	81.58	0.88	7.13	≤22.20	14.11	29.18	PASS
			TPC H	12.69	81.58	0.88	13.57	≤22.20	20.55	29.18	PASS
	total	5310	TPC L	---	---	---	11.00	≤22.20	17.98	29.18	PASS
			TPC H	---	---	---	17.59	≤22.20	24.57	29.18	PASS
	Ant1	5510	TPC L	4.67	83.78	0.77	5.44	≤22.63	12.42	29.18	PASS
			TPC H	11.79	83.78	0.77	12.56	≤22.63	19.54	29.18	PASS
	Ant2	5510	TPC L	5.31	81.58	0.88	6.19	≤22.63	13.17	29.18	PASS
			TPC H	12.03	81.58	0.88	12.91	≤22.63	19.89	29.18	PASS
	Ant3	5510	TPC L	4.17	81.58	0.88	5.05	≤22.63	12.03	29.18	PASS
			TPC H	10.99	81.58	0.88	11.87	≤22.63	18.85	29.18	PASS
	total	5510	TPC L	---	---	---	10.36	≤22.63	17.34	29.18	PASS
			TPC H	---	---	---	17.24	≤22.63	24.22	29.18	PASS
	Ant1	5550	TPC L	5.42	83.78	0.77	6.19	≤22.63	13.17	29.18	PASS
			TPC H	12.40	83.78	0.77	13.17	≤22.63	20.15	29.18	PASS
	Ant2	5550	TPC L	5.92	81.58	0.88	6.80	≤22.63	13.78	29.18	PASS
			TPC H	12.74	81.58	0.88	13.62	≤22.63	20.60	29.18	PASS
	Ant3	5550	TPC L	4.53	81.58	0.88	5.41	≤22.63	12.39	29.18	PASS
			TPC H	11.28	81.58	0.88	12.16	≤22.63	19.14	29.18	PASS
	total	5550	TPC L	---	---	---	10.94	≤22.63	17.92	29.18	PASS
			TPC H	---	---	---	17.80	≤22.63	24.78	29.18	PASS
	Ant1	5670	TPC L	4.77	82.05	0.86	5.63	≤22.63	12.61	29.18	PASS
			TPC H	11.54	82.05	0.86	12.40	≤22.63	19.38	29.18	PASS
	Ant2	5670	TPC L	3.76	83.78	0.77	4.53	≤22.63	11.51	29.18	PASS
			TPC H	11.00	83.78	0.77	11.77	≤22.63	18.75	29.18	PASS
	Ant3	5670	TPC L	5.18	81.58	0.88	6.06	≤22.63	13.04	29.18	PASS
			TPC H	11.80	81.58	0.88	12.68	≤22.63	19.66	29.18	PASS
	total	5670	TPC L	---	---	---	10.22	≤22.63	17.20	29.18	PASS
			TPC H	---	---	---	17.07	≤22.63	24.05	29.18	PASS
	Ant1	5710	TPC L	5.39	83.78	0.77	6.16	≤22.63	13.14	29.18	PASS
			TPC H	12.09	83.78	0.77	12.86	≤22.63	19.84	29.18	PASS
	Ant2	5710	TPC L	4.82	81.58	0.88	5.70	≤22.63	12.68	29.18	PASS
			TPC H	12.40	81.58	0.88	13.28	≤22.63	20.26	29.18	PASS
	Ant3	5710	TPC L	5.24	83.78	0.77	6.01	≤22.63	12.99	29.18	PASS
			TPC H	11.60	83.78	0.77	12.37	≤22.63	19.35	29.18	PASS
	total	5710	TPC L	---	---	---	10.73	≤22.63	17.71	29.18	PASS
			TPC H	---	---	---	17.62	≤22.63	24.60	29.18	PASS
	Ant1	5755	NA	9.61	81.58	0.88	10.49	≤29.02	17.47	---	PASS
	Ant2	5755	NA	10.12	81.58	0.88	11.00	≤29.02	17.98	---	PASS
	Ant3	5755	NA	9.93	83.78	0.77	10.70	≤29.02	17.68	---	PASS
	total	5755	NA	---	---	---	15.51	≤29.02	22.49	---	PASS
	Ant1	5795	NA	8.94	81.58	0.88	9.82	≤29.02	16.80	---	PASS
	Ant2	5795	NA	9.10	83.78	0.77	9.87	≤29.02	16.85	---	PASS
	Ant3	5795	NA	10.04	81.58	0.88	10.92	≤29.02	17.90	---	PASS
	total	5795	NA	---	---	---	15.00	≤29.02	21.98	---	PASS
11BE80 MIMO	Ant1	5210	NA	9.82	83.33	0.79	10.61	≤29.02	17.59	22.18	PASS
	Ant2	5210	NA	9.96	81.08	0.91	10.87	≤29.02	17.85	22.18	PASS
	Ant3	5210	NA	8.48	81.08	0.91	9.39	≤29.02	16.37	22.18	PASS

11BE160	total	5210	NA	---	---	---	15.11	≤29.02	22.09	22.18	PASS
	Ant1	5290	TPC L	5.96	81.08	0.91	6.87	≤22.20	13.85	29.18	PASS
			TPC H	12.64	81.08	0.91	13.55	≤22.20	20.53	29.18	PASS
	Ant2	5290	TPC L	6.39	81.08	0.91	7.30	≤22.20	14.28	29.18	PASS
			TPC H	12.80	81.08	0.91	13.71	≤22.20	20.69	29.18	PASS
	Ant3	5290	TPC L	6.83	83.33	0.79	7.62	≤22.20	14.60	29.18	PASS
			TPC H	13.01	83.33	0.79	13.80	≤22.20	20.78	29.18	PASS
	total	5290	TPC L	---	---	---	12.05	≤22.20	19.03	29.18	PASS
			TPC H	---	---	---	18.46	≤22.20	25.44	29.18	PASS
	Ant1	5530	TPC L	6.09	81.08	0.91	7.00	≤22.63	13.98	29.18	PASS
			TPC H	12.99	81.08	0.91	13.90	≤22.63	20.88	29.18	PASS
	Ant2	5530	TPC L	6.53	81.08	0.91	7.44	≤22.63	14.42	29.18	PASS
			TPC H	13.27	81.08	0.91	14.18	≤22.63	21.16	29.18	PASS
	Ant3	5530	TPC L	5.21	83.33	0.79	6.00	≤22.63	12.98	29.18	PASS
			TPC H	12.09	83.33	0.79	12.88	≤22.63	19.86	29.18	PASS
	total	5530	TPC L	---	---	---	11.63	≤22.63	18.61	29.18	PASS
			TPC H	---	---	---	18.46	≤22.63	25.44	29.18	PASS
	Ant1	5610	TPC L	5.43	81.08	0.91	6.34	≤22.63	13.32	29.18	PASS
			TPC H	12.30	81.08	0.91	13.21	≤22.63	20.19	29.18	PASS
	Ant2	5610	TPC L	5.98	81.08	0.91	6.89	≤22.63	13.87	29.18	PASS
			TPC H	12.90	81.08	0.91	13.81	≤22.63	20.79	29.18	PASS
	Ant3	5610	TPC L	6.33	81.08	0.91	7.24	≤22.63	14.22	29.18	PASS
			TPC H	13.23	81.08	0.91	14.14	≤22.63	21.12	29.18	PASS
	total	5610	TPC L	---	---	---	11.61	≤22.63	18.59	29.18	PASS
			TPC H	---	---	---	18.51	≤22.63	25.49	29.18	PASS
	Ant1	5690	TPC L	6.02	81.08	0.91	6.93	≤22.63	13.91	29.18	PASS
			TPC H	12.74	81.08	0.91	13.65	≤22.63	20.63	29.18	PASS
	Ant2	5690	TPC L	5.52	81.08	0.91	6.43	≤22.63	13.41	29.18	PASS
			TPC H	12.39	81.08	0.91	13.30	≤22.63	20.28	29.18	PASS
	Ant3	5690	TPC L	6.23	81.08	0.91	7.14	≤22.63	14.12	29.18	PASS
			TPC H	12.86	81.08	0.91	13.77	≤22.63	20.75	29.18	PASS
	total	5690	TPC L	---	---	---	11.61	≤22.63	18.59	29.18	PASS
			TPC H	---	---	---	18.35	≤22.63	25.33	29.18	PASS
	Ant1	5775	NA	8.13	81.08	0.91	9.04	≤29.02	16.02	---	PASS
	Ant2	5775	NA	8.48	81.08	0.91	9.39	≤29.02	16.37	---	PASS
	Ant3	5775	NA	8.39	81.08	0.91	9.30	≤29.02	16.28	---	PASS
	total	5775	NA	---	---	---	14.02	≤29.02	21.00	---	PASS
11BE160 MIMO	Ant1	5250	TPC L	3.49	81.08	0.91	4.4	≤23.00	11.38	22.18	PASS
			TPC H	9.74	81.08	0.91	10.65	≤23.00	17.63	22.18	PASS
	Ant2	5250	TPC L	4.01	81.08	0.91	4.92	≤23.00	11.9	22.18	PASS
			TPC H	10.03	81.08	0.91	10.94	≤23.00	17.92	22.18	PASS
	Ant3	5250	TPC L	2.22	81.08	0.91	3.13	≤23.00	10.11	22.18	PASS
			TPC H	8.46	81.08	0.91	9.37	≤23.00	16.35	22.18	PASS
	total	5250	TPC L	---	---	---	8.98	≤23.00	15.96	22.18	PASS
			TPC H	---	---	---	15.14	≤23.00	22.12	22.18	PASS
	Ant1	5570	TPC L	5.13	81.08	0.91	6.04	≤22.63	13.02	29.18	PASS
			TPC H	11.72	81.08	0.91	12.63	≤22.63	19.61	29.18	PASS
	Ant2	5570	TPC L	5.66	83.33	0.79	6.45	≤22.63	13.43	29.18	PASS
			TPC H	12.24	83.33	0.79	13.03	≤22.63	20.01	29.18	PASS
	Ant3	5570	TPC L	4.38	81.08	0.91	5.29	≤22.63	12.27	29.18	PASS
			TPC H	10.57	81.08	0.91	11.48	≤22.63	18.46	29.18	PASS
	total	5570	TPC L	---	---	---	10.72	≤22.63	17.70	29.18	PASS
			TPC H	---	---	---	17.20	≤22.63	24.18	29.18	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20 MIMO	Ant1	5180	52+26	1	3.45	92.47	0.34	3.79	≤29.02	6.98	10.77	22.18	PASS
				2	3.78	92.47	0.34	4.12	≤29.02	6.98	11.10	22.18	PASS
				3	3.49	92.55	0.34	3.83	≤29.02	6.98	10.81	22.18	PASS
			106+26	1	6.14	93.41	0.30	6.44	≤29.02	6.98	13.42	22.18	PASS
				2	6.22	93.48	0.29	6.51	≤29.02	6.98	13.49	22.18	PASS
				3	3.93	93.48	0.29	4.22	≤29.02	6.98	11.20	22.18	PASS
	Ant2	5180	52+26	1	3.93	93.48	0.29	4.22	≤29.02	6.98	11.20	22.18	PASS
				2	4.20	92.47	0.34	4.54	≤29.02	6.98	11.52	22.18	PASS
				3	3.69	92.55	0.34	4.03	≤29.02	6.98	11.01	22.18	PASS
			106+26	1	6.63	92.39	0.34	6.97	≤29.02	6.98	13.95	22.18	PASS
				2	6.60	93.48	0.29	6.89	≤29.02	6.98	13.87	22.18	PASS
				3	2.27	93.48	0.29	2.56	≤29.02	6.98	9.54	22.18	PASS
	Ant3	5180	52+26	1	2.27	93.48	0.29	2.56	≤29.02	6.98	9.54	22.18	PASS
				2	2.33	92.47	0.34	2.67	≤29.02	6.98	9.65	22.18	PASS

				3	1.86	92.55	0.34	2.20	≤29.02	6.98	9.18	22.18	PASS
			106+2 6	1	4.99	93.41	0.30	5.29	≤29.02	6.98	12.27	22.18	PASS
				2	4.67	92.47	0.34	5.01	≤29.02	6.98	11.99	22.18	PASS
	total	5180	52+26	1	---	---	---	8.35	≤29.02	6.98	15.33	22.18	PASS
				2	---	---	---	8.62	≤29.02	6.98	15.60	22.18	PASS
				3	---	---	---	8.20	≤29.02	6.98	15.18	22.18	PASS
			106+2 6	1	---	---	---	11.06	≤29.02	6.98	18.04	22.18	PASS
				2	---	---	---	10.98	≤29.02	6.98	17.96	22.18	PASS
	Ant1	5200	52+26	1	3.51	93.48	0.29	3.80	≤29.02	6.98	10.78	22.18	PASS
				2	3.88	93.48	0.29	4.17	≤29.02	6.98	11.15	22.18	PASS
				3	3.55	93.62	0.29	3.84	≤29.02	6.98	10.82	22.18	PASS
			106+2 6	1	6.32	92.39	0.34	6.66	≤29.02	6.98	13.64	22.18	PASS
				2	6.34	93.41	0.30	6.64	≤29.02	6.98	13.62	22.18	PASS
	Ant2	5200	52+26	1	3.86	93.48	0.29	4.15	≤29.02	6.98	11.13	22.18	PASS
				2	4.28	93.48	0.29	4.57	≤29.02	6.98	11.55	22.18	PASS
				3	3.82	93.62	0.29	4.11	≤29.02	6.98	11.09	22.18	PASS
		106+2 6	1	6.72	92.39	0.34	7.06	≤29.02	6.98	14.04	22.18	PASS	
			2	6.72	92.39	0.34	7.06	≤29.02	6.98	14.04	22.18	PASS	
Ant3	5200	52+26	1	2.30	93.48	0.29	2.59	≤29.02	6.98	9.57	22.18	PASS	
			2	2.77	93.48	0.29	3.06	≤29.02	6.98	10.04	22.18	PASS	
			3	2.50	93.62	0.29	2.79	≤29.02	6.98	9.77	22.18	PASS	
		106+2 6	1	5.12	92.39	0.34	5.46	≤29.02	6.98	12.44	22.18	PASS	
			2	5.12	93.41	0.30	5.42	≤29.02	6.98	12.40	22.18	PASS	
total	5200	52+26	1	---	---	---	8.33	≤29.02	6.98	15.31	22.18	PASS	
			2	---	---	---	8.75	≤29.02	6.98	15.73	22.18	PASS	
			3	---	---	---	8.39	≤29.02	6.98	15.37	22.18	PASS	
		106+2 6	1	---	---	---	11.22	≤29.02	6.98	18.20	22.18	PASS	
			2	---	---	---	11.20	≤29.02	6.98	18.18	22.18	PASS	
Ant1	5240	52+26	1	3.97	92.47	0.34	4.31	≤29.02	6.98	11.29	22.18	PASS	
			2	4.44	92.47	0.34	4.78	≤29.02	6.98	11.76	22.18	PASS	
			3	4.03	93.62	0.29	4.32	≤29.02	6.98	11.30	22.18	PASS	
		106+2 6	1	6.73	92.39	0.34	7.07	≤29.02	6.98	14.05	22.18	PASS	
			2	6.75	92.39	0.34	7.09	≤29.02	6.98	14.07	22.18	PASS	
Ant2	5240	52+26	1	4.34	93.48	0.29	4.63	≤29.02	6.98	11.61	22.18	PASS	
			2	4.81	93.48	0.29	5.10	≤29.02	6.98	12.08	22.18	PASS	
			3	4.38	93.62	0.29	4.67	≤29.02	6.98	11.65	22.18	PASS	
		106+2 6	1	7.16	92.39	0.34	7.50	≤29.02	6.98	14.48	22.18	PASS	
			2	7.20	92.39	0.34	7.54	≤29.02	6.98	14.52	22.18	PASS	
Ant3	5240	52+26	1	2.86	92.47	0.34	3.20	≤29.02	6.98	10.18	22.18	PASS	
			2	3.16	93.48	0.29	3.45	≤29.02	6.98	10.43	22.18	PASS	
			3	2.79	92.55	0.34	3.13	≤29.02	6.98	10.11	22.18	PASS	
		106+2 6	1	5.54	92.39	0.34	5.88	≤29.02	6.98	12.86	22.18	PASS	
			2	5.51	92.39	0.34	5.85	≤29.02	6.98	12.83	22.18	PASS	
total	5240	52+26	1	---	---	---	8.86	≤29.02	6.98	15.84	22.18	PASS	
			2	---	---	---	9.27	≤29.02	6.98	16.25	22.18	PASS	
			3	---	---	---	8.86	≤29.02	6.98	15.84	22.18	PASS	
		106+2 6	1	---	---	---	11.64	≤29.02	6.98	18.62	22.18	PASS	
			2	---	---	---	11.65	≤29.02	6.98	18.63	22.18	PASS	
Ant1	5260	52+26	1	4.66	93.48	0.29	4.95	≤22.20	6.98	11.93	29.18	PASS	
			2	5.11	92.47	0.34	5.45	≤22.20	6.98	12.43	29.18	PASS	
			3	4.63	92.55	0.34	4.97	≤22.20	6.98	11.95	29.18	PASS	
		106+2 6	1	7.42	92.39	0.34	7.76	≤22.20	6.98	14.74	29.18	PASS	
			2	7.44	92.39	0.34	7.78	≤22.20	6.98	14.76	29.18	PASS	
Ant2	5260	52+26	1	4.85	93.48	0.29	5.14	≤22.20	6.98	12.12	29.18	PASS	
			2	5.34	93.48	0.29	5.63	≤22.20	6.98	12.61	29.18	PASS	
			3	4.91	92.55	0.34	5.25	≤22.20	6.98	12.23	29.18	PASS	
		106+2 6	1	7.66	93.41	0.30	7.96	≤22.20	6.98	14.94	29.18	PASS	
			2	7.76	93.41	0.30	8.06	≤22.20	6.98	15.04	29.18	PASS	
Ant3	5260	52+26	1	6.34	92.47	0.34	6.68	≤22.20	6.98	13.66	29.18	PASS	
			2	6.61	93.48	0.29	6.90	≤22.20	6.98	13.88	29.18	PASS	
			3	6.39	92.55	0.34	6.73	≤22.20	6.98	13.71	29.18	PASS	
		106+2 6	1	9.08	92.39	0.34	9.42	≤22.20	6.98	16.40	29.18	PASS	
			2	9.09	92.39	0.34	9.43	≤22.20	6.98	16.41	29.18	PASS	
total	5260	52+26	1	---	---	---	10.43	≤22.20	6.98	17.41	29.18	PASS	
			2	---	---	---	10.81	≤22.20	6.98	17.79	29.18	PASS	
			3	---	---	---	10.49	≤22.20	6.98	17.47	29.18	PASS	
		106+2 6	1	---	---	---	13.22	≤22.20	6.98	20.20	29.18	PASS	
			2	---	---	---	13.26	≤22.20	6.98	20.24	29.18	PASS	
Ant1	5280	52+26	1	4.63	93.48	0.29	4.92	≤22.20	6.98	11.90	29.18	PASS	
			2	5.07	93.48	0.29	5.36	≤22.20	6.98	12.34	29.18	PASS	
			3	4.54	93.62	0.29	4.83	≤22.20	6.98	11.81	29.18	PASS	

	Ant2	5280	106+2 6	1	7.42	92.39	0.34	7.76	≤22.20	6.98	14.74	29.18	PASS
				2	7.39	92.39	0.34	7.73	≤22.20	6.98	14.71	29.18	PASS
			52+26	1	4.90	93.48	0.29	5.19	≤22.20	6.98	12.17	29.18	PASS
				2	5.31	93.48	0.29	5.60	≤22.20	6.98	12.58	29.18	PASS
			106+2 6	3	4.81	92.55	0.34	5.15	≤22.20	6.98	12.13	29.18	PASS
				1	7.73	92.39	0.34	8.07	≤22.20	6.98	15.05	29.18	PASS
	Ant3	5280	52+26	2	7.75	92.39	0.34	8.09	≤22.20	6.98	15.07	29.18	PASS
				1	5.66	92.47	0.34	6.00	≤22.20	6.98	12.98	29.18	PASS
			106+2 6	2	6.36	92.47	0.34	6.70	≤22.20	6.98	13.68	29.18	PASS
				3	5.96	93.62	0.29	6.25	≤22.20	6.98	13.23	29.18	PASS
			52+26	1	8.47	92.39	0.34	8.81	≤22.20	6.98	15.79	29.18	PASS
				2	7.05	93.41	0.30	7.35	≤22.20	6.98	14.33	29.18	PASS
	total	5280	52+26	1	---	---	---	10.17	≤22.20	6.98	17.15	29.18	PASS
				2	---	---	---	10.70	≤22.20	6.98	17.68	29.18	PASS
			106+2 6	3	---	---	---	10.22	≤22.20	6.98	17.20	29.18	PASS
				1	---	---	---	13.01	≤22.20	6.98	19.99	29.18	PASS
			52+26	2	---	---	---	12.51	≤22.20	6.98	19.49	29.18	PASS
				1	3.69	93.48	0.29	3.98	≤22.20	6.98	10.96	29.18	PASS
	Ant1	5320	52+26	2	4.06	92.47	0.34	4.40	≤22.20	6.98	11.38	29.18	PASS
				3	3.51	93.62	0.29	3.80	≤22.20	6.98	10.78	29.18	PASS
			106+2 6	1	6.48	93.41	0.30	6.78	≤22.20	6.98	13.76	29.18	PASS
				2	6.40	92.39	0.34	6.74	≤22.20	6.98	13.72	29.18	PASS
			52+26	1	4.41	92.47	0.34	4.75	≤22.20	6.98	11.73	29.18	PASS
				2	4.76	93.48	0.29	5.05	≤22.20	6.98	12.03	29.18	PASS
	Ant2	5320	106+2 6	3	4.38	93.62	0.29	4.67	≤22.20	6.98	11.65	29.18	PASS
				1	7.25	93.41	0.30	7.55	≤22.20	6.98	14.53	29.18	PASS
			52+26	2	7.21	92.39	0.34	7.55	≤22.20	6.98	14.53	29.18	PASS
				1	5.02	93.48	0.29	5.31	≤22.20	6.98	12.29	29.18	PASS
			106+2 6	2	5.84	93.48	0.29	6.13	≤22.20	6.98	13.11	29.18	PASS
				3	5.47	92.55	0.34	5.81	≤22.20	6.98	12.79	29.18	PASS
	Ant3	5320	52+26	1	8.15	92.39	0.34	8.49	≤22.20	6.98	15.47	29.18	PASS
				2	7.83	93.41	0.30	8.13	≤22.20	6.98	15.11	29.18	PASS
			106+2 6	1	---	---	---	9.49	≤22.20	6.98	16.47	29.18	PASS
				2	---	---	---	10.02	≤22.20	6.98	17.00	29.18	PASS
			52+26	3	---	---	---	9.61	≤22.20	6.98	16.59	29.18	PASS
				1	---	---	---	12.43	≤22.20	6.98	19.41	29.18	PASS
	total	5320	106+2 6	2	---	---	---	12.28	≤22.20	6.98	19.26	29.18	PASS
				1	3.76	93.48	0.29	4.05	≤22.63	6.98	11.03	29.18	PASS
	Ant1	5500	52+26	2	4.11	93.48	0.29	4.40	≤22.63	6.98	11.38	29.18	PASS
				3	3.76	92.55	0.34	4.10	≤22.63	6.98	11.08	29.18	PASS
			106+2 6	1	6.57	92.39	0.34	6.91	≤22.63	6.98	13.89	29.18	PASS
				2	6.66	92.39	0.34	7.00	≤22.63	6.98	13.98	29.18	PASS
			52+26	1	4.37	93.48	0.29	4.66	≤22.63	6.98	11.64	29.18	PASS
				2	4.80	93.48	0.29	5.09	≤22.63	6.98	12.07	29.18	PASS
	Ant2	5500	106+2 6	3	4.51	92.55	0.34	4.85	≤22.63	6.98	11.83	29.18	PASS
				1	7.16	92.39	0.34	7.50	≤22.63	6.98	14.48	29.18	PASS
			52+26	2	7.33	92.39	0.34	7.67	≤22.63	6.98	14.65	29.18	PASS
				1	3.65	92.47	0.34	3.99	≤22.63	6.98	10.97	29.18	PASS
			106+2 6	2	3.97	92.47	0.34	4.31	≤22.63	6.98	11.29	29.18	PASS
				3	3.45	92.55	0.34	3.79	≤22.63	6.98	10.77	29.18	PASS
	Ant3	5500	52+26	1	6.37	93.41	0.30	6.67	≤22.63	6.98	13.65	29.18	PASS
				2	6.44	93.41	0.30	6.74	≤22.63	6.98	13.72	29.18	PASS
			106+2 6	1	---	---	---	9.02	≤22.63	6.98	16.00	29.18	PASS
				2	---	---	---	9.39	≤22.63	6.98	16.37	29.18	PASS
			52+26	3	---	---	---	9.04	≤22.63	6.98	16.02	29.18	PASS
				1	---	---	---	11.81	≤22.63	6.98	18.79	29.18	PASS
	total	5500	106+2 6	2	---	---	---	11.93	≤22.63	6.98	18.91	29.18	PASS
				1	3.56	93.48	0.29	3.85	≤22.63	6.98	10.83	29.18	PASS
	Ant1	5580	52+26	2	3.99	93.48	0.29	4.28	≤22.63	6.98	11.26	29.18	PASS
				3	3.63	92.55	0.34	3.97	≤22.63	6.98	10.95	29.18	PASS
			106+2 6	1	6.35	92.39	0.34	6.69	≤22.63	6.98	13.67	29.18	PASS
				2	6.34	92.39	0.34	6.68	≤22.63	6.98	13.66	29.18	PASS
			52+26	1	4.11	93.48	0.29	4.40	≤22.63	6.98	11.38	29.18	PASS
				2	4.57	93.48	0.29	4.86	≤22.63	6.98	11.84	29.18	PASS
	Ant2	5580	106+2 6	3	4.06	92.55	0.34	4.40	≤22.63	6.98	11.38	29.18	PASS
				1	6.96	92.39	0.34	7.30	≤22.63	6.98	14.28	29.18	PASS
			52+26	2	6.94	92.39	0.34	7.28	≤22.63	6.98	14.26	29.18	PASS
				1	4.49	93.48	0.29	4.78	≤22.63	6.98	11.76	29.18	PASS
			106+2 6	2	4.81	93.48	0.29	5.10	≤22.63	6.98	12.08	29.18	PASS
				3	4.53	93.62	0.29	4.82	≤22.63	6.98	11.80	29.18	PASS
	Ant3	5580	52+26	1	7.20	92.39	0.34	7.54	≤22.63	6.98	14.52	29.18	PASS

		6	2	7.20	92.39	0.34	7.54	≤22.63	6.98	14.52	29.18	PASS
			1	---	---	---	9.13	≤22.63	6.98	16.11	29.18	PASS
		52+26	2	---	---	---	9.53	≤22.63	6.98	16.51	29.18	PASS
			3	---	---	---	9.18	≤22.63	6.98	16.16	29.18	PASS
		106+2	1	---	---	---	11.96	≤22.63	6.98	18.94	29.18	PASS
		6	2	---	---	---	11.95	≤22.63	6.98	18.93	29.18	PASS
			1	4.43	93.48	0.29	4.72	≤22.63	6.98	11.70	29.18	PASS
		52+26	2	4.80	93.48	0.29	5.09	≤22.63	6.98	12.07	29.18	PASS
			3	4.35	92.55	0.34	4.69	≤22.63	6.98	11.67	29.18	PASS
		106+2	1	7.26	92.39	0.34	7.60	≤22.63	6.98	14.58	29.18	PASS
		6	2	7.18	93.41	0.30	7.48	≤22.63	6.98	14.46	29.18	PASS
			1	4.62	93.48	0.29	4.91	≤22.63	6.98	11.89	29.18	PASS
		52+26	2	4.88	92.47	0.34	5.22	≤22.63	6.98	12.20	29.18	PASS
			3	4.39	92.55	0.34	4.73	≤22.63	6.98	11.71	29.18	PASS
		106+2	1	7.42	92.39	0.34	7.76	≤22.63	6.98	14.74	29.18	PASS
		6	2	7.28	93.41	0.30	7.58	≤22.63	6.98	14.56	29.18	PASS
			1	3.76	92.47	0.34	4.10	≤22.63	6.98	11.08	29.18	PASS
		52+26	2	4.52	92.47	0.34	4.86	≤22.63	6.98	11.84	29.18	PASS
			3	4.09	92.55	0.34	4.43	≤22.63	6.98	11.41	29.18	PASS
		106+2	1	6.93	92.39	0.34	7.27	≤22.63	6.98	14.25	29.18	PASS
		6	2	6.92	92.39	0.34	7.26	≤22.63	6.98	14.24	29.18	PASS
			1	---	---	---	9.36	≤22.63	6.98	16.34	29.18	PASS
		52+26	2	---	---	---	9.83	≤22.63	6.98	16.81	29.18	PASS
			3	---	---	---	9.39	≤22.63	6.98	16.37	29.18	PASS
		106+2	1	---	---	---	12.32	≤22.63	6.98	19.30	29.18	PASS
		6	2	---	---	---	12.21	≤22.63	6.98	19.19	29.18	PASS
			1	4.51	93.48	0.29	4.80	≤22.63	6.98	11.78	29.18	PASS
		52+26	2	4.87	93.48	0.29	5.16	≤22.63	6.98	12.14	29.18	PASS
			3	4.32	93.62	0.29	4.61	≤22.63	6.98	11.59	29.18	PASS
		106+2	1	7.30	93.41	0.30	7.60	≤22.63	6.98	14.58	29.18	PASS
		6	2	7.23	93.41	0.30	7.53	≤22.63	6.98	14.51	29.18	PASS
			1	4.68	93.48	0.29	4.97	≤22.63	6.98	11.95	29.18	PASS
		52+26	2	5.07	93.48	0.29	5.36	≤22.63	6.98	12.34	29.18	PASS
			3	4.59	93.55	0.29	4.88	≤22.63	6.98	11.86	29.18	PASS
		106+2	1	7.47	93.41	0.30	7.77	≤22.63	6.98	14.75	29.18	PASS
		6	2	7.31	92.39	0.34	7.65	≤22.63	6.98	14.63	29.18	PASS
			1	3.93	93.48	0.29	4.22	≤22.63	6.98	11.20	29.18	PASS
		52+26	2	3.97	92.47	0.34	4.31	≤22.63	6.98	11.29	29.18	PASS
			3	3.99	92.55	0.34	4.33	≤22.63	6.98	11.31	29.18	PASS
		106+2	1	6.90	92.39	0.34	7.24	≤22.63	6.98	14.22	29.18	PASS
		6	2	6.73	93.41	0.30	7.03	≤22.63	6.98	14.01	29.18	PASS
			1	---	---	---	9.45	≤22.63	6.98	16.43	29.18	PASS
		52+26	2	---	---	---	9.74	≤22.63	6.98	16.72	29.18	PASS
			3	---	---	---	9.38	≤22.63	6.98	16.36	29.18	PASS
		106+2	1	---	---	---	12.31	≤22.63	6.98	19.29	29.18	PASS
		6	2	---	---	---	12.18	≤22.63	6.98	19.16	29.18	PASS
			1	4.89	93.48	0.29	5.18	≤29.02	6.98	12.16	---	PASS
		52+26	2	5.28	92.47	0.34	5.62	≤29.02	6.98	12.60	---	PASS
			3	4.69	92.55	0.34	5.03	≤29.02	6.98	12.01	---	PASS
		106+2	1	7.41	92.39	0.34	7.75	≤29.02	6.98	14.73	---	PASS
		6	2	7.26	93.41	0.30	7.56	≤29.02	6.98	14.54	---	PASS
			1	5.37	93.48	0.29	5.66	≤29.02	6.98	12.64	---	PASS
		52+26	2	5.62	92.47	0.34	5.96	≤29.02	6.98	12.94	---	PASS
			3	5.22	92.55	0.34	5.56	≤29.02	6.98	12.54	---	PASS
		106+2	1	7.83	93.41	0.30	8.13	≤29.02	6.98	15.11	---	PASS
		6	2	7.72	93.41	0.30	8.02	≤29.02	6.98	15.00	---	PASS
			1	5.01	93.48	0.29	5.30	≤29.02	6.98	12.28	---	PASS
		52+26	2	5.35	93.48	0.29	5.64	≤29.02	6.98	12.62	---	PASS
			3	4.93	93.62	0.29	5.22	≤29.02	6.98	12.20	---	PASS
		106+2	1	7.62	93.41	0.30	7.92	≤29.02	6.98	14.90	---	PASS
		6	2	7.50	93.41	0.30	7.80	≤29.02	6.98	14.78	---	PASS
			1	---	---	---	10.16	≤29.02	6.98	17.14	---	PASS
		52+26	2	---	---	---	10.51	≤29.02	6.98	17.49	---	PASS
			3	---	---	---	10.05	≤29.02	6.98	17.03	---	PASS
		106+2	1	---	---	---	12.71	≤29.02	6.98	19.69	---	PASS
		6	2	---	---	---	12.57	≤29.02	6.98	19.55	---	PASS
			1	3.31	92.47	0.34	3.65	≤29.02	6.98	10.63	---	PASS
		52+26	2	3.73	93.48	0.29	4.02	≤29.02	6.98	11.00	---	PASS
			3	3.24	93.62	0.29	3.53	≤29.02	6.98	10.51	---	PASS
		106+2	1	6.30	92.39	0.34	6.64	≤29.02	6.98	13.62	---	PASS
		6	2	6.18	93.41	0.30	6.48	≤29.02	6.98	13.46	---	PASS

11BE4 0 MIMO	Ant2	5785	52+26	1	4.37	93.55	0.29	4.66	≤29.02	6.98	11.64	---	PASS
				2	4.67	93.48	0.29	4.96	≤29.02	6.98	11.94	---	PASS
				3	4.29	92.55	0.34	4.63	≤29.02	6.98	11.61	---	PASS
			106+2 6	1	6.53	92.39	0.34	6.87	≤29.02	6.98	13.85	---	PASS
				2	6.51	92.39	0.34	6.85	≤29.02	6.98	13.83	---	PASS
				3	4.06	93.48	0.29	4.35	≤29.02	6.98	11.33	---	PASS
	Ant3	5785	52+26	2	4.93	93.55	0.29	5.22	≤29.02	6.98	12.20	---	PASS
				3	4.51	93.62	0.29	4.80	≤29.02	6.98	11.78	---	PASS
				1	7.47	92.39	0.34	7.81	≤29.02	6.98	14.79	---	PASS
			106+2 6	2	7.42	92.39	0.34	7.76	≤29.02	6.98	14.74	---	PASS
				1	---	---	---	9.01	≤29.02	6.98	15.99	---	PASS
				2	---	---	---	9.53	≤29.02	6.98	16.51	---	PASS
	total	5785	52+26	3	---	---	---	9.13	≤29.02	6.98	16.11	---	PASS
				1	---	---	---	11.91	≤29.02	6.98	18.89	---	PASS
				2	---	---	---	11.84	≤29.02	6.98	18.82	---	PASS
			106+2 6	1	4.34	93.48	0.29	4.63	≤29.02	6.98	11.61	---	PASS
				2	4.72	93.48	0.29	5.01	≤29.02	6.98	11.99	---	PASS
				3	4.40	93.62	0.29	4.69	≤29.02	6.98	11.67	---	PASS
	Ant1	5825	52+26	1	7.08	93.41	0.30	7.38	≤29.02	6.98	14.36	---	PASS
				2	7.24	92.39	0.34	7.58	≤29.02	6.98	14.56	---	PASS
			106+2 6	1	4.86	92.47	0.34	5.20	≤29.02	6.98	12.18	---	PASS
				2	5.25	93.48	0.29	5.54	≤29.02	6.98	12.52	---	PASS
				3	4.97	93.62	0.29	5.26	≤29.02	6.98	12.24	---	PASS
	Ant2	5825	52+26	1	7.32	92.39	0.34	7.66	≤29.02	6.98	14.64	---	PASS
				2	7.50	92.39	0.34	7.84	≤29.02	6.98	14.82	---	PASS
			106+2 6	1	4.86	93.48	0.29	5.15	≤29.02	6.98	12.13	---	PASS
				2	5.30	92.47	0.34	5.64	≤29.02	6.98	12.62	---	PASS
				3	4.81	93.62	0.29	5.10	≤29.02	6.98	12.08	---	PASS
	Ant3	5825	52+26	1	7.74	92.39	0.34	8.08	≤29.02	6.98	15.06	---	PASS
				2	7.69	92.39	0.34	8.03	≤29.02	6.98	15.01	---	PASS
			106+2 6	1	---	---	---	9.77	≤29.02	6.98	16.75	---	PASS
				2	---	---	---	10.18	≤29.02	6.98	17.16	---	PASS
				3	---	---	---	9.79	≤29.02	6.98	16.77	---	PASS
	total	5825	52+26	1	---	---	---	12.49	≤29.02	6.98	19.47	---	PASS
				2	---	---	---	12.59	≤29.02	6.98	19.57	---	PASS
			106+2 6	3	4.82	92.31	0.35	5.17	≤29.02	6.98	12.15	22.18	PASS
				4	4.02	93.41	0.30	4.32	≤29.02	6.98	11.30	22.18	PASS
				3	5.06	93.41	0.30	5.36	≤29.02	6.98	12.34	22.18	PASS
				4	4.33	93.41	0.30	4.63	≤29.02	6.98	11.61	22.18	PASS
	Ant1	5190	106+2 6	3	3.59	92.39	0.34	3.93	≤29.02	6.98	10.91	22.18	PASS
				4	2.74	93.33	0.30	3.04	≤29.02	6.98	10.02	22.18	PASS
			106+2 6	3	---	---	---	9.64	≤29.02	6.98	16.62	22.18	PASS
				4	---	---	---	8.82	≤29.02	6.98	15.80	22.18	PASS
			106+2 6	3	5.20	93.41	0.30	5.50	≤29.02	6.98	12.48	22.18	PASS
				4	4.28	93.41	0.30	4.58	≤29.02	6.98	11.56	22.18	PASS
	Ant2	5230	106+2 6	3	5.55	92.39	0.34	5.89	≤29.02	6.98	12.87	22.18	PASS
				4	4.66	93.41	0.30	4.96	≤29.02	6.98	11.94	22.18	PASS
			106+2 6	3	4.10	93.41	0.30	4.40	≤29.02	6.98	11.38	22.18	PASS
				4	2.86	92.39	0.34	3.20	≤29.02	6.98	10.18	22.18	PASS
			106+2 6	3	---	---	---	10.08	≤29.02	6.98	17.06	22.18	PASS
				4	---	---	---	9.08	≤29.02	6.98	16.06	22.18	PASS
	Ant3	5270	106+2 6	3	6.92	93.33	0.30	7.22	≤22.20	6.98	14.20	29.18	PASS
				4	5.90	93.41	0.30	6.20	≤22.20	6.98	13.18	29.18	PASS
			106+2 6	3	7.21	92.31	0.35	7.56	≤22.20	6.98	14.54	29.18	PASS
				4	6.23	93.41	0.30	6.53	≤22.20	6.98	13.51	29.18	PASS
			106+2 6	3	8.54	92.39	0.34	8.88	≤22.20	6.98	15.86	29.18	PASS
				4	7.31	93.41	0.30	7.61	≤22.20	6.98	14.59	29.18	PASS
	total	5270	106+2 6	3	---	---	---	12.72	≤22.20	6.98	19.70	29.18	PASS
				4	---	---	---	11.59	≤22.20	6.98	18.57	29.18	PASS
			106+2 6	3	6.11	93.41	0.30	6.41	≤22.20	6.98	13.39	29.18	PASS
				4	5.17	93.41	0.30	5.47	≤22.20	6.98	12.45	29.18	PASS
			106+2 6	3	6.49	92.31	0.35	6.84	≤22.20	6.98	13.82	29.18	PASS
				4	5.59	93.41	0.30	5.89	≤22.20	6.98	12.87	29.18	PASS
	Ant1	5310	106+2 6	3	7.75	93.41	0.30	8.05	≤22.20	6.98	15.03	29.18	PASS
				4	6.94	93.41	0.30	7.24	≤22.20	6.98	14.22	29.18	PASS
			106+2 6	3	---	---	---	11.93	≤22.20	6.98	18.91	29.18	PASS
				4	---	---	---	11.04	≤22.20	6.98	18.02	29.18	PASS
			106+2 6	3	6.21	92.39	0.34	6.55	≤22.63	6.98	13.53	29.18	PASS
				4	5.33	92.39	0.34	5.67	≤22.63	6.98	12.65	29.18	PASS
	Ant2	5510	106+2 6	3	6.94	93.41	0.30	7.24	≤22.63	6.98	14.22	29.18	PASS
				4	6.12	92.31	0.35	6.47	≤22.63	6.98	13.45	29.18	PASS

Ant3	5510	106+2 6	3	5.65	93.41	0.30	5.95	≤22.63	6.98	12.93	29.18	PASS
			4	4.84	93.41	0.30	5.14	≤22.63	6.98	12.12	29.18	PASS
total	5510	106+2 6	3	---	---	---	11.38	≤22.63	6.98	18.36	29.18	PASS
			4	---	---	---	10.57	≤22.63	6.98	17.55	29.18	PASS
Ant1	5550	106+2 6	3	6.87	93.41	0.30	7.17	≤22.63	6.98	14.15	29.18	PASS
			4	5.91	92.39	0.34	6.25	≤22.63	6.98	13.23	29.18	PASS
Ant2	5550	106+2 6	3	7.44	92.31	0.35	7.79	≤22.63	6.98	14.77	29.18	PASS
			4	6.52	92.31	0.35	6.87	≤22.63	6.98	13.85	29.18	PASS
Ant3	5550	106+2 6	3	6.05	92.31	0.35	6.40	≤22.63	6.98	13.38	29.18	PASS
			4	4.79	92.39	0.34	5.13	≤22.63	6.98	12.11	29.18	PASS
total	5550	106+2 6	3	---	---	---	11.93	≤22.63	6.98	18.91	29.18	PASS
			4	---	---	---	10.91	≤22.63	6.98	17.89	29.18	PASS
Ant1	5670	106+2 6	3	6.15	92.39	0.34	6.49	≤22.63	6.98	13.47	29.18	PASS
			4	5.27	93.41	0.30	5.57	≤22.63	6.98	12.55	29.18	PASS
Ant2	5670	106+2 6	3	5.78	92.31	0.35	6.13	≤22.63	6.98	13.11	29.18	PASS
			4	5.00	92.31	0.35	5.35	≤22.63	6.98	12.33	29.18	PASS
Ant3	5670	106+2 6	3	6.68	92.39	0.34	7.02	≤22.63	6.98	14.00	29.18	PASS
			4	5.55	93.41	0.30	5.85	≤22.63	6.98	12.83	29.18	PASS
total	5670	106+2 6	3	---	---	---	11.33	≤22.63	6.98	18.31	29.18	PASS
			4	---	---	---	10.37	≤22.63	6.98	17.35	29.18	PASS
Ant1	5710	106+2 6	3	6.82	93.41	0.30	7.12	≤22.63	6.98	14.10	29.18	PASS
			4	5.68	92.39	0.34	6.02	≤22.63	6.98	13.00	29.18	PASS
Ant2	5710	106+2 6	3	6.85	93.33	0.30	7.15	≤22.63	6.98	14.13	29.18	PASS
			4	5.78	92.39	0.34	6.12	≤22.63	6.98	13.10	29.18	PASS
Ant3	5710	106+2 6	3	6.47	93.41	0.30	6.77	≤22.63	6.98	13.75	29.18	PASS
			4	4.91	92.39	0.34	5.25	≤22.63	6.98	12.23	29.18	PASS
total	5710	106+2 6	3	---	---	---	11.79	≤22.63	6.98	18.77	29.18	PASS
			4	---	---	---	10.58	≤22.63	6.98	17.56	29.18	PASS
Ant1	5755	106+2 6	3	4.37	93.41	0.30	4.67	≤29.02	6.98	11.65	---	PASS
			4	3.34	93.41	0.30	3.64	≤29.02	6.98	10.62	---	PASS
Ant2	5755	106+2 6	3	5.08	93.41	0.30	5.38	≤29.02	6.98	12.36	---	PASS
			4	3.96	93.41	0.30	4.26	≤29.02	6.98	11.24	---	PASS
Ant3	5755	106+2 6	3	5.14	92.31	0.35	5.49	≤29.02	6.98	12.47	---	PASS
			4	4.06	93.41	0.30	4.36	≤29.02	6.98	11.34	---	PASS
total	5755	106+2 6	3	---	---	---	9.97	≤29.02	6.98	16.95	---	PASS
			4	---	---	---	8.87	≤29.02	6.98	15.85	---	PASS
Ant1	5795	106+2 6	3	3.83	93.41	0.30	4.13	≤29.02	6.98	11.11	---	PASS
			4	2.79	93.33	0.30	3.09	≤29.02	6.98	10.07	---	PASS
Ant2	5795	106+2 6	3	4.25	92.39	0.34	4.59	≤29.02	6.98	11.57	---	PASS
			4	3.21	92.39	0.34	3.55	≤29.02	6.98	10.53	---	PASS
Ant3	5795	106+2 6	3	4.94	92.31	0.35	5.29	≤29.02	6.98	12.27	---	PASS
			4	3.68	93.33	0.30	3.98	≤29.02	6.98	10.96	---	PASS
total	5795	106+2 6	3	---	---	---	9.47	≤29.02	6.98	16.45	---	PASS
			4	---	---	---	8.33	≤29.02	6.98	15.31	---	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Channel Power [dBm]	Duty Cycle [%]	DC Factor or [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE80 MIMO	Ant1	5210	484+242	1	8.32	85.28	0.69	9.01	≤29.02	6.98	15.99	22.18	PASS
				2	8.13	85.11	0.70	8.83	≤29.02	6.98	15.81	22.18	PASS
				3	8.06	85.28	0.69	8.75	≤29.02	6.98	15.73	22.18	PASS
				4	7.93	85.28	0.69	8.62	≤29.02	6.98	15.60	22.18	PASS
	Ant2	5210	484+242	1	8.77	85.28	0.69	9.46	≤29.02	6.98	16.44	22.18	PASS
				2	8.56	85.11	0.70	9.26	≤29.02	6.98	16.24	22.18	PASS
				3	8.47	85.28	0.69	9.16	≤29.02	6.98	16.14	22.18	PASS
				4	8.36	85.28	0.69	9.05	≤29.02	6.98	16.03	22.18	PASS
	Ant3	5210	484+242	1	7.25	85.11	0.70	7.95	≤29.02	6.98	14.93	22.18	PASS
				2	7.03	85.11	0.70	7.73	≤29.02	6.98	14.71	22.18	PASS
				3	6.89	85.28	0.69	7.58	≤29.02	6.98	14.56	22.18	PASS
				4	6.80	85.11	0.70	7.50	≤29.02	6.98	14.48	22.18	PASS
	total	5210	484+242	1	---	---	---	13.62	≤29.02	6.98	20.60	22.18	PASS
				2	---	---	---	13.42	≤29.02	6.98	20.40	22.18	PASS
				3	---	---	---	13.32	≤29.02	6.98	20.30	22.18	PASS
				4	---	---	---	13.21	≤29.02	6.98	20.19	22.18	PASS
	Ant1	5290	484+242	1	10.88	85.11	0.70	11.58	≤23.00	6.98	18.56	29.18	PASS
				2	10.67	85.11	0.70	11.37	≤23.00	6.98	18.35	29.18	PASS
				3	10.64	85.28	0.69	11.33	≤23.00	6.98	18.31	29.18	PASS
				4	10.56	85.28	0.69	11.25	≤23.00	6.98	18.23	29.18	PASS
	Ant2	5290	484+242	1	11.15	85.28	0.69	11.84	≤23.00	6.98	18.82	29.18	PASS

		2	2	10.99	85.11	0.70	11.69	≤23.00	6.98	18.67	29.18	PASS	
			3	10.94	85.11	0.70	11.64	≤23.00	6.98	18.62	29.18	PASS	
			4	10.81	85.11	0.70	11.51	≤23.00	6.98	18.49	29.18	PASS	
	Ant3	5290	484+24 2	1	12.22	85.28	0.69	12.91	≤23.00	6.98	19.89	29.18	PASS
				2	12.05	85.28	0.69	12.74	≤23.00	6.98	19.72	29.18	PASS
				3	12.03	85.28	0.69	12.72	≤23.00	6.98	19.70	29.18	PASS
				4	11.92	85.11	0.70	12.62	≤23.00	6.98	19.60	29.18	PASS
	total	5290	484+24 2	1	---	---	---	16.92	≤23.00	6.98	23.90	29.18	PASS
				2	---	---	---	16.74	≤23.00	6.98	23.72	29.18	PASS
				3	---	---	---	16.71	≤23.00	6.98	23.69	29.18	PASS
4				---	---	---	16.61	≤23.00	6.98	23.59	29.18	PASS	
Ant1	5530	484+24 2	1	11.27	85.28	0.69	11.96	≤23.00	6.98	18.94	29.18	PASS	
			2	11.02	85.11	0.70	11.72	≤23.00	6.98	18.70	29.18	PASS	
			3	10.92	85.28	0.69	11.61	≤23.00	6.98	18.59	29.18	PASS	
			4	10.75	85.11	0.70	11.45	≤23.00	6.98	18.43	29.18	PASS	
Ant2	5530	484+24 2	1	11.78	85.28	0.69	12.47	≤23.00	6.98	19.45	29.18	PASS	
			2	11.55	85.11	0.70	12.25	≤23.00	6.98	19.23	29.18	PASS	
			3	11.43	85.11	0.70	12.13	≤23.00	6.98	19.11	29.18	PASS	
			4	11.26	85.28	0.69	11.95	≤23.00	6.98	18.93	29.18	PASS	
Ant3	5530	484+24 2	1	10.38	85.11	0.70	11.08	≤23.00	6.98	18.06	29.18	PASS	
			2	10.15	85.28	0.69	10.84	≤23.00	6.98	17.82	29.18	PASS	
			3	10.00	85.28	0.69	10.69	≤23.00	6.98	17.67	29.18	PASS	
			4	9.99	85.28	0.69	10.68	≤23.00	6.98	17.66	29.18	PASS	
total	5530	484+24 2	1	---	---	---	16.65	≤23.00	6.98	23.63	29.18	PASS	
			2	---	---	---	16.41	≤23.00	6.98	23.39	29.18	PASS	
			3	---	---	---	16.29	≤23.00	6.98	23.27	29.18	PASS	
			4	---	---	---	16.16	≤23.00	6.98	23.14	29.18	PASS	
Ant1	5610	484+24 2	1	10.17	85.28	0.69	10.86	≤23.00	6.98	17.84	29.18	PASS	
			2	10.03	85.28	0.69	10.72	≤23.00	6.98	17.70	29.18	PASS	
			3	9.93	85.11	0.70	10.63	≤23.00	6.98	17.61	29.18	PASS	
			4	9.78	85.11	0.70	10.48	≤23.00	6.98	17.46	29.18	PASS	
Ant2	5610	484+24 2	1	10.98	85.11	0.70	11.68	≤23.00	6.98	18.66	29.18	PASS	
			2	10.82	85.28	0.69	11.51	≤23.00	6.98	18.49	29.18	PASS	
			3	10.68	85.11	0.70	11.38	≤23.00	6.98	18.36	29.18	PASS	
			4	10.54	85.28	0.69	11.23	≤23.00	6.98	18.21	29.18	PASS	
Ant3	5610	484+24 2	1	11.20	85.11	0.70	11.90	≤23.00	6.98	18.88	29.18	PASS	
			2	11.11	85.11	0.70	11.81	≤23.00	6.98	18.79	29.18	PASS	
			3	10.74	85.11	0.70	11.44	≤23.00	6.98	18.42	29.18	PASS	
			4	10.77	85.11	0.70	11.47	≤23.00	6.98	18.45	29.18	PASS	
total	5610	484+24 2	1	---	---	---	16.27	≤23.00	6.98	23.25	29.18	PASS	
			2	---	---	---	16.14	≤23.00	6.98	23.12	29.18	PASS	
			3	---	---	---	15.94	≤23.00	6.98	22.92	29.18	PASS	
			4	---	---	---	15.85	≤23.00	6.98	22.83	29.18	PASS	
Ant1	5690	484+24 2	1	10.71	85.11	0.70	11.41	≤23.00	6.98	18.39	29.18	PASS	
			2	10.43	85.11	0.70	11.13	≤23.00	6.98	18.11	29.18	PASS	
			3	10.41	85.11	0.70	11.11	≤23.00	6.98	18.09	29.18	PASS	
			4	10.36	85.11	0.70	11.06	≤23.00	6.98	18.04	29.18	PASS	
Ant2	5690	484+24 2	1	10.55	85.28	0.69	11.24	≤23.00	6.98	18.22	29.18	PASS	
			2	10.31	85.28	0.69	11.00	≤23.00	6.98	17.98	29.18	PASS	
			3	10.18	85.11	0.70	10.88	≤23.00	6.98	17.86	29.18	PASS	
			4	10.13	85.28	0.69	10.82	≤23.00	6.98	17.80	29.18	PASS	
Ant3	5690	484+24 2	1	10.97	85.28	0.69	11.66	≤23.00	6.98	18.64	29.18	PASS	
			2	10.60	85.28	0.69	11.29	≤23.00	6.98	18.27	29.18	PASS	
			3	10.53	85.11	0.70	11.23	≤23.00	6.98	18.21	29.18	PASS	
			4	9.76	85.11	0.70	10.46	≤23.00	6.98	17.44	29.18	PASS	
total	5690	484+24 2	1	---	---	---	16.21	≤23.00	6.98	23.19	29.18	PASS	
			2	---	---	---	15.91	≤23.00	6.98	22.89	29.18	PASS	
			3	---	---	---	15.85	≤23.00	6.98	22.83	29.18	PASS	
			4	---	---	---	15.56	≤23.00	6.98	22.54	29.18	PASS	
Ant1	5775	484+24 2	1	6.35	85.11	0.70	7.05	≤29.02	6.98	14.03	---	PASS	
			2	6.32	85.11	0.70	7.02	≤29.02	6.98	14.00	---	PASS	
			3	6.49	85.11	0.70	7.19	≤29.02	6.98	14.17	---	PASS	
			4	6.22	85.11	0.70	6.92	≤29.02	6.98	13.90	---	PASS	
Ant2	5775	484+24 2	1	6.54	85.28	0.69	7.23	≤29.02	6.98	14.21	---	PASS	
			2	6.50	85.11	0.70	7.20	≤29.02	6.98	14.18	---	PASS	
			3	6.72	85.28	0.69	7.41	≤29.02	6.98	14.39	---	PASS	
			4	6.48	85.11	0.70	7.18	≤29.02	6.98	14.16	---	PASS	
Ant3	5775	484+24 2	1	7.27	85.11	0.70	7.97	≤29.02	6.98	14.95	---	PASS	
			2	7.07	85.28	0.69	7.76	≤29.02	6.98	14.74	---	PASS	
			3	7.07	85.28	0.69	7.76	≤29.02	6.98	14.74	---	PASS	
			4	7.00	85.28	0.69	7.69	≤29.02	6.98	14.67	---	PASS	

11BE1 60 MIMO	total	5775	484+24 2	1	---	---	---	12.21	≤29.02	6.98	19.19	---	PASS
				2	---	---	---	12.11	≤29.02	6.98	19.09	---	PASS
				3	---	---	---	12.23	≤29.02	6.98	19.21	---	PASS
				4	---	---	---	12.05	≤29.02	6.98	19.03	---	PASS
	Ant1	5250	996+48 4	1	9.93	83.02	0.81	10.74	≤23.00	6.98	17.72	22.18	PASS
				2	10.00	83.02	0.81	10.81	≤23.00	6.98	17.79	22.18	PASS
				3	9.94	83.02	0.81	10.75	≤23.00	6.98	17.73	22.18	PASS
				4	9.90	83.02	0.81	10.71	≤23.00	6.98	17.69	22.18	PASS
	Ant2	5250	996+48 4	1	9.54	83.45	0.79	10.33	≤23.00	6.98	17.31	22.18	PASS
				2	9.69	83.02	0.81	10.50	≤23.00	6.98	17.48	22.18	PASS
				3	9.67	83.02	0.81	10.48	≤23.00	6.98	17.46	22.18	PASS
				4	9.58	83.45	0.79	10.37	≤23.00	6.98	17.35	22.18	PASS
	Ant3	5250	996+48 4	1	8.54	83.02	0.81	9.35	≤23.00	6.98	16.33	22.18	PASS
				2	8.62	83.02	0.81	9.43	≤23.00	6.98	16.41	22.18	PASS
				3	8.76	83.02	0.81	9.57	≤23.00	6.98	16.55	22.18	PASS
				4	8.46	83.02	0.81	9.27	≤23.00	6.98	16.25	22.18	PASS
	total	5250	996+48 4	1	---	---	---	14.95	≤23.00	6.98	21.93	22.18	PASS
				2	---	---	---	15.06	≤23.00	6.98	22.04	22.18	PASS
				3	---	---	---	15.07	≤23.00	6.98	22.05	22.18	PASS
				4	---	---	---	14.93	≤23.00	6.98	21.91	22.18	PASS
	Ant1	5570	996+48 4	1	11.01	83.02	0.81	11.82	≤23.00	6.98	18.80	29.18	PASS
				2	11.07	83.02	0.81	11.88	≤23.00	6.98	18.86	29.18	PASS
				3	11.22	83.02	0.81	12.03	≤23.00	6.98	19.01	29.18	PASS
				4	10.91	83.02	0.81	11.72	≤23.00	6.98	18.70	29.18	PASS
	Ant2	5570	996+48 4	1	11.76	83.02	0.81	12.57	≤23.00	6.98	19.55	29.18	PASS
				2	11.81	83.02	0.81	12.62	≤23.00	6.98	19.60	29.18	PASS
				3	11.90	83.02	0.81	12.71	≤23.00	6.98	19.69	29.18	PASS
				4	11.58	83.02	0.81	12.39	≤23.00	6.98	19.37	29.18	PASS
	Ant3	5570	996+48 4	1	9.87	83.02	0.81	10.68	≤23.00	6.98	17.66	29.18	PASS
				2	9.94	83.02	0.81	10.75	≤23.00	6.98	17.73	29.18	PASS
				3	9.99	83.02	0.81	10.80	≤23.00	6.98	17.78	29.18	PASS
				4	9.70	83.02	0.81	10.51	≤23.00	6.98	17.49	29.18	PASS
	total	5570	996+48 4	1	---	---	---	16.53	≤23.00	6.98	23.51	29.18	PASS
				2	---	---	---	16.59	≤23.00	6.98	23.57	29.18	PASS
				3	---	---	---	16.69	≤23.00	6.98	23.67	29.18	PASS
				4	---	---	---	16.38	≤23.00	6.98	23.36	29.18	PASS

Note: The Duty Cycle Factor is compensated in the graph.