FCC §2.1091- MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Applicable Standard

According to subpart 2.1091 systems operating under the provisions of this section shall be operated in a manner that ensures the public is not exposed to RF energy level in excess of the communication guidelines.

Limits for General Population/Uncontrolled Exposure

Report No.: RSZ201027801-00C

Limits for General Population/Uncontrolled Exposure									
Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (Minutes)					
0.3-1.34	614	1.63	*(100)	30					
1.34-30	824/f	2.19/f	$*(180/f^2)$	30					
30-300	27.5	0.073	0.2	30					
300-1500	/	/	f/1500	30					
1500-100,000	/	/	1.0	30					

f = frequency in MHz

Result

Calculated Formulary:

Predication of MPE limit at a given distance

$$S = \frac{PG}{4\pi R^2}$$

S = power density (in appropriate units, e.g. mW/cm2)

P = power input to the antenna (in appropriate units, e.g., mW).

G = power gain of the antenna in the direction of interest relative to an isotropic radiator, the power gain factor, is normally numeric gain.

R = distance to the center of radiation of the antenna (appropriate units, e.g., cm)

For simultaneously transmit system, the calculated power density should comply with:

$$\sum_{i} \frac{S_{i}}{S_{Limit,i}} \le 1$$

FCC Part 15.407 Page 14 of 82

^{* =} Plane-wave equivalent power density

Mode	Frequency (MHz)	Antenna Gain		Tune up conducted power		Evaluation Distance	Power Density	MPE Limit
		(dBi)	(numeric)	(dBm)	(mW)	(cm)	(mW/cm^2)	(mW/cm ²)
Bluetooth	2402-2480	0.8	1.20	6.2	4.17	20	0.0010	1
BLE	2402-2480	0.8	1.20	6.0	3.98	20	0.0010	1
2.4G Wi-Fi	2412-2462	0.8	1.20	21.0	125.89	20	0.0301	1
5G Wi-Fi	5150-5250	0.8	1.20	12.0	15.85	20	0.0038	1
	5725-5850	0.8	1.20	11.5	14.13	20	0.0034	1

Report No.: RSZ201027801-00C

Note: 1. the tune up conducted power was declared by the applicant 2. the Bluetooth, 2.4G Wi-Fi and 5G Wi-Fi can transmit at the same time.

Simultaneous transmitting consideration:

 $The\ ratio = MPE_{Bluetooth}/limit\ MPE_{2.4G\ wiff}/limit\ +\ MPE_{5G\ wiff}/limit = 0.001 + 0.0301 + 0.0038 = 0.0349 \le 1.0$

So simultaneous exposure comply with the limit.

To maintain compliance with the FCC's RF exposure guidelines, place the equipment at least 20cm from nearby persons.

Result: compliance.

FCC Part 15.407 Page 15 of 82