



KMICA00296

2.4G Wireless

Rechargeable Mouse User Manual

Introduction

Thank you for your support of this product. In order to give you a better understanding of the use of the wireless dual-mode mouse, please read this manual carefully before using it!

This is an advanced 2.4G wireless rechargeable optical mouse with USB interface, designed for laptops, desktop computers, drawing, and office applications.

Packaging Content

Dual-mode wireless Mouse	1 PCS
Charging Cable	1 PCS
USB 2.4GHz Toggle	1 PCS
User Manuel	1 PCS

Specifications

Buttons: 6 PCS

Weight: 81±5g

Product Size: 118*68*38.5 mm

Sensor: S201

Polling Rate: 125HZ

Max Acceleration: 8G

Max Speed: 30 IPS

Frame Rate: 3000 FPS

Adjustable DPI: 3 levels

DPI: 1200-2400-3200

Default setting: 1200 DPI

PS: Settings are not retained after power-off

Battery Capacity: 500mAh

Operating Voltage/Current: 3.7V±0.5V---16MA(MAX)

Mechanical Scroll Wheel: 200,000 cycles

Left/Right Switches: 1 million clicks


Backlight: Rainbow

Mode Switching

+ 2.4 GHz Mode: Red indicator

+

Switch modes via base-mounted button





Manuel d'utilisation
de la souris sans fil rechargeable 2.4G

Introduction

Merci de votre soutien pour ce produit. Afin de mieux comprendre l'utilisation de la souris sans fil Bluetooth bimode, veuillez lire attentivement ce manuel avant de l'utiliser.

Ceci est une souris optique sans fil rechargeable avancée 2.4G avec interface USB, conçue pour les ordinateurs portables, les ordinateurs de bureau, le dessin et les applications bureautiques.

Contenu de l'emballage

Souris sans fil bimode	1 pièce
Câble de recharge	1 pièce
Interrupteur USB 2,4 GHz	1 pièce
Manuel de l'utilisateur	1 pièce

Spécifications

Boutons : 6 pièces

Poids : 81 ± 5 g

Taille du produit: $118 \times 68 \times 38,5$ mm

Tension/Intensité de fonctionnement : $3,7V \pm 0,5V$ — 16 mA
(MAX)

Capteur : S201

Taux d'interrogation (Polling Rate) : 125 Hz

Accélération maximale : 8G

Vitesse maximale : 30 IPS

Taux de rafraîchissement du capteur : 3000 FPS

DPI réglable : 3 niveaux

DPI : 1200 – 2400 – 3200

Réglage par défaut : 1200 DPI *PS:les réglages ne sont pas conservés après extinction*

Capacité de la batterie : 500 mAh

Molette de défilement mécanique : 200 000 cycles

Interrupteurs gauche/droite : 1 million de clics

Rétroéclairage : arc-en-ciel

Changement de mode

Mode 2,4 GHz : Indicateur rouge

Basculement des modes via un bouton situé sous la souris



FCC Warning Statement:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.