



Appendix C

RF Test Data for 5.3GWIFI (Conducted Measurement)

Product Name: NVR

Test Model: NVR-8128NM-W-2MU

Environmental Conditions

Temperature:	25.2° C
Relative Humidity:	53.9%
ATM Pressure:	100.0 kPa
Test Engineer:	Jose Zhu
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	26.766	---	Pass
NVNT	a	5300	Ant1	26.484	---	Pass
NVNT	a	5320	Ant1	26.722	---	Pass
NVNT	n20	5260	Ant1	27.314	---	Pass
NVNT	n20	5300	Ant1	29.163	---	Pass
NVNT	n20	5320	Ant1	29.109	---	Pass
NVNT	n40	5270	Ant1	43.928	---	Pass
NVNT	n40	5310	Ant1	47.189	---	Pass
NVNT	ac20	5260	Ant1	26.366	---	Pass
NVNT	ac20	5300	Ant1	27.346	---	Pass
NVNT	ac20	5320	Ant1	28.238	---	Pass
NVNT	ac40	5270	Ant1	45.15	---	Pass
NVNT	ac40	5310	Ant1	45.046	---	Pass
NVNT	ax20	5260	Ant1	29.01	---	Pass
NVNT	ax20	5300	Ant1	28.394	---	Pass
NVNT	ax20	5320	Ant1	25.68	---	Pass
NVNT	ax40	5270	Ant1	46.667	---	Pass
NVNT	ax40	5310	Ant1	44.057	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5300MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






-26dB Bandwidth NVNT n40 5270MHz Ant1



-26dB Bandwidth NVNT n40 5310MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5300MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5320MHz Ant1



-26dB Bandwidth NVNT ac40 5270MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ax20 5260MHz Ant1






-26dB Bandwidth NVNT ax20 5300MHz Ant1



-26dB Bandwidth NVNT ax20 5320MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5270MHz Ant1



-26dB Bandwidth NVNT ax40 5310MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant2	28.291	---	Pass
NVNT	a	5300	Ant2	26.551	---	Pass
NVNT	a	5320	Ant2	28.382	---	Pass
NVNT	n20	5260	Ant2	27.986	---	Pass
NVNT	n20	5300	Ant2	28.936	---	Pass
NVNT	n20	5320	Ant2	28.583	---	Pass
NVNT	n40	5270	Ant2	41.106	---	Pass
NVNT	n40	5310	Ant2	39.862	---	Pass
NVNT	ac20	5260	Ant2	28.903	---	Pass
NVNT	ac20	5300	Ant2	29.303	---	Pass
NVNT	ac20	5320	Ant2	29.396	---	Pass
NVNT	ac40	5270	Ant2	45.779	---	Pass
NVNT	ac40	5310	Ant2	45.698	---	Pass
NVNT	ax20	5260	Ant2	28.181	---	Pass
NVNT	ax20	5300	Ant2	27.723	---	Pass
NVNT	ax20	5320	Ant2	28.328	---	Pass
NVNT	ax40	5270	Ant2	43.524	---	Pass
NVNT	ax40	5310	Ant2	41.939	---	Pass






Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant2



-26dB Bandwidth NVNT a 5300MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5320MHz Ant2



-26dB Bandwidth NVNT n20 5260MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5300MHz Ant2



-26dB Bandwidth NVNT n20 5320MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5270MHz Ant2



-26dB Bandwidth NVNT n40 5310MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5260MHz Ant2



-26dB Bandwidth NVNT ac20 5300MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5320MHz Ant2



-26dB Bandwidth NVNT ac40 5270MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5310MHz Ant2



-26dB Bandwidth NVNT ax20 5260MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5300MHz Ant2



-26dB Bandwidth NVNT ax20 5320MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5270MHz Ant2



-26dB Bandwidth NVNT ax40 5310MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



C.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	12.91	0.24	13.15	24	Pass
NVNT	a	5300	Ant1	13.13	0.24	13.37	24	Pass
NVNT	a	5320	Ant1	12.65	0.24	12.89	24	Pass
NVNT	n20	5260	Ant1	11.96	0.28	12.24	24	Pass
NVNT	n20	5300	Ant1	11.36	0.28	11.64	24	Pass
NVNT	n20	5320	Ant1	11.48	0.28	11.76	24	Pass
NVNT	n40	5270	Ant1	10.75	0.24	10.99	24	Pass
NVNT	n40	5310	Ant1	10.52	0.24	10.76	24	Pass
NVNT	ac20	5260	Ant1	11.44	0.28	11.72	24	Pass
NVNT	ac20	5300	Ant1	12.29	0.28	12.57	24	Pass
NVNT	ac20	5320	Ant1	11.38	0.28	11.66	24	Pass
NVNT	ac40	5270	Ant1	10.74	0.24	10.98	24	Pass
NVNT	ac40	5310	Ant1	10.49	0.24	10.73	24	Pass
NVNT	ax20	5260	Ant1	11.29	0.28	11.57	24	Pass
NVNT	ax20	5300	Ant1	11.09	0.28	11.37	24	Pass
NVNT	ax20	5320	Ant1	11.54	0.28	11.82	24	Pass
NVNT	ax40	5270	Ant1	10.77	0.23	11	24	Pass
NVNT	ax40	5310	Ant1	10.4	0.24	10.64	24	Pass





Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant2	11.12	0.24	11.36	24	Pass
NVNT	a	5300	Ant2	10.74	0.24	10.98	24	Pass
NVNT	a	5320	Ant2	10.96	0.24	11.2	24	Pass
NVNT	n20	5260	Ant2	10.31	0.28	10.59	24	Pass
NVNT	n20	5300	Ant2	11.32	0.28	11.6	24	Pass
NVNT	n20	5320	Ant2	10.15	0.28	10.43	24	Pass
NVNT	n40	5270	Ant2	10.47	0.24	10.71	24	Pass
NVNT	n40	5310	Ant2	9.95	0.24	10.19	24	Pass
NVNT	ac20	5260	Ant2	10.36	0.28	10.64	24	Pass
NVNT	ac20	5300	Ant2	10.07	0.28	10.35	24	Pass
NVNT	ac20	5320	Ant2	11.14	0.28	11.42	24	Pass
NVNT	ac40	5270	Ant2	10.75	0.24	10.99	24	Pass
NVNT	ac40	5310	Ant2	10.51	0.24	10.75	24	Pass
NVNT	ax20	5260	Ant2	9.84	0.28	10.12	24	Pass
NVNT	ax20	5300	Ant2	10.05	0.28	10.33	24	Pass
NVNT	ax20	5320	Ant2	9.78	0.28	10.06	24	Pass
NVNT	ax40	5270	Ant2	9.63	0.24	9.87	24	Pass
NVNT	ax40	5310	Ant2	9.21	0.24	9.45	24	Pass





Ant 1 + Ant 2

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant1	Ant2	Ant1+ Ant2		
NVNT	a	5260	13.15	11.36	15.36	24	Pass
NVNT	a	5300	13.37	10.98	15.35	24	Pass
NVNT	a	5320	12.89	11.2	15.14	24	Pass
NVNT	n20	5260	12.24	10.59	14.50	24	Pass
NVNT	n20	5300	11.64	11.6	14.63	24	Pass
NVNT	n20	5320	11.76	10.43	14.16	24	Pass
NVNT	n40	5270	10.99	10.71	13.86	24	Pass
NVNT	n40	5310	10.76	10.19	13.49	24	Pass
NVNT	ac20	5260	11.72	10.64	14.22	24	Pass
NVNT	ac20	5300	12.57	10.35	14.61	24	Pass
NVNT	ac20	5320	11.66	11.42	14.55	24	Pass
NVNT	ac40	5270	10.98	10.99	14.00	24	Pass
NVNT	ac40	5310	10.73	10.75	13.75	24	Pass
NVNT	ax20	5260	11.57	10.12	13.92	24	Pass
NVNT	ax20	5300	11.37	10.33	13.89	24	Pass
NVNT	ax20	5320	11.82	10.06	14.04	24	Pass
NVNT	ax40	5270	11	9.87	13.48	24	Pass
NVNT	ax40	5310	10.64	9.45	13.10	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant1	2.35	0.24	2.59	11	Pass
NVNT	a	5300	Ant1	2.87	0.24	3.11	11	Pass
NVNT	a	5320	Ant1	2.04	0.24	2.28	11	Pass
NVNT	n20	5260	Ant1	1.39	0.28	1.67	11	Pass
NVNT	n20	5300	Ant1	0.53	0.28	0.81	11	Pass
NVNT	n20	5320	Ant1	0.69	0.28	0.97	11	Pass
NVNT	n40	5270	Ant1	-3.28	0.24	-3.04	11	Pass
NVNT	n40	5310	Ant1	-3.56	0.24	-3.32	11	Pass
NVNT	ac20	5260	Ant1	0.54	0.28	0.82	11	Pass
NVNT	ac20	5300	Ant1	0.01	0.28	0.29	11	Pass
NVNT	ac20	5320	Ant1	0.62	0.28	0.9	11	Pass
NVNT	ac40	5270	Ant1	-3.16	0.24	-2.92	11	Pass
NVNT	ac40	5310	Ant1	-3.42	0.24	-3.18	11	Pass
NVNT	ax20	5260	Ant1	0.63	0.28	0.91	11	Pass
NVNT	ax20	5300	Ant1	0.16	0.28	0.44	11	Pass
NVNT	ax20	5320	Ant1	0.81	0.28	1.09	11	Pass
NVNT	ax40	5270	Ant1	-3.14	0.23	-2.91	11	Pass
NVNT	ax40	5310	Ant1	-3.42	0.24	-3.18	11	Pass








Test Graphs



PSD NVNT a 5260MHz Ant1







PSD NVNT a 5300MHz Ant1






























Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5260	Ant2	0.53	0.24	0.77	11	Pass
NVNT	a	5300	Ant2	0	0.24	0.24	11	Pass
NVNT	a	5320	Ant2	0.49	0.24	0.73	11	Pass
NVNT	n20	5260	Ant2	-0.22	0.28	0.06	11	Pass
NVNT	n20	5300	Ant2	0.33	0.28	0.61	11	Pass
NVNT	n20	5320	Ant2	-0.73	0.28	-0.45	11	Pass
NVNT	n40	5270	Ant2	-2.87	0.24	-2.63	11	Pass
NVNT	n40	5310	Ant2	-3.54	0.24	-3.3	11	Pass
NVNT	ac20	5260	Ant2	-0.36	0.28	-0.08	11	Pass
NVNT	ac20	5300	Ant2	-0.65	0.28	-0.37	11	Pass
NVNT	ac20	5320	Ant2	0.21	0.28	0.49	11	Pass
NVNT	ac40	5270	Ant2	-2.7	0.24	-2.46	11	Pass
NVNT	ac40	5310	Ant2	-3.05	0.24	-2.81	11	Pass
NVNT	ax20	5260	Ant2	0.25	0.28	0.53	11	Pass
NVNT	ax20	5300	Ant2	-0.45	0.28	-0.17	11	Pass
NVNT	ax20	5320	Ant2	-1	0.28	-0.72	11	Pass
NVNT	ax40	5270	Ant2	-3.83	0.24	-3.59	11	Pass
NVNT	ax40	5310	Ant2	-4.48	0.24	-4.24	11	Pass






Test Graphs

PSD NVNT a 5260MHz Ant2



PSD NVNT a 5300MHz Ant2







Shenzhen LCS Compliance Testing Laboratory Ltd.



Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China



Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com



Scan code to check authenticity

























Ant 1 + Ant 2

Condition	Mode	Frequency (MHz)	Total PSD (dBm/MHz)			Limit (dBm/MHz)	Verdict
			Ant1	Ant2	Ant1+ Ant2		
NVNT	a	5260	2.59	0.77	4.78	10.31	Pass
NVNT	a	5300	3.11	0.24	4.92	10.31	Pass
NVNT	a	5320	2.28	0.73	4.58	10.31	Pass
NVNT	n20	5260	1.67	0.06	3.95	10.31	Pass
NVNT	n20	5300	0.81	0.61	3.72	10.31	Pass
NVNT	n20	5320	0.97	-0.45	3.33	10.31	Pass
NVNT	n40	5270	-3.04	-2.63	0.18	10.31	Pass
NVNT	n40	5310	-3.32	-3.3	-0.30	10.31	Pass
NVNT	ac20	5260	0.82	-0.08	3.40	10.31	Pass
NVNT	ac20	5300	0.29	-0.37	2.98	10.31	Pass
NVNT	ac20	5320	0.9	0.49	3.71	10.31	Pass
NVNT	ac40	5270	-2.92	-2.46	0.33	10.31	Pass
NVNT	ac40	5310	-3.18	-2.81	0.02	10.31	Pass
NVNT	ax20	5260	0.91	0.53	3.73	10.31	Pass
NVNT	ax20	5300	0.44	-0.17	3.16	10.31	Pass
NVNT	ax20	5320	1.09	-0.72	3.29	10.31	Pass
NVNT	ax40	5270	-2.91	-3.59	-0.23	10.31	Pass
NVNT	ax40	5310	-3.18	-4.24	-0.67	10.31	Pass





C.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant1	4500	-51.64	3.86	-	47.45	Peak	68.2	Pass
NVNT	a	5260	Ant1	4500	-59.57	3.86	0.24	39.76	Average	54	Pass
NVNT	a	5260	Ant1	4773	-46.54	3.86	-	52.55	Peak	68.2	Pass
NVNT	a	5260	Ant1	4787.04	-55.26	3.86	0.24	44.07	Average	54	Pass
NVNT	a	5260	Ant1	5150	-47.27	3.86	-	51.82	Peak	68.2	Pass
NVNT	a	5260	Ant1	5150	-56.66	3.86	0.24	42.67	Average	54	Pass
NVNT	a	5320	Ant1	5350	-47.76	3.86	-	51.33	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350	-56.6	3.86	0.24	42.73	Average	54	Pass
NVNT	a	5320	Ant1	5352.4	-44.66	3.86	-	54.43	Peak	68.2	Pass
NVNT	a	5320	Ant1	5351.8	-56.56	3.86	0.24	42.77	Average	54	Pass
NVNT	a	5320	Ant1	5460	-49.37	3.86	-	49.72	Peak	68.2	Pass
NVNT	a	5320	Ant1	5460	-58.11	3.86	0.24	41.22	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-50.85	3.86	-	48.24	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4500	-58.86	3.86	0.28	40.51	Average	54	Pass
NVNT	n20	5260	Ant1	4944.6	-46.53	3.86	-	52.56	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5063.16	-56.77	3.86	0.28	42.60	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-49.78	3.86	-	49.31	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5150	-56.93	3.86	0.28	42.44	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-41.66	3.86	-	57.43	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350	-56.55	3.86	0.28	43.45	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-49.06	3.86	-	50.03	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-57.8	3.86	0.28	41.57	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-50.69	3.86	-	48.40	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4500	-59.19	3.86	0.24	40.14	Average	54	Pass
NVNT	n40	5270	Ant1	4805.37	-46.81	3.86	-	52.28	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5094.54	-56.66	3.86	0.24	42.67	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-50.51	3.86	-	48.58	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5150	-57.74	3.86	0.24	41.59	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-43.06	3.86	-	56.03	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-55	3.86	0.24	44.33	Average	54	Pass
NVNT	n40	5310	Ant1	5460	-49.46	3.86	-	49.63	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-58.18	3.86	0.24	41.15	Average	54	Pass
NVNT	ac20	5260	Ant1	4500	-51.61	3.86	-	47.48	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	4500	-58.85	3.86	0.28	40.52	Average	54	Pass
NVNT	ac20	5260	Ant1	5059.26	-46.43	3.86	-	52.66	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5116.98	-56.78	3.86	0.28	42.59	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5260	Ant1	5150	-48.7	3.86	-	50.39	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5150	-57.69	3.86	0.28	41.68	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-40.91	3.86	-	58.18	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350	-55.49	3.86	0.28	43.88	Average	54	Pass
NVNT	ac20	5320	Ant1	5352.4	-40.01	3.86	-	59.08	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350.4	-55.37	3.86	0.28	44.00	Average	54	Pass
NVNT	ac20	5320	Ant1	5460	-48.2	3.86	-	50.89	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-58.3	3.86	0.28	41.07	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-50.6	3.86	-	48.49	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4500	-59.25	3.86	0.24	40.08	Average	54	Pass
NVNT	ac40	5270	Ant1	5067	-46.53	3.86	-	52.56	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4806.99	-56.45	3.86	0.24	42.88	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-50.44	3.86	-	48.65	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5150	-57.88	3.86	0.24	41.45	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-43.17	3.86	-	55.92	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350	-55.57	3.86	0.24	43.76	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-48.73	3.86	-	50.36	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5460	-57.59	3.86	0.24	41.74	Average	54	Pass
NVNT	ax20	5260	Ant1	4500	-52.17	3.86	-	46.92	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4500	-59.21	3.86	0.28	40.16	Average	54	Pass
NVNT	ax20	5260	Ant1	5122.44	-46.34	3.86	-	52.75	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5102.16	-56.73	3.86	0.28	42.64	Average	54	Pass
NVNT	ax20	5260	Ant1	5150	-49.39	3.86	-	49.70	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5150	-57.55	3.86	0.28	41.82	Average	54	Pass
NVNT	ax20	5320	Ant1	5350	-43.37	3.86	-	55.72	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-55.91	3.86	0.28	43.46	Average	54	Pass
NVNT	ax20	5320	Ant1	5352	-38.99	3.86	-	60.10	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5351.8	-55.73	3.86	0.28	43.64	Average	54	Pass
NVNT	ax20	5320	Ant1	5460	-49.41	3.86	-	49.68	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5460	-58.16	3.86	0.28	41.21	Average	54	Pass
NVNT	ax40	5270	Ant1	4500	-51.06	3.86	-	48.03	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4500	-59.18	3.86	0.23	40.14	Average	54	Pass
NVNT	ax40	5270	Ant1	5059.71	-46.89	3.86	-	52.20	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5092.11	-56.5	3.86	0.23	42.82	Average	54	Pass
NVNT	ax40	5270	Ant1	5150	-50.32	3.86	-	48.77	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5150	-57.84	3.86	0.23	41.48	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-43.13	3.86	-	55.96	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-55.39	3.86	0.24	43.94	Average	54	Pass
NVNT	ax40	5310	Ant1	5353	-41.35	3.86	-	57.74	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350.4	-54.87	3.86	0.24	44.46	Average	54	Pass
NVNT	ax40	5310	Ant1	5460	-50.47	3.86	-	48.62	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ax40	5310	Ant1	5460	-57.94	3.86	0.24	41.39	Average	54	Pass
------	------	------	------	------	--------	------	------	-------	---------	----	------




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant1 Peak



Restrict Band NVNT a 5260MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5320MHz Ant1 Peak



Restrict Band NVNT a 5320MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5260MHz Ant1 Peak



Restrict Band NVNT n20 5260MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average






Restrict Band NVNT n40 5270MHz Ant1 Peak



Restrict Band NVNT n40 5270MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5310MHz Ant1 Peak



Restrict Band NVNT n40 5310MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5260MHz Ant1 Peak



Restrict Band NVNT ac20 5260MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5320MHz Ant1 Peak



Restrict Band NVNT ac20 5320MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average






Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average






Restrict Band NVNT ax20 5260MHz Ant1 Peak



Restrict Band NVNT ax20 5260MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax20 5320MHz Ant1 Peak



Restrict Band NVNT ax20 5320MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ax40 5270MHz Ant1 Peak




Restrict Band NVNT ax40 5270MHz Ant1 Average






Restrict Band NVNT ax40 5310MHz Ant1 Peak



Restrict Band NVNT ax40 5310MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant2	4500	-51.45	3.50	-	47.28	Peak	68.2	Pass
NVNT	a	5260	Ant2	4500	-58.8	3.50	0.24	40.17	Average	54	Pass
NVNT	a	5260	Ant2	5124.78	-45.97	3.50	-	52.76	Peak	68.2	Pass
NVNT	a	5260	Ant2	5093.58	-56.63	3.50	0.24	42.34	Average	54	Pass
NVNT	a	5260	Ant2	5150	-49.31	3.50	-	49.42	Peak	68.2	Pass
NVNT	a	5260	Ant2	5150	-57.55	3.50	0.24	41.42	Average	54	Pass
NVNT	a	5320	Ant2	5350	-47.25	3.50	-	51.48	Peak	68.2	Pass
NVNT	a	5320	Ant2	5350	-56.67	3.50	0.24	42.30	Average	54	Pass
NVNT	a	5320	Ant2	5350.4	-43.68	3.50	-	55.05	Peak	68.2	Pass
NVNT	a	5320	Ant2	5351.2	-56.3	3.50	0.24	42.67	Average	54	Pass
NVNT	a	5320	Ant2	5460	-49.89	3.50	-	48.84	Peak	68.2	Pass
NVNT	a	5320	Ant2	5460	-58.15	3.50	0.24	40.82	Average	54	Pass
NVNT	n20	5260	Ant2	4500	-50.44	3.50	-	48.29	Peak	68.2	Pass
NVNT	n20	5260	Ant2	4500	-58.91	3.50	0.28	40.10	Average	54	Pass
NVNT	n20	5260	Ant2	5017.92	-46.78	3.50	-	51.95	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5014.02	-56.86	3.50	0.28	42.15	Average	54	Pass
NVNT	n20	5260	Ant2	5150	-48.89	3.50	-	49.84	Peak	68.2	Pass
NVNT	n20	5260	Ant2	5150	-57.25	3.50	0.28	41.76	Average	54	Pass
NVNT	n20	5320	Ant2	5350	-45.79	3.50	-	55.67	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5350	-55.86	3.50	0.28	43.57	Average	54	Pass
NVNT	n20	5320	Ant2	5460	-48.2	3.50	-	50.53	Peak	68.2	Pass
NVNT	n20	5320	Ant2	5460	-57.55	3.50	0.28	41.46	Average	54	Pass
NVNT	n40	5270	Ant2	4500	-50.69	3.50	-	48.04	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4500	-58.99	3.50	0.24	39.98	Average	54	Pass
NVNT	n40	5270	Ant2	5134.23	-47.21	3.50	-	51.52	Peak	68.2	Pass
NVNT	n40	5270	Ant2	4806.99	-56.83	3.50	0.24	42.14	Average	54	Pass
NVNT	n40	5270	Ant2	5150	-49.1	3.50	-	49.63	Peak	68.2	Pass
NVNT	n40	5270	Ant2	5150	-57.4	3.50	0.24	41.57	Average	54	Pass
NVNT	n40	5310	Ant2	5350	-45.44	3.50	-	55.05	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5350	-56.13	3.50	0.24	43.59	Average	54	Pass
NVNT	n40	5310	Ant2	5460	-50.02	3.50	-	48.71	Peak	68.2	Pass
NVNT	n40	5310	Ant2	5460	-57.59	3.50	0.24	41.38	Average	54	Pass
NVNT	ac20	5260	Ant2	4500	-51.35	3.50	-	47.38	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	4500	-59.36	3.50	0.28	39.65	Average	54	Pass
NVNT	ac20	5260	Ant2	4735.56	-46.75	3.50	-	51.98	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5106.06	-56.87	3.50	0.28	42.14	Average	54	Pass
NVNT	ac20	5260	Ant2	5150	-50.03	3.50	-	48.70	Peak	68.2	Pass
NVNT	ac20	5260	Ant2	5150	-57.75	3.50	0.28	41.26	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5320	Ant2	5350	-44.83	3.50	-	53.90	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350	-56.18	3.50	0.28	42.83	Average	54	Pass
NVNT	ac20	5320	Ant2	5354	-42.5	3.50	-	56.23	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5350.6	-55.1	3.50	0.28	43.91	Average	54	Pass
NVNT	ac20	5320	Ant2	5460	-50.82	3.50	-	47.91	Peak	68.2	Pass
NVNT	ac20	5320	Ant2	5460	-58.1	3.50	0.28	40.91	Average	54	Pass
NVNT	ac40	5270	Ant2	4500	-50.41	3.50	-	48.32	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4500	-59.19	3.50	0.24	39.78	Average	54	Pass
NVNT	ac40	5270	Ant2	5147.19	-46.3	3.50	-	52.43	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	4806.18	-56.77	3.50	0.24	42.20	Average	54	Pass
NVNT	ac40	5270	Ant2	5150	-49.85	3.50	-	48.88	Peak	68.2	Pass
NVNT	ac40	5270	Ant2	5150	-58.58	3.50	0.24	40.39	Average	54	Pass
NVNT	ac40	5310	Ant2	5350	-42	3.50	-	56.73	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5350	-54.93	3.50	0.24	44.04	Average	54	Pass
NVNT	ac40	5310	Ant2	5460	-49.07	3.50	-	49.66	Peak	68.2	Pass
NVNT	ac40	5310	Ant2	5460	-57.92	3.50	0.24	41.05	Average	54	Pass
NVNT	ax20	5260	Ant2	4500	-51.26	3.50	-	47.47	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	4500	-59.38	3.50	0.28	39.63	Average	54	Pass
NVNT	ax20	5260	Ant2	4780.8	-46.7	3.50	-	52.03	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5100.6	-56.84	3.50	0.28	42.17	Average	54	Pass
NVNT	ax20	5260	Ant2	5150	-49.62	3.50	-	49.11	Peak	68.2	Pass
NVNT	ax20	5260	Ant2	5150	-57.5	3.50	0.28	41.51	Average	54	Pass
NVNT	ax20	5320	Ant2	5350	-48.05	3.50	-	50.68	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5350	-56.2	3.50	0.28	42.81	Average	54	Pass
NVNT	ax20	5320	Ant2	5351.4	-42.29	3.50	-	56.44	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5351.6	-55.51	3.50	0.28	43.50	Average	54	Pass
NVNT	ax20	5320	Ant2	5460	-48.67	3.50	-	50.06	Peak	68.2	Pass
NVNT	ax20	5320	Ant2	5460	-57.93	3.50	0.28	41.08	Average	54	Pass
NVNT	ax40	5270	Ant2	4500	-50.13	3.50	-	48.60	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4500	-58.92	3.50	0.24	40.05	Average	54	Pass
NVNT	ax40	5270	Ant2	4777.83	-46.64	3.50	-	52.09	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	4805.37	-56.34	3.50	0.24	42.63	Average	54	Pass
NVNT	ax40	5270	Ant2	5150	-48.57	3.50	-	50.16	Peak	68.2	Pass
NVNT	ax40	5270	Ant2	5150	-57.63	3.50	0.24	41.34	Average	54	Pass
NVNT	ax40	5310	Ant2	5350	-42.7	3.50	-	56.03	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5350	-55.76	3.50	0.24	43.21	Average	54	Pass
NVNT	ax40	5310	Ant2	5350.2	-40.1	3.50	-	58.63	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5351	-55.5	3.50	0.24	43.47	Average	54	Pass
NVNT	ax40	5310	Ant2	5460	-50.68	3.50	-	48.05	Peak	68.2	Pass
NVNT	ax40	5310	Ant2	5460	-57.9	3.50	0.24	41.07	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant2 Peak



Restrict Band NVNT a 5260MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5320MHz Ant2 Peak



Restrict Band NVNT a 5320MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5260MHz Ant2 Peak



Restrict Band NVNT n20 5260MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5320MHz Ant2 Peak



Restrict Band NVNT n20 5320MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5270MHz Ant2 Peak



Restrict Band NVNT n40 5270MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5310MHz Ant2 Peak



Restrict Band NVNT n40 5310MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity