


EN



USER MANUAL

C1 Wireless Speaker

Function overview:




1. Charging Port
2. blue light indicator
3. MIC
4. ON/OFF Switch

5. volume UP/DOWN and
NEXT/PREVIOUS
TRACK
6. TF card slot

Using Your Speaker:

long press the the power button to turn ON/OFF the speaker



It has 2 modes
Bluetooth, TF card

Bluetooth connection:

long press  to turn on the speaker, if you didnt insert any TF card into the speaker, then bluetooth mode is automatically switched on, Turn on Bluetooth and search for the device's name (OROW C1), After the pairing is successful, you should hear the Bluetooth successfully conected tone.

After the mobile phone is successfully connected to this product,

When turned on the speaker will automatically connect to the last connected device if available. If not, it will enter pairing mode.

To pair a different device. first disable Bluetooth on the connected device, then repeat the pairing steps

Having Connection problems? Remove the speaker from your device's Bluetooth history, ensure it is less than 3feet away then try pairing again.

Hands-Free calls

ONLY while in Bluetooth mode and connected to your phone, the speaker will have an incoming call prompt, short press  to answer the call, short press  again to hang up the phone call.

TF card


once a TF card has been inserted, it has been automatically switched to TF card mode

Charging methods

5V DC input, plug the included Micro USB cable into any usb port, preferred 5V 1~2A adapter, which can fully charge the battery in about 4 ~ 6 hours.

use the included USB cable to charge your speaker and make sure it is fully charged before first use.

If it is not used for a long time, charge at least once every two months, It can protect the battery and extend battery life.



Input	5V 1~2A
Audio Output	3W
Charging time	3 Hours
Play Time (varies by volume level and content)	2~3 Hours
Size	7.5 x 5.5 x 3.5 cm 3.8 x 2.9 x 2.2 in
Weight	250g / 8.8 oz
Range (no walls)	20 m / 66 ft

Customer Service:

We offer 12-month limited warranty, and Lifetime technical support



Made In China

Federal Communications Commission (FCC) Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: Changes or modifications made to this device not expressly approved by Shenzhen Bo Rui Na Technology Co., Ltd may void the FCC authorization to operate this device.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

RF exposure statement:

The transmitter must not be colocated or operated in conjunction with any other antenna or transmitter. This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a Minimum distance of 20cm between the radiator and any part of your body.