

User Manual

N86 RX


USB Receiver:

Working Voltage: 4.5-5.5V

Dimension: 36x14.8 x6.5mm

Weight: 2.69g

(Plug out the USB receiver)



(Plug the USB receiver into the
PC's USB port)

3. After use, plug the USB receiver into the presenter.

Frequently Asked Questions

1. How to download Spotlight software and how to pair the presenter and the USB receiver?

For products that support key function customization or spotlight serial products that support digital laser, spotlight, highlight, you need to

download Norwii Presenter software. Please download it from the "Downloads" under the "Support" menu of Norwii official website www.norwii.com in English version.

2. After the receiver was inserted into the USB port of the computer, why was the computer not responding or could not be recognized?

Make sure your USB port works and try other USB ports. Please try another computer if necessary. You can check if the USB port is working properly by inserting other USB devices into the USB port. If other USB devices work properly on the USB port, the USB receiver fails. Please contact the seller for repairment.

If the USB port is normal, but the receiver can work on other computers, it means that there is a problem with the computer USB driver. USB port failure, please use other USB port. When there is a

problem with the computer driver, backup the data, reinstall the driver or reinstall the operating system.

4.How to adjust the settings for Norwii Presenter on macOS?

On macOS, users need to add operation permissions of [Input Monitoring], [Screen Recording] and [Accessibility] for Norwii Presenter software under [System Preferences] - [Security & Privacy] - [Privacy]

Certifications

CE, ROHS, FDA, FCC

FCC ID: 2AXGRN86

Product Support

Shanghai Norwii Technology Co., Ltd

Address: No.277 Jinfeng Road,
Pudong New Area, Shanghai,
201201, China

Tel: 86-21-51872080

Email: support@norwii.com

The Professional Presenter

FCC Statement

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.