


Test Mode	TX AX(HE40) Mode 2437 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4874.1250	33.45	6.56	40.01	54.00	-13.99	AVG	
2	4879.9500	48.60	6.58	55.18	74.00	-18.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2437 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2438.7000	89.48	10.00	99.48	74.00	25.48	Peak	No Limit
2 *	2440.9000	78.49	10.00	88.49	54.00	34.49	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2437 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	4873.5600	36.33	6.56	42.89	74.00	-31.11	Peak	
2 *	4873.6950	23.12	6.56	29.68	54.00	-24.32	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2447 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2443.7000	103.71	10.00	113.71	74.00	39.71	Peak	No Limit
2 *	2445.8000	90.48	10.00	100.48	54.00	46.48	AVG	No Limit
3	2483.5000	56.05	10.01	66.06	74.00	-7.94	Peak	
4	2483.5000	40.89	10.01	50.90	54.00	-3.10	AVG	
5	2484.2000	63.55	10.01	73.56	74.00	-0.44	Peak	
6	2484.2000	39.94	10.01	49.95	54.00	-4.05	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2447 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4894.0500	32.49	6.62	39.11	54.00	-14.89	AVG	
2	4900.1250	46.32	6.64	52.96	74.00	-21.04	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2447 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2449.6000	89.42	10.00	99.42	74.00	25.42	Peak	No Limit
2 *	2449.8000	78.49	10.00	88.49	54.00	34.49	AVG	No Limit
3	2483.5000	46.68	10.01	56.69	74.00	-17.31	Peak	
4	2483.5000	29.30	10.01	39.31	54.00	-14.69	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2447 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4891.9030	23.85	6.62	30.47	54.00	-23.53	AVG	
2	4893.5280	37.95	6.62	44.57	74.00	-29.43	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2452 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2454.1000	89.20	10.00	99.20	54.00	45.20	AVG	No Limit
2	2469.3000	101.67	10.01	111.68	74.00	37.68	Peak	No Limit
3	2483.5000	55.12	10.01	65.13	74.00	-8.87	Peak	
4	2483.5000	41.09	10.01	51.10	54.00	-2.90	AVG	
5	2484.2000	56.26	10.01	66.27	74.00	-7.73	Peak	
6	2484.2000	43.09	10.01	53.10	54.00	-0.90	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2452 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4904.0250	31.87	6.65	38.52	54.00	-15.48	AVG	
2	4909.9500	45.88	6.67	52.55	74.00	-21.45	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2452 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2453.2000	91.52	10.00	101.52	74.00	27.52	Peak	No Limit
2 *	2453.4000	78.85	10.00	88.85	54.00	34.85	AVG	No Limit
3	2483.5000	41.54	10.01	51.55	74.00	-22.45	Peak	
4	2483.5000	29.92	10.01	39.93	54.00	-14.07	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2452 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4901.5000	23.33	6.65	29.98	54.00	-24.02	AVG	
2	4903.3420	37.16	6.65	43.81	74.00	-30.19	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode TX B Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	8.110	12.720	0.5	Complies
06	2437	8.100	12.720	0.5	Complies
11	2462	8.600	12.880	0.5	Complies

CH01




Date: 16_JUL_2021 16:12:26

CH06
6 dB Bandwidth




Date: 16_JUL_2021 16:13:56

CH11




Date: 16_JUL_2021 16:15:16


99 % Occupied Bandwidth



Date: 16_JUL_2021 16:12:32



Date: 16_JUL_2021 16:14:03




Date: 16_JUL_2021 16:15:23

Test Mode TX G Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	15.190	16.720	0.5	Complies
06	2437	15.158	17.040	0.5	Complies
11	2462	15.120	16.720	0.5	Complies

CH01




Date: 16_JUL_2021 16:28:44

CH06
6 dB Bandwidth




Date: 16_JUL_2021 16:30:43

CH11




Date: 16_JUL_2021 16:32:11


99 % Occupied Bandwidth



Date: 16_JUL_2021 16:28:52



Date: 16_JUL_2021 16:30:50




Date: 16_JUL_2021 16:32:18

Test Mode TX N(HT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	15.160	17.840	0.5	Complies
06	2437	15.190	18.000	0.5	Complies
11	2462	15.360	17.840	0.5	Complies

CH01




Date: 16_JUL_2021 16:33:57

CH06
6 dB Bandwidth



Date: 16_JUL_2021 16:35:16

CH11




Date: 16_JUL_2021 16:36:42


99 % Occupied Bandwidth



Date: 16_JUL_2021 16:34:04



Date: 16_JUL_2021 16:35:24




Date: 16_JUL_2021 16:36:49

Test Mode	TX N(HT40) Mode
-----------	-----------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
03	2422	35.209	36.320	0.5	Complies
06	2437	35.209	36.480	0.5	Complies
09	2452	35.209	36.480	0.5	Complies

CH03




Date: 16_JUL_2021 16:39:53

CH06
6 dB Bandwidth




Date: 16_JUL_2021 16:41:24

CH09




Date: 16_JUL_2021 16:42:45


99 % Occupied Bandwidth



Date: 16_JUL_2021 16:40:00



Date: 16_JUL_2021 16:41:31




Date: 16_JUL_2021 16:42:52

Test Mode TX AX(HE20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	18.078	18.880	0.5	Complies
06	2437	18.070	19.200	0.5	Complies
11	2462	17.670	19.120	0.5	Complies

CH01




Date: 16_JUL_2021 16:51:04

CH06
6 dB Bandwidth




Date: 16_JUL_2021 16:52:17

CH11




Date: 16_JUL_2021 16:53:14


99 % Occupied Bandwidth



Date: 16_JUL_2021 16:51:11



Date: 16_JUL_2021 16:52:24




Date: 16_JUL_2021 16:53:42

Test Mode	TX AX(HE40) Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
03	2422	36.710	37.600	0.5	Complies
06	2437	36.920	37.920	0.5	Complies
09	2452	37.600	37.920	0.5	Complies

CH03




Date: 16_JUL.2021 16:55:18

CH06
6 dB Bandwidth




Date: 16_JUL.2021 16:57:11

CH09




Date: 12_AUG.2021 21:23:15


99 % Occupied Bandwidth



Date: 16_JUL.2021 16:55:25



Date: 16_JUL.2021 16:57:18



Date: 12_AUG.2021 21:23:22

APPENDIX F - MAXIMUM AVERAGE OUTPUT POWER

Non Beamforming

Test Mode	TX B Mode_Ant. 1
-----------	------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	22.08	0.00	22.08	30.00	1.0000	Complies
06	2437	22.01	0.00	22.01	30.00	1.0000	Complies
11	2462	21.66	0.00	21.66	30.00	1.0000	Complies

Test Mode	TX B Mode_Ant. 2
-----------	------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	22.22	0.00	22.22	30.00	1.0000	Complies
06	2437	22.11	0.00	22.11	30.00	1.0000	Complies
11	2462	21.64	0.00	21.64	30.00	1.0000	Complies

Test Mode	TX B Mode_Total
-----------	-----------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	25.16	30.00	1.0000	Complies
06	2437	25.07	30.00	1.0000	Complies
11	2462	24.66	30.00	1.0000	Complies

Test Mode	TX G Mode_Ant. 1
-----------	------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	18.01	0.17	18.18	30.00	1.0000	Complies
06	2437	22.11	0.17	22.28	30.00	1.0000	Complies
11	2462	17.14	0.17	17.31	30.00	1.0000	Complies

Test Mode	TX G Mode_Ant. 2
-----------	------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.92	0.17	18.09	30.00	1.0000	Complies
06	2437	22.14	0.17	22.31	30.00	1.0000	Complies
11	2462	16.98	0.17	17.15	30.00	1.0000	Complies

Test Mode	TX G Mode_Total
-----------	-----------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	21.14	30.00	1.0000	Complies
06	2437	25.30	30.00	1.0000	Complies
11	2462	20.24	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.99	0.19	18.18	30.00	1.0000	Complies
06	2437	22.10	0.19	22.29	30.00	1.0000	Complies
11	2462	17.30	0.19	17.49	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Ant. 2
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.97	0.19	18.16	30.00	1.0000	Complies
06	2437	22.09	0.19	22.28	30.00	1.0000	Complies
11	2462	17.12	0.19	17.31	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	21.18	30.00	1.0000	Complies
06	2437	25.30	30.00	1.0000	Complies
11	2462	20.42	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	16.08	0.38	16.46	30.00	1.0000	Complies
06	2437	18.23	0.38	18.61	30.00	1.0000	Complies
09	2452	15.62	0.38	16.00	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Ant. 2
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	16.12	0.38	16.50	30.00	1.0000	Complies
06	2437	18.26	0.38	18.64	30.00	1.0000	Complies
09	2452	15.66	0.38	16.04	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	19.49	30.00	1.0000	Complies
06	2437	21.64	30.00	1.0000	Complies
09	2452	19.03	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	18.09	0.25	18.34	30.00	1.0000	Complies
06	2437	22.11	0.25	22.36	30.00	1.0000	Complies
11	2462	17.26	0.25	17.51	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	18.03	0.25	18.28	30.00	1.0000	Complies
06	2437	22.04	0.25	22.29	30.00	1.0000	Complies
11	2462	17.32	0.25	17.57	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	21.32	30.00	1.0000	Complies
06	2437	25.33	30.00	1.0000	Complies
11	2462	20.55	30.00	1.0000	Complies

Test Mode	TX AX(HE40) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	16.09	0.46	16.55	30.00	1.0000	Complies
06	2437	17.32	0.46	17.78	30.00	1.0000	Complies
09	2452	15.79	0.46	16.25	30.00	1.0000	Complies

Test Mode	TX AX(HE40) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	16.16	0.46	16.62	30.00	1.0000	Complies
06	2437	17.40	0.46	17.86	30.00	1.0000	Complies
09	2452	15.68	0.46	16.14	30.00	1.0000	Complies

Test Mode	TX AX(HE40) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	19.59	30.00	1.0000	Complies
06	2437	20.83	30.00	1.0000	Complies
09	2452	19.20	30.00	1.0000	Complies

Beamforming

Test Mode	TX N(HT20) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.49	0.19	17.68	30.00	1.0000	Complies
06	2437	21.73	0.19	21.92	30.00	1.0000	Complies
11	2462	16.79	0.19	16.98	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Ant. 2
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.66	0.19	17.85	30.00	1.0000	Complies
06	2437	21.53	0.19	21.72	30.00	1.0000	Complies
11	2462	16.60	0.19	16.79	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	20.78	30.00	1.0000	Complies
06	2437	24.84	30.00	1.0000	Complies
11	2462	19.90	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.69	0.38	16.07	30.00	1.0000	Complies
06	2437	17.65	0.38	18.03	30.00	1.0000	Complies
09	2452	15.26	0.38	15.64	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Ant. 2
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.56	0.38	15.94	30.00	1.0000	Complies
06	2437	17.94	0.38	18.32	30.00	1.0000	Complies
09	2452	15.20	0.38	15.58	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	19.02	30.00	1.0000	Complies
06	2437	21.19	30.00	1.0000	Complies
09	2452	18.62	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.61	0.25	17.86	30.00	1.0000	Complies
06	2437	21.57	0.25	21.82	30.00	1.0000	Complies
11	2462	16.69	0.25	16.94	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	17.59	0.25	17.84	30.00	1.0000	Complies
06	2437	21.60	0.25	21.85	30.00	1.0000	Complies
11	2462	16.91	0.25	17.16	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	20.86	30.00	1.0000	Complies
06	2437	24.84	30.00	1.0000	Complies
11	2462	20.06	30.00	1.0000	Complies

Test Mode	TX AX(HE40) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.74	0.46	16.20	30.00	1.0000	Complies
06	2437	16.82	0.46	17.28	30.00	1.0000	Complies
09	2452	15.35	0.46	15.81	30.00	1.0000	Complies

Test Mode	TX AX(HE40) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	15.67	0.46	16.13	30.00	1.0000	Complies
06	2437	16.92	0.46	17.38	30.00	1.0000	Complies
09	2452	15.15	0.46	15.61	30.00	1.0000	Complies


Test Mode	TX AX(HE40) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Average Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	19.17	30.00	1.0000	Complies
06	2437	20.34	30.00	1.0000	Complies
09	2452	18.72	30.00	1.0000	Complies

APPENDIX G - CONDUCTED SPURIOUS EMISSIONS

Test Mode TX B Mode_Ant. 1

Reference-CH01



Date: 20.JUL.2021 20:04:59

Reference-CH06




Date: 20.JUL.2021 20:05:28

Reference-CH11




Date: 20.JUL.2021 20:05:52

Bandedge-CH01




Date: 20.JUL.2021 20:41:28

Bandedge-CH11




Date: 20.JUL.2021 20:42:57


CH01 – 10th Harmonic of the fundamental frequency



Date: 20_JUL.2021 20:49:02




Date: 20_JUL.2021 20:49:12




Date: 20_JUL.2021 20:49:21


CH06 – 10th Harmonic of the fundamental frequency



Date: 20_JUL.2021 20:50:07




Date: 20_JUL.2021 20:50:17




Date: 20_JUL.2021 20:50:26


CH11 – 10th Harmonic of the fundamental frequency



Date: 20_JUL.2021 20:50:57



Date: 20_JUL.2021 20:51:06



Date: 20_JUL.2021 20:51:15

Test Mode TX B Mode_Ant. 2

Reference-CH01




Date: 20.JUL.2021 20:21:03

Reference-CH06




Date: 20.JUL.2021 20:21:30

Reference-CH11




Date: 20.JUL.2021 20:21:51

Bandedge-CH01




Date: 21.JUL.2021 12:40:20

Bandedge-CH11




Date: 21.JUL.2021 12:41:20


CH01 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 13:10:16




Date: 21.JUL.2021 13:10:26




Date: 21.JUL.2021 13:10:35


CH06 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 13:10:59




Date: 21.JUL.2021 13:11:08




Date: 21.JUL.2021 13:11:17


CH11 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 13:11:42




Date: 21.JUL.2021 13:11:52



Date: 21.JUL.2021 13:12:01


Test Mode TX G Mode_Ant. 1

Reference-CH01




Date: 20.JUL.2021 20:06:20

Reference-CH06




Date: 20.JUL.2021 20:06:39

Reference-CH11




Date: 20.JUL.2021 20:06:59

Bandedge-CH01




Date: 20.JUL.2021 20:44:19

Bandedge-CH11




Date: 20.JUL.2021 20:45:20


CH01 – 10th Harmonic of the fundamental frequency



Date: 20.JUL.2021 20:51:49




Date: 20.JUL.2021 20:51:59




Date: 20.JUL.2021 20:52:08


CH06 – 10th Harmonic of the fundamental frequency



Date: 20.JUL.2021 20:52:43




Date: 20.JUL.2021 20:52:52




Date: 20.JUL.2021 20:53:01


CH11 – 10th Harmonic of the fundamental frequency



Date: 20.JUL.2021 20:53:36




Date: 20.JUL.2021 20:53:45



Date: 20.JUL.2021 20:53:54


Test Mode TX G Mode_Ant. 2

Reference-CH01




Date: 20.JUL.2021 20:19:04

Reference-CH06




Date: 20.JUL.2021 20:20:03

Reference-CH11




Date: 20.JUL.2021 20:20:20

Bandedge-CH01




Date: 21.JUL.2021 12:41:52

Bandedge-CH11




Date: 21.JUL.2021 12:42:57


CH01 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 13:12:28




Date: 21.JUL.2021 13:12:38




Date: 21.JUL.2021 13:12:47


CH06 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 13:13:09




Date: 21.JUL.2021 13:13:18




Date: 21.JUL.2021 13:13:27


CH11 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 13:13:51




Date: 21.JUL.2021 13:14:00



Date: 21.JUL.2021 13:14:09


Test Mode TX N(HT20) Mode_Ant. 1

Reference-CH01




Date: 20.JUL.2021 20:09:18

Reference-CH06




Date: 20.JUL.2021 20:09:47

Reference-CH11




Date: 20.JUL.2021 20:10:39

Bandedge-CH01




Date: 21.JUL.2021 11:29:54

Bandedge-CH11




Date: 21.JUL.2021 11:31:15


CH01 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 11:53:08




Date: 21.JUL.2021 11:53:18




Date: 21.JUL.2021 11:53:27


CH06 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 11:53:53




Date: 21.JUL.2021 11:54:02




Date: 21.JUL.2021 11:54:11


CH11 – 10th Harmonic of the fundamental frequency



Date: 21.JUL.2021 11:54:34



Date: 21.JUL.2021 11:54:44



Date: 21.JUL.2021 11:54:53