


Site: WZ-SR2	Test Date: 2023-02-03
Limit: FCC_Part15.207_CE_AC Power	Engineer: Helen Han
Probe: ENV216_101683_Filter Off_C	Polarity: Neutral
EUT: BE33000 Whole Home Mesh Wi-Fi 7 System	Power: AC 120V/60Hz
<b>Test Mode:</b> Transmit by 802.11b at channel 2437MHz	



No	Flag	Mark	Frequency (MHz)	Measure Level (dB $\mu$ V)	Reading Level (dB $\mu$ V)	Margin (dB)	Limit (dB $\mu$ V)	Factor (dB)	Type
1			0.150	54.775	45.015	-11.225	66.000	9.760	QP
2			0.150	39.247	29.487	-16.753	56.000	9.760	AV
3			0.170	51.716	41.951	-13.245	64.960	9.764	QP
4			0.170	31.391	21.627	-23.569	54.960	9.764	AV
5			0.510	48.074	38.243	-7.926	56.000	9.830	QP
6			0.510	41.219	31.388	-4.781	46.000	9.830	AV
7			0.566	50.676	40.840	-5.324	56.000	9.836	QP
8		*	0.566	43.164	33.328	-2.836	46.000	9.836	AV
9			1.714	40.525	30.674	-15.475	56.000	9.852	QP
10			1.714	34.378	24.527	-11.622	46.000	9.852	AV
11			3.758	41.134	30.969	-14.866	56.000	10.165	QP
12			3.758	34.781	24.616	-11.219	46.000	10.165	AV

Note 1: " \* ", means this data is the worst emission level.

Note 2: Measure Level (dB $\mu$ V) = Reading Level (dB $\mu$ V) + Factor (dB).

Note 3: Factor (dB) = Cable Loss (dB) + LISN Factor (dB).

## **Appendix B – Test Setup Photograph**

Refer to “2212RSU044-UT” file.

## Appendix C – EUT Photograph

Refer to “2212RSU044-UE” file.

————— The End —————