



Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.37	0.36	6.73	11.00	Complies
116	5580	6.50	0.36	6.86	11.00	Complies
140	5700	7.32	0.36	7.68	11.00	Complies



Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.90	0.30	5.20	11.00	Complies
110	5550	4.22	0.30	4.52	11.00	Complies
134	5670	3.74	0.30	4.04	11.00	Complies




Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.20	0.33	3.53	11.00	Complies
122	5610	2.48	0.33	2.81	11.00	Complies

CH106




CH122




Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.23	0.36	5.59	30.00	Complies
157	5785	5.26	0.36	5.62	30.00	Complies
165	5825	5.96	0.36	6.32	30.00	Complies


CH149



CH157




CH165




Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.57	0.30	1.87	30.00	Complies
159	5795	1.82	0.30	2.12	30.00	Complies

CH151




CH159



Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.14	0.33	0.19	30.00	Complies

CH155



APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
3.63	5179.9624
3.30	5179.9624
2.97	5179.9620
Maximum Deviation (MHz)	0.0380
Maximum Deviation (ppm)	7.3359

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5179.9620
10	5179.9620
20	5179.9620
30	5179.9616
40	5179.9616
Maximum Deviation (MHz)	0.0384
Maximum Deviation (ppm)	7.4131

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
3.63	5259.9632
3.30	5259.9624
2.97	5259.9620
Maximum Deviation (MHz)	0.0380
Maximum Deviation (ppm)	7.2243

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5259.9616
10	5259.9616
20	5259.9616
30	5259.9612
40	5259.9612
Maximum Deviation (MHz)	0.0388
Maximum Deviation (ppm)	7.3764

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
3.63	5500.0000
3.30	5499.9600
2.97	5499.9596
	5499.9592
Maximum Deviation (MHz)	0.0408
Maximum Deviation (ppm)	7.4182

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
0	5500.0000
10	5499.9592
20	5499.9592
30	5499.9592
40	5499.9588
Maximum Deviation (MHz)	0.0412
Maximum Deviation (ppm)	7.4909

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
3.63	5744.9596
3.30	5744.9600
2.97	5744.9600
Maximum Deviation (MHz)	0.0404
Maximum Deviation (ppm)	7.0322

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9604
10	5744.9604
20	5744.9604
30	5744.9608
40	5744.9608
Maximum Deviation (MHz)	0.0396
Maximum Deviation (ppm)	6.8930

End of Test Report