



Test Mode UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.41	0.00	11.41	30.00	Complies
157	5785	11.02	0.00	11.02	30.00	Complies
165	5825	10.95	0.00	10.95	30.00	Complies


CH149



CH157




CH165




Test Mode UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.63	0.00	10.63	30.00	Complies
157	5785	10.43	0.00	10.43	30.00	Complies
165	5825	10.34	0.00	10.34	30.00	Complies


CH149



CH157



CH165




Test Mode UNII-3_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.05	30.00	Complies
157	5785	13.75	30.00	Complies
165	5825	13.67	30.00	Complies


Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.74	0.16	8.90	30.00	Complies
159	5795	8.38	0.16	8.54	30.00	Complies

CH151




CH159




Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.26	0.16	8.42	30.00	Complies
159	5795	7.83	0.16	7.99	30.00	Complies

CH151



CH159



Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	11.68	30.00	Complies
159	5795	11.29	30.00	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.99	0.36	6.35	30.00	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.76	0.36	5.12	30.00	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	8.79	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
132	5179.9688
120	5179.9688
108	5179.9688
Maximum Deviation (MHz)	0.0312
Maximum Deviation (ppm)	6.0232

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-20	5179.9684
-15	5179.9688
-5	5179.9688
5	5179.9688
15	5179.9688
25	5179.9684
35	5179.9684
45	5179.9684
Maximum Deviation (MHz)	0.0316
Maximum Deviation (ppm)	6.1004

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
132	5744.9644
120	5744.9644
108	5744.9644
Maximum Deviation (MHz)	0.0356
Maximum Deviation (ppm)	6.1967

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-20	5744.9644
-15	5744.9644
-5	5744.9640
5	5744.9644
15	5744.9644
25	5744.9644
35	5744.9644
45	5744.9644
Maximum Deviation (MHz)	0.0360
Maximum Deviation (ppm)	6.2663

End of Test Report