



802.11ax-HE40 Power Spectral Density – Ant 3 (Nss=4)


Channel 163 (6765MHz)




Channel 179 (6845MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




802.11ax-HE80 Power Spectral Density – Ant 3 (Nss=4)


Channel 39 (6145MHz)




Channel 55 (6225MHz)



Channel 71 (6305MHz)



Channel 87 (6385MHz)




Channel 103 (6465MHz)




Channel 119 (6545MHz)



Channel 135 (6625MHz)




Channel 151 (6705MHz)




802.11ax-HE80 Power Spectral Density – Ant 3 (Nss=4)


Channel 167 (6785MHz)



Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11ax-HE160 Power Spectral Density – Ant 3 (Nss=4)


Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)



Channel 207 (6985MHz)



6.5. In-Band Emission Measurement

6.5.1. Test Limit

Suppressed by 20 dB at 1 MHz outside of the channel edge. (The channel edge is defined as the 26-dB point on either side of the carrier center frequency.)

Suppressed by 28 dB at one channel bandwidth from the channel center.

Suppressed by 40 dB at one- and one-half times the channel bandwidth from the channel center.

6.5.2. Test Procedure used

KDB 987594 D02v01r01- Section J

6.5.3. Test Setting


Emissions Mask Reference Level Measurement

1. Set the span to encompass the entire 26 dB EBW of the signal.
2. Set RBW = same RBW used for 26 dB EBW measurement.
3. Set VBW $\geq 3 \times$ RBW.
4. Number of points in sweep $\geq [2 \times \text{span} / \text{RBW}]$.
5. Sweep time = auto.
6. Detector = RMS.
7. Trace average at least 100 traces in power averaging (rms) mode.
8. Use the peak search function on the instrument to find the peak of the spectrum.

In-Band Emission

1. Using the measuring equipment limit line function, develop the emissions mask based on rule.
2. Adjust the span to encompass the entire mask as necessary.
3. Clear trace.
4. Trace average at least 100 traces in power averaging (rms) mode.
5. Adjust the reference level as necessary so that the crest of the channel touches the top of the emission mask.


6.5.4. Test Setup



6.5.5. Test Result


Test Site	SR5	Test Engineer	Jay
Test Date	2022/8/20		

802.11ax-HE20 - Ant 0 (Nss = 1)




802.11ax-HE20 - Ant 0 (Nss = 1)


Channel 133 (6615MHz)




Channel 149 (6695MHz)




Channel 165 (6775MHz)




Channel 181 (6855MHz)




Channel 197 (6935MHz)



Channel 213 (7015MHz)




Channel 229 (7095MHz)




802.11ax-HE40 - Ant 0 (Nss = 1)


Channel 35 (6125MHz)




Channel 51 (6205MHz)




Channel 67 (6285MHz)




Channel 83 (6365MHz)




Channel 99 (6445MHz)




Channel 115 (6525MHz)



Channel 131 (6605MHz)




Channel 147 (6685MHz)




802.11ax-HE40 - Ant 0 (Nss = 1)


Channel 163 (6765MHz)




Channel 179 (6845MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




802.11ax-HE80 - Ant 0 (Nss = 1)


Channel 39 (6145MHz)




Channel 55 (6225MHz)




Channel 71 (6305MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)




Channel 119 (6545MHz)



Channel 135 (6625MHz)




Channel 151 (6705MHz)




802.11ax-HE80 - Ant 0 (Nss = 1)


Channel 167 (6785MHz)




Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11ax-HE160 - Ant 0 (Nss = 1)


Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)




802.11ax-HE20 - Ant 1 (Nss = 1)


Channel 37 (6135MHz)




Channel 53 (6215MHz)




Channel 69 (6295MHz)




Channel 85 (6375MHz)




Channel 101 (6455MHz)



Channel 117 (6535MHz)



Channel 133 (6615MHz)



Channel 149 (6695MHz)

