






11AX20MIMO\_Ant4\_2412\_0-Reference









11AX20MIMO\_Ant4\_2412\_30~1000




11AX20MIMO\_Ant4\_2412\_1000~26500














11AX20MIMO\_Ant4\_2437\_0-Reference




11AX20MIMO\_Ant4\_2437\_30~1000




11AX20MIMO\_Ant4\_2437\_1000~26500









11AX20MIMO\_Ant4\_2457\_0-Reference









11AX20MIMO\_Ant4\_2457\_30~1000









11AX20MIMO\_Ant4\_2457\_1000~26500
























11AX40MIMO\_Ant2\_2437\_0-Reference









11AX40MIMO\_Ant2\_2437\_30~1000







11AX40MIMO\_Ant2\_2437\_1000~26500













11AX40MIMO\_Ant4\_2452\_0-Reference



11AX40MIMO\_Ant4\_2452\_30~1000



11AX40MIMO\_Ant4\_2452\_1000~26500

## 11.7. APPENDIX G: DUTY CYCLE

### 11.7.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B-CDD	9.99	10.62	0.9407	94.07	0.27	0.10	0.5
11G-CDD	1.98	2.12	0.9340	93.40	0.30	0.51	1
11N20MIMO	5.43	5.96	0.9111	91.11	0.40	0.18	0.5
11N40MIMO	5.43	5.95	0.9126	91.26	0.40	0.18	0.5
11AX20MIMO	5.45	5.95	0.9160	91.60	0.38	0.18	0.5
11AX40MIMO	5.45	6.42	0.8489	84.89	0.71	0.18	0.5

Note:


Duty Cycle Correction Factor=10log (1/x).

Where: x is Duty Cycle (Linear)

Where: T is On Time


If that calculated VBW is not available on the analyzer then the next higher value should be used.

### 11.7.2. Test Graphs






11N40MIMO\_Ant2\_2437



11AX20MIMO\_Ant2\_2412



11AX40MIMO\_Ant2\_2422

**END OF REPORT**