

深圳市力同创科技有限公司
Shenzhenshi Li Tongchuang Technology Co., Ltd

承 认 书

FIRST ARTICLE REPORT

客户名称Customer name: Master Electronics Co., LTD

客 户 型 号 Guest type number: T24

天线丝印Antenna screen printing: MSF-T24-L MSF-T24-R

类型Type: ☐ 样板Template ☒ 首批量First batch ☐ 大批量Large batch

深 圳 市 力 同 创 科 技 有 限 公 司

Shenzhenshi Li Tongchuang Technology Co., Ltd

Address: 605, 6th Floor, Huashenghui Commercial Building, No.10 Jinhai Road,
Xixiang Street, Baoan District, Shenzhen

深 圳 市 力 同 创 科 技 有 限 公 司
Shenzhenshi Li Tongchuang Technology Co., Ltd

目录catalogue

1. 测试工具test tool.....	3
2. 基本信息essential information.....	4
3. 天线信息Antenna information.....	4
4. 增益效率Gain efficiency.....	5
5. 工程图engineering drawing.....	6

1. 测试工具 Test tool

综测仪 Anritu	Agelent Techmologies E5071B & R&S CMW500
暗室 Darkroom	Atenlab M3
测试工程师 Test engineer	庄志成 Zhuang Zhicheng
温度 Temperatur e	25℃
湿度 Humidity	65% (RH)




深圳市力同创科技有限公司
Shenzhen Li Tongchuang Technology Co., Ltd


2. 基本信息Essential information

Guest name:	<u>Master Mei Electronics Co., LTD</u>
Machine type:	T24
Antenna band:	2400MHZ 2485MHZ
Antenna type:	FPCB
Feed form:	Single feed
Number of Feeders:	Main feed point + touch feed point
Main board plate number:	

3. 天线信息Antenna information



4. 增益效率Gain efficiency



5. 工程图Engineering drawing

	1	2	3	4	5	6																																																																																			
A	环保要求: ☒ ROSH ☐ REACH ☐ 无																																																																																								
B																																																																																									
C																																																																																									
D	深圳市力同创科技有限公司 <table border="1"> <thead> <tr> <th colspan="2">未注公差?值</th> <th>机种</th> <th>T21</th> <th>品名</th> <th>L-R</th> <th>日期</th> <th>2024.04.01</th> </tr> </thead> <tbody> <tr> <td>0-10</td> <td>±0.05</td> <td>料号</td> <td colspan="3"></td> <td>MD</td> <td></td> </tr> <tr> <td>10-18</td> <td>±0.06</td> <td>材料</td> <td>21平贴半, 基延铜</td> <td>特殊工艺</td> <td></td> <td>RF</td> <td></td> </tr> <tr> <td>18-30</td> <td>±0.08</td> <td>共 3 ?</td> <td>第 1 ?</td> <td>文件?号</td> <td>016.03.15</td> <td>?核</td> <td></td> </tr> <tr> <td>30-40</td> <td>±0.09</td> <td>第一?角</td> <td colspan="2"></td> <td>?位 mm</td> <td>比例</td> <td>FIT</td> </tr> <tr> <td>40-</td> <td>±0.10</td> <td>Angle</td> <td>±0.5°</td> <td colspan="2"></td> <td>版本</td> <td>A00</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>记号</th> <th>更改日期</th> <th>更改人</th> <th>更改内容</th> <th>备注</th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						未注公差?值		机种	T21	品名	L-R	日期	2024.04.01	0-10	±0.05	料号				MD		10-18	±0.06	材料	21平贴半, 基延铜	特殊工艺		RF		18-30	±0.08	共 3 ?	第 1 ?	文件?号	016.03.15	?核		30-40	±0.09	第一?角			?位 mm	比例	FIT	40-	±0.10	Angle	±0.5°			版本	A00	记号	更改日期	更改人	更改内容	备注	1					2					3					4					5					6				
未注公差?值		机种	T21	品名	L-R	日期	2024.04.01																																																																																		
0-10	±0.05	料号				MD																																																																																			
10-18	±0.06	材料	21平贴半, 基延铜	特殊工艺		RF																																																																																			
18-30	±0.08	共 3 ?	第 1 ?	文件?号	016.03.15	?核																																																																																			
30-40	±0.09	第一?角			?位 mm	比例	FIT																																																																																		
40-	±0.10	Angle	±0.5°			版本	A00																																																																																		
记号	更改日期	更改人	更改内容	备注																																																																																					
1																																																																																									
2																																																																																									
3																																																																																									
4																																																																																									
5																																																																																									
6																																																																																									