

# UPA-1 User manual

Picture 1:



The Type-c wire is connected to the device

RJ45 connect the network cable

Picture 2:



A green light indicates that POE is connected to the device  
The flashing yellow light indicates that the POE data connection is normal

Specifications for UPA-1		
Features	Certification	CE/FCC
	LED indicators	Activity, Link
	Plug and Play	Yes
	Product Colour	White
	Surge protection	Yes
Network	Ethernet interface type	Gigabit Ethernet
	Ethernet LAN data rates	10/100mbit/s ethernet included
	Networking standards	IEEE 802.3af
	Power over Ethernet (PoE)	Yes
USB Port	USB Cable length	2m
	USB Type	USB-C,480Mbps
Operational conditions	Operating relative humidity (H-H)	20 - 90 %
	Operating temperature (T-T)	0 - 40 °C
	Storage temperature (T-T)	-20 - 70 °C
Power	Output current	2A
	Power consumption (max)	13 Watt
	Power consumption (typical)	10 Watt
	Power over Ethernet (PoE) voltage	5V
Product dimensions	Net Weight (Product, kg)	0.086
	Product length	80.9mm
	Product Height	22.9mm
	Product Width	28.3mm
	Warranty	1 Year

## FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a

particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.