



# Appendix Test Data

Report No.:	1812C50351512502	Test Sample No.:	1-2-2
Start Test Date:	2025-7-18	Finish Test Date:	2025-7-21
Test Engineer:	dylan. Ma	Auditor:	Justin Feng
Temperature:	26.1℃	Relative Humidity:	66%
Pressure:	101kPa		


# Appendix A: 6dB Bandwidth

# **Test Result**

Test Mode	Antenna	Frequency[MHz]	6dB BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.68	2401.66	2402.34	0.5	PASS
BLE_1M	Ant1	2440	0.74	2439.62	2440.36	0.5	PASS
BLE_1M	Ant1	2480	0.70	2479.66	2480.36	0.5	PASS
BLE_2M	Ant1	2402	1.13	2401.42	2402.55	0.5	PASS
BLE_2M	Ant1	2440	1.20	2439.43	2440.64	0.5	PASS
BLE_2M	Ant1	2480	1.22	2479.40	2480.62	0.5	PASS




# **Test Graphs**




# **Shenzhen Anbotek Compliance Laboratory Limited**

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.









Report No.:1812C50351512502

Page 5 of 33


# Appendix B: 99% Occupied Bandwidth

# **Test Result**

Test Mode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0470	2401.4845	2402.5315		
BLE_1M	Ant1	2440	1.0829	2439.4645	2440.5475		
BLE_1M	Ant1	2480	1.1189	2479.4486	2480.5674		
BLE_2M	Ant1	2402	2.0460	2400.9890	2403.0350		
BLE_2M	Ant1	2440	2.0500	2438.9850	2441.0350		
BLE_2M	Ant1	2480	2.0819	2478.9650	2481.0470		




# **Test Graphs**




# **Shenzhen Anbotek Compliance Laboratory Limited**

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.












# **Appendix C: Maximum conducted output power**


# **Test Result Peak**

Test Mode	Antenna	Frequency [MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	1.21	≤30	PASS
BLE_1M	Ant1	2440	0.80	≤30	PASS
BLE_1M	Ant1	2480	0.15	≤30	PASS
BLE_2M	Ant1	2402	1.37	≤30	PASS
BLE_2M	Ant1	2440	0.93	≤30	PASS
BLE_2M	Ant1	2480	0.23	≤30	PASS


# **Test Graphs Peak**





















Report No.:1812C50351512502

Page 13 of 33


# Appendix D: Maximum power spectral density

# **Test Result**


TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-14.95	≤8.00	PASS
BLE_1M	Ant1	2440	-15.50	≤8.00	PASS
BLE_1M	Ant1	2480	-16.10	≤8.00	PASS
BLE_2M	Ant1	2402	-18.36	≤8.00	PASS
BLE_2M	Ant1	2440	-18.23	≤8.00	PASS
BLE_2M	Ant1	2480	-18.72	≤8.00	PASS




# **Test Graphs**















Report No.:1812C50351512502 Page 17 of 33

# Appendix E: Band edge measurements


#### **Test Result**

Test	Antonna	ChNlama	Frequency	RefLevel	Result	Limit	\/amaliat
Mode	Antenna	ChName	[MHz]	[dBm]	[dBm]	[dBm]	Verdict
BLE_1M	Ant1	Low	2402	1.14	-50.01	≤-18.86	PASS
BLE_1M	Ant1	High	2480	-0.42	-50.77	≤-20.42	PASS
BLE_2M	Ant1	Low	2402	-2.26	-34.35	≤-22.26	PASS
BLE_2M	Ant1	High	2480	-4.07	-51.26	≤-24.07	PASS


Remark:1. Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose have been set in the 'offset' of the Spectrum Analyzer during the test.



# **Test Graphs**









# **Appendix F: Conducted Spurious Emission**


# **Test Result**

Test Mode	Antenna	Frequency [MHz]	Freq. Range [MHz]	Ref. Level [dBm]	Result [dBm]	Limit [dBm]	Verdict
BLE_1M	Ant1	2402	0~Reference	-0.10	-0.10		PASS
BLE_1M	Ant1	2402	30~1000	-0.10	-60.43	≤-20.1	PASS
BLE_1M	Ant1	2402	1000~26500	-0.10	-41.33	≤-20.1	PASS
BLE_1M	Ant1	2440	0~Reference	-0.34	-0.34		PASS
BLE_1M	Ant1	2440	30~1000	-0.34	-65.44	≤-20.34	PASS
BLE_1M	Ant1	2440	1000~26500	-0.34	-40.17	≤-20.34	PASS
BLE_1M	Ant1	2480	0~Reference	-0.55	-0.55		PASS
BLE_1M	Ant1	2480	30~1000	-0.55	-65.48	≤-20.55	PASS
BLE_1M	Ant1	2480	1000~26500	-0.55	-39.09	≤-20.55	PASS
BLE_2M	Ant1	2402	0~Reference	-2.30	-2.30		PASS
BLE_2M	Ant1	2402	30~1000	-2.30	-58.98	≤-22.3	PASS
BLE_2M	Ant1	2402	1000~26500	-2.30	-43.2	≤-22.3	PASS
BLE_2M	Ant1	2440	0~Reference	-2.46	-2.46		PASS
BLE_2M	Ant1	2440	30~1000	-2.46	-60.64	≤-22.46	PASS
BLE_2M	Ant1	2440	1000~26500	-2.46	-42.42	≤-22.46	PASS
BLE_2M	Ant1	2480	0~Reference	-1.46	-1.46		PASS
BLE_2M	Ant1	2480	30~1000	-1.46	-63.25	≤-21.46	PASS
BLE_2M	Ant1	2480	1000~26500	-1.46	-40.99	≤-21.46	PASS


Remark:Regarding the spurious emissions from 30MHz to 26.5GHz, the cable lose have been set in the 'TDF' of the Spectrum Analyzer during the test.




# **Test Graphs**









































Report No.:1812C50351512502 Page 30 of 33


# **Appendix G: Duty Cycle**

# **Test Result**

Test	Antonna	Frequency	ON Time	Period	Duty Cycle	Duty Cycle
Mode	Antenna	[MHz]	[ms]	[ms]	[%]	Factor[dB]
BLE_1M	Ant1	2402	2.13	2.51	84.86	0.71
BLE_1M	Ant1	2440	2.13	2.50	85.20	0.70
BLE_1M	Ant1	2480	2.13	2.51	84.86	0.71
BLE_2M	Ant1	2402	1.08	2.50	43.20	3.65
BLE_2M	Ant1	2440	1.08	2.50	43.20	3.65
BLE_2M	Ant1	2480	1.08	2.50	43.20	3.65




# **Test Graphs**




# **Shenzhen Anbotek Compliance Laboratory Limited**


Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.











---End---