1 Photographs - EUT Constructional Details

EA-20XEP Agricultural Spraying Drone
Model No.: EA-20XEP

1.1.3


EAVISION
Lithium Ion Polymer Rechargeable Battery/ 二次锂离子电池组/ 二次鋰離子電池組
Model No./ 型号/ 型號: JMI-20000mAh-48.75V Max Charge Voltage/ 充电限制电压/ 充電限制電壓: 56.55V
Nominal Voltage/ 标称电压/ 標稱電壓: 48.75V Rated Capacity 额定容量/ 額定電容量: 20000mAh, 975Wh
WARNING警告
1. Only use Eavision-approved charging devices. 必须使用极目专用充电设备。
2. Never disassemble, drop, crash, short-circuit, or burn the battery.严禁拆解、刺穿、撞击、碾压、短路及燃烧电池。
3. Do not use water-damaged batteries. 电池进水后禁止使用。
Authorized by SZ EAVision Technology Co.,Ltd./ 本产品由苏州极目科技有限公司授权生产。
Suite 1-A,Building 3,333 Xingpu Road,Suzhou Industrial Park Suzhou,Jiangsu,China
苏州工业园区星浦路333号现代工业坊3号厂房1楼A单元
Manufacturer/ 制造商/ 製造商: Dongguan Poweramp Technology Ltd.
Made in China/ 中国制造/ 中國製造
服务热线: 400-800-2872

SN:3Z3010021
EAVISION




U2
Q2
Q3
J7
C8
D2
R11
A132F415
KBU7.4
SFR4G-000
Z1331T
1562K


C3
U3
C4
C1
C2
U1


J1




SN:923010021


LED_PWR2
5V
12V
LED_PWR


ZB_PMU_V3.0

GPS Module: UM482






BAR CODE
R4
R148
D6
D7
R138
D5
J202
R152
C119
R153
R151
R156
U40


R4
R148
D6
D7
BAR CODE
C113
C114
C115
C118
R3
R5
R144
R145
U21
R150
R149
R146
R147
U39
C112
C109
C111
C110
332
L1
R6
C117
C116
J17
C120
R152
C119
R153
U40
R151
R156

Forward obstacle avoidance radar

FRR




3V3
GND
DIO
CLK
TopRadar


Antenna for Forward radar


3V3
GND
ARTERY
AT32F403ACGU7
S7LAL-003
2037AG
ARM



Backward obstacle avoidance radar

后向毫米雷达


Antenna for
backward radar


3V3
GND
DIO
CLK
TopRadar
D1148F
210409

Terrain following radar





STAINLESS STEEL
仿地雷达
TR24DA100OS

TE2GA1XXXXS
50
100
150

TR2AD1A100CS
50
100
150
200

GROUND
TR24DA100C3S
STAINLESS STEEL


STAINLESS STEEL


STAINLESS STEEL
150
100
50
50
100
150
200


Antenna for
Terrain following radar
TopRadar
1124B
201221
50
50
100


3V3 GND DIO CLK
HLRT
50
50
100


B6124
H2009
11248
201221




3V3 GND DIO CLK
HLRT

5.8G Module: MK15
















TEAVISION
DATE: 2308






2021-7-9
TTNK 2227N
BT16A07

QC
恩腾5.8G高清数字图传模块_UWCX_V4.1
2021-7-9