


PCB Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	S2406 PCB ANT2					
Center Frequency	Horizontal			Vertical		
	2400MHz	2400MHz	2500MHz	2400MHz	2400MHz	2500MHz
	0.56	0.96	1.35	-5.25	-2.46	-1.86
MAX. Gain	1.35dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	35.0mm					
Manufacture	Shenzhen See Me Here Electronic Co.,Ltd					
Add:	1st Floor ,2nd Floor ,3rd Floor ,5th Floor ,Building B, TongFuYu Industrial Park, No.32 Hangkong Road, Sanwei Community ,Hangcheng Street ,Bao'an district ,Shenzhen,China					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 5 Min: -35 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	0.561742	-30.0801	-7.18716
2450	0.963802	-36.5604	-7.48023
2500	1.350582	-22.0315	-6.59127

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-5.2537	-22.1424	-12.4294
2450	-2.4652	-24.5837	-10.4702
2500	-1.86120	-29.5214	-9.20432

ANT Test Labs: Attestation of Global Compliance Co., Ltd.