




1. Peak Gain: 1.04 dBi

Passive Test For 2.4G												
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHIS (%)	DHIS (%)	Max (dB)	Min (dB)	Directivity (dBi)	Beamwidth (3dB)	AttH (dB)	AttV (dB)
2400	21.1	-6.8	-0.94	-3.09	11.58	9.521	-0.9	-24.5	5.82	30	47.77	47.82
2425	23	-6.4	-0.61	-2.76	13.19	9.851	-0.6	-22.5	5.76	30	48.06	48.12
2450	33.2	-4.8	1.04	-1.11	19.58	13.62	1.04	-19.9	5.82	0	48.56	48.53
2475	38.4	-4.2	1.87	-0.28	23.56	14.85	1.87	-19.1	6.03	0	48.46	48.26
2500	43.7	-3.6	2.3	0.15	26.98	16.73	2.3	-17.1	5.89	0	48.42	48.12




2. Patterns:


2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2425.000MHz




2425.000MHz H




2425.000MHz E1




2425.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2475.000MHz




2475.000MHz H




2475.000MHz E1




2475.000MHz E2




2500.000MHz




2500.000MHz H




2500.000MHz E1



2500.000MHz E2



3. Outline dimensions (mm) :



4. Antenna informations

Antenna Manufacturer: **Shenzhen Jinghua Displays Electronics Co., Ltd**

Antenna Model: **N/A**

Antenna type: PCB antenna

Antenna gain: 1.04 dBi