


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08107G	43.97	83.54	-39.57	40.14	1	Vertical	94	1.43	-	37.82	15.26	49.25			
AV	20.08661G	32.76	63.54	-30.78	28.89	1	Vertical	94	1.43	-	37.85	15.27	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08797G	44.70	83.54	-38.84	40.83	1	Horizontal	304	1.69	-	37.85	15.27	49.25			
AV	20.08697G	32.76	63.54	-30.78	28.89	1	Horizontal	304	1.69	-	37.85	15.27	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 30
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74525G	55.96	88.20	-32.24	68.15	3	Vertical	7	1.19	-	40.50	11.67	64.36			
RMS	13.75875G	44.37	68.20	-23.83	56.59	3	Vertical	7	1.19	-	40.46	11.68	64.36			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 30
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75745G	55.92	88.20	-32.28	68.13	3	Horizontal	325	2.20	-	40.47	11.68	64.36			
RMS	13.7567G	44.31	68.20	-23.89	56.52	3	Horizontal	325	2.20	-	40.47	11.68	64.36			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 30
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6246G	44.78	83.54	-38.76	40.21	1	Vertical	22	1.35	-	37.95	15.70	49.08			
AV	20.62277G	32.93	63.54	-30.61	28.36	1	Vertical	22	1.35	-	37.95	15.70	49.08			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 30
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6212G	45.44	83.54	-38.10	40.86	1	Horizontal	254	1.86	-	37.96	15.70	49.08			
AV	20.62014G	32.86	63.54	-30.68	28.28	1	Horizontal	254	1.86	-	37.96	15.70	49.08			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 32
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78295G	55.18	88.20	-33.02	67.49	3	Vertical	117	2.98	-	40.37	11.69	64.37			
RMS	13.77315G	44.34	68.20	-23.86	56.62	3	Vertical	117	2.98	-	40.41	11.68	64.37			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Y_4TX
Setting 32
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.774G	55.36	88.20	-32.84	67.65	3	Horizontal	8	2.99	-	40.40	11.68	64.37			
RMS	13.76875G	44.14	68.20	-24.06	56.41	3	Horizontal	8	2.99	-	40.42	11.68	64.37			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_V_4TX
Setting 32
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68129G	44.22	83.54	-39.32	39.62	1	Vertical	320	1.95	-	37.90	15.75	49.05			
AV	20.68365G	32.66	63.54	-30.88	28.05	1	Vertical	320	1.95	-	37.90	15.75	49.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 32
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68999G	44.23	83.54	-39.31	39.62	1	Horizontal	155	1.88	-	37.90	15.75	49.04			
AV	20.68384G	32.57	63.54	-30.97	27.96	1	Horizontal	155	1.88	-	37.90	15.75	49.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 34
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9739G	55.74	88.20	-32.46	67.94	3	Vertical	0	1.08	-	40.50	11.75	64.45			
RMS	13.972G	44.26	68.20	-23.94	56.46	3	Vertical	0	1.08	-	40.50	11.75	64.45			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 34
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96805G	56.22	88.20	-31.98	68.42	3	Horizontal	300	2.61	-	40.50	11.75	64.45			
RMS	13.9716G	44.24	68.20	-23.96	56.44	3	Horizontal	300	2.61	-	40.50	11.75	64.45			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 34
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98736G	44.51	83.54	-39.03	39.46	1	Vertical	20	1.94	-	37.95	15.99	48.89			
AV	20.98928G	32.98	63.54	-30.56	27.94	1	Vertical	20	1.94	-	37.94	15.99	48.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_V_4TX
Setting 34
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98036G	44.31	83.54	-39.23	39.24	1	Horizontal	153	1.85	-	37.98	15.98	48.89			
AV	20.9884G	32.89	63.54	-30.65	27.84	1	Horizontal	153	1.85	-	37.95	15.99	48.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 92
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1012G	122.36	Inf	-Inf	112.33	3	Vertical	70	1.80	-	36.61	8.58	35.16			
RMS	7.1028G	112.28	Inf	-Inf	102.23	3	Vertical	70	1.80	-	36.62	8.58	35.15			
PK	7.125G	80.46	88.20	-7.74	70.24	3	Vertical	70	1.80	-	36.75	8.58	35.11			
RMS	7.125G	68.11	68.20	-0.09	57.89	3	Vertical	70	1.80	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 92
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0892G	123.20	Inf	-Inf	113.23	3	Horizontal	356	2.39	-	36.56	8.59	35.18			
RMS	7.0896G	113.85	Inf	-Inf	103.88	3	Horizontal	356	2.39	-	36.56	8.59	35.18			
PK	7.1274G	78.11	88.20	-10.09	67.88	3	Horizontal	356	2.39	-	36.76	8.58	35.11			
RMS	7.1252G	65.07	68.20	-3.13	54.85	3	Horizontal	356	2.39	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 92
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19245G	75.87	88.20	-12.33	87.59	3	Vertical	74	1.54	-	40.50	11.82	64.04			
RMS	14.1913G	63.32	68.20	-4.88	75.04	3	Vertical	74	1.54	-	40.50	11.82	64.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 92
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2003G	72.30	88.20	-15.90	83.99	3	Horizontal	238	1.80	-	40.50	11.83	64.02			
RMS	14.1895G	60.79	68.20	-7.41	72.52	3	Horizontal	238	1.80	-	40.50	11.82	64.05			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 92
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28247G	61.70	83.54	-21.84	56.06	1	Vertical	318	1.51	-	38.26	16.23	48.85			
AV	21.28441G	49.28	63.54	-14.26	43.62	1	Vertical	318	1.51	-	38.28	16.23	48.85			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 92
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28056G	64.05	83.54	-19.49	58.44	1	Horizontal	6	1.50	-	38.24	16.22	48.85			
AV	21.28111G	51.77	63.54	-11.77	46.15	1	Horizontal	6	1.50	-	38.25	16.22	48.85			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 13
04-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1225G	100.84	Inf	-Inf	99.80	3	Vertical	74	1.80	BP 1MHz	36.49	7.04	42.49			
RMS	7.1185G	94.26	Inf	-Inf	93.23	3	Vertical	74	1.80	BP 1MHz	36.47	7.04	42.48			
PK	7.1255G	78.27	88.20	-9.93	77.22	3	Vertical	74	1.80	BP 1MHz	36.50	7.04	42.49			
RMS	7.1255G	67.66	68.20	-0.54	66.61	3	Vertical	74	1.80	BP 1MHz	36.50	7.04	42.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_Y_4TX
Setting 13
04-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1235G	101.52	Inf	-Inf	100.48	3	Horizontal	240	2.16	BP 1MHz	36.49	7.04	42.49			
RMS	7.1205G	95.35	Inf	-Inf	94.32	3	Horizontal	240	2.16	BP 1MHz	36.48	7.04	42.49			
PK	7.1255G	78.00	88.20	-10.20	76.95	3	Horizontal	240	2.16	BP 1MHz	36.50	7.04	42.49			
RMS	7.1255G	67.84	68.20	-0.36	66.79	3	Horizontal	240	2.16	BP 1MHz	36.50	7.04	42.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 13
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22495G	66.50	88.20	-21.70	78.18	3	Vertical	72	1.64	-	40.45	11.84	63.97			
RMS	14.2283G	52.16	68.20	-16.04	63.84	3	Vertical	72	1.64	-	40.44	11.84	63.96			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 13
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2301G	65.31	88.20	-22.89	76.99	3	Horizontal	240	1.80	-	40.44	11.84	63.96			
RMS	14.23045G	52.56	68.20	-15.64	64.24	3	Horizontal	240	1.80	-	40.44	11.84	63.96			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 13
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34212G	45.04	83.54	-38.50	39.29	1	Vertical	354	1.84	-	38.32	16.27	48.84			
AV	21.34092G	33.35	63.54	-30.19	27.60	1	Vertical	354	1.84	-	38.32	16.27	48.84			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_Y_4TX
Setting 13
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3435G	45.79	83.54	-37.75	40.05	1	Horizontal	110	1.58	-	38.31	16.27	48.84			
AV	21.34399G	33.35	63.54	-30.19	27.60	1	Horizontal	110	1.58	-	38.31	16.28	48.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 83
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	77.92	88.20	-10.28	71.09	3	Vertical	251	1.60	-	34.30	8.11	35.58			
RMS	5.925G	63.40	68.20	-4.80	56.57	3	Vertical	251	1.60	-	34.30	8.11	35.58			
PK	5.9582G	116.98	Inf	-Inf	110.16	3	Vertical	251	1.60	-	34.28	8.13	35.59			
RMS	5.9624G	106.06	Inf	-Inf	99.24	3	Vertical	251	1.60	-	34.28	8.14	35.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 83
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9162G	87.21	88.20	-0.99	80.38	3	Horizontal	273	2.31	-	34.30	8.11	35.58			
RMS	5.9234G	68.15	68.20	-0.05	61.32	3	Horizontal	273	2.31	-	34.30	8.11	35.58			
PK	5.98G	120.19	Inf	-Inf	113.40	3	Horizontal	273	2.31	-	34.24	8.15	35.60			
RMS	5.9824G	108.06	Inf	-Inf	101.27	3	Horizontal	273	2.31	-	34.24	8.15	35.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 83
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9298G	63.85	74.00	-10.15	79.94	3	Vertical	223	2.28	-	38.66	11.04	65.79			
AV	11.94735G	47.43	54.00	-6.57	63.46	3	Vertical	223	2.28	-	38.69	11.05	65.77			
PK	17.9093G	61.56	74.00	-12.44	68.66	3	Vertical	167	2.60	-	42.04	13.32	62.46			
AV	17.91985G	49.31	54.00	-4.69	56.35	3	Vertical	167	2.60	-	42.08	13.32	62.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 83
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9301G	61.96	74.00	-12.04	78.05	3	Horizontal	315.1	1.80	-	38.66	11.04	65.79			
AV	11.9509G	43.99	54.00	-10.01	60.01	3	Horizontal	315.1	1.80	-	38.70	11.05	65.77			
PK	17.91515G	61.45	74.00	-12.55	68.52	3	Horizontal	244	2.15	-	42.06	13.32	62.45			
AV	17.9197G	49.31	54.00	-4.69	56.35	3	Horizontal	244	2.15	-	42.08	13.32	62.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 83
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85983G	61.29	83.54	-22.25	52.29	1	Vertical	306	1.95	-	38.80	17.36	47.16			
AV	23.85976G	45.00	63.54	-18.54	36.00	1	Vertical	306	1.95	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 83
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85984G	59.46	83.54	-24.08	50.46	1	Horizontal	352	1.54	-	38.80	17.36	47.16			
AV	23.85981G	48.55	63.54	-14.99	39.55	1	Horizontal	352	1.54	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 37
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41005G	61.64	74.00	-12.36	76.88	3	Vertical	238	1.07	-	38.92	11.21	65.37			
AV	12.397G	44.14	54.00	-9.86	59.41	3	Vertical	238	1.07	-	38.90	11.21	65.38			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 37
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41G	60.57	74.00	-13.43	75.81	3	Horizontal	74	1.80	-	38.92	11.21	65.37			
AV	12.4298G	44.03	54.00	-9.97	59.20	3	Horizontal	74	1.80	-	38.96	11.22	65.35			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_V_4TX
Setting 37
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61077G	43.91	83.54	-39.63	40.52	1	Vertical	182	1.41	-	37.72	15.27	49.60			
AV	18.61807G	31.81	63.54	-31.73	28.40	1	Vertical	182	1.41	-	37.74	15.27	49.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 37
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61443G	44.43	83.54	-39.11	41.03	1	Horizontal	55	1.49	-	37.73	15.27	49.60			
AV	18.61761G	31.81	63.54	-31.73	28.40	1	Horizontal	55	1.49	-	37.74	15.27	49.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 50
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78715G	54.49	88.20	-33.71	68.69	3	Vertical	240	2.44	-	39.72	11.34	65.26			
RMS	12.8309G	41.90	68.20	-26.30	55.99	3	Vertical	240	2.44	-	39.80	11.36	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 50
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81395G	54.89	88.20	-33.31	68.99	3	Horizontal	163	2.39	-	39.80	11.35	65.25			
RMS	12.79855G	41.88	68.20	-26.32	55.99	3	Horizontal	163	2.39	-	39.79	11.35	65.25			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 50
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21801G	44.50	83.54	-39.04	40.79	1	Vertical	175	1.83	-	37.96	15.24	49.49			
AV	19.21967G	32.11	63.54	-31.43	28.40	1	Vertical	175	1.83	-	37.96	15.24	49.49			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 50
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21011G	44.27	83.54	-39.27	40.53	1	Horizontal	2	1.89	-	37.98	15.24	49.48			
AV	19.21961G	32.11	63.54	-31.43	28.40	1	Horizontal	2	1.89	-	37.96	15.24	49.49			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 50
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9014G	54.38	88.20	-33.82	68.34	3	Vertical	272	2.62	-	39.90	11.38	65.24			
RMS	12.89255G	42.20	68.20	-26.00	56.17	3	Vertical	272	2.62	-	39.89	11.38	65.24			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 50
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8908G	54.03	88.20	-34.17	68.01	3	Horizontal	66	1.09	-	39.88	11.38	65.24			
RMS	12.8924G	42.19	68.20	-26.01	56.17	3	Horizontal	66	1.09	-	39.88	11.38	65.24			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 50
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33079G	44.65	83.54	-38.89	41.10	1	Vertical	293	1.37	-	37.88	15.23	49.56			
AV	19.33G	31.59	63.54	-31.95	28.04	1	Vertical	293	1.37	-	37.88	15.23	49.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 50
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33975G	43.99	83.54	-39.55	40.49	1	Horizontal	201	1.56	-	37.84	15.23	49.57			
AV	19.33G	31.59	63.54	-31.95	28.04	1	Horizontal	201	1.56	-	37.88	15.23	49.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9684G	54.75	88.20	-33.45	68.58	3	Vertical	22	1.87	-	40.00	11.40	65.23			
RMS	12.97675G	42.88	68.20	-25.32	56.70	3	Vertical	22	1.87	-	40.00	11.41	65.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9678G	54.98	88.20	-33.22	68.81	3	Horizontal	281	1.81	-	40.00	11.40	65.23			
RMS	12.97735G	42.88	68.20	-25.32	56.70	3	Horizontal	281	1.81	-	40.00	11.41	65.23			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 49
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45061G	43.56	83.54	-39.98	40.18	1	Vertical	2	1.80	-	37.80	15.23	49.65			
AV	19.45881G	31.30	63.54	-32.24	27.88	1	Vertical	2	1.80	-	37.84	15.23	49.65			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 49
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45656G	43.62	83.54	-39.92	40.21	1	Horizontal	164	1.72	-	37.83	15.23	49.65			
AV	19.45886G	31.30	63.54	-32.24	27.88	1	Horizontal	164	1.72	-	37.84	15.23	49.65			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 48
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03665G	54.38	88.20	-33.82	68.26	3	Vertical	22	2.41	-	39.85	11.43	65.16			
RMS	13.0604G	42.52	68.20	-25.68	56.37	3	Vertical	22	2.41	-	39.82	11.44	65.11			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 48
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0657G	54.99	88.20	-33.21	68.82	3	Horizontal	177	2.53	-	39.83	11.44	65.10			
RMS	13.06035G	42.55	68.20	-25.65	56.40	3	Horizontal	177	2.53	-	39.82	11.44	65.11			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 48
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57517G	44.24	83.54	-39.30	40.69	1	Vertical	223	1.78	-	37.95	15.22	49.62			
AV	19.57174G	31.67	63.54	-31.87	28.10	1	Vertical	223	1.78	-	37.97	15.22	49.62			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 48
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57149G	43.63	83.54	-39.91	40.06	1	Horizontal	337	1.58	-	37.97	15.22	49.62			
AV	19.57145G	31.67	63.54	-31.87	28.10	1	Horizontal	337	1.58	-	37.97	15.22	49.62			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12165G	55.73	88.20	-32.47	69.27	3	Vertical	176	2.42	-	39.99	11.46	64.99			
RMS	13.13115G	43.41	68.20	-24.79	56.91	3	Vertical	176	2.42	-	40.02	11.46	64.98			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.10615G	55.82	88.20	-32.38	69.47	3	Horizontal	298	2.65	-	39.92	11.45	65.02			
RMS	13.1317G	43.40	68.20	-24.80	56.88	3	Horizontal	298	2.65	-	40.03	11.46	64.97			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 49
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69415G	44.09	83.54	-39.45	40.55	1	Vertical	149	1.73	-	37.84	15.22	49.52			
AV	19.69704G	31.62	63.54	-31.92	28.10	1	Vertical	149	1.73	-	37.82	15.22	49.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_V_4TX
Setting 49
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69317G	44.49	83.54	-39.05	40.95	1	Horizontal	126	1.77	-	37.84	15.22	49.52			
AV	19.69098G	31.58	63.54	-31.96	28.03	1	Horizontal	126	1.77	-	37.85	15.22	49.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.35085G	56.51	74.00	-17.49	69.12	3	Vertical	335	2.51	-	40.40	11.54	64.55			
AV	13.3892G	43.80	54.00	-10.20	56.40	3	Vertical	335	2.51	-	40.32	11.55	64.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3904G	55.77	74.00	-18.23	68.37	3	Horizontal	15	1.66	-	40.32	11.55	64.47			
AV	13.3896G	43.78	54.00	-10.22	56.38	3	Horizontal	15	1.66	-	40.32	11.55	64.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 49
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05275G	44.26	83.54	-39.28	40.57	1	Vertical	21	1.63	-	37.71	15.24	49.26			
AV	20.05783G	31.54	63.54	-32.00	27.81	1	Vertical	21	1.63	-	37.73	15.25	49.25			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 49
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.05046G	43.70	83.54	-39.84	40.02	1	Horizontal	287	1.73	-	37.70	15.24	49.26				
AV	20.05771G	31.54	63.54	-32.00	27.81	1	Horizontal	287	1.73	-	37.73	15.25	49.25				

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 34
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7493G	56.26	88.20	-31.94	68.45	3	Vertical	129	2.73	-	40.50	11.67	64.36			
RMS	13.7561G	43.67	68.20	-24.53	55.87	3	Vertical	129	2.73	-	40.48	11.68	64.36			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 34
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76725G	56.13	88.20	-32.07	68.39	3	Horizontal	52	1.62	-	40.43	11.68	64.37			
RMS	13.7558G	43.70	68.20	-24.50	55.90	3	Horizontal	52	1.62	-	40.48	11.68	64.36			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 34
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65731G	44.02	83.54	-39.52	39.45	1	Vertical	21	1.42	-	37.90	15.73	49.06			
AV	20.65035G	31.51	63.54	-32.03	26.95	1	Vertical	21	1.42	-	37.90	15.72	49.06			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 34
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65241G	43.48	83.54	-40.06	38.92	1	Horizontal	163	1.79	-	37.90	15.72	49.06			
AV	20.65007G	31.51	63.54	-32.03	26.95	1	Horizontal	163	1.79	-	37.90	15.72	49.06			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8484G	55.11	88.20	-33.09	67.50	3	Vertical	234	1.99	-	40.30	11.71	64.40			
RMS	13.8468G	43.10	68.20	-25.10	55.49	3	Vertical	234	1.99	-	40.30	11.71	64.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8299G	55.24	88.20	-32.96	67.63	3	Horizontal	252	2.02	-	40.30	11.70	64.39			
RMS	13.8467G	43.08	68.20	-25.12	55.47	3	Horizontal	252	2.02	-	40.30	11.71	64.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_V_4TX
Setting 49
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77214G	44.15	83.54	-39.39	39.35	1	Vertical	174	1.66	-	37.98	15.82	49.00			
AV	20.77912G	31.77	63.54	-31.77	26.91	1	Vertical	174	1.66	-	38.03	15.82	48.99			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 49
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77117G	43.94	83.54	-39.60	39.15	1	Horizontal	219	1.66	-	37.97	15.82	49.00			
AV	20.7715G	31.73	63.54	-31.81	26.94	1	Horizontal	219	1.66	-	37.97	15.82	49.00			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 46
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0211G	55.91	88.20	-32.29	68.09	3	Vertical	91	2.20	-	40.46	11.77	64.41			
RMS	14.03495G	44.04	68.20	-24.16	56.22	3	Vertical	91	2.20	-	40.43	11.77	64.38			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 46
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0343G	56.07	88.20	-32.13	68.26	3	Horizontal	52	1.89	-	40.43	11.77	64.39			
RMS	14.035G	44.02	68.20	-24.18	56.20	3	Horizontal	52	1.89	-	40.43	11.77	64.38			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 46
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01459G	44.83	83.54	-38.71	39.65	1	Vertical	199	1.43	-	38.05	16.01	48.88			
AV	21.01965G	32.17	63.54	-31.37	26.93	1	Vertical	199	1.43	-	38.10	16.02	48.88			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 46
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01872G	44.66	83.54	-38.88	39.44	1	Horizontal	100	1.71	-	38.09	16.01	48.88			
AV	21.01956G	32.17	63.54	-31.37	26.93	1	Horizontal	100	1.71	-	38.10	16.02	48.88			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 84
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0682G	118.41	Inf	-Inf	108.57	3	Vertical	72	1.70	-	36.47	8.59	35.22			
RMS	7.0678G	107.44	Inf	-Inf	97.60	3	Vertical	72	1.70	-	36.47	8.59	35.22			
PK	7.1266G	82.64	88.20	-5.56	72.41	3	Vertical	72	1.70	-	36.76	8.58	35.11			
RMS	7.1262G	68.06	68.20	-0.14	57.83	3	Vertical	72	1.70	-	36.76	8.58	35.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 84
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0736G	117.91	Inf	-Inf	108.04	3	Horizontal	276.1	1.57	-	36.49	8.59	35.21			
RMS	7.0746G	106.39	Inf	-Inf	96.50	3	Horizontal	276.1	1.57	-	36.50	8.59	35.20			
PK	7.1274G	81.66	88.20	-6.54	71.43	3	Horizontal	276.1	1.57	-	36.76	8.58	35.11			
RMS	7.1254G	66.66	68.20	-1.54	56.44	3	Horizontal	276.1	1.57	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 84
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1649G	58.55	88.20	-29.65	70.33	3	Vertical	221	1.14	-	40.50	11.82	64.10			
RMS	14.18145G	44.93	68.20	-23.27	56.67	3	Vertical	221	1.14	-	40.50	11.82	64.06			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 84
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16912G	57.41	88.20	-30.79	69.18	3	Horizontal	202	1.01	-	40.50	11.82	64.09			
RMS	14.16511G	44.82	68.20	-23.38	56.60	3	Horizontal	202	1.01	-	40.50	11.82	64.10			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 84
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2465G	54.28	83.54	-29.26	48.93	1	Vertical	320	1.50	-	38.00	16.20	48.85			
AV	21.24502G	39.39	63.54	-24.15	34.04	1	Vertical	320	1.50	-	38.00	16.20	48.85			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 84
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25982G	59.34	83.54	-24.20	53.91	1	Horizontal	9	1.50	-	38.07	16.21	48.85			
AV	21.25982G	44.72	63.54	-18.82	39.28	1	Horizontal	9	1.50	-	38.08	16.21	48.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.63	88.20	-8.57	72.80	3	Vertical	250	1.58	-	34.30	8.11	35.58			
RMS	5.9246G	68.18	68.20	-0.02	61.35	3	Vertical	250	1.58	-	34.30	8.11	35.58			
PK	6.0206G	114.43	Inf	-Inf	107.59	3	Vertical	250	1.58	-	34.24	8.17	35.57			
RMS	6.0222G	104.13	Inf	-Inf	97.29	3	Vertical	250	1.58	-	34.24	8.17	35.57			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	79.00	88.20	-9.20	72.17	3	Horizontal	274	2.23	-	34.30	8.11	35.58			
RMS	5.925G	65.35	68.20	-2.85	58.52	3	Horizontal	274	2.23	-	34.30	8.11	35.58			
PK	5.9778G	115.64	Inf	-Inf	108.85	3	Horizontal	274	2.23	-	34.24	8.15	35.60			
RMS	5.9774G	105.69	Inf	-Inf	98.89	3	Horizontal	274	2.23	-	34.25	8.15	35.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96815G	57.82	74.00	-16.18	73.78	3	Vertical	287	1.80	-	38.74	11.06	65.76			
AV	11.97095G	46.13	54.00	-7.87	62.09	3	Vertical	287	1.80	-	38.74	11.06	65.76			
PK	17.9479G	61.59	74.00	-12.41	68.44	3	Vertical	280	2.58	-	42.19	13.34	62.38			
AV	17.9432G	50.14	54.00	-3.86	57.03	3	Vertical	280	2.58	-	42.17	13.33	62.39			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.99005G	55.10	74.00	-18.90	71.00	3	Horizontal	348	2.69	-	38.78	11.07	65.75			
AV	11.96735G	43.01	54.00	-10.99	58.98	3	Horizontal	348	2.69	-	38.73	11.06	65.76			
PK	17.96585G	61.79	74.00	-12.21	68.50	3	Horizontal	166	1.59	-	42.30	13.34	62.35			
AV	17.93995G	50.08	54.00	-3.92	56.99	3	Horizontal	166	1.59	-	42.16	13.33	62.40			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94948G	56.78	83.54	-26.76	47.62	1	Vertical	306	1.96	-	38.90	17.38	47.12			
AV	23.9398G	43.94	63.54	-19.60	34.80	1	Vertical	306	1.96	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9398G	55.48	83.54	-28.06	46.34	1	Horizontal	354	1.52	-	38.88	17.38	47.12			
AV	23.93978G	49.41	63.54	-14.13	40.27	1	Horizontal	354	1.52	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 52
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42825G	54.87	74.00	-19.13	70.04	3	Vertical	203	2.08	-	38.96	11.22	65.35			
AV	12.4493G	42.93	54.00	-11.07	58.04	3	Vertical	203	2.08	-	39.00	11.23	65.34			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 52
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4478G	54.88	74.00	-19.12	70.00	3	Horizontal	130	2.16	-	39.00	11.22	65.34			
AV	12.4658G	42.87	54.00	-11.13	57.93	3	Horizontal	130	2.16	-	39.03	11.23	65.32			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 52
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67591G	44.84	83.54	-38.70	41.43	1	Vertical	281	1.95	-	37.70	15.27	49.56			
AV	18.67346G	32.50	63.54	-31.04	29.08	1	Vertical	281	1.95	-	37.71	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 52
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67431G	44.64	83.54	-38.90	41.23	1	Horizontal	84	1.44	-	37.70	15.27	49.56			
AV	18.67145G	32.41	63.54	-31.13	28.99	1	Horizontal	84	1.44	-	37.71	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 56
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7651G	54.46	88.20	-33.74	68.80	3	Vertical	10	1.92	-	39.59	11.33	65.26			
RMS	12.7639G	42.27	68.20	-25.93	56.62	3	Vertical	10	1.92	-	39.58	11.33	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 56
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7897G	54.93	88.20	-33.27	69.11	3	Horizontal	172	2.35	-	39.74	11.34	65.26			
RMS	12.74995G	42.33	68.20	-25.87	56.76	3	Horizontal	172	2.35	-	39.50	11.33	65.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 56
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15011G	43.25	83.54	-40.29	39.75	1	Vertical	279	1.61	-	37.70	15.24	49.44			
AV	19.15338G	32.02	63.54	-31.52	28.50	1	Vertical	279	1.61	-	37.72	15.24	49.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 56
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15772G	44.23	83.54	-39.31	40.69	1	Horizontal	209	1.46	-	37.75	15.24	49.45			
AV	19.15119G	32.01	63.54	-31.53	28.50	1	Horizontal	209	1.46	-	37.71	15.24	49.44			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 57
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9093G	52.66	88.20	-35.54	66.60	3	Vertical	160	1.96	-	39.92	11.38	65.24			
RMS	12.9056G	42.04	68.20	-26.16	55.99	3	Vertical	160	1.96	-	39.91	11.38	65.24			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 57
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.90805G	52.51	88.20	-35.69	66.45	3	Horizontal	58	1.16	-	39.92	11.38	65.24			
RMS	12.90575G	42.08	68.20	-26.12	56.03	3	Horizontal	58	1.16	-	39.91	11.38	65.24			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_Y_4TX
Setting 57
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39452G	43.95	83.54	-39.59	40.35	1	Vertical	281	1.54	-	37.98	15.23	49.61			
AV	19.39964G	31.95	63.54	-31.59	28.33	1	Vertical	281	1.54	-	38.00	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_V_4TX
Setting 57
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39515G	43.76	83.54	-39.78	40.16	1	Horizontal	336	1.35	-	37.98	15.23	49.61			
AV	19.39841G	31.96	63.54	-31.58	28.35	1	Horizontal	336	1.35	-	37.99	15.23	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 53
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.084G	54.73	88.20	-33.47	68.49	3	Vertical	88	2.17	-	39.87	11.44	65.07			
RMS	13.11185G	43.59	68.20	-24.61	57.20	3	Vertical	88	2.17	-	39.95	11.45	65.01			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 53
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1125G	55.56	88.20	-32.64	69.17	3	Horizontal	23	2.74	-	39.95	11.45	65.01			
RMS	13.1118G	43.59	68.20	-24.61	57.20	3	Horizontal	23	2.74	-	39.95	11.45	65.01			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 53
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63841G	44.43	83.54	-39.11	40.75	1	Vertical	81	1.44	-	38.03	15.22	49.57			
AV	19.63085G	32.37	63.54	-31.17	28.73	1	Vertical	81	1.44	-	37.99	15.22	49.57			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 53
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63012G	44.81	83.54	-38.73	41.18	1	Horizontal	174	1.52	-	37.98	15.22	49.57			
AV	19.6327G	32.32	63.54	-31.22	28.67	1	Horizontal	174	1.52	-	38.00	15.22	49.57			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 53
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2743G	54.90	74.00	-19.10	67.99	3	Vertical	82	2.88	-	40.10	11.51	64.70			
AV	13.2585G	43.75	54.00	-10.25	56.95	3	Vertical	82	2.88	-	40.03	11.50	64.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 53
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2579G	55.57	74.00	-18.43	68.77	3	Horizontal	195	1.95	-	40.03	11.50	64.73			
AV	13.2614G	43.72	54.00	-10.28	56.88	3	Horizontal	195	1.95	-	40.05	11.51	64.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 53
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87719G	43.80	83.54	-39.74	40.20	1	Vertical	22	1.64	-	37.76	15.21	49.37			
AV	19.87459G	31.89	63.54	-31.65	28.30	1	Vertical	22	1.64	-	37.75	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 53
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8759G	44.17	83.54	-39.37	40.57	1	Horizontal	25	1.54	-	37.76	15.21	49.37			
AV	19.87849G	31.97	63.54	-31.57	28.36	1	Horizontal	25	1.54	-	37.77	15.21	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 58
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3888G	55.91	74.00	-18.09	68.52	3	Vertical	297	2.87	-	40.32	11.55	64.48			
AV	13.3887G	44.01	54.00	-9.99	56.62	3	Vertical	297	2.87	-	40.32	11.55	64.48			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 58
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39265G	56.60	74.00	-17.40	69.21	3	Horizontal	62	2.44	-	40.31	11.55	64.47			
AV	13.39175G	44.07	54.00	-9.93	56.67	3	Horizontal	62	2.44	-	40.32	11.55	64.47			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 58
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11246G	44.22	83.54	-39.32	40.34	1	Vertical	334	1.63	-	37.83	15.29	49.24			
AV	20.11044G	32.20	63.54	-31.34	28.31	1	Vertical	334	1.63	-	37.84	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 58
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11509G	43.88	83.54	-39.66	40.02	1	Horizontal	117	1.55	-	37.81	15.29	49.24			
AV	20.11222G	32.09	63.54	-31.45	28.21	1	Horizontal	117	1.55	-	37.83	15.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 50
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5878G	56.52	88.20	-31.68	68.45	3	Vertical	190	1.02	-	40.75	11.62	64.30			
RMS	13.54725G	45.28	68.20	-22.92	57.07	3	Vertical	190	1.02	-	40.89	11.60	64.28			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 50
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.55465G	56.64	88.20	-31.56	68.43	3	Horizontal	242	2.70	-	40.88	11.61	64.28			
RMS	13.54805G	45.25	68.20	-22.95	57.04	3	Horizontal	242	2.70	-	40.89	11.60	64.28			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 50
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35469G	45.13	83.54	-38.41	40.74	1	Vertical	159	1.95	-	38.09	15.48	49.18			
AV	20.35003G	32.01	63.54	-31.53	27.61	1	Vertical	159	1.95	-	38.10	15.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 50
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35038G	44.23	83.54	-39.31	39.83	1	Horizontal	105	1.71	-	38.10	15.48	49.18			
AV	20.35183G	32.12	63.54	-31.42	27.72	1	Horizontal	105	1.71	-	38.10	15.48	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 55
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73935G	55.72	88.20	-32.48	67.91	3	Vertical	51	2.73	-	40.50	11.67	64.36			
RMS	13.7536G	43.87	68.20	-24.33	56.07	3	Vertical	51	2.73	-	40.49	11.67	64.36			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 55
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74325G	55.53	88.20	-32.67	67.72	3	Horizontal	0	2.83	-	40.50	11.67	64.36			
RMS	13.7549G	43.90	68.20	-24.30	56.10	3	Horizontal	0	2.83	-	40.48	11.68	64.36			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 55
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59835G	44.67	83.54	-38.87	40.08	1	Vertical	255	1.59	-	38.00	15.68	49.09			
AV	20.59615G	32.56	63.54	-30.98	27.98	1	Vertical	255	1.59	-	37.99	15.68	49.09			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 55
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59771G	44.50	83.54	-39.04	39.91	1	Horizontal	24	1.45	-	38.00	15.68	49.09			
AV	20.59519G	32.56	63.54	-30.98	27.98	1	Horizontal	24	1.45	-	37.99	15.68	49.09			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 51
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9084G	54.10	88.20	-34.10	66.29	3	Vertical	305	1.40	-	40.50	11.73	64.42			
RMS	13.9021G	43.20	68.20	-25.00	55.39	3	Vertical	305	1.40	-	40.50	11.73	64.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 51
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9088G	54.72	88.20	-33.48	66.91	3	Horizontal	337	1.97	-	40.50	11.73	64.42			
RMS	13.90125G	43.20	68.20	-25.00	55.39	3	Horizontal	337	1.97	-	40.50	11.73	64.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 51
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83316G	43.83	83.54	-39.71	38.73	1	Vertical	213	1.70	-	38.20	15.87	48.97			
AV	20.83701G	32.32	63.54	-31.22	27.21	1	Vertical	213	1.70	-	38.20	15.87	48.96			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 51
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83729G	44.25	83.54	-39.29	39.14	1	Horizontal	343	1.76	-	38.20	15.87	48.96			
AV	20.83271G	32.31	63.54	-31.23	27.21	1	Horizontal	343	1.76	-	38.20	15.87	48.97			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 87
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0186G	116.73	Inf	-Inf	107.16	3	Vertical	74.4	1.46	-	36.27	8.61	35.31			
RMS	7.011G	106.25	Inf	-Inf	96.72	3	Vertical	74.4	1.46	-	36.24	8.61	35.32			
PK	7.127G	78.31	88.20	-9.89	68.08	3	Vertical	74.4	1.46	-	36.76	8.58	35.11			
RMS	7.125G	67.91	68.20	-0.29	57.69	3	Vertical	74.4	1.46	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 87
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0066G	114.24	Inf	-Inf	104.73	3	Horizontal	287.1	2.50	-	36.23	8.61	35.33			
RMS	7.0074G	106.11	Inf	-Inf	96.60	3	Horizontal	287.1	2.50	-	36.23	8.61	35.33			
PK	7.129G	79.77	88.20	-8.43	69.53	3	Horizontal	287.1	2.50	-	36.77	8.58	35.11			
RMS	7.125G	65.91	68.20	-2.29	55.69	3	Horizontal	287.1	2.50	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 87
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0674G	59.98	88.20	-28.22	72.04	3	Vertical	70	1.80	-	40.47	11.78	64.31			
RMS	14.05405G	47.13	68.20	-21.07	59.27	3	Vertical	70	1.80	-	40.42	11.78	64.34			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 87
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.06615G	58.31	88.20	-29.89	70.39	3	Horizontal	126	2.00	-	40.46	11.78	64.32			
RMS	14.0506G	46.58	68.20	-21.62	58.75	3	Horizontal	126	2.00	-	40.40	11.78	64.35			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX

EUT_Y_4TX
Setting 87
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07716G	51.93	83.54	-31.61	46.50	1	Vertical	194	1.90	-	38.24	16.06	48.87			
AV	21.07478G	40.03	63.54	-23.51	34.59	1	Vertical	194	1.90	-	38.25	16.06	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_V_4TX
Setting 87
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07924G	58.22	83.54	-25.32	52.81	1	Horizontal	7	1.53	-	38.22	16.06	48.87			
AV	21.08488G	45.81	63.54	-17.73	40.42	1	Horizontal	7	1.53	-	38.19	16.07	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 85
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.904G	78.73	88.20	-9.47	71.90	3	Vertical	249	1.45	-	34.30	8.10	35.57			
RMS	5.925G	67.91	68.20	-0.29	61.08	3	Vertical	249	1.45	-	34.30	8.11	35.58			
PK	6.0735G	112.87	Inf	-Inf	105.91	3	Vertical	249	1.45	-	34.25	8.18	35.47			
RMS	6.0415G	102.01	Inf	-Inf	95.09	3	Vertical	249	1.45	-	34.28	8.17	35.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 85
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9185G	75.65	88.20	-12.55	68.82	3	Horizontal	263	1.80	-	34.30	8.11	35.58			
RMS	5.9225G	64.48	68.20	-3.72	57.65	3	Horizontal	263	1.80	-	34.30	8.11	35.58			
PK	6.102G	115.75	Inf	-Inf	108.77	3	Horizontal	263	1.80	-	34.20	8.19	35.41			
RMS	6.1005G	105.02	Inf	-Inf	98.04	3	Horizontal	263	1.80	-	34.20	8.19	35.41			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 85
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04665G	56.13	74.00	-17.87	71.85	3	Vertical	300	1.79	-	38.89	11.09	65.70			
AV	12.0466G	44.22	54.00	-9.78	59.94	3	Vertical	300	1.79	-	38.89	11.09	65.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 85
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03025G	57.21	74.00	-16.79	72.98	3	Horizontal	251	2.17	-	38.86	11.08	65.71			
AV	12.06295G	44.50	54.00	-9.50	60.16	3	Horizontal	251	2.17	-	38.93	11.09	65.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 85
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06598G	46.17	83.54	-37.37	42.88	1	Vertical	268	1.37	-	37.46	15.30	49.47			
AV	18.07486G	34.89	63.54	-28.65	31.57	1	Vertical	268	1.37	-	37.50	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 85
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07468G	47.81	83.54	-35.73	44.49	1	Horizontal	206	1.48	-	37.50	15.30	49.48			
AV	18.07486G	39.35	63.54	-24.19	36.03	1	Horizontal	206	1.48	-	37.50	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 69
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3931G	54.74	74.00	-19.26	70.02	3	Vertical	349	2.68	-	38.90	11.21	65.39			
AV	12.3935G	42.84	54.00	-11.16	58.12	3	Vertical	349	2.68	-	38.90	11.21	65.39			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 69
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3918G	55.24	74.00	-18.76	70.52	3	Horizontal	347	2.67	-	38.90	11.21	65.39			
AV	12.3948G	42.84	54.00	-11.16	58.11	3	Horizontal	347	2.67	-	38.90	11.21	65.38			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 69
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55715G	44.40	83.54	-39.14	41.07	1	Vertical	292	1.59	-	37.70	15.27	49.64			
AV	18.55995G	31.92	63.54	-31.62	28.59	1	Vertical	292	1.59	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 69
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55822G	43.78	83.54	-39.76	40.45	1	Horizontal	8	1.66	-	37.70	15.27	49.64			
AV	18.55996G	32.00	63.54	-31.54	28.67	1	Horizontal	8	1.66	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 61
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.684G	55.14	74.00	-18.86	69.70	3	Vertical	54	2.27	-	39.40	11.31	65.27			
AV	12.68805G	42.93	54.00	-11.07	57.49	3	Vertical	54	2.27	-	39.40	11.31	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 61
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6845G	55.09	74.00	-18.91	69.65	3	Horizontal	330	1.20	-	39.40	11.31	65.27			
AV	12.68435G	43.02	54.00	-10.98	57.58	3	Horizontal	330	1.20	-	39.40	11.31	65.27			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 61
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03046G	44.38	83.54	-39.16	40.59	1	Vertical	10	1.46	-	37.90	15.25	49.36			
AV	19.03986G	32.42	63.54	-31.12	28.64	1	Vertical	10	1.46	-	37.90	15.25	49.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX


EUT_V_4TX
Setting 61
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03736G	44.02	83.54	-39.52	40.24	1	Horizontal	316	1.45	-	37.90	15.25	49.37			
AV	19.03991G	32.34	63.54	-31.20	28.56	1	Horizontal	316	1.45	-	37.90	15.25	49.37			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 65
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.99905G	53.55	88.20	-34.65	67.37	3	Vertical	277	1.42	-	40.00	11.41	65.23			
RMS	12.98695G	42.44	68.20	-25.76	56.26	3	Vertical	277	1.42	-	40.00	11.41	65.23			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 65
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9948G	54.44	88.20	-33.76	68.26	3	Horizontal	176	2.65	-	40.00	11.41	65.23			
RMS	12.9862G	42.52	68.20	-25.68	56.34	3	Horizontal	176	2.65	-	40.00	11.41	65.23			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 65
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51258G	44.06	83.54	-39.48	40.48	1	Vertical	281	1.47	-	38.03	15.22	49.67			
AV	19.51984G	31.97	63.54	-31.57	28.37	1	Vertical	281	1.47	-	38.04	15.22	49.66			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 65
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51757G	44.11	83.54	-39.43	40.52	1	Horizontal	276	1.48	-	38.04	15.22	49.67			
AV	19.51112G	31.86	63.54	-31.68	28.29	1	Horizontal	276	1.48	-	38.02	15.22	49.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 58
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3468G	55.73	74.00	-18.27	68.37	3	Vertical	9	2.71	-	40.39	11.53	64.56			
AV	13.3351G	44.03	54.00	-9.97	56.74	3	Vertical	9	2.71	-	40.34	11.53	64.58			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 58
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31735G	55.97	74.00	-18.03	68.79	3	Horizontal	144	2.78	-	40.27	11.52	64.61			
AV	13.3339G	43.99	54.00	-10.01	56.70	3	Horizontal	144	2.78	-	40.34	11.53	64.58			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 58
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99816G	44.15	83.54	-39.39	40.42	1	Vertical	210	1.38	-	37.80	15.20	49.27			
AV	19.99986G	31.91	63.54	-31.63	28.18	1	Vertical	210	1.38	-	37.80	15.20	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 58
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99049G	43.73	83.54	-39.81	40.01	1	Horizontal	131	1.36	-	37.80	15.20	49.28			
AV	19.99989G	31.91	63.54	-31.63	28.18	1	Horizontal	131	1.36	-	37.80	15.20	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 59
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6616G	56.02	88.20	-32.18	68.20	3	Vertical	99	1.34	-	40.50	11.64	64.32			
RMS	13.6273G	44.71	68.20	-23.49	56.80	3	Vertical	99	1.34	-	40.59	11.63	64.31			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 59
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6457G	56.64	88.20	-31.56	68.80	3	Horizontal	231	1.12	-	40.52	11.64	64.32			
RMS	13.62625G	44.72	68.20	-23.48	56.80	3	Horizontal	231	1.12	-	40.60	11.63	64.31			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 59
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4797G	44.22	83.54	-39.32	40.03	1	Vertical	104	1.66	-	37.76	15.58	49.15			
AV	20.47982G	32.36	63.54	-31.18	28.17	1	Vertical	104	1.66	-	37.76	15.58	49.15			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 59
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47626G	43.83	83.54	-39.71	39.61	1	Horizontal	85	1.73	-	37.79	15.58	49.15			
AV	20.47013G	32.45	63.54	-31.09	28.18	1	Horizontal	85	1.73	-	37.84	15.58	49.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 91
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.018G	113.46	Inf	-Inf	103.89	3	Vertical	70	1.40	-	36.27	8.61	35.31			
RMS	7.0085G	103.07	Inf	-Inf	93.55	3	Vertical	70	1.40	-	36.23	8.61	35.32			
PK	7.143G	79.77	88.20	-8.43	69.42	3	Vertical	70	1.40	-	36.86	8.57	35.08			
RMS	7.125G	67.90	68.20	-0.30	57.68	3	Vertical	70	1.40	-	36.75	8.58	35.11			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 91
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.007G	115.40	Inf	-Inf	105.89	3	Horizontal	295	2.13	-	36.23	8.61	35.33			
RMS	7.008G	107.39	Inf	-Inf	97.88	3	Horizontal	295	2.13	-	36.23	8.61	35.33			
PK	7.132G	78.40	88.20	-9.80	68.13	3	Horizontal	295	2.13	-	36.79	8.58	35.10			
RMS	7.1435G	66.66	68.20	-1.54	56.31	3	Horizontal	295	2.13	-	36.86	8.57	35.08			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 91
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99245G	55.95	88.20	-32.25	68.15	3	Vertical	70	1.80	-	40.50	11.76	64.46			
RMS	13.97245G	44.63	68.20	-23.57	56.83	3	Vertical	70	1.80	-	40.50	11.75	64.45			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 91
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99495G	55.04	88.20	-33.16	67.24	3	Horizontal	50	2.22	-	40.50	11.76	64.46			
RMS	13.97565G	44.15	68.20	-24.05	56.35	3	Horizontal	50	2.22	-	40.50	11.75	64.45			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX


EUT_Y_4TX
Setting 91
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.963G	53.53	83.54	-30.01	48.41	1	Vertical	203	1.47	-	38.05	15.97	48.90			
AV	20.96496G	40.30	63.54	-23.24	35.19	1	Vertical	203	1.47	-	38.04	15.97	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 91
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95444G	54.74	83.54	-28.80	49.60	1	Horizontal	218	1.50	-	38.08	15.96	48.90			
AV	20.95486G	42.51	63.54	-21.03	37.37	1	Horizontal	218	1.50	-	38.08	15.96	48.90			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 86
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	79.19	88.20	-9.01	72.36	3	Vertical	248	1.40	-	34.30	8.11	35.58			
RMS	5.9026G	68.04	68.20	-0.16	61.21	3	Vertical	248	1.40	-	34.30	8.10	35.57			
PK	6.121G	110.58	Inf	-Inf	103.51	3	Vertical	248	1.40	-	34.24	8.20	35.37			
RMS	6.1714G	100.52	Inf	-Inf	93.24	3	Vertical	248	1.40	-	34.34	8.21	35.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 86
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.905G	74.10	88.20	-14.10	67.27	3	Horizontal	30	1.80	-	34.30	8.10	35.57			
RMS	5.9226G	63.07	68.20	-5.13	56.24	3	Horizontal	30	1.80	-	34.30	8.11	35.58			
PK	6.0802G	112.78	Inf	-Inf	105.81	3	Horizontal	30	1.80	-	34.24	8.18	35.45			
RMS	6.081G	103.35	Inf	-Inf	96.38	3	Horizontal	30	1.80	-	34.24	8.18	35.45			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 86
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.19015G	54.88	74.00	-19.12	70.23	3	Vertical	237	1.80	-	39.08	11.14	65.57			
AV	12.1899G	43.04	54.00	-10.96	58.39	3	Vertical	237	1.80	-	39.08	11.14	65.57			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 86
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2346G	53.69	74.00	-20.31	68.97	3	Horizontal	37	2.88	-	39.10	11.15	65.53			
AV	12.1902G	42.23	54.00	-11.77	57.58	3	Horizontal	37	2.88	-	39.08	11.14	65.57			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 86
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30938G	47.84	83.54	-35.70	44.65	1	Vertical	270	1.50	-	37.50	15.28	49.59			
AV	18.31474G	36.04	63.54	-27.50	32.85	1	Vertical	270	1.50	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 86
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31486G	48.90	83.54	-34.64	45.71	1	Horizontal	216	1.75	-	37.50	15.28	49.59			
AV	18.31488G	40.41	63.54	-23.13	37.22	1	Horizontal	216	1.75	-	37.50	15.28	49.59			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 70
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5452G	54.53	74.00	-19.47	69.45	3	Vertical	154	2.23	-	39.10	11.26	65.28			
AV	12.54775G	43.09	54.00	-10.91	58.01	3	Vertical	154	2.23	-	39.10	11.26	65.28			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 70
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5222G	53.71	74.00	-20.29	68.65	3	Horizontal	359	2.02	-	39.10	11.25	65.29			
AV	12.55415G	43.13	54.00	-10.87	58.04	3	Horizontal	359	2.02	-	39.11	11.26	65.28			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 70
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79228G	44.32	83.54	-39.22	40.74	1	Vertical	150	1.72	-	37.80	15.26	49.48			
AV	18.79243G	32.75	63.54	-30.79	29.17	1	Vertical	150	1.72	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 70
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79335G	45.33	83.54	-38.21	41.75	1	Horizontal	131	1.76	-	37.80	15.26	49.48			
AV	18.79481G	32.73	63.54	-30.81	29.15	1	Horizontal	131	1.76	-	37.80	15.26	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 64
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85825G	53.84	88.20	-34.36	67.90	3	Vertical	64	1.83	-	39.82	11.37	65.25			
RMS	12.8291G	42.03	68.20	-26.17	56.12	3	Vertical	64	1.83	-	39.80	11.36	65.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 64
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86925G	53.73	88.20	-34.47	67.77	3	Horizontal	250	1.31	-	39.84	11.37	65.25			
RMS	12.84685G	41.96	68.20	-26.24	56.05	3	Horizontal	250	1.31	-	39.80	11.36	65.25			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 64
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27239G	44.50	83.54	-39.04	40.85	1	Vertical	197	1.53	-	37.94	15.24	49.53			
AV	19.27061G	32.52	63.54	-31.02	28.86	1	Vertical	197	1.53	-	37.94	15.24	49.52			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_V_4TX
Setting 64
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27349G	44.62	83.54	-38.92	40.96	1	Horizontal	75	1.47	-	37.95	15.24	49.53			
AV	19.27931G	32.47	63.54	-31.07	28.80	1	Horizontal	75	1.47	-	37.96	15.24	49.53			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 74
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.18185G	57.24	88.20	-30.96	70.60	3	Vertical	358	2.73	-	40.04	11.48	64.88			
RMS	13.16325G	43.78	68.20	-24.42	57.15	3	Vertical	358	2.73	-	40.07	11.47	64.91			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 74
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16275G	56.99	88.20	-31.21	70.36	3	Horizontal	250	2.69	-	40.07	11.47	64.91			
RMS	13.18575G	43.84	68.20	-24.36	57.20	3	Horizontal	250	2.69	-	40.03	11.48	64.87			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 74
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75038G	44.49	83.54	-39.05	40.85	1	Vertical	279	1.74	-	37.90	15.21	49.47			
AV	19.75019G	32.27	63.54	-31.27	28.63	1	Vertical	279	1.74	-	37.90	15.21	49.47			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 74
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75725G	44.68	83.54	-38.86	41.01	1	Horizontal	184	1.84	-	37.93	15.21	49.47			
AV	19.75408G	32.34	63.54	-31.20	28.68	1	Horizontal	184	1.84	-	37.92	15.21	49.47			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 86
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4997G	56.62	88.20	-31.58	68.59	3	Vertical	293	1.87	-	40.70	11.59	64.26			
RMS	13.5132G	45.15	68.20	-23.05	57.08	3	Vertical	293	1.87	-	40.75	11.59	64.27			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 86
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4712G	56.39	88.20	-31.81	68.49	3	Horizontal	61	1.73	-	40.64	11.58	64.32			
RMS	13.5134G	45.18	68.20	-23.02	57.11	3	Horizontal	61	1.73	-	40.75	11.59	64.27			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz Straddle 6.525-6.875GHz_TX

EUT_V_4TX
Setting 86
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23348G	43.92	83.54	-39.62	39.77	1	Vertical	242	1.49	-	37.97	15.39	49.21			
AV	20.23372G	32.06	63.54	-31.48	27.91	1	Vertical	242	1.49	-	37.97	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 86
05-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23579G	44.13	83.54	-39.41	39.98	1	Horizontal	273	1.89	-	37.97	15.39	49.21			
AV	20.23455G	32.07	63.54	-31.47	27.92	1	Horizontal	273	1.89	-	37.97	15.39	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 63
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8658G	105.15	Inf	-Inf	95.79	3	Vertical	70	1.80	-	36.00	8.51	35.15			
AV	6.8202G	95.22	Inf	-Inf	85.76	3	Vertical	70	1.80	-	36.06	8.48	35.08			
PK	7.2722G	64.35	74.00	-9.65	53.50	3	Vertical	70	1.80	-	37.10	8.59	34.84			
AV	7.289G	53.86	54.00	-0.14	42.97	3	Vertical	70	1.80	-	37.10	8.60	34.81			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 63
05-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8426G	108.24	Inf	-Inf	98.86	3	Horizontal	227	1.80	-	36.01	8.49	35.12			
AV	6.8394G	98.25	Inf	-Inf	88.85	3	Horizontal	227	1.80	-	36.02	8.49	35.11			
PK	7.2698G	62.42	74.00	-11.58	51.58	3	Horizontal	227	1.80	-	37.10	8.59	34.85			
AV	7.2506G	52.65	54.00	-1.35	41.85	3	Horizontal	227	1.80	-	37.10	8.58	34.88			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 63
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.83185G	55.16	88.20	-33.04	67.55	3	Vertical	196	1.22	-	40.30	11.70	64.39			
RMS	13.82765G	43.34	68.20	-24.86	55.73	3	Vertical	196	1.22	-	40.30	11.70	64.39			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 63
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79145G	55.32	88.20	-32.88	67.68	3	Horizontal	82	2.80	-	40.33	11.69	64.38			
RMS	13.83415G	43.35	68.20	-24.85	55.74	3	Horizontal	82	2.80	-	40.30	11.70	64.39			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 63
04-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71478G	45.10	83.54	-38.44	40.49	1	Vertical	9	1.50	-	37.87	15.77	49.03			
AV	20.71486G	34.61	63.54	-28.93	30.00	1	Vertical	9	1.50	-	37.87	15.77	49.03			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_V_4TX
Setting 63
04-H-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71496G	44.81	83.54	-38.73	40.20	1	Horizontal	42	1.17	-	37.87	15.77	49.03			
AV	20.71482G	34.53	63.54	-29.01	29.92	1	Horizontal	42	1.17	-	37.87	15.77	49.03			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	Pass	RMS	5.913G	61.72	68.20	-6.48	3	Vertical	-0	1.79	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 51
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	63.34	88.20	-24.86	67.72	3	Vertical	336	1.64	-	32.40	6.30	43.08			
RMS	5.913G	50.41	68.20	-17.79	54.79	3	Vertical	336	1.64	-	32.40	6.30	43.08			
PK	5.9574G	110.14	Inf	-Inf	114.44	3	Vertical	336	1.64	-	32.41	6.34	43.05			
RMS	5.973G	99.85	Inf	-Inf	104.09	3	Vertical	336	1.64	-	32.45	6.36	43.05			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 51
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	62.10	88.20	-26.10	66.48	3	Horizontal	344	1.80	-	32.40	6.30	43.08			
RMS	5.9186G	49.66	68.20	-18.54	54.03	3	Horizontal	344	1.80	-	32.40	6.31	43.08			
PK	5.9786G	108.03	Inf	-Inf	112.25	3	Horizontal	344	1.80	-	32.46	6.36	43.04			
RMS	5.9786G	97.83	Inf	-Inf	102.05	3	Horizontal	344	1.80	-	32.46	6.36	43.04			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 51
06-W-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9904G	46.51	74.00	-27.49	42.08	3	Vertical	305	1.80	-	38.98	10.81	45.36			
AV	11.97G	39.01	54.00	-14.99	34.62	3	Vertical	305	1.80	-	38.94	10.80	45.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 51
06-W-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97G	50.61	74.00	-23.39	46.22	3	Horizontal	327	1.96	-	38.94	10.80	45.35			
AV	11.97G	39.25	54.00	-14.75	34.86	3	Horizontal	327	1.96	-	38.94	10.80	45.35			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX



EUT_V_4TX
Setting 51
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.94365G	49.29	83.54	-34.25	45.65	1	Vertical	59	1.84	-	37.68	15.25	49.29			
AV	17.94335G	40.89	63.54	-22.65	37.24	1	Vertical	59	1.84	-	37.68	15.25	49.28			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_V_4TX
Setting 51
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.9421G	51.49	83.54	-32.05	47.84	1	Horizontal	177	1.43	-	37.68	15.25	49.28			
AV	17.9385G	41.04	63.54	-22.50	37.39	1	Horizontal	177	1.43	-	37.67	15.25	49.27			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 46
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0186G	109.46	Inf	-Inf	109.62	3	Vertical	360	1.46	-	35.17	7.01	42.34			
RMS	7.0134G	100.43	Inf	-Inf	100.61	3	Vertical	360	1.46	-	35.15	7.00	42.33			
PK	7.1274G	59.06	88.20	-29.14	58.76	3	Vertical	360	1.46	-	35.76	7.04	42.50			
RMS	7.1286G	49.25	68.20	-18.95	48.94	3	Vertical	360	1.46	-	35.77	7.04	42.50			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_Y_4TX
Setting 46
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0162G	106.28	Inf	-Inf	106.45	3	Horizontal	290	2.14	-	35.16	7.00	42.33			
RMS	7.0206G	97.25	Inf	-Inf	97.40	3	Horizontal	290	2.14	-	35.18	7.01	42.34			
PK	7.1602G	58.52	88.20	-29.68	58.07	3	Horizontal	290	2.14	-	35.94	7.05	42.54			
RMS	7.1254G	48.57	68.20	-19.63	48.27	3	Horizontal	290	2.14	-	35.75	7.04	42.49			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 46
06-W-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.07305G	47.70	88.20	-40.50	39.17	3	Vertical	265	1.80	-	41.19	11.75	44.41			
AV	14.07455G	38.14	68.20	-30.06	29.59	3	Vertical	265	1.80	-	41.20	11.76	44.41			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 46
06-W-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04575G	49.25	88.20	-38.95	40.79	3	Horizontal	121	1.80	-	41.09	11.74	44.37			
AV	14.0612G	38.04	68.20	-30.16	29.54	3	Horizontal	121	1.80	-	41.14	11.75	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 46
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0712G	50.52	83.54	-33.02	44.91	1	Vertical	214	1.02	-	38.44	16.04	48.87			
AV	21.06225G	42.34	63.54	-21.20	36.75	1	Vertical	214	1.02	-	38.42	16.04	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT_V_4TX
Setting 46
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0506G	52.41	83.54	-31.13	46.85	1	Horizontal	352	1.52	-	38.40	16.03	48.87			
AV	21.0624G	42.77	63.54	-20.77	37.18	1	Horizontal	352	1.52	-	38.42	16.04	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 68
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	63.03	88.20	-25.17	57.78	3	Vertical	148	1.85	-	32.40	7.44	34.59			
RMS	5.9234G	50.01	68.20	-18.19	44.77	3	Vertical	148	1.85	-	32.40	7.44	34.60			
PK	6.089G	109.89	Inf	-Inf	104.44	3	Vertical	148	1.85	-	32.50	7.54	34.59			
RMS	6.0882G	99.32	Inf	-Inf	93.87	3	Vertical	148	1.85	-	32.50	7.54	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


6025MHz_TX

EUT Y_4TX
Setting 68
06-W-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.025G	21.86	30.00	-8.14	4.69	3	Horizontal	327	2.28	CP 160MH	-13.30	7.49	34.66			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 68
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	59.58	88.20	-28.62	54.33	3	Horizontal	330	2.28	-	32.40	7.44	34.59			
RMS	5.925G	49.24	68.20	-18.96	44.00	3	Horizontal	330	2.28	-	32.40	7.44	34.60			
PK	6.1002G	108.50	Inf	-Inf	103.03	3	Horizontal	330	2.28	-	32.50	7.55	34.58			
RMS	6.0898G	98.14	Inf	-Inf	92.69	3	Horizontal	330	2.28	-	32.50	7.54	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 68
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0506G	51.43	74.00	-22.57	46.79	3	Vertical	308	1.55	-	39.20	10.83	45.39			
AV	12.06995G	43.65	54.00	-10.35	38.93	3	Vertical	308	1.55	-	39.28	10.84	45.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 68
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.02775G	53.95	74.00	-20.05	49.39	3	Horizontal	72	1.42	-	39.11	10.82	45.37			
AV	12.06255G	44.90	54.00	-9.10	40.20	3	Horizontal	72	1.42	-	39.25	10.84	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 68
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0747G	44.61	83.54	-38.93	41.15	1	Vertical	87	2.18	-	37.65	15.29	49.48			
AV	18.07485G	39.65	63.54	-23.89	36.19	1	Vertical	87	2.18	-	37.65	15.29	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 68
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07495G	46.48	83.54	-37.06	43.02	1	Horizontal	147	2.69	-	37.65	15.29	49.48			
AV	18.07485G	39.91	63.54	-23.63	36.45	1	Horizontal	147	2.69	-	37.65	15.29	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX


6025MHz_TX

EUT_V_4TX
Setting 68
06-W-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.0886G	4.72	5.00	-0.28	-12.58	3	Vertical	148	1.85	RBW 1MH	-13.38	7.54	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 68
06-W-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.09988G	3.20	5.00	-1.80	-14.12	3	Horizontal	330	2.28	RBW 1MH	-13.40	7.55	34.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

6025MHz_TX




EUT_V_4TX
Setting 68
06-W-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.025G	23.15	30.00	-6.85	5.98	3	Vertical	166	2.41	CP 160MH	-13.30	7.49	34.66			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Y_4TX
Setting 66
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	61.65	88.20	-26.55	56.40	3	Vertical	146	1.67	-	32.40	7.44	34.59			
RMS	5.9234G	50.40	68.20	-17.80	45.16	3	Vertical	146	1.67	-	32.40	7.44	34.60			
PK	6.0834G	110.47	Inf	-Inf	105.03	3	Vertical	146	1.67	-	32.50	7.54	34.60			
RMS	6.0882G	99.85	Inf	-Inf	94.40	3	Vertical	146	1.67	-	32.50	7.54	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Y_4TX
Setting 66
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	59.19	88.20	-29.01	53.95	3	Horizontal	331	2.32	-	32.40	7.44	34.60			
RMS	5.925G	49.06	68.20	-19.14	43.82	3	Horizontal	331	2.32	-	32.40	7.44	34.60			
PK	6.0946G	108.94	Inf	-Inf	103.48	3	Horizontal	331	2.32	-	32.50	7.55	34.59			
RMS	6.0898G	98.40	Inf	-Inf	92.95	3	Horizontal	331	2.32	-	32.50	7.54	34.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0301G	50.39	74.00	-23.61	45.83	3	Vertical	307	1.64	-	39.12	10.82	45.38			
AV	12.05055G	42.52	54.00	-11.48	37.88	3	Vertical	307	1.64	-	39.20	10.83	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0304G	51.69	74.00	-22.31	47.13	3	Horizontal	331	1.92	-	39.12	10.82	45.38			
AV	12.04975G	43.88	54.00	-10.12	39.24	3	Horizontal	331	1.92	-	39.20	10.83	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07495G	43.71	83.54	-39.83	40.25	1	Vertical	19	1.10	-	37.65	15.29	49.48			
AV	18.0747G	39.62	63.54	-23.92	36.16	1	Vertical	19	1.10	-	37.65	15.29	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0673G	44.39	83.54	-39.15	40.94	1	Horizontal	208	1.48	-	37.63	15.29	49.47			
AV	18.0748G	40.22	63.54	-23.32	36.76	1	Horizontal	208	1.48	-	37.65	15.29	49.48			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Y_4TX
Setting 66
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9635G	109.16	Inf	-Inf	109.51	3	Vertical	357	1.45	-	35.03	6.97	42.35			
RMS	6.9635G	99.50	Inf	-Inf	99.85	3	Vertical	357	1.45	-	35.03	6.97	42.35			
PK	7.1515G	67.93	88.20	-20.27	67.50	3	Vertical	357	1.45	-	35.91	7.05	42.53			
RMS	7.134G	55.95	68.20	-12.25	55.62	3	Vertical	357	1.45	-	35.80	7.04	42.51			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Y_4TX
Setting 66
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9615G	107.76	Inf	-Inf	108.12	3	Horizontal	275	1.31	-	35.02	6.97	42.35			
RMS	6.956G	97.38	Inf	-Inf	97.76	3	Horizontal	275	1.31	-	35.01	6.97	42.36			
PK	7.1515G	62.26	88.20	-25.94	61.83	3	Horizontal	275	1.31	-	35.91	7.05	42.53			
RMS	7.1515G	51.50	68.20	-16.70	51.07	3	Horizontal	275	1.31	-	35.91	7.05	42.53			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.95265G	49.62	88.20	-38.58	41.45	3	Vertical	221	2.15	-	40.81	11.70	44.34			
RMS	13.9748G	41.74	68.20	-26.46	33.46	3	Vertical	221	2.15	-	40.90	11.71	44.33			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9508G	50.06	88.20	-38.14	41.90	3	Horizontal	43.6	1.78	-	40.80	11.70	44.34			
RMS	13.98045G	42.36	68.20	-25.84	34.05	3	Horizontal	43.6	1.78	-	40.92	11.71	44.32			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95505G	45.42	83.54	-38.12	39.98	1	Vertical	141	2.46	-	38.39	15.95	48.90			
AV	20.9548G	41.20	63.54	-22.34	35.76	1	Vertical	141	2.46	-	38.39	15.95	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9752G	46.53	83.54	-37.01	41.11	1	Horizontal	224	1.32	-	38.35	15.96	48.89			
AV	20.955G	41.66	63.54	-21.88	36.22	1	Horizontal	224	1.32	-	38.39	15.95	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 66
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.926G	109.38	Inf	-Inf	100.41	3	Vertical	154	1.80	-	35.06	8.09	34.18			
RMS	6.92G	100.16	Inf	-Inf	91.24	3	Vertical	154	1.80	-	35.02	8.08	34.18			
PK	7.1445G	68.91	88.20	-19.29	58.71	3	Vertical	154	1.80	-	36.09	8.29	34.18			
RMS	7.1405G	57.10	68.20	-11.10	46.92	3	Vertical	154	1.80	-	36.08	8.28	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT_Y_4TX
Setting 66
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.907G	107.23	Inf	-Inf	98.40	3	Horizontal	246	2.57	-	34.94	8.07	34.18			
RMS	6.922G	97.71	Inf	-Inf	88.78	3	Horizontal	246	2.57	-	35.03	8.08	34.18			
PK	7.14G	65.26	88.20	-22.94	55.08	3	Horizontal	246	2.57	-	36.08	8.28	34.18			
RMS	7.147G	53.96	68.20	-14.24	43.76	3	Horizontal	246	2.57	-	36.09	8.29	34.18			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9532G	50.59	88.20	-37.61	42.42	3	Vertical	149	1.79	-	40.81	11.70	44.34			
RMS	13.9838G	40.97	68.20	-27.23	32.64	3	Vertical	149	1.79	-	40.94	11.71	44.32			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9738G	49.02	88.20	-39.18	40.74	3	Horizontal	193	2.98	-	40.90	11.71	44.33			
RMS	13.9866G	41.57	68.20	-26.63	33.23	3	Horizontal	193	2.98	-	40.95	11.71	44.32			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9551G	44.81	83.54	-38.73	39.37	1	Vertical	221	1.02	-	38.39	15.95	48.90			
AV	20.9548G	40.72	63.54	-22.82	35.28	1	Vertical	221	1.02	-	38.39	15.95	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 66
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9547G	46.08	83.54	-37.46	40.64	1	Horizontal	221	1.50	-	38.39	15.95	48.90			
AV	20.95485G	41.71	63.54	-21.83	36.27	1	Horizontal	221	1.50	-	38.39	15.95	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 81
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8978G	72.85	88.20	-15.35	77.26	3	Vertical	-0	1.79	-	32.39	6.29	43.09			
RMS	5.913G	61.72	68.20	-6.48	66.10	3	Vertical	-0	1.79	-	32.40	6.30	43.08			
PK	6.0786G	108.66	Inf	-Inf	112.65	3	Vertical	-0	1.79	-	32.54	6.47	43.00			
RMS	6.2082G	99.46	Inf	-Inf	102.98	3	Vertical	-0	1.79	-	32.83	6.61	42.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 81
04-C-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	70.10	88.20	-18.10	74.48	3	Horizontal	263	2.29	-	32.40	6.30	43.08			
RMS	5.9186G	60.11	68.20	-8.09	64.48	3	Horizontal	263	2.29	-	32.40	6.31	43.08			
PK	6.0578G	106.78	Inf	-Inf	110.76	3	Horizontal	263	2.29	-	32.58	6.45	43.01			
RMS	6.073G	97.34	Inf	-Inf	101.34	3	Horizontal	263	2.29	-	32.55	6.46	43.01			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.18755G	49.70	74.00	-24.30	45.11	3	Vertical	295	1.57	-	39.15	10.90	45.46			
AV	12.19355G	41.94	54.00	-12.06	37.37	3	Vertical	295	1.57	-	39.13	10.90	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21755G	49.83	74.00	-24.17	45.37	3	Horizontal	184	2.48	-	39.03	10.91	45.48			
AV	12.18855G	42.07	54.00	-11.93	37.48	3	Horizontal	184	2.48	-	39.15	10.90	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2997G	43.95	83.54	-39.59	40.66	1	Vertical	285	2.62	-	37.60	15.27	49.58			
AV	18.31485G	38.78	63.54	-24.76	35.41	1	Vertical	285	2.62	-	37.69	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31515G	44.59	83.54	-38.95	41.22	1	Horizontal	210	1.48	-	37.69	15.27	49.59			
AV	18.31485G	39.57	63.54	-23.97	36.20	1	Horizontal	210	1.48	-	37.69	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT_Y_4TX
Setting 77
06-W-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9124G	75.23	88.20	-12.97	69.99	3	Vertical	170	1.75	-	32.40	7.43	34.59			
RMS	5.9124G	60.20	68.20	-8.00	54.96	3	Vertical	170	1.75	-	32.40	7.43	34.59			
PK	6.1536G	109.53	Inf	-Inf	103.76	3	Vertical	170	1.75	-	32.71	7.59	34.53			
RMS	6.1488G	99.85	Inf	-Inf	94.09	3	Vertical	170	1.75	-	32.70	7.59	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT_Y_4TX
Setting 77
06-W-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9166G	68.83	88.20	-19.37	63.58	3	Horizontal	258	2.03	-	32.40	7.44	34.59			
RMS	5.916G	58.13	68.20	-10.07	52.88	3	Horizontal	258	2.03	-	32.40	7.44	34.59			
PK	6.1728G	107.98	Inf	-Inf	102.13	3	Horizontal	258	2.03	-	32.75	7.61	34.51			
RMS	6.1512G	98.10	Inf	-Inf	92.34	3	Horizontal	258	2.03	-	32.70	7.59	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT_Y_4TX
Setting 77
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.19595G	49.50	74.00	-24.50	44.95	3	Vertical	242	2.52	-	39.12	10.90	45.47			
AV	12.18835G	40.27	54.00	-13.73	35.68	3	Vertical	242	2.52	-	39.15	10.90	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT_Y_4TX
Setting 77
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2275G	47.86	74.00	-26.14	43.44	3	Horizontal	254	2.44	-	38.99	10.91	45.48			
AV	12.18815G	40.37	54.00	-13.63	35.78	3	Horizontal	254	2.44	-	39.15	10.90	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6105MHz_TX

EUT_Y_4TX
Setting 77
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32985G	42.71	83.54	-40.83	39.26	1	Vertical	44	2.53	-	37.78	15.27	49.60			
AV	18.31475G	38.79	63.54	-24.75	35.42	1	Vertical	44	2.53	-	37.69	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6105MHz_TX

EUT_V_4TX
Setting 77
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31505G	44.61	83.54	-38.93	41.24	1	Horizontal	207	1.50	-	37.69	15.27	49.59			
AV	18.3148G	40.19	63.54	-23.35	36.82	1	Horizontal	207	1.50	-	37.69	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 81
06-W-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9184G	72.82	88.20	-15.38	67.57	3	Vertical	170	1.65	-	32.40	7.44	34.59			
RMS	5.9136G	61.41	68.20	-6.79	56.16	3	Vertical	170	1.65	-	32.40	7.44	34.59			
PK	6.1494G	109.81	Inf	-Inf	104.05	3	Vertical	170	1.65	-	32.70	7.59	34.53			
RMS	6.1488G	99.96	Inf	-Inf	94.20	3	Vertical	170	1.65	-	32.70	7.59	34.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 81
06-W-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9166G	69.08	88.20	-19.12	63.83	3	Horizontal	258	1.98	-	32.40	7.44	34.59			
RMS	5.916G	59.12	68.20	-9.08	53.87	3	Horizontal	258	1.98	-	32.40	7.44	34.59			
PK	6.2382G	108.41	Inf	-Inf	102.10	3	Horizontal	258	1.98	-	33.11	7.65	34.45			
RMS	6.2112G	98.15	Inf	-Inf	92.09	3	Horizontal	258	1.98	-	32.89	7.64	34.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19G	47.83	74.00	-26.17	43.25	3	Vertical	300	2.36	-	39.14	10.90	45.46			
AV	12.1899G	39.82	54.00	-14.18	35.24	3	Vertical	300	2.36	-	39.14	10.90	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.19G	47.06	74.00	-26.94	42.48	3	Horizontal	262	2.03	-	39.14	10.90	45.46			
AV	12.1898G	40.10	54.00	-13.90	35.52	3	Horizontal	262	2.03	-	39.14	10.90	45.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31495G	43.63	83.54	-39.91	40.26	1	Vertical	43	1.77	-	37.69	15.27	49.59			
AV	18.31475G	38.44	63.54	-25.10	35.07	1	Vertical	43	1.77	-	37.69	15.27	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3358G	43.44	83.54	-40.10	39.96	1	Horizontal	21	2.87	-	37.81	15.27	49.60			
AV	18.31495G	39.23	63.54	-24.31	35.86	1	Horizontal	21	2.87	-	37.69	15.27	49.59			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 58
06-W-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.74804G	105.64	Inf	-Inf	97.48	3	Vertical	356	1.56	-	34.40	7.95	34.19			
RMS	6.85316G	95.19	Inf	-Inf	86.72	3	Vertical	356	1.56	-	34.62	8.03	34.18			
PK	7.12916G	65.32	88.20	-22.88	55.17	3	Vertical	356	1.56	-	36.06	8.27	34.18			
RMS	7.12868G	55.12	88.20	-33.08	44.97	3	Vertical	356	1.56	-	36.06	8.27	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 58
06-W-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.76388G	101.99	Inf	-Inf	93.81	3	Horizontal	261	1.36	-	34.40	7.96	34.18			
RMS	6.93572G	92.63	Inf	-Inf	83.60	3	Horizontal	261	1.36	-	35.11	8.10	34.18			
PK	7.145G	63.25	88.20	-24.95	53.05	3	Horizontal	261	1.36	-	36.09	8.29	34.18			
RMS	7.13588G	53.20	68.20	-15.00	43.03	3	Horizontal	261	1.36	-	36.07	8.28	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 58
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7886G	48.25	88.20	-39.95	40.54	3	Vertical	184	2.16	-	40.55	11.62	44.46			
RMS	13.7899G	40.62	68.20	-27.58	32.90	3	Vertical	184	2.16	-	40.56	11.62	44.46			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 58
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7888G	49.19	88.20	-39.01	41.47	3	Horizontal	342	1.66	-	40.56	11.62	44.46			
RMS	13.7908G	39.95	68.20	-28.25	32.23	3	Horizontal	342	1.66	-	40.56	11.62	44.46			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 58
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7147G	48.73	83.54	-34.81	43.88	1	Vertical	194	2.75	-	38.13	15.75	49.03			
AV	20.7148G	40.53	63.54	-23.01	35.68	1	Vertical	194	2.75	-	38.13	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 58
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7149G	47.93	83.54	-35.61	43.08	1	Horizontal	208	1.80	-	38.13	15.75	49.03			
AV	20.71495G	44.63	63.54	-18.91	39.78	1	Horizontal	208	1.80	-	38.13	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 57
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7646G	106.54	Inf	-Inf	98.36	3	Vertical	150	2.21	-	34.40	7.96	34.18			
RMS	6.7694G	95.65	Inf	-Inf	87.47	3	Vertical	150	2.21	-	34.40	7.96	34.18			
PK	7.2044G	65.86	88.20	-22.34	55.48	3	Vertical	150	2.21	-	36.22	8.34	34.18			
RMS	7.205G	55.09	68.20	-13.11	44.71	3	Vertical	150	2.21	-	36.22	8.34	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 57
06-W-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7976G	103.51	Inf	-Inf	95.31	3	Horizontal	178	1.51	-	34.40	7.98	34.18			
RMS	6.8024G	92.38	Inf	-Inf	84.17	3	Horizontal	178	1.51	-	34.41	7.98	34.18			
PK	7.1624G	63.40	88.20	-24.80	53.16	3	Horizontal	178	1.51	-	36.12	8.30	34.18			
RMS	7.2026G	53.66	68.20	-14.54	43.29	3	Horizontal	178	1.51	-	36.21	8.34	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 57
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7886G	47.86	88.20	-40.34	40.15	3	Vertical	188	2.23	-	40.55	11.62	44.46			
RMS	13.78955G	41.87	68.20	-26.33	34.15	3	Vertical	188	2.23	-	40.56	11.62	44.46			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 57
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79015G	49.32	88.20	-38.88	41.60	3	Horizontal	39	1.80	-	40.56	11.62	44.46			
RMS	13.78965G	42.46	68.20	-25.74	34.74	3	Horizontal	39	1.80	-	40.56	11.62	44.46			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 57
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.69425G	47.59	83.54	-35.95	42.78	1	Vertical	351	2.88	-	38.11	15.74	49.04			
AV	20.715G	39.84	63.54	-23.70	34.99	1	Vertical	351	2.88	-	38.13	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 57
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.715G	49.24	83.54	-34.30	44.39	1	Horizontal	357	1.46	-	38.13	15.75	49.03			
AV	20.7148G	45.77	63.54	-17.77	40.92	1	Horizontal	357	1.46	-	38.13	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 58
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9314G	105.78	Inf	-Inf	96.78	3	Vertical	156	1.80	-	35.09	8.09	34.18			
RMS	6.941G	95.58	Inf	-Inf	86.51	3	Vertical	156	1.80	-	35.15	8.10	34.18			
PK	7.1618G	66.74	88.20	-21.46	56.50	3	Vertical	156	1.80	-	36.12	8.30	34.18			
RMS	7.1426G	55.73	68.20	-12.47	45.53	3	Vertical	156	1.80	-	36.09	8.29	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 58
06-W-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8372G	102.86	Inf	-Inf	94.48	3	Horizontal	238	2.63	-	34.55	8.01	34.18			
RMS	6.8618G	92.94	Inf	-Inf	84.42	3	Horizontal	238	2.63	-	34.67	8.03	34.18			
PK	7.1864G	63.85	88.20	-24.35	53.53	3	Horizontal	238	2.63	-	36.17	8.33	34.18			
RMS	7.205G	52.94	68.20	-15.26	42.56	3	Horizontal	238	2.63	-	36.22	8.34	34.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 58
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8295G	48.72	88.20	-39.48	40.97	3	Vertical	253	2.98	-	40.54	11.64	44.43			
RMS	13.8112G	41.00	68.20	-27.20	33.23	3	Vertical	253	2.98	-	40.58	11.63	44.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 58
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80385G	47.51	88.20	-40.69	39.74	3	Horizontal	232	2.71	-	40.59	11.63	44.45			
RMS	13.78585G	39.60	68.20	-28.60	31.90	3	Horizontal	232	2.71	-	40.54	11.62	44.46			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 58
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7189G	44.60	83.54	-38.94	39.73	1	Vertical	228	1.54	-	38.14	15.76	49.03			
AV	20.7148G	38.60	63.54	-24.94	33.75	1	Vertical	228	1.54	-	38.13	15.75	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_V_4TX
Setting 58
06-W-A-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7063G	48.77	83.54	-34.77	43.94	1	Horizontal	360	1.45	-	38.11	15.75	49.03			
AV	20.71485G	46.05	63.54	-17.49	41.20	1	Horizontal	360	1.45	-	38.13	15.75	49.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957949G	-10.92	5.987125G	-63.27	-50.92	-12.35	1
5.961198G	-10.34	5.9955G	-63.23	-50.34	-12.89	2
5.955575G	-10.56	5.987725G	-63.05	-50.56	-12.49	3
5.952551G	-10.60	6.003425G	-63.04	-50.60	-12.44	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1931G	-8.96	6.225425G	-61.03	-48.00	-13.03	1
6.197424G	-8.23	6.22725G	-62.09	-48.23	-13.86	2
6.201273G	-8.48	6.232875G	-62.06	-48.48	-13.58	3
6.192426G	-8.88	6.227025G	-61.78	-48.71	-13.07	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

21/08/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

21/08/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

21/08/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

21/08/2024



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7115MHz_TX

21/08/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.119899G	-14.67	7.158675G	-62.59	-54.67	-7.92	1
7.1169G	-14.82	7.151675G	-62.59	-54.82	-7.77	2
7.108752G	-14.35	7.1504G	-62.78	-54.35	-8.43	3
7.107952G	-14.25	7.14855G	-62.63	-54.25	-8.38	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

21/08/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.973798G	-6.34	6.02645G	-57.72	-46.34	-11.38	1
5.976447G	-5.57	6.02645G	-57.04	-45.57	-11.47	2
5.979996G	-5.73	6.026G	-57.51	-45.73	-11.78	3
5.978747G	-6.54	6.02705G	-57.75	-46.54	-11.21	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

21/08/2024

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.209099G	-4.31	6.26585G	-56.36	-44.29	-12.07	1
6.209049G	-3.72	6.2666G	-56.14	-43.72	-12.42	2
6.213648G	-4.10	6.26685G	-56.40	-44.10	-12.30	3
6.209849G	-5.02	6.267G	-56.94	-45.02	-11.92	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

21/08/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.410199G	-4.04	6.46635G	-55.44	-44.04	-11.40	1
6.413798G	-4.40	6.46625G	-55.64	-44.40	-11.24	2
6.396252G	-4.99	6.4664G	-55.87	-44.99	-10.88	3
6.401401G	-5.77	6.4664G	-56.96	-45.77	-11.19	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

21/08/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

21/08/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

21/08/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.516752G	-4.06	6.4638G	-55.32	-44.06	-11.26	1
6.532298G	-4.09	6.46395G	-55.85	-44.09	-11.76	2
6.531148G	-4.24	6.4636G	-55.84	-44.24	-11.60	3
6.539746G	-4.43	6.4633G	-55.83	-44.43	-11.40	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

21/08/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.561001G	-5.40	6.62625G	-56.76	-45.40	-11.36	1
6.570399G	-5.55	6.5042G	-56.42	-45.40	-11.02	2
6.568699G	-5.62	6.50365G	-56.87	-45.62	-11.25	3
6.549454G	-6.20	6.5034G	-57.11	-46.20	-10.91	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

21/08/2024

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.681251G	-4.23	6.6232G	-55.94	-44.23	-11.71	1
6.681001G	-4.05	6.6237G	-56.46	-44.05	-12.41	2
6.693798G	-4.26	6.624G	-56.15	-44.26	-11.89	3
6.694398G	-4.42	6.6236G	-56.61	-44.42	-12.19	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

21/08/2024

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.877002G	-4.81	6.94665G	-56.56	-44.81	-11.75	1
6.879951G	-5.15	6.94605G	-56.19	-45.15	-11.04	2
6.891748G	-5.08	6.8235G	-56.73	-45.08	-11.65	3
6.870004G	-5.50	6.94555G	-56.49	-45.50	-10.99	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

21/08/2024



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

21/08/2024

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.082601G	-5.43	7.00935G	-56.81	-45.43	-11.38	1
7.089999G	-4.89	7.0236G	-56.22	-44.89	-11.33	2
7.089949G	-5.28	7.00985G	-56.96	-45.28	-11.68	3
7.098897G	-5.86	7.0029G	-56.63	-45.86	-10.77	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

21/08/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9938G	-2.40	6.108G	-52.18	-42.37	-9.81	1
6.0001G	-1.81	6.1069G	-51.17	-41.75	-9.42	2
5.9991G	-2.48	6.1076G	-51.39	-42.48	-8.91	3
5.9961G	-2.27	6.1067G	-51.70	-41.77	-9.93	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

21/08/2024

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2329G	-1.65	6.3471G	-51.51	-41.65	-9.86	1
6.218G	-1.26	6.3472G	-51.00	-41.26	-9.74	2
6.2365G	-1.34	6.3483G	-51.47	-41.34	-10.13	3
6.2357G	-1.58	6.3459G	-51.99	-41.23	-10.76	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

21/08/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3709G	-0.89	6.5063G	-48.12	-40.46	-7.66	1
6.3959G	-1.33	6.5071G	-49.67	-41.23	-8.44	2
6.3985G	-1.62	6.5077G	-50.65	-41.62	-9.03	3
6.3932G	-1.90	6.507G	-50.52	-41.77	-8.75	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

21/08/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

21/08/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

21/08/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

21/08/2024

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9327G	-1.64	6.8212G	-52.54	-41.64	-10.90	1
6.9337G	-1.58	6.8226G	-51.91	-41.58	-10.33	2
6.9361G	-1.41	6.8231G	-52.10	-41.35	-10.75	3
6.9331G	-0.81	6.8226G	-51.55	-40.81	-10.74	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

21/08/2024

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0174G	-0.78	6.9024G	-51.39	-40.64	-10.75	1
7.0176G	-0.92	6.8998G	-49.89	-40.92	-8.97	2
7.0297G	-0.84	6.903G	-49.91	-40.84	-9.07	3
7.0125G	-0.66	6.9025G	-51.00	-40.58	-10.42	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

21/08/2024



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

21/08/2024

