


5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.724G	119.40	Inf	-Inf	124.97	3	Vertical	10	2.98	-	32.05	5.56	43.18			
AV	5.6968G	110.75	Inf	-Inf	116.41	3	Vertical	10	2.98	-	31.99	5.55	43.20			
PK	5.85G	65.49	68.20	-2.71	70.81	3	Vertical	10	2.98	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.722G	118.58	Inf	-Inf	124.17	3	Horizontal	340	1.35	-	32.04	5.56	43.19			
AV	5.6992G	108.52	Inf	-Inf	114.17	3	Horizontal	340	1.35	-	32.00	5.55	43.20			
PK	5.8512G	62.53	68.20	-5.67	67.85	3	Horizontal	340	1.35	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41304G	61.75	74.00	-12.25	54.41	3	Vertical	47	2.90	-	39.97	10.40	43.03			
AV	11.43452G	49.36	54.00	-4.64	42.08	3	Vertical	47	2.90	-	39.93	10.42	43.07			
PK	17.14281G	61.67	68.20	-6.53	47.22	3	Vertical	217	1.80	-	40.39	16.34	42.28			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41058G	62.43	74.00	-11.57	55.07	3	Horizontal	138	1.83	-	39.98	10.40	43.02			
AV	11.41988G	49.19	54.00	-4.81	41.86	3	Horizontal	138	1.83	-	39.96	10.41	43.04			
PK	17.14323G	62.55	68.20	-5.65	48.10	3	Horizontal	132	1.96	-	40.39	16.34	42.28			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 98
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6415G	66.77	68.20	-1.43	72.67	3	Vertical	343	2.88	-	31.78	5.55	43.23			
PK	5.77G	118.95	Inf	-Inf	124.41	3	Vertical	343	2.88	-	32.14	5.56	43.16			
AV	5.7655G	108.40	Inf	-Inf	113.87	3	Vertical	343	2.88	-	32.13	5.56	43.16			
PK	5.925G	54.52	68.20	-13.68	59.55	3	Vertical	343	2.88	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 98
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	68.00	68.20	-0.20	73.89	3	Horizontal	347	2.82	-	31.79	5.55	43.23			
PK	5.764G	119.03	Inf	-Inf	124.50	3	Horizontal	347	2.82	-	32.13	5.56	43.16			
AV	5.765G	108.32	Inf	-Inf	113.79	3	Horizontal	347	2.82	-	32.13	5.56	43.16			
PK	5.95G	54.34	68.20	-13.86	59.34	3	Horizontal	347	2.82	-	32.40	5.66	43.06			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 98
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50034G	63.14	74.00	-10.86	55.77	3	Vertical	264	2.70	-	40.10	10.47	43.20			
AV	11.51003G	49.09	54.00	-4.91	41.72	3	Vertical	264	2.70	-	40.08	10.48	43.19			
PK	17.27148G	61.28	68.20	-6.92	46.52	3	Vertical	218	1.88	-	40.64	16.39	42.27			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 98
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50049G	63.27	74.00	-10.73	55.90	3	Horizontal	132	1.80	-	40.10	10.47	43.20			
AV	11.51129G	46.33	54.00	-7.67	38.96	3	Horizontal	132	1.80	-	40.08	10.48	43.19			
PK	17.26215G	61.96	68.20	-6.24	47.22	3	Horizontal	357	1.87	-	40.62	16.39	42.27			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.635G	65.22	68.20	-2.98	71.13	3	Vertical	190	1.00	-	31.77	5.55	43.23			
PK	5.797G	118.06	Inf	-Inf	123.45	3	Vertical	190	1.00	-	32.19	5.56	43.14			
AV	5.779G	106.95	Inf	-Inf	112.38	3	Vertical	190	1.00	-	32.16	5.56	43.15			
PK	6.0275G	54.46	68.20	-13.74	59.21	3	Vertical	190	1.00	-	32.55	5.72	43.02			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	62.03	68.20	-6.17	67.92	3	Horizontal	350	2.88	-	31.79	5.55	43.23			
PK	5.8125G	121.86	Inf	-Inf	127.23	3	Horizontal	350	2.88	-	32.20	5.57	43.14			
AV	5.8125G	111.45	Inf	-Inf	116.82	3	Horizontal	350	2.88	-	32.20	5.57	43.14			
PK	6.033G	55.33	68.20	-12.87	60.06	3	Horizontal	350	2.88	-	32.57	5.72	43.02			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59762G	56.05	74.00	-17.95	48.75	3	Vertical	258	2.57	-	39.90	10.54	43.14			
AV	11.58004G	44.08	54.00	-9.92	36.76	3	Vertical	258	2.57	-	39.94	10.53	43.15			
PK	17.38599G	63.19	68.20	-5.01	47.45	3	Vertical	40	1.80	-	41.56	16.44	42.26			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58991G	60.53	74.00	-13.47	53.21	3	Horizontal	132	1.80	-	39.92	10.54	43.14			
AV	11.57971G	44.84	54.00	-9.16	37.52	3	Horizontal	132	1.80	-	39.94	10.53	43.15			
PK	17.39892G	63.93	68.20	-4.27	48.06	3	Horizontal	232	1.69	-	41.69	16.44	42.26			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 80
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.80	74.00	-7.20	57.15	3	Vertical	13	1.00	-	33.60	6.98	30.93			
AV	5.1485G	53.56	54.00	-0.44	43.91	3	Vertical	13	1.00	-	33.60	6.98	30.93			
PK	5.227G	114.47	Inf	-Inf	104.60	3	Vertical	13	1.00	-	33.75	7.00	30.88			
AV	5.2205G	102.58	Inf	-Inf	92.73	3	Vertical	13	1.00	-	33.74	7.00	30.89			
PK	5.3615G	63.90	74.00	-10.10	53.82	3	Vertical	13	1.00	-	33.92	6.97	30.81			
AV	5.3535G	52.08	54.00	-1.92	42.01	3	Vertical	13	1.00	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 80
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	61.82	74.00	-12.18	52.17	3	Horizontal	0	3.00	-	33.60	6.98	30.93			
AV	5.15G	49.91	54.00	-4.09	40.26	3	Horizontal	0	3.00	-	33.60	6.98	30.93			
PK	5.212G	108.42	Inf	-Inf	98.58	3	Horizontal	0	3.00	-	33.72	7.01	30.89			
AV	5.212G	97.52	Inf	-Inf	87.68	3	Horizontal	0	3.00	-	33.72	7.01	30.89			
PK	5.375G	62.32	74.00	-11.68	52.20	3	Horizontal	0	3.00	-	33.95	6.97	30.80			
AV	5.351G	49.74	54.00	-4.26	39.68	3	Horizontal	0	3.00	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 80
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42348G	58.63	68.20	-9.57	39.61	3	Vertical	250	2.92	-	38.45	11.08	30.51			
PK	15.63432G	60.58	74.00	-13.42	42.97	3	Vertical	115	1.94	-	37.76	11.85	32.00			
AV	15.61932G	47.02	54.00	-6.98	29.34	3	Vertical	115	1.94	-	37.82	11.85	31.99			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 80
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40617G	58.51	68.20	-9.69	39.46	3	Horizontal	32	1.80	-	38.49	11.07	30.51			
PK	15.63687G	60.53	74.00	-13.47	42.93	3	Horizontal	281	2.16	-	37.75	11.85	32.00			
AV	15.62727G	47.04	54.00	-6.96	29.39	3	Horizontal	281	2.16	-	37.79	11.85	31.99			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0585G	60.31	74.00	-13.69	50.94	3	Vertical	9	1.03	-	33.43	6.92	30.98			
AV	5.147G	48.32	54.00	-5.68	38.67	3	Vertical	9	1.03	-	33.60	6.98	30.93			
PK	5.285G	109.43	Inf	-Inf	99.42	3	Vertical	9	1.03	-	33.87	6.99	30.85			
AV	5.285G	97.31	Inf	-Inf	87.30	3	Vertical	9	1.03	-	33.87	6.99	30.85			
PK	5.353G	63.18	74.00	-10.82	53.11	3	Vertical	9	1.03	-	33.91	6.97	30.81			
AV	5.354G	52.03	54.00	-1.97	41.96	3	Vertical	9	1.03	-	33.91	6.97	30.81			
PK	5.4815G	61.73	68.20	-6.47	51.18	3	Vertical	9	1.03	-	34.06	7.23	30.74			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.099G	60.47	74.00	-13.53	50.88	3	Horizontal	148	1.92	-	33.60	6.94	30.95			
AV	5.1465G	48.21	54.00	-5.79	38.56	3	Horizontal	148	1.92	-	33.60	6.98	30.93			
PK	5.303G	110.82	Inf	-Inf	100.78	3	Horizontal	148	1.92	-	33.90	6.98	30.84			
AV	5.3035G	98.09	Inf	-Inf	88.05	3	Horizontal	148	1.92	-	33.90	6.98	30.84			
PK	5.375G	65.49	74.00	-8.51	55.37	3	Horizontal	148	1.92	-	33.95	6.97	30.80			
AV	5.376G	53.73	54.00	-0.27	43.61	3	Horizontal	148	1.92	-	33.95	6.97	30.80			
PK	5.4665G	61.66	68.20	-6.54	51.20	3	Horizontal	148	1.92	-	34.03	7.18	30.75			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57232G	58.39	68.20	-9.81	39.11	3	Vertical	323	2.98	-	38.60	11.17	30.49			
PK	15.87348G	59.59	74.00	-14.41	42.29	3	Vertical	155	2.65	-	37.59	11.86	32.15			
AV	15.86643G	46.52	54.00	-7.48	29.23	3	Vertical	155	2.65	-	37.57	11.86	32.14			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56707G	58.11	68.20	-10.09	38.83	3	Horizontal	117	1.20	-	38.60	11.17	30.49			
PK	15.88335G	59.81	74.00	-14.19	42.48	3	Horizontal	238	2.35	-	37.63	11.86	32.16			
AV	15.87654G	46.55	54.00	-7.45	29.23	3	Horizontal	238	2.35	-	37.61	11.86	32.15			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 76
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.329G	61.21	68.20	-6.99	51.16	3	Vertical	24	2.98	-	33.90	6.98	30.83			
AV	5.35G	48.88	54.00	-5.12	38.82	3	Vertical	24	2.98	-	33.90	6.97	30.81			
PK	5.458G	66.62	74.00	-7.38	56.20	3	Vertical	24	2.98	-	34.02	7.15	30.75			
AV	5.4465G	53.90	54.00	-0.10	43.55	3	Vertical	24	2.98	-	34.00	7.11	30.76			
PK	5.461G	66.34	68.20	-1.86	55.91	3	Vertical	24	2.98	-	34.02	7.16	30.75			
PK	5.5475G	110.72	Inf	-Inf	99.98	3	Vertical	24	2.98	-	34.01	7.45	30.72			
AV	5.55G	99.35	Inf	-Inf	88.61	3	Vertical	24	2.98	-	34.00	7.46	30.72			
PK	5.738G	62.31	68.20	-5.89	51.24	3	Vertical	24	2.98	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 76
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.324G	61.01	68.20	-7.19	50.96	3	Horizontal	340	2.38	-	33.90	6.98	30.83			
AV	5.35G	48.58	54.00	-5.42	38.52	3	Horizontal	340	2.38	-	33.90	6.97	30.81			
PK	5.431G	66.09	74.00	-7.91	55.80	3	Horizontal	340	2.38	-	34.00	7.06	30.77			
AV	5.45G	52.14	54.00	-1.86	41.78	3	Horizontal	340	2.38	-	34.00	7.12	30.76			
PK	5.47G	63.49	68.20	-4.71	53.01	3	Horizontal	340	2.38	-	34.04	7.19	30.75			
PK	5.4995G	112.76	Inf	-Inf	102.10	3	Horizontal	340	2.38	-	34.10	7.29	30.73			
AV	5.5G	100.03	Inf	-Inf	89.37	3	Horizontal	340	2.38	-	34.10	7.29	30.73			
PK	5.7685G	62.53	68.20	-5.67	51.39	3	Horizontal	340	2.38	-	34.04	7.77	30.67			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 76
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0525G	58.79	74.00	-15.21	39.21	3	Vertical	244	2.43	-	38.60	11.48	30.50			
AV	11.06378G	45.72	54.00	-8.28	26.14	3	Vertical	244	2.43	-	38.60	11.49	30.51			
PK	16.59402G	61.94	68.20	-6.26	42.30	3	Vertical	290	1.13	-	39.55	12.15	32.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 76
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07158G	59.28	74.00	-14.72	39.70	3	Horizontal	114	1.80	-	38.60	11.49	30.51			
AV	11.06441G	45.76	54.00	-8.24	26.18	3	Horizontal	114	1.80	-	38.60	11.49	30.51			
PK	16.58322G	61.55	68.20	-6.65	41.99	3	Horizontal	194	2.99	-	39.47	12.15	32.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	65.00	74.00	-9.00	54.58	3	Vertical	156	1.01	-	34.02	7.15	30.75			
AV	5.4585G	52.52	54.00	-1.48	42.10	3	Vertical	156	1.01	-	34.02	7.15	30.75			
PK	5.4685G	65.29	68.20	-2.91	54.81	3	Vertical	156	1.01	-	34.04	7.19	30.75			
PK	5.644G	115.64	Inf	-Inf	104.68	3	Vertical	156	1.01	-	34.00	7.66	30.70			
AV	5.572G	104.48	Inf	-Inf	93.66	3	Vertical	156	1.01	-	34.00	7.53	30.71			
PK	5.733G	68.03	68.20	-0.17	56.96	3	Vertical	156	1.01	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.425G	61.67	74.00	-12.33	51.40	3	Horizontal	356	2.99	-	34.00	7.04	30.77			
PK	5.4645G	62.89	68.20	-5.31	52.44	3	Horizontal	356	2.99	-	34.03	7.17	30.75			
AV	5.4515G	49.71	54.00	-4.29	39.34	3	Horizontal	356	2.99	-	34.00	7.13	30.76			
PK	5.5965G	111.18	Inf	-Inf	100.28	3	Horizontal	356	2.99	-	34.00	7.61	30.71			
AV	5.6G	99.73	Inf	-Inf	88.82	3	Horizontal	356	2.99	-	34.00	7.62	30.71			
PK	5.725G	65.13	68.20	-3.07	54.08	3	Horizontal	356	2.99	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.229G	59.08	74.00	-14.92	39.42	3	Vertical	228	1.63	-	38.66	11.59	30.59			
AV	11.22927G	45.96	54.00	-8.04	26.30	3	Vertical	228	1.63	-	38.66	11.59	30.59			
PK	16.8267G	63.53	68.20	-4.67	42.91	3	Vertical	163	1.30	-	40.46	12.26	32.10			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21484G	59.49	74.00	-14.51	39.86	3	Horizontal	132	1.80	-	38.63	11.58	30.58			
AV	11.232G	46.05	54.00	-7.95	26.39	3	Horizontal	132	1.80	-	38.66	11.59	30.59			
PK	16.827G	64.05	68.20	-4.15	43.43	3	Horizontal	52	1.49	-	40.46	12.26	32.10			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4415G	60.31	74.00	-13.69	66.46	3	Vertical	252	2.94	-	31.67	5.56	43.38			
AV	5.4515G	48.40	54.00	-5.60	54.50	3	Vertical	252	2.94	-	31.71	5.56	43.37			
PK	5.463G	61.33	68.20	-6.87	67.37	3	Vertical	252	2.94	-	31.75	5.56	43.35			
PK	5.667G	113.44	Inf	-Inf	119.24	3	Vertical	252	2.94	-	31.87	5.55	43.22			
AV	5.6615G	104.70	Inf	-Inf	110.52	3	Vertical	252	2.94	-	31.85	5.55	43.22			
PK	5.8545G	63.80	68.20	-4.40	69.09	3	Vertical	252	2.94	-	32.22	5.60	43.11			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	61.46	74.00	-12.54	67.53	3	Horizontal	339	2.94	-	31.73	5.56	43.36			
AV	5.448G	47.72	54.00	-6.28	53.84	3	Horizontal	339	2.94	-	31.69	5.56	43.37			
PK	5.4625G	59.66	68.20	-8.54	65.70	3	Horizontal	339	2.94	-	31.75	5.56	43.35			
PK	5.667G	118.38	Inf	-Inf	124.18	3	Horizontal	339	2.94	-	31.87	5.55	43.22			
AV	5.6645G	107.43	Inf	-Inf	113.24	3	Horizontal	339	2.94	-	31.86	5.55	43.22			
PK	5.85G	66.36	68.20	-1.84	71.68	3	Horizontal	339	2.94	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36959G	57.50	74.00	-16.50	50.13	3	Vertical	241	1.80	-	39.94	10.37	42.94			
AV	11.37928G	45.08	54.00	-8.92	37.70	3	Vertical	241	1.80	-	39.96	10.38	42.96			
PK	17.0718G	62.21	68.20	-5.99	47.82	3	Vertical	114	2.00	-	40.36	16.31	42.28			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39473G	61.69	74.00	-12.31	54.30	3	Horizontal	67	1.80	-	39.99	10.39	42.99			
AV	11.39362G	45.91	54.00	-8.09	38.52	3	Horizontal	67	1.80	-	39.99	10.39	42.99			
PK	17.08167G	62.42	68.20	-5.78	48.04	3	Horizontal	345	1.80	-	40.34	16.32	42.28			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6235G	67.53	68.20	-0.67	73.47	3	Vertical	360	1.80	-	31.75	5.55	43.24			
PK	5.764G	113.58	Inf	-Inf	119.05	3	Vertical	360	1.80	-	32.13	5.56	43.16			
AV	5.751G	106.98	Inf	-Inf	112.49	3	Vertical	360	1.80	-	32.10	5.56	43.17			
PK	6.016G	54.52	68.20	-13.68	59.30	3	Vertical	360	1.80	-	32.53	5.71	43.02			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.25	68.20	-0.95	73.13	3	Horizontal	329	1.80	-	31.80	5.55	43.23			
PK	5.766G	116.31	Inf	-Inf	121.78	3	Horizontal	329	1.80	-	32.13	5.56	43.16			
AV	5.7455G	105.53	Inf	-Inf	111.05	3	Horizontal	329	1.80	-	32.09	5.56	43.17			
PK	5.955G	54.34	68.20	-13.86	59.33	3	Horizontal	329	1.80	-	32.41	5.66	43.06			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56134G	59.61	74.00	-14.39	52.28	3	Vertical	130	2.65	-	39.98	10.51	43.16			
AV	11.55912G	46.69	54.00	-7.31	39.36	3	Vertical	130	2.65	-	39.98	10.51	43.16			
PK	17.31612G	61.74	68.20	-6.46	46.73	3	Vertical	274	1.80	-	40.86	16.41	42.26			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56467G	63.10	74.00	-10.90	55.77	3	Horizontal	68	1.82	-	39.97	10.52	43.16			
AV	11.54844G	49.13	54.00	-4.87	41.80	3	Horizontal	68	1.82	-	40.00	10.50	43.17			
PK	17.33568G	62.04	68.20	-6.16	46.82	3	Horizontal	51	1.80	-	41.06	16.42	42.26			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 82
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	65.59	74.00	-8.41	55.94	3	Vertical	257	1.80	-	33.60	6.98	30.93			
AV	5.15G	51.98	54.00	-2.02	42.33	3	Vertical	257	1.80	-	33.60	6.98	30.93			
PK	5.3132G	110.73	Inf	-Inf	100.68	3	Vertical	257	1.80	-	33.90	6.98	30.83			
AV	5.31G	97.45	Inf	-Inf	87.41	3	Vertical	257	1.80	-	33.90	6.98	30.84			
PK	5.3508G	71.62	74.00	-2.38	61.56	3	Vertical	257	1.80	-	33.90	6.97	30.81			
AV	5.3572G	53.24	54.00	-0.76	43.17	3	Vertical	257	1.80	-	33.91	6.97	30.81			
PK	5.462G	66.56	68.20	-1.64	56.13	3	Vertical	257	1.80	-	34.02	7.16	30.75			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 82
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	64.30	74.00	-9.70	54.65	3	Horizontal	150	1.84	-	33.60	6.98	30.93			
AV	5.1452G	52.07	54.00	-1.93	42.43	3	Horizontal	150	1.84	-	33.60	6.97	30.93			
PK	5.27G	108.44	Inf	-Inf	98.47	3	Horizontal	150	1.84	-	33.84	6.99	30.86			
AV	5.2756G	96.15	Inf	-Inf	86.17	3	Horizontal	150	1.84	-	33.85	6.99	30.86			
PK	5.3508G	70.63	74.00	-3.37	60.57	3	Horizontal	150	1.84	-	33.90	6.97	30.81			
AV	5.3588G	53.90	54.00	-0.10	43.82	3	Horizontal	150	1.84	-	33.92	6.97	30.81			
PK	5.482G	62.00	68.20	-6.20	51.45	3	Horizontal	150	1.84	-	34.06	7.23	30.74			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 82
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51113G	57.96	68.20	-10.24	38.80	3	Vertical	338	2.45	-	38.52	11.13	30.49			
PK	15.75762G	60.16	74.00	-13.84	42.89	3	Vertical	290	1.26	-	37.48	11.86	32.07			
AV	15.73902G	47.03	54.00	-6.97	29.71	3	Vertical	290	1.26	-	37.52	11.86	32.06			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 82
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48641G	58.52	68.20	-9.68	39.42	3	Horizontal	18	1.80	-	38.47	11.12	30.49			
PK	15.75258G	60.62	74.00	-13.38	43.34	3	Horizontal	311	1.21	-	37.49	11.86	32.07			
AV	15.74466G	46.95	54.00	-7.05	29.65	3	Horizontal	311	1.21	-	37.51	11.86	32.07			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 75
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2604G	61.49	68.20	-6.71	51.54	3	Vertical	190	2.92	-	33.82	6.99	30.86			
PK	5.4292G	67.01	74.00	-6.99	56.72	3	Vertical	190	2.92	-	34.00	7.06	30.77			
AV	5.35G	49.05	54.00	-4.95	38.99	3	Vertical	190	2.92	-	33.90	6.97	30.81			
AV	5.4404G	53.91	54.00	-0.09	43.58	3	Vertical	190	2.92	-	34.00	7.09	30.76			
PK	5.4644G	65.85	68.20	-2.35	55.40	3	Vertical	190	2.92	-	34.03	7.17	30.75			
PK	5.6444G	107.67	Inf	-Inf	96.71	3	Vertical	190	2.92	-	34.00	7.66	30.70			
AV	5.6444G	95.97	Inf	-Inf	85.01	3	Vertical	190	2.92	-	34.00	7.66	30.70			
PK	5.7652G	64.45	68.20	-3.75	53.32	3	Vertical	190	2.92	-	34.03	7.77	30.67			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 75
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3324G	61.95	68.20	-6.25	51.89	3	Horizontal	147	2.15	-	33.90	6.98	30.82			
AV	5.35G	48.93	54.00	-5.07	38.87	3	Horizontal	147	2.15	-	33.90	6.97	30.81			
PK	5.4324G	64.76	74.00	-9.24	54.46	3	Horizontal	147	2.15	-	34.00	7.07	30.77			
PK	5.4612G	63.61	68.20	-4.59	53.18	3	Horizontal	147	2.15	-	34.02	7.16	30.75			
AV	5.4596G	51.07	54.00	-2.93	40.64	3	Horizontal	147	2.15	-	34.02	7.16	30.75			
PK	5.5356G	107.56	Inf	-Inf	96.84	3	Horizontal	147	2.15	-	34.03	7.41	30.72			
AV	5.586G	95.20	Inf	-Inf	84.34	3	Horizontal	147	2.15	-	34.00	7.57	30.71			
PK	5.7436G	62.57	68.20	-5.63	51.49	3	Horizontal	147	2.15	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 75
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1286G	59.01	74.00	-14.99	39.42	3	Vertical	117	2.33	-	38.60	11.53	30.54			
AV	11.12908G	45.26	54.00	-8.74	25.67	3	Vertical	117	2.33	-	38.60	11.53	30.54			
PK	16.71633G	62.24	68.20	-5.96	42.18	3	Vertical	64	1.20	-	39.93	12.21	32.08			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 75
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1421G	59.00	74.00	-15.00	39.41	3	Horizontal	128	1.03	-	38.60	11.54	30.55			
AV	11.13535G	45.32	54.00	-8.68	25.73	3	Horizontal	128	1.03	-	38.60	11.53	30.54			
PK	16.72218G	62.68	68.20	-5.52	42.61	3	Horizontal	170	2.90	-	39.94	12.21	32.08			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU5_4TX	Pass	AV	5.454G	53.97	54.00	-0.03	3	Vertical	55	2.67	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5210MHz_TX




EUT Y_4TX
Setting 62
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.138G	66.84	74.00	-7.16	57.20	3	Vertical	96	2.04	-	33.60	6.97	30.93			
AV	5.148G	53.91	54.00	-0.09	44.26	3	Vertical	96	2.04	-	33.60	6.98	30.93			
PK	5.1985G	112.33	Inf	-Inf	102.52	3	Vertical	96	2.04	-	33.70	7.01	30.90			
AV	5.2385G	100.12	Inf	-Inf	90.22	3	Vertical	96	2.04	-	33.78	7.00	30.88			
PK	5.368G	63.32	74.00	-10.68	53.21	3	Vertical	96	2.04	-	33.94	6.97	30.80			
AV	5.364G	51.01	54.00	-2.99	40.92	3	Vertical	96	2.04	-	33.93	6.97	30.81			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5210MHz_TX




EUT Y_4TX
Setting 62
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	68.37	74.00	-5.63	58.72	3	Horizontal	343	2.94	-	33.60	6.98	30.93			
AV	5.1415G	52.23	54.00	-1.77	42.59	3	Horizontal	343	2.94	-	33.60	6.97	30.93			
PK	5.201G	108.64	Inf	-Inf	98.83	3	Horizontal	343	2.94	-	33.70	7.01	30.90			
AV	5.2005G	98.14	Inf	-Inf	88.33	3	Horizontal	343	2.94	-	33.70	7.01	30.90			
PK	5.3505G	61.75	74.00	-12.25	51.69	3	Horizontal	343	2.94	-	33.90	6.97	30.81			
AV	5.3615G	50.92	54.00	-3.08	40.84	3	Horizontal	343	2.94	-	33.92	6.97	30.81			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 62
02-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4224G	59.55	68.20	-8.65	40.52	3	Vertical	224	1.80	-	38.46	11.08	30.51			
PK	15.64266G	61.38	74.00	-12.62	43.80	3	Vertical	27	1.80	-	37.73	11.85	32.00			
AV	15.61995G	49.01	54.00	-4.99	31.33	3	Vertical	27	1.80	-	37.82	11.85	31.99			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 62
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41307G	58.75	68.20	-9.45	39.72	3	Horizontal	158	1.80	-	38.47	11.07	30.51			
PK	15.62991G	61.87	74.00	-12.13	44.23	3	Horizontal	6	1.80	-	37.78	11.85	31.99			
AV	15.61722G	49.54	54.00	-4.46	31.85	3	Horizontal	6	1.80	-	37.83	11.85	31.99			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 65
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	61.93	74.00	-12.07	52.29	3	Vertical	42	2.54	-	33.60	6.97	30.93			
AV	5.146G	52.65	54.00	-1.35	43.01	3	Vertical	42	2.54	-	33.60	6.97	30.93			
PK	5.3068G	108.36	Inf	-Inf	98.32	3	Vertical	42	2.54	-	33.90	6.98	30.84			
AV	5.3116G	97.76	Inf	-Inf	87.72	3	Vertical	42	2.54	-	33.90	6.98	30.84			
PK	5.3916G	63.73	74.00	-10.27	53.58	3	Vertical	42	2.54	-	33.98	6.96	30.79			
AV	5.3516G	53.87	54.00	-0.13	43.81	3	Vertical	42	2.54	-	33.90	6.97	30.81			
PK	5.4668G	62.79	68.20	-5.41	52.33	3	Vertical	42	2.54	-	34.03	7.18	30.75			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 65
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	61.34	74.00	-12.66	51.69	3	Horizontal	356	3.00	-	33.60	6.98	30.93			
AV	5.146G	51.25	54.00	-2.75	41.61	3	Horizontal	356	3.00	-	33.60	6.97	30.93			
PK	5.3108G	104.17	Inf	-Inf	94.13	3	Horizontal	356	3.00	-	33.90	6.98	30.84			
AV	5.3012G	94.77	Inf	-Inf	84.73	3	Horizontal	356	3.00	-	33.90	6.98	30.84			
PK	5.3572G	64.59	74.00	-9.41	54.52	3	Horizontal	356	3.00	-	33.91	6.97	30.81			
AV	5.362G	53.35	54.00	-0.65	43.27	3	Horizontal	356	3.00	-	33.92	6.97	30.81			
PK	5.59G	62.64	68.20	-5.56	51.76	3	Horizontal	356	3.00	-	34.00	7.59	30.71			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 65
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50291G	58.72	68.20	-9.48	39.57	3	Vertical	129	2.53	-	38.51	11.13	30.49			
PK	15.7485G	60.19	74.00	-13.81	42.90	3	Vertical	135	2.97	-	37.50	11.86	32.07			
AV	15.74997G	48.98	54.00	-5.02	31.69	3	Vertical	135	2.97	-	37.50	11.86	32.07			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 65
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49541G	58.99	68.20	-9.21	39.87	3	Horizontal	306	1.80	-	38.49	11.12	30.49			
PK	15.73674G	60.27	74.00	-13.73	42.94	3	Horizontal	118	2.84	-	37.53	11.86	32.06			
AV	15.74823G	49.41	54.00	-4.59	32.12	3	Horizontal	118	2.84	-	37.50	11.86	32.07			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	61.93	74.00	-12.07	52.28	3	Vertical	40	2.51	-	33.60	6.98	30.93			
AV	5.15G	52.36	54.00	-1.64	42.71	3	Vertical	40	2.51	-	33.60	6.98	30.93			
PK	5.3268G	107.61	Inf	-Inf	97.56	3	Vertical	40	2.51	-	33.90	6.98	30.83			
AV	5.326G	97.72	Inf	-Inf	87.67	3	Vertical	40	2.51	-	33.90	6.98	30.83			
PK	5.362G	64.66	74.00	-9.34	54.58	3	Vertical	40	2.51	-	33.92	6.97	30.81			
AV	5.3564G	53.30	54.00	-0.70	43.23	3	Vertical	40	2.51	-	33.91	6.97	30.81			
PK	5.6132G	63.23	68.20	-4.97	52.30	3	Vertical	40	2.51	-	34.00	7.63	30.70			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	61.13	74.00	-12.87	51.48	3	Horizontal	179	2.73	-	33.60	6.98	30.93			
AV	5.15G	51.37	54.00	-2.63	41.72	3	Horizontal	179	2.73	-	33.60	6.98	30.93			
PK	5.2852G	104.96	Inf	-Inf	94.95	3	Horizontal	179	2.73	-	33.87	6.99	30.85			
AV	5.2748G	94.95	Inf	-Inf	84.97	3	Horizontal	179	2.73	-	33.85	6.99	30.86			
PK	5.4092G	62.37	74.00	-11.63	52.16	3	Horizontal	179	2.73	-	34.00	6.99	30.78			
AV	5.446G	52.56	54.00	-1.44	42.21	3	Horizontal	179	2.73	-	34.00	7.11	30.76			
PK	5.5308G	61.79	68.20	-6.41	51.08	3	Horizontal	179	2.73	-	34.04	7.39	30.72			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50804G	59.07	68.20	-9.13	39.91	3	Vertical	281	1.18	-	38.52	11.13	30.49			
PK	15.74484G	60.41	74.00	-13.59	43.11	3	Vertical	74	1.80	-	37.51	11.86	32.07			
AV	15.74079G	49.14	54.00	-4.86	31.82	3	Vertical	74	1.80	-	37.52	11.86	32.06			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49046G	59.19	68.20	-9.01	40.08	3	Horizontal	1	3.00	-	38.48	11.12	30.49			
PK	15.73512G	60.20	74.00	-13.80	42.87	3	Horizontal	38	1.10	-	37.53	11.86	32.06			
AV	15.75864G	49.69	54.00	-4.31	32.43	3	Horizontal	38	1.10	-	37.48	11.86	32.08			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0605G	62.06	74.00	-11.94	52.68	3	Vertical	41	2.56	-	33.44	6.92	30.98			
AV	5.1485G	49.67	54.00	-4.33	40.02	3	Vertical	41	2.56	-	33.60	6.98	30.93			
PK	5.266G	111.19	Inf	-Inf	101.23	3	Vertical	41	2.56	-	33.83	6.99	30.86			
AV	5.2815G	100.59	Inf	-Inf	90.59	3	Vertical	41	2.56	-	33.86	6.99	30.85			
PK	5.3635G	66.82	74.00	-7.18	56.73	3	Vertical	41	2.56	-	33.93	6.97	30.81			
AV	5.3675G	53.66	54.00	-0.34	43.56	3	Vertical	41	2.56	-	33.93	6.97	30.80			
PK	5.534G	64.19	68.20	-4.01	53.48	3	Vertical	41	2.56	-	34.03	7.40	30.72			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1015G	61.03	74.00	-12.97	51.43	3	Horizontal	164	2.58	-	33.60	6.95	30.95			
AV	5.15G	49.78	54.00	-4.22	40.13	3	Horizontal	164	2.58	-	33.60	6.98	30.93			
PK	5.262G	107.47	Inf	-Inf	97.52	3	Horizontal	164	2.58	-	33.82	6.99	30.86			
PK	5.355G	65.46	74.00	-8.54	55.39	3	Horizontal	164	2.58	-	33.91	6.97	30.81			
AV	5.3275G	96.37	Inf	-Inf	86.32	3	Horizontal	164	2.58	-	33.90	6.98	30.83			
AV	5.3675G	53.77	54.00	-0.23	43.67	3	Horizontal	164	2.58	-	33.93	6.97	30.80			
PK	5.521G	61.92	68.20	-6.28	51.22	3	Horizontal	164	2.58	-	34.06	7.36	30.72			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58123G	59.23	68.20	-8.97	39.94	3	Vertical	39	1.05	-	38.60	11.18	30.49			
PK	15.87027G	61.14	74.00	-12.86	43.85	3	Vertical	282	1.80	-	37.58	11.86	32.15			
AV	15.88311G	48.47	54.00	-5.53	31.14	3	Vertical	282	1.80	-	37.63	11.86	32.16			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 60
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57688G	59.49	68.20	-8.71	40.20	3	Horizontal	45	1.80	-	38.60	11.18	30.49			
PK	15.88053G	61.08	74.00	-12.92	43.75	3	Horizontal	213	2.56	-	37.62	11.86	32.15			
AV	15.8841G	48.80	54.00	-5.20	31.46	3	Horizontal	213	2.56	-	37.64	11.86	32.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 61
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3185G	61.57	68.20	-6.63	51.52	3	Vertical	32	2.49	-	33.90	6.98	30.83			
PK	5.432G	67.20	74.00	-6.80	56.90	3	Vertical	32	2.49	-	34.00	7.07	30.77			
PK	5.467G	66.47	68.20	-1.73	56.01	3	Vertical	32	2.49	-	34.03	7.18	30.75			
AV	5.46G	53.72	54.00	-0.28	43.29	3	Vertical	32	2.49	-	34.02	7.16	30.75			
PK	5.5055G	112.22	Inf	-Inf	101.55	3	Vertical	32	2.49	-	34.09	7.31	30.73			
AV	5.5205G	101.48	Inf	-Inf	90.79	3	Vertical	32	2.49	-	34.06	7.36	30.73			
PK	5.7535G	62.39	68.20	-5.81	51.29	3	Vertical	32	2.49	-	34.01	7.76	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 61
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2905G	62.13	68.20	-6.07	52.11	3	Horizontal	357	2.32	-	33.88	6.99	30.85			
PK	5.454G	64.06	74.00	-9.94	53.67	3	Horizontal	357	2.32	-	34.01	7.14	30.76			
AV	5.4535G	53.34	54.00	-0.66	42.95	3	Horizontal	357	2.32	-	34.01	7.14	30.76			
PK	5.4655G	64.23	68.20	-3.97	53.77	3	Horizontal	357	2.32	-	34.03	7.18	30.75			
PK	5.519G	109.46	Inf	-Inf	98.78	3	Horizontal	357	2.32	-	34.06	7.35	30.73			
AV	5.519G	98.12	Inf	-Inf	87.44	3	Horizontal	357	2.32	-	34.06	7.35	30.73			
PK	5.736G	62.95	68.20	-5.25	51.88	3	Horizontal	357	2.32	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 61
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0585G	59.70	74.00	-14.30	40.13	3	Vertical	173	1.80	-	38.60	11.48	30.51			
AV	11.0586G	47.55	54.00	-6.45	27.98	3	Vertical	173	1.80	-	38.60	11.48	30.51			
PK	16.59519G	64.41	68.20	-3.79	44.76	3	Vertical	30	1.80	-	39.56	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 61
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05232G	59.83	74.00	-14.17	40.25	3	Horizontal	283	1.00	-	38.60	11.48	30.50			
AV	11.06435G	47.61	54.00	-6.39	28.03	3	Horizontal	283	1.00	-	38.60	11.49	30.51			
PK	16.58886G	64.22	68.20	-3.98	44.62	3	Horizontal	99	1.65	-	39.51	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5610MHz_TX




EUT Y_4TX
Setting 56
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4455G	62.76	74.00	-11.24	52.41	3	Vertical	55	2.76	-	34.00	7.11	30.76			
AV	5.439G	51.33	54.00	-2.67	41.00	3	Vertical	55	2.76	-	34.00	7.09	30.76			
PK	5.47G	63.55	68.20	-4.65	53.07	3	Vertical	55	2.76	-	34.04	7.19	30.75			
PK	5.5825G	113.72	Inf	-Inf	102.87	3	Vertical	55	2.76	-	34.00	7.56	30.71			
AV	5.6025G	100.98	Inf	-Inf	90.07	3	Vertical	55	2.76	-	34.00	7.62	30.71			
PK	5.7475G	66.53	68.20	-1.67	55.45	3	Vertical	55	2.76	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 56
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	61.85	74.00	-12.15	51.43	3	Horizontal	352	2.96	-	34.02	7.15	30.75			
AV	5.45G	50.53	54.00	-3.47	40.17	3	Horizontal	352	2.96	-	34.00	7.12	30.76			
PK	5.4635G	61.15	68.20	-7.05	50.70	3	Horizontal	352	2.96	-	34.03	7.17	30.75			
PK	5.596G	109.39	Inf	-Inf	98.49	3	Horizontal	352	2.96	-	34.00	7.61	30.71			
AV	5.596G	97.99	Inf	-Inf	87.09	3	Horizontal	352	2.96	-	34.00	7.61	30.71			
PK	5.738G	63.07	68.20	-5.13	52.00	3	Horizontal	352	2.96	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX


5610MHz_TX

EUT_Y_4TX
Setting 56
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23425G	60.19	74.00	-13.81	40.52	3	Vertical	46	1.80	-	38.67	11.59	30.59			
AV	11.21601G	48.23	54.00	-5.77	28.60	3	Vertical	46	1.80	-	38.63	11.58	30.58			
PK	16.82199G	64.10	68.20	-4.10	43.51	3	Vertical	352	2.37	-	40.43	12.26	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 56
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23338G	60.24	74.00	-13.76	40.57	3	Horizontal	122	1.80	-	38.67	11.59	30.59			
AV	11.22762G	47.89	54.00	-6.11	28.22	3	Horizontal	122	1.80	-	38.66	11.59	30.58			
PK	16.82475G	63.98	68.20	-4.22	43.37	3	Horizontal	307	1.20	-	40.45	12.26	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 63
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4465G	61.79	74.00	-12.21	51.44	3	Vertical	232	2.31	-	34.00	7.11	30.76			
AV	5.444G	50.42	54.00	-3.58	40.07	3	Vertical	232	2.31	-	34.00	7.11	30.76			
PK	5.465G	61.45	68.20	-6.75	51.00	3	Vertical	232	2.31	-	34.03	7.17	30.75			
PK	5.6815G	111.19	Inf	-Inf	100.19	3	Vertical	232	2.31	-	34.00	7.69	30.69			
AV	5.6815G	100.02	Inf	-Inf	89.02	3	Vertical	232	2.31	-	34.00	7.69	30.69			
PK	5.8635G	63.23	68.20	-4.97	51.98	3	Vertical	232	2.31	-	34.05	7.84	30.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 63
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.447G	62.06	74.00	-11.94	51.70	3	Horizontal	357	3.00	-	34.00	7.12	30.76			
AV	5.4515G	50.59	54.00	-3.41	40.22	3	Horizontal	357	3.00	-	34.00	7.13	30.76			
PK	5.4665G	61.11	68.20	-7.09	50.65	3	Horizontal	357	3.00	-	34.03	7.18	30.75			
PK	5.681G	109.91	Inf	-Inf	98.91	3	Horizontal	357	3.00	-	34.00	7.69	30.69			
AV	5.6815G	98.66	Inf	-Inf	87.66	3	Horizontal	357	3.00	-	34.00	7.69	30.69			
PK	5.8515G	62.58	68.20	-5.62	51.39	3	Horizontal	357	3.00	-	34.01	7.83	30.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 63
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37769G	60.41	74.00	-13.59	40.62	3	Vertical	208	1.80	-	38.76	11.68	30.65			
AV	11.37973G	47.99	54.00	-6.01	28.19	3	Vertical	208	1.80	-	38.76	11.69	30.65			
PK	17.06337G	66.41	68.20	-1.79	44.74	3	Vertical	107	1.90	-	41.43	12.38	32.14			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 63
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38597G	60.48	74.00	-13.52	40.68	3	Horizontal	62	1.00	-	38.77	11.69	30.66			
AV	11.37877G	47.96	54.00	-6.04	28.16	3	Horizontal	62	1.00	-	38.76	11.69	30.65			
PK	17.05605G	66.56	68.20	-1.64	44.92	3	Horizontal	244	1.80	-	41.41	12.37	32.14			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU5_4TX

5570MHz_TX




EUT_Y_4TX
Setting 62
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2428G	61.68	68.20	-6.52	51.76	3	Vertical	55	2.67	-	33.79	7.00	30.87			
PK	5.418G	63.66	74.00	-10.34	53.42	3	Vertical	55	2.67	-	34.00	7.02	30.78			
PK	5.462G	63.14	68.20	-5.06	52.71	3	Vertical	55	2.67	-	34.02	7.16	30.75			
AV	5.454G	53.97	54.00	-0.03	43.58	3	Vertical	55	2.67	-	34.01	7.14	30.76			
PK	5.558G	108.36	Inf	-Inf	97.60	3	Vertical	55	2.67	-	34.00	7.48	30.72			
AV	5.538G	98.27	Inf	-Inf	87.55	3	Vertical	55	2.67	-	34.02	7.42	30.72			
PK	5.7268G	64.04	68.20	-4.16	52.99	3	Vertical	55	2.67	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU5_4TX

5570MHz_TX




EUT_Y_4TX
Setting 62
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.318G	61.47	68.20	-6.73	51.42	3	Horizontal	356	2.96	-	33.90	6.98	30.83			
PK	5.4364G	62.43	74.00	-11.57	52.12	3	Horizontal	356	2.96	-	34.00	7.08	30.77			
PK	5.462G	62.34	68.20	-5.86	51.91	3	Horizontal	356	2.96	-	34.02	7.16	30.75			
AV	5.4588G	52.63	54.00	-1.37	42.21	3	Horizontal	356	2.96	-	34.02	7.15	30.75			
PK	5.5964G	105.67	Inf	-Inf	94.77	3	Horizontal	356	2.96	-	34.00	7.61	30.71			
AV	5.5964G	94.97	Inf	-Inf	84.07	3	Horizontal	356	2.96	-	34.00	7.61	30.71			
PK	5.7276G	64.23	68.20	-3.97	53.18	3	Horizontal	356	2.96	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU5_4TX

5570MHz_TX




EUT_Y_4TX
Setting 62
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14426G	60.70	74.00	-13.30	41.11	3	Vertical	324	1.12	-	38.60	11.54	30.55			
AV	11.15443G	49.53	54.00	-4.47	29.94	3	Vertical	324	1.12	-	38.60	11.54	30.55			
PK	16.7103G	64.14	68.20	-4.06	44.09	3	Vertical	298	1.80	-	39.92	12.21	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU5_4TX

5570MHz_TX




EUT_Y_4TX
Setting 62
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13298G	59.82	74.00	-14.18	40.23	3	Horizontal	360	1.80	-	38.60	11.53	30.54			
AV	11.15017G	49.10	54.00	-4.90	29.51	3	Horizontal	360	1.80	-	38.60	11.54	30.55			
PK	16.71357G	63.64	68.20	-4.56	43.58	3	Horizontal	275	1.80	-	39.93	12.21	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 59
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2308G	62.46	68.20	-5.74	52.58	3	Vertical	32	2.59	-	33.76	7.00	30.88			
PK	5.4148G	62.85	74.00	-11.15	52.62	3	Vertical	32	2.59	-	34.00	7.01	30.78			
AV	5.3908G	53.17	54.00	-0.83	43.02	3	Vertical	32	2.59	-	33.98	6.96	30.79			
PK	5.462G	62.19	68.20	-6.01	51.76	3	Vertical	32	2.59	-	34.02	7.16	30.75			
PK	5.5452G	108.69	Inf	-Inf	97.96	3	Vertical	32	2.59	-	34.01	7.44	30.72			
AV	5.5412G	98.10	Inf	-Inf	87.37	3	Vertical	32	2.59	-	34.02	7.43	30.72			
PK	5.7276G	63.39	68.20	-4.81	52.34	3	Vertical	32	2.59	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 59
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1804G	61.40	68.20	-6.80	51.65	3	Horizontal	358	2.28	-	33.66	7.00	30.91			
PK	5.4028G	62.65	74.00	-11.35	52.46	3	Horizontal	358	2.28	-	34.00	6.97	30.78			
AV	5.4324G	53.09	54.00	-0.91	42.79	3	Horizontal	358	2.28	-	34.00	7.07	30.77			
PK	5.47G	61.67	68.20	-6.53	51.19	3	Horizontal	358	2.28	-	34.04	7.19	30.75			
PK	5.5436G	104.92	Inf	-Inf	94.20	3	Horizontal	358	2.28	-	34.01	7.43	30.72			
AV	5.5436G	94.55	Inf	-Inf	83.83	3	Horizontal	358	2.28	-	34.01	7.43	30.72			
PK	5.9652G	63.05	68.20	-5.15	51.53	3	Horizontal	358	2.28	-	34.23	7.91	30.62			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 59
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1268G	60.78	74.00	-13.22	41.19	3	Vertical	4	1.80	-	38.60	11.53	30.54			
AV	11.14621G	48.97	54.00	-5.03	29.38	3	Vertical	4	1.80	-	38.60	11.54	30.55			
PK	16.70481G	63.61	68.20	-4.59	43.58	3	Vertical	0	1.80	-	39.91	12.20	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 59
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14339G	59.49	74.00	-14.51	39.90	3	Horizontal	285	2.65	-	38.60	11.54	30.55			
AV	11.13364G	49.05	54.00	-4.95	29.46	3	Horizontal	285	2.65	-	38.60	11.53	30.54			
PK	16.71594G	64.10	68.20	-4.10	44.04	3	Horizontal	141	1.80	-	39.93	12.21	32.08			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 72
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.601G	67.91	68.20	-0.29	57.00	3	Vertical	41	2.65	-	34.00	7.62	30.71			
PK	5.7465G	115.87	Inf	-Inf	104.79	3	Vertical	41	2.65	-	34.00	7.75	30.67			
AV	5.7615G	104.84	Inf	-Inf	93.72	3	Vertical	41	2.65	-	34.02	7.77	30.67			
PK	6.018G	62.73	68.20	-5.47	51.10	3	Vertical	41	2.65	-	34.30	7.96	30.63			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 72
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6395G	63.84	68.20	-4.36	52.88	3	Horizontal	359	2.98	-	34.00	7.66	30.70			
PK	5.767G	112.53	Inf	-Inf	101.40	3	Horizontal	359	2.98	-	34.03	7.77	30.67			
AV	5.7715G	100.57	Inf	-Inf	89.42	3	Horizontal	359	2.98	-	34.04	7.77	30.66			
PK	6.0115G	62.94	68.20	-5.26	51.31	3	Horizontal	359	2.98	-	34.30	7.95	30.62			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 72
02-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56428G	61.03	74.00	-12.97	40.83	3	Vertical	264	1.79	-	39.16	11.80	30.76			
AV	11.54916G	48.44	54.00	-5.56	28.30	3	Vertical	264	1.79	-	39.10	11.79	30.75			
PK	17.33676G	66.34	68.20	-1.86	43.16	3	Vertical	208	1.80	-	42.92	12.50	32.24			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU3_4TX

5775MHz_TX



EUT_Y_4TX
Setting 72
02-E-G-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55675G	60.66	74.00	-13.34	40.49	3	Horizontal	63	1.82	-	39.13	11.80	30.76			
AV	11.56146G	48.51	54.00	-5.49	28.32	3	Horizontal	63	1.82	-	39.15	11.80	30.76			
PK	17.32986G	66.37	68.20	-1.83	43.23	3	Horizontal	58	1.69	-	42.88	12.50	32.24			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.64133G	24.67	54.00	-29.33	Vertical

Mode 1



Mode 1

