


5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

21/08/2024




5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

21/08/2024




5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

21/08/2024




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

5570MHz

21/08/2024



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0)_4TX	4.62
802.11be EHT160_Nss1,(MCS0)_4TX	0.60
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0)_4TX	3.77
802.11be EHT160_Nss1,(MCS0)_4TX	1.33
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0)_4TX	4.59
802.11be EHT160_Nss1,(MCS0)_4TX	0.81
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0)_4TX	5.37

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	5.35	-1.18	-1.70	-1.03	-1.22	4.62	17.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	5.86	-1.85	-2.94	-2.01	-1.96	3.77	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	5.30	-1.92	-2.41	-1.63	-2.05	3.92	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	5.30	-2.15	-1.97	-1.38	-1.87	4.15	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	5.30	-1.32	-1.61	-1.05	-1.50	4.59	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	5.17	-3.42	-4.11	-3.58	-4.04	2.23	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	5.17	-0.93	-0.36	-0.12	-0.73	5.37	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.35	-4.81	-6.12	-5.05	-5.54	0.60	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.35	-5.82	-7.40	-6.27	-6.53	-0.46	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.86	-4.37	-5.14	-4.48	-4.69	1.33	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	5.86	-4.87	-5.72	-4.97	-5.01	0.83	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	5.30	-5.31	-5.53	-4.70	-5.09	0.81	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	5.30	-5.31	-5.76	-4.91	-5.37	0.56	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5210MHz

21/10/2024




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5290MHz

21/10/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5530MHz

21/10/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5610MHz

11/10/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

11/10/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

11/10/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5775MHz

21/10/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.37	5.37	-0.93	-0.36	-0.12	-0.73

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

21/10/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.60	0.60	-4.81	-6.12	-5.05	-5.54

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

21/10/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

21/10/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

21/10/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

PSD

5570MHz

21/10/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

5570MHz

21/10/2024






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	37.76M	37.46	40.00	-2.54	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	37.76M	37.46	40.00	-2.54	-10.04	3	Vertical	145	1.00	"Worst"	47.50	20.27	1.21	31.52		
PK	50.37M	34.78	40.00	-5.22	-16.04	3	Vertical	360	3.00	-	50.82	14.25	1.34	31.63		
PK	69.77M	32.87	40.00	-7.13	-17.57	3	Vertical	25	1.50	-	50.44	12.57	1.56	31.70		
PK	87.23M	27.38	40.00	-12.62	-15.72	3	Vertical	155	1.25	-	43.10	14.43	1.58	31.73		
PK	118.27M	33.31	43.50	-10.19	-11.67	3	Vertical	183	1.00	-	44.98	18.09	1.99	31.75		
PK	159.98M	32.94	43.50	-10.56	-13.41	3	Vertical	360	1.50	-	46.35	16.05	2.30	31.76		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	30.97M	28.82	40.00	-11.18	-6.22	3	Horizontal	18	1.00	-	35.04	24.03	1.15	31.40		
PK	66.86M	27.82	40.00	-12.18	-17.65	3	Horizontal	77	3.00	-	45.47	12.49	1.55	31.69		
PK	85.29M	28.35	40.00	-11.65	-16.16	3	Horizontal	250	2.00	-	44.51	13.98	1.59	31.73		
PK	96.93M	31.16	43.50	-12.34	-13.77	3	Horizontal	84	2.00	-	44.93	16.27	1.71	31.75		
PK	159.98M	33.80	43.50	-9.70	-13.41	3	Horizontal	278	1.50	"Worst"	47.21	16.05	2.30	31.76		
PK	275.41M	35.83	46.00	-10.17	-10.12	3	Horizontal	233	1.00	-	45.95	18.73	2.98	31.83		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.7268G	68.17	68.20	-0.03	3	Vertical	269	1.32	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 88
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1463G	67.57	74.00	-6.43	57.92	3	Vertical	331	2.93	-	33.60	6.98	30.93			
AV	5.1467G	53.80	54.00	-0.20	44.15	3	Vertical	331	2.93	-	33.60	6.98	30.93			
PK	5.1869G	119.11	Inf	-Inf	109.35	3	Vertical	331	2.93	-	33.67	7.00	30.91			
AV	5.1869G	109.65	Inf	-Inf	99.89	3	Vertical	331	2.93	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 88
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1409G	71.68	74.00	-2.32	62.04	3	Horizontal	325	2.38	-	33.60	6.97	30.93			
AV	5.1468G	53.09	54.00	-0.91	43.44	3	Horizontal	325	2.38	-	33.60	6.98	30.93			
PK	5.1857G	117.57	Inf	-Inf	107.81	3	Horizontal	325	2.38	-	33.67	7.00	30.91			
AV	5.1856G	107.69	Inf	-Inf	97.93	3	Horizontal	325	2.38	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 88
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35499G	58.51	68.20	-9.69	39.40	3	Vertical	316	2.98	-	38.59	11.04	30.52			
PK	15.54654G	60.35	74.00	-13.65	42.43	3	Vertical	236	2.30	-	38.01	11.85	31.94			
AV	15.55083G	47.43	54.00	-6.57	29.52	3	Vertical	236	2.30	-	38.00	11.85	31.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX


EUT_Y_4TX
Setting 88
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35097G	58.85	68.20	-9.35	39.75	3	Horizontal	348	1.79	-	38.60	11.03	30.53			
PK	15.54594G	60.27	74.00	-13.73	42.35	3	Horizontal	86	1.00	-	38.01	11.85	31.94			
AV	15.52626G	47.48	54.00	-6.52	29.51	3	Horizontal	86	1.00	-	38.05	11.85	31.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 100
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	73.76	74.00	-0.24	64.12	3	Vertical	314	2.64	-	33.60	6.97	30.93			
AV	5.1452G	51.95	54.00	-2.05	42.31	3	Vertical	314	2.64	-	33.60	6.97	30.93			
PK	5.2048G	122.62	Inf	-Inf	112.80	3	Vertical	314	2.64	-	33.71	7.01	30.90			
AV	5.2054G	112.86	Inf	-Inf	103.03	3	Vertical	314	2.64	-	33.71	7.01	30.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
Setting 100
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	73.65	74.00	-0.35	64.01	3	Horizontal	149	2.07	-	33.60	6.97	30.93			
AV	5.1472G	50.91	54.00	-3.09	41.26	3	Horizontal	149	2.07	-	33.60	6.98	30.93			
PK	5.199G	119.40	Inf	-Inf	109.59	3	Horizontal	149	2.07	-	33.70	7.01	30.90			
AV	5.1992G	110.13	Inf	-Inf	100.32	3	Horizontal	149	2.07	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 100
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40702G	58.65	68.20	-9.55	39.60	3	Vertical	210	1.59	-	38.49	11.07	30.51			
PK	15.60315G	60.03	74.00	-13.97	42.27	3	Vertical	182	1.10	-	37.89	11.85	31.98			
AV	15.60936G	47.59	54.00	-6.41	29.86	3	Vertical	182	1.10	-	37.86	11.85	31.98			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 100
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39589G	58.79	68.20	-9.41	39.73	3	Horizontal	11	1.46	-	38.51	11.06	30.51			
PK	15.60614G	60.77	74.00	-13.23	43.02	3	Horizontal	214	1.04	-	37.88	11.85	31.98			
AV	15.59008G	47.63	54.00	-6.37	29.83	3	Horizontal	214	1.04	-	37.92	11.85	31.97			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1443G	70.63	74.00	-3.37	60.99	3	Vertical	246	1.80	-	33.60	6.97	30.93			
AV	5.1446G	48.66	54.00	-5.34	39.02	3	Vertical	246	1.80	-	33.60	6.97	30.93			
PK	5.2448G	123.54	Inf	-Inf	113.62	3	Vertical	246	1.80	-	33.79	7.00	30.87			
AV	5.2448G	113.63	Inf	-Inf	103.71	3	Vertical	246	1.80	-	33.79	7.00	30.87			
PK	5.3531G	67.12	74.00	-6.88	57.05	3	Vertical	246	1.80	-	33.91	6.97	30.81			
AV	5.3522G	49.12	54.00	-4.88	39.06	3	Vertical	246	1.80	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	67.95	74.00	-6.05	58.31	3	Horizontal	144	2.30	-	33.60	6.97	30.93			
AV	5.1398G	48.94	54.00	-5.06	39.30	3	Horizontal	144	2.30	-	33.60	6.97	30.93			
PK	5.2427G	121.75	Inf	-Inf	111.83	3	Horizontal	144	2.30	-	33.79	7.00	30.87			
AV	5.2418G	111.96	Inf	-Inf	102.05	3	Horizontal	144	2.30	-	33.78	7.00	30.87			
PK	5.3504G	65.27	74.00	-8.73	55.21	3	Horizontal	144	2.30	-	33.90	6.97	30.81			
AV	5.3546G	49.34	54.00	-4.66	39.27	3	Horizontal	144	2.30	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.478666G	61.36	68.20	-6.84	42.29	3	Vertical	36	1.43	-	38.46	11.11	30.50			
PK	15.72636G	60.85	74.00	-13.15	43.49	3	Vertical	234	2.63	-	37.55	11.86	32.05			
AV	15.7111G	47.38	54.00	-6.62	29.99	3	Vertical	234	2.63	-	37.58	11.86	32.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47868G	62.14	68.20	-6.06	43.07	3	Horizontal	113	1.97	-	38.46	11.11	30.50			
PK	15.71344G	60.24	74.00	-13.76	42.86	3	Horizontal	19	2.76	-	37.57	11.86	32.05			
AV	15.71638G	47.47	54.00	-6.53	30.09	3	Horizontal	19	2.76	-	37.57	11.86	32.05			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1439G	61.67	74.00	-12.33	52.03	3	Vertical	245	1.78	-	33.60	6.97	30.93			
AV	5.1496G	48.41	54.00	-5.59	38.76	3	Vertical	245	1.78	-	33.60	6.98	30.93			
PK	5.2639G	122.92	Inf	-Inf	112.96	3	Vertical	245	1.78	-	33.83	6.99	30.86			
AV	5.2642G	112.55	Inf	-Inf	102.59	3	Vertical	245	1.78	-	33.83	6.99	30.86			
PK	5.365G	68.40	74.00	-5.60	58.31	3	Vertical	245	1.78	-	33.93	6.97	30.81			
AV	5.3584G	49.34	54.00	-4.66	39.26	3	Vertical	245	1.78	-	33.92	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1454G	63.47	74.00	-10.53	53.83	3	Horizontal	150	1.80	-	33.60	6.97	30.93			
AV	5.1433G	48.55	54.00	-5.45	38.91	3	Horizontal	150	1.80	-	33.60	6.97	30.93			
PK	5.2588G	121.22	Inf	-Inf	111.27	3	Horizontal	150	1.80	-	33.82	7.00	30.87			
AV	5.2591G	110.89	Inf	-Inf	100.93	3	Horizontal	150	1.80	-	33.82	7.00	30.86			
PK	5.3611G	68.16	74.00	-5.84	58.08	3	Horizontal	150	1.80	-	33.92	6.97	30.81			
AV	5.35G	49.63	54.00	-4.37	39.57	3	Horizontal	150	1.80	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51223G	59.16	68.20	-9.04	39.99	3	Vertical	217	2.12	-	38.52	11.14	30.49			
PK	15.78855G	59.61	74.00	-14.39	42.42	3	Vertical	278	1.63	-	37.42	11.86	32.09			
AV	15.77589G	46.97	54.00	-7.03	29.75	3	Vertical	278	1.63	-	37.45	11.86	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51214G	62.30	68.20	-5.90	43.13	3	Horizontal	95	1.81	-	38.52	11.14	30.49			
PK	15.77109G	60.63	74.00	-13.37	43.39	3	Horizontal	46	1.80	-	37.46	11.86	32.08			
AV	15.77121G	47.18	54.00	-6.82	29.94	3	Horizontal	46	1.80	-	37.46	11.86	32.08			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 99
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3038G	121.90	Inf	-Inf	111.86	3	Vertical	309	2.45	-	33.90	6.98	30.84			
AV	5.3032G	112.25	Inf	-Inf	102.21	3	Vertical	309	2.45	-	33.90	6.98	30.84			
PK	5.3598G	68.51	74.00	-5.49	58.43	3	Vertical	309	2.45	-	33.92	6.97	30.81			
AV	5.351G	51.62	54.00	-2.38	41.56	3	Vertical	309	2.45	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 99
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3014G	119.20	Inf	-Inf	109.16	3	Horizontal	144	2.14	-	33.90	6.98	30.84			
AV	5.3014G	109.98	Inf	-Inf	99.94	3	Horizontal	144	2.14	-	33.90	6.98	30.84			
PK	5.3634G	72.97	74.00	-1.03	62.88	3	Horizontal	144	2.14	-	33.93	6.97	30.81			
AV	5.35G	53.51	54.00	-0.49	43.45	3	Horizontal	144	2.14	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 99
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5964G	59.29	68.20	-8.91	39.99	3	Vertical	173	2.23	-	38.60	11.19	30.49			
PK	15.9105G	60.10	74.00	-13.90	42.74	3	Vertical	251	2.79	-	37.66	11.87	32.17			
AV	15.90183G	46.72	54.00	-7.28	29.33	3	Vertical	251	2.79	-	37.69	11.87	32.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 99
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59682G	60.51	68.20	-7.69	41.21	3	Horizontal	111	1.88	-	38.60	11.19	30.49			
PK	15.88953G	60.42	74.00	-13.58	43.05	3	Horizontal	25	1.80	-	37.66	11.87	32.16			
AV	15.89037G	47.09	54.00	-6.91	29.72	3	Horizontal	25	1.80	-	37.66	11.87	32.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 89
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3184G	119.35	Inf	-Inf	109.30	3	Vertical	325	2.31	-	33.90	6.98	30.83			
AV	5.3177G	109.13	Inf	-Inf	99.08	3	Vertical	325	2.31	-	33.90	6.98	30.83			
PK	5.352G	67.48	74.00	-6.52	57.42	3	Vertical	325	2.31	-	33.90	6.97	30.81			
AV	5.3526G	53.52	54.00	-0.48	43.45	3	Vertical	325	2.31	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 89
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3212G	117.25	Inf	-Inf	107.20	3	Horizontal	148	2.22	-	33.90	6.98	30.83			
AV	5.3215G	107.45	Inf	-Inf	97.40	3	Horizontal	148	2.22	-	33.90	6.98	30.83			
PK	5.3506G	66.40	74.00	-7.60	56.34	3	Horizontal	148	2.22	-	33.90	6.97	30.81			
AV	5.35G	53.94	54.00	-0.06	43.88	3	Horizontal	148	2.22	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 89
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63388G	59.45	74.00	-14.55	40.20	3	Vertical	280	1.14	-	38.53	11.21	30.49			
AV	10.63508G	46.33	54.00	-7.67	27.08	3	Vertical	280	1.14	-	38.53	11.21	30.49			
PK	15.94578G	58.76	74.00	-15.24	41.57	3	Vertical	160	1.71	-	37.52	11.87	32.20			
AV	15.94656G	46.36	54.00	-7.64	29.18	3	Vertical	160	1.71	-	37.51	11.87	32.20			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 89
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63526G	60.70	74.00	-13.30	41.45	3	Horizontal	92	1.88	-	38.53	11.21	30.49			
AV	10.63469G	46.32	54.00	-7.68	27.07	3	Horizontal	92	1.88	-	38.53	11.21	30.49			
PK	15.9564G	59.69	74.00	-14.31	42.52	3	Horizontal	278	2.84	-	37.50	11.87	32.20			
AV	15.96207G	46.24	54.00	-7.76	29.08	3	Horizontal	278	2.84	-	37.50	11.87	32.21			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 84
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	63.47	74.00	-10.53	53.04	3	Vertical	335	1.06	-	34.02	7.16	30.75			
AV	5.4591G	51.58	54.00	-2.42	41.15	3	Vertical	335	1.06	-	34.02	7.16	30.75			
PK	5.4658G	68.08	68.20	-0.12	57.62	3	Vertical	335	1.06	-	34.03	7.18	30.75			
PK	5.5047G	119.45	Inf	-Inf	108.78	3	Vertical	335	1.06	-	34.09	7.31	30.73			
AV	5.5073G	109.13	Inf	-Inf	98.46	3	Vertical	335	1.06	-	34.09	7.31	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 84
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	62.86	74.00	-11.14	52.43	3	Horizontal	149	1.40	-	34.02	7.16	30.75			
AV	5.4577G	50.82	54.00	-3.18	40.40	3	Horizontal	149	1.40	-	34.02	7.15	30.75			
PK	5.4672G	67.94	68.20	-0.26	57.48	3	Horizontal	149	1.40	-	34.03	7.18	30.75			
PK	5.5061G	116.41	Inf	-Inf	105.74	3	Horizontal	149	1.40	-	34.09	7.31	30.73			
AV	5.5056G	106.75	Inf	-Inf	96.08	3	Horizontal	149	1.40	-	34.09	7.31	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 84
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99988G	59.88	74.00	-14.12	40.32	3	Vertical	211	1.83	-	38.60	11.44	30.48			
AV	10.99871G	46.88	54.00	-7.12	27.32	3	Vertical	211	1.83	-	38.60	11.44	30.48			
PK	16.49346G	61.02	68.20	-7.18	42.21	3	Vertical	287	1.89	-	38.76	12.10	32.05			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 84
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99358G	62.90	74.00	-11.10	43.34	3	Horizontal	95	1.60	-	38.60	11.44	30.48			
AV	10.99907G	49.78	54.00	-4.22	30.22	3	Horizontal	95	1.60	-	38.60	11.44	30.48			
PK	16.49776G	60.69	68.20	-7.51	41.84	3	Horizontal	117	1.75	-	38.79	12.11	32.05			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4474G	61.61	74.00	-12.39	51.25	3	Vertical	336	1.01	-	34.00	7.12	30.76			
AV	5.4474G	49.48	54.00	-4.52	39.12	3	Vertical	336	1.01	-	34.00	7.12	30.76			
PK	5.4681G	62.95	68.20	-5.25	52.48	3	Vertical	336	1.01	-	34.04	7.18	30.75			
PK	5.586G	125.20	Inf	-Inf	114.34	3	Vertical	336	1.01	-	34.00	7.57	30.71			
AV	5.5866G	115.56	Inf	-Inf	104.69	3	Vertical	336	1.01	-	34.00	7.58	30.71			
PK	5.7282G	61.60	68.20	-6.60	50.54	3	Vertical	336	1.01	-	34.00	7.74	30.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	61.93	74.00	-12.07	51.51	3	Horizontal	0	3.00	-	34.02	7.15	30.75			
AV	5.4561G	49.40	54.00	-4.60	38.99	3	Horizontal	0	3.00	-	34.01	7.15	30.75			
PK	5.4633G	63.15	68.20	-5.05	52.70	3	Horizontal	0	3.00	-	34.03	7.17	30.75			
PK	5.5773G	121.29	Inf	-Inf	110.45	3	Horizontal	0	3.00	-	34.00	7.55	30.71			
AV	5.5758G	111.72	Inf	-Inf	100.89	3	Horizontal	0	3.00	-	34.00	7.54	30.71			
PK	5.73G	62.00	68.20	-6.20	50.93	3	Horizontal	0	3.00	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15385G	62.54	74.00	-11.46	42.95	3	Vertical	207	1.80	-	38.60	11.54	30.55			
AV	11.15364G	50.18	54.00	-3.82	30.59	3	Vertical	207	1.80	-	38.60	11.54	30.55			
PK	16.74334G	63.38	68.20	-4.82	43.25	3	Vertical	118	1.68	-	39.99	12.22	32.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15448G	66.28	74.00	-7.72	46.69	3	Horizontal	79	1.80	-	38.60	11.54	30.55			
AV	11.15439G	53.16	54.00	-0.84	33.57	3	Horizontal	79	1.80	-	38.60	11.54	30.55			
PK	16.73252G	62.77	68.20	-5.43	42.66	3	Horizontal	18	1.46	-	39.97	12.22	32.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 70
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7038G	116.49	Inf	-Inf	105.46	3	Vertical	18	2.69	-	34.00	7.71	30.68			
AV	5.7044G	106.35	Inf	-Inf	95.32	3	Vertical	18	2.69	-	34.00	7.71	30.68			
PK	5.7254G	67.85	68.20	-0.35	56.80	3	Vertical	18	2.69	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 70
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6975G	113.14	Inf	-Inf	102.11	3	Horizontal	1	2.97	-	34.00	7.71	30.68			
AV	5.696G	103.25	Inf	-Inf	92.22	3	Horizontal	1	2.97	-	34.00	7.71	30.68			
PK	5.7305G	65.43	68.20	-2.77	54.36	3	Horizontal	1	2.97	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 70
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39301G	61.08	74.00	-12.92	41.26	3	Vertical	54	2.66	-	38.79	11.69	30.66			
AV	11.39313G	47.99	54.00	-6.01	28.17	3	Vertical	54	2.66	-	38.79	11.69	30.66			
PK	17.0919G	63.54	68.20	-4.66	41.82	3	Vertical	169	1.88	-	41.48	12.39	32.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 70
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39361G	61.55	74.00	-12.45	41.73	3	Horizontal	128	1.78	-	38.79	11.69	30.66			
AV	11.39313G	48.01	54.00	-5.99	28.19	3	Horizontal	128	1.78	-	38.79	11.69	30.66			
PK	17.09336G	63.15	68.20	-5.05	41.42	3	Horizontal	70	2.90	-	41.49	12.39	32.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 99
02-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7236G	122.87	Inf	-Inf	111.82	3	Vertical	22	2.69	-	34.00	7.73	30.68			
AV	5.724G	112.57	Inf	-Inf	101.52	3	Vertical	22	2.69	-	34.00	7.73	30.68			
PK	5.8748G	62.55	68.20	-5.65	51.24	3	Vertical	22	2.69	-	34.10	7.85	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 99
02-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7132G	121.06	Inf	-Inf	110.02	3	Horizontal	0	2.17	-	34.00	7.72	30.68			
AV	5.714G	111.14	Inf	-Inf	100.10	3	Horizontal	0	2.17	-	34.00	7.72	30.68			
PK	5.9152G	62.36	68.20	-5.84	50.92	3	Horizontal	0	2.17	-	34.20	7.87	30.63			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 99
02-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43256G	66.23	74.00	-7.77	46.32	3	Vertical	259	2.71	-	38.87	11.72	30.68			
AV	11.4322G	52.94	54.00	-1.06	33.04	3	Vertical	259	2.71	-	38.86	11.72	30.68			
PK	17.16536G	64.25	68.20	-3.95	42.15	3	Vertical	142	1.80	-	41.86	12.42	32.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 99
02-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43364G	67.14	74.00	-6.86	47.23	3	Horizontal	89	1.89	-	38.87	11.72	30.68			
AV	11.43376G	53.92	54.00	-0.08	34.01	3	Horizontal	89	1.89	-	38.87	11.72	30.68			
PK	17.17784G	64.69	68.20	-3.51	42.53	3	Horizontal	347	1.34	-	41.91	12.43	32.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	64.95	68.20	-3.25	53.97	3	Vertical	334	1.03	-	34.00	7.67	30.69			
PK	5.7505G	121.99	Inf	-Inf	110.90	3	Vertical	334	1.03	-	34.00	7.76	30.67			
AV	5.751G	112.34	Inf	-Inf	101.25	3	Vertical	334	1.03	-	34.00	7.76	30.67			
PK	5.99G	62.31	68.20	-5.89	50.72	3	Vertical	334	1.03	-	34.28	7.92	30.61			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.579G	62.09	68.20	-6.11	51.25	3	Horizontal	1	1.97	-	34.00	7.55	30.71			
PK	5.739G	120.87	Inf	-Inf	109.79	3	Horizontal	1	1.97	-	34.00	7.75	30.67			
AV	5.7375G	111.17	Inf	-Inf	100.10	3	Horizontal	1	1.97	-	34.00	7.74	30.67			
PK	5.947G	61.77	68.20	-6.43	50.29	3	Horizontal	1	1.97	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48316G	67.47	74.00	-6.53	47.45	3	Vertical	261	2.69	-	38.97	11.75	30.70			
AV	11.48184G	53.94	54.00	-0.06	33.93	3	Vertical	261	2.69	-	38.96	11.75	30.70			
PK	17.23236G	64.23	68.20	-3.97	41.78	3	Vertical	70	1.17	-	42.19	12.46	32.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48248G	65.28	74.00	-8.72	45.27	3	Horizontal	75	1.80	-	38.96	11.75	30.70			
AV	11.48372G	52.32	54.00	-1.68	32.30	3	Horizontal	75	1.80	-	38.97	11.75	30.70			
PK	17.24548G	64.36	68.20	-3.84	41.84	3	Horizontal	325	1.64	-	42.27	12.46	32.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
02-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6275G	62.94	68.20	-5.26	52.00	3	Vertical	337	2.24	-	34.00	7.64	30.70			
PK	5.791G	123.84	Inf	-Inf	112.63	3	Vertical	337	2.24	-	34.08	7.79	30.66			
AV	5.791G	113.86	Inf	-Inf	102.65	3	Vertical	337	2.24	-	34.08	7.79	30.66			
PK	6.026G	62.69	68.20	-5.51	51.06	3	Vertical	337	2.24	-	34.30	7.97	30.64			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 108
02-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6305G	62.33	68.20	-5.87	51.38	3	Horizontal	1	1.80	-	34.00	7.65	30.70			
PK	5.778G	121.78	Inf	-Inf	110.60	3	Horizontal	1	1.80	-	34.06	7.78	30.66			
AV	5.7775G	112.28	Inf	-Inf	101.11	3	Horizontal	1	1.80	-	34.05	7.78	30.66			
PK	6.0085G	62.23	68.20	-5.97	50.61	3	Horizontal	1	1.80	-	34.30	7.94	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
02-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56156G	65.38	74.00	-8.62	45.19	3	Vertical	262	2.60	-	39.15	11.80	30.76			
AV	11.56136G	51.81	54.00	-2.19	31.62	3	Vertical	262	2.60	-	39.15	11.80	30.76			
PK	17.34368G	66.49	68.20	-1.71	43.26	3	Vertical	357	2.66	-	42.96	12.51	32.24			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
02-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5638G	66.03	74.00	-7.97	45.83	3	Horizontal	157	2.00	-	39.16	11.80	30.76			
AV	11.56404G	52.56	54.00	-1.44	32.36	3	Horizontal	157	2.00	-	39.16	11.80	30.76			
PK	17.37216G	66.93	68.20	-1.27	43.53	3	Horizontal	13	2.42	-	43.13	12.52	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
02-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.614G	62.10	68.20	-6.10	51.17	3	Vertical	191	1.00	-	34.00	7.63	30.70			
PK	5.8235G	120.85	Inf	-Inf	109.63	3	Vertical	191	1.00	-	34.05	7.82	30.65			
AV	5.824G	110.88	Inf	-Inf	99.66	3	Vertical	191	1.00	-	34.05	7.82	30.65			
PK	6.003G	62.36	68.20	-5.84	50.74	3	Vertical	191	1.00	-	34.30	7.93	30.61			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
02-D-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	62.12	68.20	-6.08	51.15	3	Horizontal	359	1.76	-	34.00	7.66	30.69			
PK	5.8175G	120.21	Inf	-Inf	108.99	3	Horizontal	359	1.76	-	34.06	7.81	30.65			
AV	5.818G	110.58	Inf	-Inf	99.36	3	Horizontal	359	1.76	-	34.06	7.81	30.65			
PK	5.9525G	62.57	68.20	-5.63	51.08	3	Horizontal	359	1.76	-	34.21	7.90	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
02-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64568G	65.87	74.00	-8.13	45.54	3	Vertical	261	1.71	-	39.30	11.86	30.83			
AV	11.647G	51.95	54.00	-2.05	31.62	3	Vertical	261	1.71	-	39.30	11.86	30.83			
PK	17.48512G	66.24	68.20	-1.96	41.90	3	Vertical	96	1.29	-	44.05	12.58	32.29			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
02-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64312G	66.25	74.00	-7.75	45.93	3	Horizontal	161	2.01	-	39.30	11.85	30.83			
AV	11.64252G	53.00	54.00	-1.00	32.68	3	Horizontal	161	2.01	-	39.30	11.85	30.83			
PK	17.47456G	66.23	68.20	-1.97	42.00	3	Horizontal	331	2.57	-	43.95	12.57	32.29			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 80
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	66.77	74.00	-7.23	57.13	3	Vertical	319	1.07	-	33.60	6.97	30.93			
AV	5.15G	53.95	54.00	-0.05	44.30	3	Vertical	319	1.07	-	33.60	6.98	30.93			
PK	5.1862G	118.52	Inf	-Inf	108.76	3	Vertical	319	1.07	-	33.67	7.00	30.91			
AV	5.176G	106.65	Inf	-Inf	96.92	3	Vertical	319	1.07	-	33.65	6.99	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 80
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	68.78	74.00	-5.22	59.13	3	Horizontal	333	2.73	-	33.60	6.98	30.93			
AV	5.1485G	52.81	54.00	-1.19	43.16	3	Horizontal	333	2.73	-	33.60	6.98	30.93			
PK	5.1786G	118.71	Inf	-Inf	108.96	3	Horizontal	333	2.73	-	33.66	7.00	30.91			
AV	5.1836G	105.11	Inf	-Inf	95.35	3	Horizontal	333	2.73	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 80
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36468G	57.75	68.20	-10.45	38.66	3	Vertical	59	1.51	-	38.57	11.04	30.52			
PK	15.54984G	60.31	74.00	-13.69	42.40	3	Vertical	334	1.16	-	38.00	11.85	31.94			
AV	15.55458G	47.29	54.00	-6.71	29.39	3	Vertical	334	1.16	-	37.99	11.85	31.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 80
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35004G	58.36	68.20	-9.84	39.26	3	Horizontal	15	2.17	-	38.60	11.03	30.53			
PK	15.54755G	60.41	74.00	-13.59	42.50	3	Horizontal	136	2.62	-	38.00	11.85	31.94			
AV	15.54117G	47.20	54.00	-6.80	29.27	3	Horizontal	136	2.62	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 99
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	71.91	74.00	-2.09	62.26	3	Vertical	333	2.73	-	33.60	6.98	30.93			
AV	5.148G	53.78	54.00	-0.22	44.13	3	Vertical	333	2.73	-	33.60	6.98	30.93			
PK	5.1986G	120.57	Inf	-Inf	110.76	3	Vertical	333	2.73	-	33.70	7.01	30.90			
AV	5.1932G	108.96	Inf	-Inf	99.16	3	Vertical	333	2.73	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 99
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	70.91	74.00	-3.09	61.27	3	Horizontal	0	2.36	-	33.60	6.97	30.93			
AV	5.1462G	53.85	54.00	-0.15	44.20	3	Horizontal	0	2.36	-	33.60	6.98	30.93			
PK	5.2016G	121.24	Inf	-Inf	111.43	3	Horizontal	0	2.36	-	33.70	7.01	30.90			
AV	5.2018G	109.73	Inf	-Inf	99.92	3	Horizontal	0	2.36	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 99
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40027G	58.12	68.20	-10.08	39.07	3	Vertical	159	2.44	-	38.50	11.06	30.51			
PK	15.61179G	60.41	74.00	-13.59	42.69	3	Vertical	78	1.48	-	37.85	11.85	31.98			
AV	15.60867G	47.49	54.00	-6.51	29.75	3	Vertical	78	1.48	-	37.87	11.85	31.98			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 99
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38587G	58.26	68.20	-9.94	39.19	3	Horizontal	149	2.26	-	38.53	11.06	30.52			
PK	15.59889G	60.78	74.00	-13.22	43.00	3	Horizontal	112	2.19	-	37.90	11.85	31.97			
AV	15.59178G	47.52	54.00	-6.48	29.72	3	Horizontal	112	2.19	-	37.92	11.85	31.97			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1338G	68.83	74.00	-5.17	59.20	3	Vertical	24	2.95	-	33.60	6.97	30.94			
AV	5.1488G	50.14	54.00	-3.86	40.49	3	Vertical	24	2.95	-	33.60	6.98	30.93			
PK	5.2442G	124.77	Inf	-Inf	114.85	3	Vertical	24	2.95	-	33.79	7.00	30.87			
AV	5.2385G	114.08	Inf	-Inf	104.18	3	Vertical	24	2.95	-	33.78	7.00	30.88			
PK	5.3531G	65.80	74.00	-8.20	55.73	3	Vertical	24	2.95	-	33.91	6.97	30.81			
AV	5.3786G	49.64	54.00	-4.36	39.51	3	Vertical	24	2.95	-	33.96	6.97	30.80			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1395G	68.57	74.00	-5.43	58.93	3	Horizontal	148	2.17	-	33.60	6.97	30.93			
AV	5.1497G	50.19	54.00	-3.81	40.54	3	Horizontal	148	2.17	-	33.60	6.98	30.93			
PK	5.2451G	123.26	Inf	-Inf	113.34	3	Horizontal	148	2.17	-	33.79	7.00	30.87			
AV	5.2454G	111.79	Inf	-Inf	101.87	3	Horizontal	148	2.17	-	33.79	7.00	30.87			
PK	5.3504G	67.37	74.00	-6.63	57.31	3	Horizontal	148	2.17	-	33.90	6.97	30.81			
AV	5.3507G	50.21	54.00	-3.79	40.15	3	Horizontal	148	2.17	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47232G	57.91	68.20	-10.29	38.86	3	Vertical	20	1.16	-	38.44	11.11	30.50			
PK	15.71478G	60.00	74.00	-14.00	42.62	3	Vertical	347	1.92	-	37.57	11.86	32.05			
AV	15.71849G	48.79	54.00	-5.21	31.42	3	Vertical	347	1.92	-	37.56	11.86	32.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4797G	58.05	68.20	-10.15	38.97	3	Horizontal	242	1.99	-	38.46	11.11	30.49			
PK	15.73038G	59.96	74.00	-14.04	42.62	3	Horizontal	326	1.51	-	37.54	11.86	32.06			
AV	15.73665G	49.54	54.00	-4.46	32.21	3	Horizontal	326	1.51	-	37.53	11.86	32.06			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	67.91	74.00	-6.09	58.26	3	Vertical	21	2.42	-	33.60	6.98	30.93			
AV	5.1466G	49.33	54.00	-4.67	39.68	3	Vertical	21	2.42	-	33.60	6.98	30.93			
PK	5.2519G	125.01	Inf	-Inf	115.08	3	Vertical	21	2.42	-	33.80	7.00	30.87			
AV	5.2567G	113.78	Inf	-Inf	103.84	3	Vertical	21	2.42	-	33.81	7.00	30.87			
PK	5.35G	70.07	74.00	-3.93	60.01	3	Vertical	21	2.42	-	33.90	6.97	30.81			
AV	5.35G	50.76	54.00	-3.24	40.70	3	Vertical	21	2.42	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	64.17	74.00	-9.83	54.52	3	Horizontal	155	2.03	-	33.60	6.98	30.93			
AV	5.1481G	48.93	54.00	-5.07	39.28	3	Horizontal	155	2.03	-	33.60	6.98	30.93			
PK	5.2552G	121.24	Inf	-Inf	111.30	3	Horizontal	155	2.03	-	33.81	7.00	30.87			
AV	5.2651G	110.93	Inf	-Inf	100.97	3	Horizontal	155	2.03	-	33.83	6.99	30.86			
PK	5.3602G	69.83	74.00	-4.17	59.75	3	Horizontal	155	2.03	-	33.92	6.97	30.81			
AV	5.35G	51.02	54.00	-2.98	40.96	3	Horizontal	155	2.03	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51058G	57.82	68.20	-10.38	38.66	3	Vertical	147	2.74	-	38.52	11.13	30.49			
PK	15.78594G	59.78	74.00	-14.22	42.58	3	Vertical	22	1.04	-	37.43	11.86	32.09			
AV	15.77265G	46.95	54.00	-7.05	29.72	3	Vertical	22	1.04	-	37.45	11.86	32.08			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53146G	58.42	68.20	-9.78	39.20	3	Horizontal	27	2.43	-	38.56	11.15	30.49			
PK	15.79047G	59.50	74.00	-14.50	42.32	3	Horizontal	224	2.08	-	37.42	11.86	32.10			
AV	15.76788G	48.25	54.00	-5.75	31.01	3	Horizontal	224	2.08	-	37.46	11.86	32.08			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 95
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3052G	121.48	Inf	-Inf	111.44	3	Vertical	334	2.67	-	33.90	6.98	30.84			
AV	5.3052G	110.85	Inf	-Inf	100.81	3	Vertical	334	2.67	-	33.90	6.98	30.84			
PK	5.3502G	66.27	74.00	-7.73	56.21	3	Vertical	334	2.67	-	33.90	6.97	30.81			
AV	5.3502G	53.77	54.00	-0.23	43.71	3	Vertical	334	2.67	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 95
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2956G	120.12	Inf	-Inf	110.08	3	Horizontal	146	2.21	-	33.89	6.99	30.84			
AV	5.2954G	108.78	Inf	-Inf	98.74	3	Horizontal	146	2.21	-	33.89	6.99	30.84			
PK	5.3522G	72.42	74.00	-1.58	62.36	3	Horizontal	146	2.21	-	33.90	6.97	30.81			
AV	5.3506G	53.45	54.00	-0.55	43.39	3	Horizontal	146	2.21	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 95
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6048G	57.94	74.00	-16.06	38.65	3	Vertical	279	2.21	-	38.59	11.19	30.49			
PK	15.90555G	59.70	74.00	-14.30	42.32	3	Vertical	175	1.95	-	37.68	11.87	32.17			
AV	15.88509G	47.72	54.00	-6.28	30.38	3	Vertical	175	1.95	-	37.64	11.86	32.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 95
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58797G	58.29	68.20	-9.91	39.00	3	Horizontal	9	2.76	-	38.60	11.18	30.49			
PK	15.91176G	59.72	74.00	-14.28	42.37	3	Horizontal	175	2.83	-	37.65	11.87	32.17			
AV	15.89703G	48.77	54.00	-5.23	31.37	3	Horizontal	175	2.83	-	37.69	11.87	32.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 84
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3236G	119.71	Inf	-Inf	109.66	3	Vertical	25	3.00	-	33.90	6.98	30.83			
AV	5.3288G	107.78	Inf	-Inf	97.73	3	Vertical	25	3.00	-	33.90	6.98	30.83			
PK	5.3531G	66.61	74.00	-7.39	56.54	3	Vertical	25	3.00	-	33.91	6.97	30.81			
AV	5.35G	53.63	54.00	-0.37	43.57	3	Vertical	25	3.00	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 84
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3206G	116.71	Inf	-Inf	106.66	3	Horizontal	143	2.00	-	33.90	6.98	30.83			
AV	5.3252G	105.63	Inf	-Inf	95.58	3	Horizontal	143	2.00	-	33.90	6.98	30.83			
PK	5.3509G	66.54	74.00	-7.46	56.48	3	Horizontal	143	2.00	-	33.90	6.97	30.81			
AV	5.3509G	53.87	54.00	-0.13	43.81	3	Horizontal	143	2.00	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 84
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63397G	57.50	74.00	-16.50	38.25	3	Vertical	327	2.94	-	38.53	11.21	30.49			
AV	10.62638G	45.11	54.00	-8.89	25.84	3	Vertical	327	2.94	-	38.55	11.21	30.49			
PK	15.94608G	59.36	74.00	-14.64	42.17	3	Vertical	257	1.40	-	37.52	11.87	32.20			
AV	15.96399G	46.12	54.00	-7.88	28.96	3	Vertical	257	1.40	-	37.50	11.87	32.21			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 84
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6259G	57.55	74.00	-16.45	38.28	3	Horizontal	118	1.14	-	38.55	11.21	30.49			
AV	10.6295G	45.14	54.00	-8.86	25.88	3	Horizontal	118	1.14	-	38.54	11.21	30.49			
PK	15.94629G	58.92	74.00	-15.08	41.74	3	Horizontal	257	1.22	-	37.51	11.87	32.20			
AV	15.9573G	46.02	54.00	-7.98	28.85	3	Horizontal	257	1.22	-	37.50	11.87	32.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 81
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	64.56	74.00	-9.44	54.15	3	Vertical	38	2.48	-	34.01	7.15	30.75			
AV	5.4568G	51.37	54.00	-2.63	40.96	3	Vertical	38	2.48	-	34.01	7.15	30.75			
PK	5.4612G	67.96	68.20	-0.24	57.53	3	Vertical	38	2.48	-	34.02	7.16	30.75			
PK	5.4915G	117.87	Inf	-Inf	107.26	3	Vertical	38	2.48	-	34.08	7.26	30.73			
AV	5.4966G	106.48	Inf	-Inf	95.84	3	Vertical	38	2.48	-	34.09	7.28	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 81
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	65.89	74.00	-8.11	55.46	3	Horizontal	6	2.30	-	34.02	7.16	30.75			
AV	5.4596G	52.01	54.00	-1.99	41.58	3	Horizontal	6	2.30	-	34.02	7.16	30.75			
PK	5.4674G	68.10	68.20	-0.10	57.64	3	Horizontal	6	2.30	-	34.03	7.18	30.75			
PK	5.497G	119.06	Inf	-Inf	108.42	3	Horizontal	6	2.30	-	34.09	7.28	30.73			
AV	5.4922G	106.02	Inf	-Inf	95.41	3	Horizontal	6	2.30	-	34.08	7.26	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 81
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98839G	58.55	74.00	-15.45	38.99	3	Vertical	153	2.03	-	38.60	11.44	30.48			
AV	11.00006G	45.99	54.00	-8.01	26.42	3	Vertical	153	2.03	-	38.60	11.45	30.48			
PK	16.48803G	61.83	68.20	-6.37	43.05	3	Vertical	269	1.88	-	38.73	12.10	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 81
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01227G	58.55	74.00	-15.45	38.99	3	Horizontal	87	2.02	-	38.60	11.45	30.49			
AV	11.00147G	45.96	54.00	-8.04	26.39	3	Horizontal	87	2.02	-	38.60	11.45	30.48			
PK	16.50126G	61.23	68.20	-6.97	42.36	3	Horizontal	351	2.60	-	38.81	12.11	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	63.84	74.00	-10.16	53.42	3	Vertical	340	1.00	-	34.02	7.15	30.75			
AV	5.46G	50.22	54.00	-3.78	39.79	3	Vertical	340	1.00	-	34.02	7.16	30.75			
PK	5.4684G	65.47	68.20	-2.73	54.99	3	Vertical	340	1.00	-	34.04	7.19	30.75			
PK	5.5836G	126.52	Inf	-Inf	115.66	3	Vertical	340	1.00	-	34.00	7.57	30.71			
AV	5.5836G	114.75	Inf	-Inf	103.89	3	Vertical	340	1.00	-	34.00	7.57	30.71			
PK	5.727G	63.30	68.20	-4.90	52.25	3	Vertical	340	1.00	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4549G	62.33	74.00	-11.67	51.94	3	Horizontal	6	3.00	-	34.01	7.14	30.76			
AV	5.46G	49.52	54.00	-4.48	39.09	3	Horizontal	6	3.00	-	34.02	7.16	30.75			
PK	5.4651G	64.33	68.20	-3.87	53.88	3	Horizontal	6	3.00	-	34.03	7.17	30.75			
PK	5.577G	121.69	Inf	-Inf	110.86	3	Horizontal	6	3.00	-	34.00	7.54	30.71			
AV	5.5722G	111.39	Inf	-Inf	100.57	3	Horizontal	6	3.00	-	34.00	7.53	30.71			
PK	5.7264G	61.85	68.20	-6.35	50.80	3	Horizontal	6	3.00	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 108
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14875G	61.42	74.00	-12.58	41.83	3	Vertical	95	2.62	-	38.60	11.54	30.55			
AV	11.15895G	48.63	54.00	-5.37	29.03	3	Vertical	95	2.62	-	38.60	11.55	30.55			
PK	16.75347G	62.69	68.20	-5.51	42.53	3	Vertical	176	2.28	-	40.02	12.23	32.09			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 108
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15679G	65.57	74.00	-8.43	45.98	3	Horizontal	78	1.80	-	38.60	11.54	30.55			
AV	11.15658G	52.90	54.00	-1.10	33.31	3	Horizontal	78	1.80	-	38.60	11.54	30.55			
PK	16.72833G	63.24	68.20	-4.96	43.14	3	Horizontal	36	2.22	-	39.96	12.22	32.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 68
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6968G	115.82	Inf	-Inf	104.79	3	Vertical	269	1.32	-	34.00	7.71	30.68			
AV	5.7069G	103.84	Inf	-Inf	92.80	3	Vertical	269	1.32	-	34.00	7.72	30.68			
PK	5.7268G	68.17	68.20	-0.03	57.12	3	Vertical	269	1.32	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 68
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7043G	115.28	Inf	-Inf	104.25	3	Horizontal	0	2.58	-	34.00	7.71	30.68			
AV	5.7039G	102.65	Inf	-Inf	91.62	3	Horizontal	0	2.58	-	34.00	7.71	30.68			
PK	5.734G	66.88	68.20	-1.32	55.81	3	Horizontal	0	2.58	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 68
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40981G	59.54	74.00	-14.46	39.68	3	Vertical	194	1.87	-	38.82	11.71	30.67			
AV	11.40711G	46.39	54.00	-7.61	26.55	3	Vertical	194	1.87	-	38.81	11.70	30.67			
PK	17.1102G	64.00	68.20	-4.20	42.20	3	Vertical	105	1.19	-	41.56	12.40	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 68
02-D-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40669G	61.35	74.00	-12.65	41.51	3	Horizontal	127	1.78	-	38.81	11.70	30.67			
AV	11.40632G	47.90	54.00	-6.10	28.06	3	Horizontal	127	1.78	-	38.81	11.70	30.67			
PK	17.10705G	63.36	68.20	-4.84	41.58	3	Horizontal	219	1.49	-	41.54	12.40	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.716G	121.20	Inf	-Inf	126.80	3	Vertical	107	2.57	-	32.03	5.56	43.19			
AV	5.716G	111.18	Inf	-Inf	116.78	3	Vertical	107	2.57	-	32.03	5.56	43.19			
PK	5.8544G	58.59	68.20	-9.61	63.88	3	Vertical	107	2.57	-	32.22	5.60	43.11			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7232G	121.60	Inf	-Inf	127.18	3	Horizontal	344	2.95	-	32.05	5.56	43.19			
AV	5.7236G	111.37	Inf	-Inf	116.94	3	Horizontal	344	2.95	-	32.05	5.56	43.18			
PK	5.854G	57.82	68.20	-10.38	63.11	3	Horizontal	344	2.95	-	32.22	5.60	43.11			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43883G	61.24	74.00	-12.76	53.98	3	Vertical	264	2.75	-	39.92	10.42	43.08			
AV	11.43883G	50.31	54.00	-3.69	43.05	3	Vertical	264	2.75	-	39.92	10.42	43.08			
PK	17.16333G	62.40	68.20	-5.80	47.90	3	Vertical	24	1.80	-	40.43	16.35	42.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43643G	64.29	74.00	-9.71	57.02	3	Horizontal	67	1.80	-	39.93	10.42	43.08			
AV	11.43652G	52.92	54.00	-1.08	45.65	3	Horizontal	67	1.80	-	39.93	10.42	43.08			
PK	17.16891G	62.21	68.20	-5.99	47.70	3	Horizontal	11	1.42	-	40.44	16.35	42.28			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	68.06	68.20	-0.14	73.94	3	Vertical	218	1.00	-	31.80	5.55	43.23			
PK	5.75G	121.92	Inf	-Inf	127.43	3	Vertical	218	1.00	-	32.10	5.56	43.17			
AV	5.75G	112.36	Inf	-Inf	117.87	3	Vertical	218	1.00	-	32.10	5.56	43.17			
PK	5.9755G	54.19	68.20	-14.01	59.11	3	Vertical	218	1.00	-	32.45	5.67	43.04			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	66.23	68.20	-1.97	72.11	3	Horizontal	345	1.36	-	31.80	5.55	43.23			
PK	5.7405G	121.86	Inf	-Inf	127.40	3	Horizontal	345	1.36	-	32.08	5.56	43.18			
AV	5.75G	110.80	Inf	-Inf	116.31	3	Horizontal	345	1.36	-	32.10	5.56	43.17			
PK	5.9715G	54.19	68.20	-14.01	59.13	3	Horizontal	345	1.36	-	32.44	5.67	43.05			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48922G	60.26	74.00	-13.74	52.92	3	Vertical	103	1.80	-	40.06	10.46	43.18			
AV	11.48892G	46.96	54.00	-7.04	39.62	3	Vertical	103	1.80	-	40.06	10.46	43.18			
PK	17.22717G	62.67	68.20	-5.53	48.02	3	Vertical	100	1.91	-	40.55	16.37	42.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49159G	64.31	74.00	-9.69	56.96	3	Horizontal	66	1.80	-	40.07	10.46	43.18			
AV	11.49165G	52.45	54.00	-1.55	45.10	3	Horizontal	66	1.80	-	40.07	10.46	43.18			
PK	17.24823G	61.18	68.20	-7.02	46.47	3	Horizontal	40	1.48	-	40.60	16.38	42.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	59.41	68.20	-8.79	65.29	3	Vertical	202	2.46	-	31.80	5.55	43.23			
PK	5.776G	121.98	Inf	-Inf	127.43	3	Vertical	202	2.46	-	32.15	5.56	43.16			
AV	5.781G	112.63	Inf	-Inf	118.06	3	Vertical	202	2.46	-	32.16	5.56	43.15			
PK	5.9665G	54.66	68.20	-13.54	59.61	3	Vertical	202	2.46	-	32.43	5.67	43.05			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	60.33	68.20	-7.87	66.26	3	Horizontal	11	2.74	-	31.76	5.55	43.24			
PK	5.78G	120.81	Inf	-Inf	126.24	3	Horizontal	11	2.74	-	32.16	5.56	43.15			
AV	5.7795G	111.05	Inf	-Inf	116.48	3	Horizontal	11	2.74	-	32.16	5.56	43.15			
PK	6.0225G	54.62	68.20	-13.58	59.38	3	Horizontal	11	2.74	-	32.55	5.71	43.02			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56379G	56.55	74.00	-17.45	49.22	3	Vertical	262	2.08	-	39.97	10.52	43.16			
AV	11.56403G	45.07	54.00	-8.93	37.74	3	Vertical	262	2.08	-	39.97	10.52	43.16			
PK	17.36823G	62.20	68.20	-6.00	46.65	3	Vertical	271	1.18	-	41.38	16.43	42.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56379G	59.22	74.00	-14.78	51.89	3	Horizontal	61	1.80	-	39.97	10.52	43.16			
AV	11.56655G	47.53	54.00	-6.47	40.20	3	Horizontal	61	1.80	-	39.97	10.52	43.16			
PK	17.3532G	62.48	68.20	-5.72	47.09	3	Horizontal	57	1.99	-	41.23	16.42	42.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.636G	56.44	68.20	-11.76	62.35	3	Vertical	220	1.00	-	31.77	5.55	43.23			
PK	5.83G	120.95	Inf	-Inf	126.30	3	Vertical	220	1.00	-	32.20	5.58	43.13			
AV	5.83G	110.88	Inf	-Inf	116.23	3	Vertical	220	1.00	-	32.20	5.58	43.13			
PK	6.057G	54.97	68.20	-13.23	59.64	3	Vertical	220	1.00	-	32.59	5.75	43.01			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5835G	55.14	68.20	-13.06	61.12	3	Horizontal	227	2.08	-	31.73	5.55	43.26			
PK	5.829G	119.94	Inf	-Inf	125.29	3	Horizontal	227	2.08	-	32.20	5.58	43.13			
AV	5.819G	110.68	Inf	-Inf	116.04	3	Horizontal	227	2.08	-	32.20	5.57	43.13			
PK	6.0355G	54.75	68.20	-13.45	59.47	3	Horizontal	227	2.08	-	32.57	5.73	43.02			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65396G	56.80	74.00	-17.20	49.62	3	Vertical	265	2.12	-	39.69	10.59	43.10			
AV	11.65423G	45.71	54.00	-8.29	38.53	3	Vertical	265	2.12	-	39.69	10.59	43.10			
PK	17.4888G	64.80	68.20	-3.40	48.16	3	Vertical	178	1.48	-	42.41	16.48	42.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66146G	60.60	74.00	-13.40	53.43	3	Horizontal	62	1.80	-	39.68	10.59	43.10			
AV	11.65159G	49.37	54.00	-4.63	42.20	3	Horizontal	62	1.80	-	39.70	10.58	43.11			
PK	17.47452G	64.35	68.20	-3.85	47.83	3	Horizontal	45	1.00	-	42.30	16.47	42.25			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 74
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.32	74.00	-8.68	55.67	3	Vertical	26	3.00	-	33.60	6.98	30.93			
AV	5.1488G	53.56	54.00	-0.44	43.91	3	Vertical	26	3.00	-	33.60	6.98	30.93			
PK	5.1942G	115.46	Inf	-Inf	105.66	3	Vertical	26	3.00	-	33.69	7.01	30.90			
AV	5.199G	104.49	Inf	-Inf	94.68	3	Vertical	26	3.00	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 74
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	63.00	74.00	-11.00	53.35	3	Horizontal	0	2.38	-	33.60	6.98	30.93			
AV	5.147G	51.15	54.00	-2.85	41.50	3	Horizontal	0	2.38	-	33.60	6.98	30.93			
PK	5.2066G	112.96	Inf	-Inf	103.13	3	Horizontal	0	2.38	-	33.71	7.01	30.89			
AV	5.2066G	100.98	Inf	-Inf	91.15	3	Horizontal	0	2.38	-	33.71	7.01	30.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 74
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36524G	58.20	68.20	-10.00	39.11	3	Vertical	229	1.80	-	38.57	11.04	30.52			
PK	15.56175G	60.35	74.00	-13.65	42.47	3	Vertical	338	2.08	-	37.98	11.85	31.95			
AV	15.57837G	48.34	54.00	-5.66	30.51	3	Vertical	338	2.08	-	37.94	11.85	31.96			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 74
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36992G	58.48	68.20	-9.72	39.40	3	Horizontal	110	1.75	-	38.56	11.04	30.52			
PK	15.57579G	60.33	74.00	-13.67	42.49	3	Horizontal	160	1.87	-	37.95	11.85	31.96			
AV	15.55953G	48.28	54.00	-5.72	30.40	3	Horizontal	160	1.87	-	37.98	11.85	31.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 93
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	65.50	74.00	-8.50	55.85	3	Vertical	24	2.94	-	33.60	6.98	30.93			
AV	5.1493G	53.22	54.00	-0.78	43.57	3	Vertical	24	2.94	-	33.60	6.98	30.93			
PK	5.239G	120.04	Inf	-Inf	110.14	3	Vertical	24	2.94	-	33.78	7.00	30.88			
AV	5.239G	108.87	Inf	-Inf	98.97	3	Vertical	24	2.94	-	33.78	7.00	30.88			
PK	5.3695G	64.33	74.00	-9.67	54.22	3	Vertical	24	2.94	-	33.94	6.97	30.80			
AV	5.3539G	51.57	54.00	-2.43	41.50	3	Vertical	24	2.94	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 93
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1469G	64.33	74.00	-9.67	54.68	3	Horizontal	3	2.66	-	33.60	6.98	30.93			
AV	5.1472G	52.60	54.00	-1.40	42.95	3	Horizontal	3	2.66	-	33.60	6.98	30.93			
PK	5.242G	117.86	Inf	-Inf	107.95	3	Horizontal	3	2.66	-	33.78	7.00	30.87			
AV	5.2372G	105.80	Inf	-Inf	95.91	3	Horizontal	3	2.66	-	33.77	7.00	30.88			
PK	5.3524G	62.70	74.00	-11.30	52.64	3	Horizontal	3	2.66	-	33.90	6.97	30.81			
AV	5.35G	51.12	54.00	-2.88	41.06	3	Horizontal	3	2.66	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 93
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46363G	58.83	68.20	-9.37	39.80	3	Vertical	89	1.78	-	38.43	11.10	30.50			
PK	15.7023G	60.35	74.00	-13.65	42.93	3	Vertical	81	1.45	-	37.60	11.86	32.04			
AV	15.69771G	48.27	54.00	-5.73	30.85	3	Vertical	81	1.45	-	37.60	11.86	32.04			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 93
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4708G	58.67	68.20	-9.53	39.62	3	Horizontal	92	1.75	-	38.44	11.11	30.50			
PK	15.6972G	60.51	74.00	-13.49	43.08	3	Horizontal	190	1.64	-	37.61	11.86	32.04			
AV	15.69144G	48.05	54.00	-5.95	30.60	3	Horizontal	190	1.64	-	37.62	11.86	32.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1272G	61.56	74.00	-12.44	51.94	3	Vertical	19	2.92	-	33.60	6.96	30.94			
AV	5.1428G	50.09	54.00	-3.91	40.45	3	Vertical	19	2.92	-	33.60	6.97	30.93			
PK	5.2733G	119.65	Inf	-Inf	109.67	3	Vertical	19	2.92	-	33.85	6.99	30.86			
AV	5.2736G	107.11	Inf	-Inf	97.13	3	Vertical	19	2.92	-	33.85	6.99	30.86			
PK	5.3645G	65.28	74.00	-8.72	55.19	3	Vertical	19	2.92	-	33.93	6.97	30.81			
AV	5.354G	53.96	54.00	-0.04	43.89	3	Vertical	19	2.92	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1443G	60.55	74.00	-13.45	50.91	3	Horizontal	153	2.14	-	33.60	6.97	30.93			
AV	5.1467G	49.54	54.00	-4.46	39.89	3	Horizontal	153	2.14	-	33.60	6.98	30.93			
PK	5.2853G	116.43	Inf	-Inf	106.42	3	Horizontal	153	2.14	-	33.87	6.99	30.85			
AV	5.2751G	104.76	Inf	-Inf	94.78	3	Horizontal	153	2.14	-	33.85	6.99	30.86			
PK	5.351G	64.75	74.00	-9.25	54.69	3	Horizontal	153	2.14	-	33.90	6.97	30.81			
AV	5.3507G	52.83	54.00	-1.17	42.77	3	Horizontal	153	2.14	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53286G	58.51	68.20	-9.69	39.28	3	Vertical	175	2.04	-	38.57	11.15	30.49			
PK	15.81114G	59.71	74.00	-14.29	42.54	3	Vertical	286	1.80	-	37.42	11.86	32.11			
AV	15.82119G	47.57	54.00	-6.43	30.39	3	Vertical	286	1.80	-	37.44	11.86	32.12			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 90
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54564G	58.52	68.20	-9.68	39.26	3	Horizontal	93	1.75	-	38.59	11.16	30.49			
PK	15.81117G	60.13	74.00	-13.87	42.96	3	Horizontal	274	3.00	-	37.42	11.86	32.11			
AV	15.79908G	47.65	54.00	-6.35	30.49	3	Horizontal	274	3.00	-	37.40	11.86	32.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3086G	115.13	Inf	-Inf	105.09	3	Vertical	21	2.89	-	33.90	6.98	30.84			
AV	5.3038G	103.52	Inf	-Inf	93.48	3	Vertical	21	2.89	-	33.90	6.98	30.84			
PK	5.354G	64.49	74.00	-9.51	54.42	3	Vertical	21	2.89	-	33.91	6.97	30.81			
AV	5.354G	52.93	54.00	-1.07	42.86	3	Vertical	21	2.89	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3206G	113.13	Inf	-Inf	103.08	3	Horizontal	143	2.20	-	33.90	6.98	30.83			
AV	5.3206G	101.46	Inf	-Inf	91.41	3	Horizontal	143	2.20	-	33.90	6.98	30.83			
PK	5.351G	65.60	74.00	-8.40	55.54	3	Horizontal	143	2.20	-	33.90	6.97	30.81			
AV	5.3508G	53.49	54.00	-0.51	43.43	3	Horizontal	143	2.20	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60644G	58.53	74.00	-15.47	39.23	3	Vertical	234	1.07	-	38.59	11.20	30.49			
AV	10.62243G	45.83	54.00	-8.17	26.55	3	Vertical	234	1.07	-	38.56	11.21	30.49			
PK	15.91758G	59.07	74.00	-14.93	41.75	3	Vertical	137	1.95	-	37.63	11.87	32.18			
AV	15.9339G	47.07	54.00	-6.93	29.83	3	Vertical	137	1.95	-	37.56	11.87	32.19			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 77
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60908G	58.66	74.00	-15.34	39.37	3	Horizontal	135	1.80	-	38.58	11.20	30.49			
AV	10.62828G	45.75	54.00	-8.25	26.49	3	Horizontal	135	1.80	-	38.54	11.21	30.49			
PK	15.9204G	59.42	74.00	-14.58	42.11	3	Horizontal	83	1.11	-	37.62	11.87	32.18			
AV	15.91791G	47.10	54.00	-6.90	29.78	3	Horizontal	83	1.11	-	37.63	11.87	32.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 75
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	63.50	74.00	-10.50	53.07	3	Vertical	269	1.91	-	34.02	7.16	30.75			
AV	5.459G	52.71	54.00	-1.29	42.29	3	Vertical	269	1.91	-	34.02	7.15	30.75			
PK	5.4694G	67.71	68.20	-0.49	57.23	3	Vertical	269	1.91	-	34.04	7.19	30.75			
PK	5.5192G	114.97	Inf	-Inf	104.29	3	Vertical	269	1.91	-	34.06	7.35	30.73			
AV	5.5146G	102.95	Inf	-Inf	92.27	3	Vertical	269	1.91	-	34.07	7.34	30.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 75
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	63.65	74.00	-10.35	53.23	3	Horizontal	360	2.30	-	34.02	7.15	30.75			
AV	5.4566G	52.15	54.00	-1.85	41.74	3	Horizontal	360	2.30	-	34.01	7.15	30.75			
PK	5.4662G	66.17	68.20	-2.03	55.71	3	Horizontal	360	2.30	-	34.03	7.18	30.75			
PK	5.4968G	113.36	Inf	-Inf	102.72	3	Horizontal	360	2.30	-	34.09	7.28	30.73			
AV	5.4968G	102.57	Inf	-Inf	91.93	3	Horizontal	360	2.30	-	34.09	7.28	30.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 75
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01427G	58.70	74.00	-15.30	39.14	3	Vertical	86	2.92	-	38.60	11.45	30.49			
AV	11.01697G	46.46	54.00	-7.54	26.89	3	Vertical	86	2.92	-	38.60	11.46	30.49			
PK	16.52358G	61.40	68.20	-6.80	42.34	3	Vertical	240	1.38	-	38.99	12.12	32.05			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 75
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02405G	59.60	74.00	-14.40	40.03	3	Horizontal	80	1.80	-	38.60	11.46	30.49			
AV	11.02708G	46.87	54.00	-7.13	27.30	3	Horizontal	80	1.80	-	38.60	11.46	30.49			
PK	16.53696G	61.04	68.20	-7.16	41.87	3	Horizontal	96	1.30	-	39.10	12.13	32.06			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 84
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4543G	64.64	74.00	-9.36	54.25	3	Vertical	340	1.02	-	34.01	7.14	30.76			
AV	5.4582G	53.04	54.00	-0.96	42.62	3	Vertical	340	1.02	-	34.02	7.15	30.75			
PK	5.4681G	66.68	68.20	-1.52	56.21	3	Vertical	340	1.02	-	34.04	7.18	30.75			
PK	5.5533G	118.78	Inf	-Inf	108.03	3	Vertical	340	1.02	-	34.00	7.47	30.72			
AV	5.5584G	106.12	Inf	-Inf	95.36	3	Vertical	340	1.02	-	34.00	7.48	30.72			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 84
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4519G	64.31	74.00	-9.69	53.94	3	Horizontal	11	3.00	-	34.00	7.13	30.76			
AV	5.4573G	52.69	54.00	-1.31	42.28	3	Horizontal	11	3.00	-	34.01	7.15	30.75			
PK	5.4651G	64.97	68.20	-3.23	54.52	3	Horizontal	11	3.00	-	34.03	7.17	30.75			
PK	5.5425G	117.53	Inf	-Inf	106.80	3	Horizontal	11	3.00	-	34.02	7.43	30.72			
AV	5.5674G	105.26	Inf	-Inf	94.46	3	Horizontal	11	3.00	-	34.00	7.51	30.71			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 84
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.094G	59.84	74.00	-14.16	40.26	3	Vertical	206	1.80	-	38.60	11.50	30.52			
AV	11.11152G	47.41	54.00	-6.59	27.82	3	Vertical	206	1.80	-	38.60	11.52	30.53			
PK	16.63746G	62.64	68.20	-5.56	42.79	3	Vertical	214	1.79	-	39.75	12.17	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 84
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09382G	60.69	74.00	-13.31	41.11	3	Horizontal	79	1.74	-	38.60	11.50	30.52			
AV	11.09646G	48.89	54.00	-5.11	29.30	3	Horizontal	79	1.74	-	38.60	11.51	30.52			
PK	16.65894G	61.98	68.20	-6.22	42.05	3	Horizontal	321	2.34	-	39.82	12.18	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 68
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6758G	116.21	Inf	-Inf	105.21	3	Vertical	26	2.38	-	34.00	7.69	30.69			
AV	5.6656G	104.06	Inf	-Inf	93.07	3	Vertical	26	2.38	-	34.00	7.68	30.69			
PK	5.7262G	68.04	68.20	-0.16	56.99	3	Vertical	26	2.38	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 68
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.659G	113.49	Inf	-Inf	102.51	3	Horizontal	354	3.00	-	34.00	7.67	30.69			
AV	5.654G	101.43	Inf	-Inf	90.45	3	Horizontal	354	3.00	-	34.00	7.67	30.69			
PK	5.729G	66.21	68.20	-1.99	55.15	3	Horizontal	354	3.00	-	34.00	7.74	30.68			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 68
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35299G	60.63	74.00	-13.37	40.89	3	Vertical	78	1.16	-	38.71	11.67	30.64			
AV	11.34807G	47.43	54.00	-6.57	27.70	3	Vertical	78	1.16	-	38.70	11.67	30.64			
PK	17.0217G	64.06	68.20	-4.14	42.43	3	Vertical	101	2.78	-	41.40	12.36	32.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 68
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35497G	60.51	74.00	-13.49	40.77	3	Horizontal	128	2.13	-	38.71	11.67	30.64			
AV	11.33583G	48.09	54.00	-5.91	28.36	3	Horizontal	128	2.13	-	38.70	11.66	30.63			
PK	17.01975G	63.81	68.20	-4.39	42.19	3	Horizontal	199	1.96	-	41.40	12.35	32.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6924G	121.48	Inf	-Inf	127.16	3	Vertical	78	2.27	-	31.97	5.55	43.20			
AV	5.6924G	110.31	Inf	-Inf	115.99	3	Vertical	78	2.27	-	31.97	5.55	43.20			
PK	5.8532G	67.12	68.20	-1.08	72.43	3	Vertical	78	2.27	-	32.21	5.59	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7092G	119.87	Inf	-Inf	125.48	3	Horizontal	355	3.00	-	32.02	5.56	43.19			
AV	5.6988G	109.46	Inf	-Inf	115.11	3	Horizontal	355	3.00	-	32.00	5.55	43.20			
PK	5.8512G	66.61	68.20	-1.59	71.93	3	Horizontal	355	3.00	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41379G	55.83	74.00	-18.17	48.49	3	Vertical	108	1.80	-	39.97	10.40	43.03			
AV	11.41907G	45.55	54.00	-8.45	38.22	3	Vertical	108	1.80	-	39.96	10.41	43.04			
PK	17.13081G	62.00	68.20	-6.20	47.58	3	Vertical	196	2.55	-	40.36	16.34	42.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43158G	60.62	74.00	-13.38	53.33	3	Horizontal	62	1.80	-	39.94	10.42	43.07			
AV	11.41655G	50.17	54.00	-3.83	42.84	3	Horizontal	62	1.80	-	39.97	10.40	43.04			
PK	17.12076G	61.89	68.20	-6.31	47.50	3	Horizontal	351	1.80	-	40.34	16.33	42.28			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 101
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	67.65	68.20	-0.55	73.54	3	Vertical	225	1.00	-	31.79	5.55	43.23			
PK	5.7395G	119.40	Inf	-Inf	124.94	3	Vertical	225	1.00	-	32.08	5.56	43.18			
AV	5.7595G	108.19	Inf	-Inf	113.67	3	Vertical	225	1.00	-	32.12	5.56	43.16			
PK	5.957G	54.64	68.20	-13.56	59.62	3	Vertical	225	1.00	-	32.41	5.66	43.05			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 101
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.643G	67.71	68.20	-0.49	73.60	3	Horizontal	348	2.15	-	31.79	5.55	43.23			
PK	5.7485G	117.94	Inf	-Inf	123.45	3	Horizontal	348	2.15	-	32.10	5.56	43.17			
AV	5.7635G	107.73	Inf	-Inf	113.20	3	Horizontal	348	2.15	-	32.13	5.56	43.16			
PK	5.9805G	54.04	68.20	-14.16	58.94	3	Horizontal	348	2.15	-	32.46	5.68	43.04			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 101
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5064G	57.91	74.00	-16.09	50.55	3	Vertical	262	2.55	-	40.09	10.47	43.20			
AV	11.50913G	47.68	54.00	-6.32	40.32	3	Vertical	262	2.55	-	40.08	10.47	43.19			
PK	17.2527G	61.24	68.20	-6.96	46.52	3	Vertical	88	1.00	-	40.61	16.38	42.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 101
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50136G	61.44	74.00	-12.56	54.07	3	Horizontal	61	1.80	-	40.10	10.47	43.20			
AV	11.51165G	50.83	54.00	-3.17	43.46	3	Horizontal	61	1.80	-	40.08	10.48	43.19			
PK	17.25318G	61.41	68.20	-6.79	46.68	3	Horizontal	360	2.26	-	40.61	16.39	42.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.635G	67.13	68.20	-1.07	73.04	3	Vertical	216	1.00	-	31.77	5.55	43.23			
PK	5.785G	121.10	Inf	-Inf	126.52	3	Vertical	216	1.00	-	32.17	5.56	43.15			
AV	5.8G	110.12	Inf	-Inf	115.50	3	Vertical	216	1.00	-	32.20	5.56	43.14			
PK	6.0425G	54.48	68.20	-13.72	59.18	3	Vertical	216	1.00	-	32.59	5.73	43.02			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6245G	63.15	68.20	-5.05	69.09	3	Horizontal	21	2.01	-	31.75	5.55	43.24			
PK	5.805G	118.18	Inf	-Inf	123.56	3	Horizontal	21	2.01	-	32.20	5.56	43.14			
AV	5.8G	108.14	Inf	-Inf	113.52	3	Horizontal	21	2.01	-	32.20	5.56	43.14			
PK	5.9385G	54.61	68.20	-13.59	59.62	3	Horizontal	21	2.01	-	32.40	5.65	43.06			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59618G	55.02	74.00	-18.98	47.71	3	Vertical	265	2.16	-	39.91	10.54	43.14			
AV	11.59414G	44.16	54.00	-9.84	36.85	3	Vertical	265	2.16	-	39.91	10.54	43.14			
PK	17.39334G	62.39	68.20	-5.81	46.58	3	Vertical	218	1.80	-	41.63	16.44	42.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59192G	56.78	74.00	-17.22	49.46	3	Horizontal	61	1.80	-	39.92	10.54	43.14			
AV	11.59687G	46.42	54.00	-7.58	39.11	3	Horizontal	61	1.80	-	39.91	10.54	43.14			
PK	17.38497G	63.22	68.20	-4.98	47.49	3	Horizontal	46	1.30	-	41.55	16.44	42.26			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 74
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	64.72	74.00	-9.28	55.07	3	Vertical	1	1.04	-	33.60	6.98	30.93			
AV	5.1488G	53.82	54.00	-0.18	44.17	3	Vertical	1	1.04	-	33.60	6.98	30.93			
PK	5.202G	112.33	Inf	-Inf	102.52	3	Vertical	1	1.04	-	33.70	7.01	30.90			
AV	5.222G	100.89	Inf	-Inf	91.04	3	Vertical	1	1.04	-	33.74	7.00	30.89			
PK	5.394G	61.83	74.00	-12.17	51.67	3	Vertical	1	1.04	-	33.99	6.96	30.79			
AV	5.3604G	50.46	54.00	-3.54	40.38	3	Vertical	1	1.04	-	33.92	6.97	30.81			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 74
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	64.33	74.00	-9.67	54.68	3	Horizontal	150	2.14	-	33.60	6.98	30.93			
AV	5.1452G	53.75	54.00	-0.25	44.11	3	Horizontal	150	2.14	-	33.60	6.97	30.93			
PK	5.2252G	108.46	Inf	-Inf	98.59	3	Horizontal	150	2.14	-	33.75	7.00	30.88			
AV	5.2256G	98.67	Inf	-Inf	88.80	3	Horizontal	150	2.14	-	33.75	7.00	30.88			
PK	5.4004G	61.95	74.00	-12.05	51.78	3	Horizontal	150	2.14	-	34.00	6.96	30.79			
AV	5.3988G	50.24	54.00	-3.76	40.07	3	Horizontal	150	2.14	-	34.00	6.96	30.79			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 74
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42357G	58.31	68.20	-9.89	39.29	3	Vertical	142	1.80	-	38.45	11.08	30.51			
PK	15.61695G	59.95	74.00	-14.05	42.25	3	Vertical	48	2.31	-	37.83	11.85	31.98			
AV	15.6159G	48.07	54.00	-5.93	30.36	3	Vertical	48	2.31	-	37.84	11.85	31.98			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 74
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43431G	58.01	68.20	-10.19	39.00	3	Horizontal	102	1.80	-	38.43	11.09	30.51			
PK	15.62481G	60.32	74.00	-13.68	42.66	3	Horizontal	298	2.08	-	37.80	11.85	31.99			
AV	15.62469G	47.83	54.00	-6.17	30.17	3	Horizontal	298	2.08	-	37.80	11.85	31.99			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 69
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	60.37	74.00	-13.63	50.75	3	Vertical	27	2.94	-	33.60	6.96	30.94			
AV	5.146G	49.10	54.00	-4.90	39.46	3	Vertical	27	2.94	-	33.60	6.97	30.93			
PK	5.2736G	111.30	Inf	-Inf	101.32	3	Vertical	27	2.94	-	33.85	6.99	30.86			
AV	5.2784G	98.88	Inf	-Inf	88.88	3	Vertical	27	2.94	-	33.86	6.99	30.85			
PK	5.3588G	66.25	74.00	-7.75	56.17	3	Vertical	27	2.94	-	33.92	6.97	30.81			
AV	5.3592G	53.79	54.00	-0.21	43.71	3	Vertical	27	2.94	-	33.92	6.97	30.81			
PK	5.4676G	61.07	68.20	-7.13	50.60	3	Vertical	27	2.94	-	34.04	7.18	30.75			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 69
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1284G	60.16	74.00	-13.84	50.54	3	Horizontal	148	2.01	-	33.60	6.96	30.94			
AV	5.1496G	49.03	54.00	-4.97	39.38	3	Horizontal	148	2.01	-	33.60	6.98	30.93			
PK	5.3G	108.76	Inf	-Inf	98.72	3	Horizontal	148	2.01	-	33.90	6.98	30.84			
AV	5.3004G	97.96	Inf	-Inf	87.92	3	Horizontal	148	2.01	-	33.90	6.98	30.84			
PK	5.3708G	64.66	74.00	-9.34	54.55	3	Horizontal	148	2.01	-	33.94	6.97	30.80			
AV	5.3588G	53.76	54.00	-0.24	43.68	3	Horizontal	148	2.01	-	33.92	6.97	30.81			
PK	5.476G	60.99	68.20	-7.21	50.47	3	Horizontal	148	2.01	-	34.05	7.21	30.74			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 69
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59104G	58.86	68.20	-9.34	39.56	3	Vertical	282	1.49	-	38.60	11.19	30.49			
PK	15.86463G	60.05	74.00	-13.95	42.77	3	Vertical	349	1.07	-	37.56	11.86	32.14			
AV	15.87387G	47.74	54.00	-6.26	30.43	3	Vertical	349	1.07	-	37.60	11.86	32.15			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 69
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56929G	59.90	68.20	-8.30	40.62	3	Horizontal	3	2.02	-	38.60	11.17	30.49			
PK	15.87534G	60.04	74.00	-13.96	42.73	3	Horizontal	126	2.68	-	37.60	11.86	32.15			
AV	15.87966G	47.45	54.00	-6.55	30.12	3	Horizontal	126	2.68	-	37.62	11.86	32.15			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 73
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4427G	65.11	74.00	-8.89	54.77	3	Vertical	271	1.31	-	34.00	7.10	30.76			
PK	5.4613G	64.93	68.20	-3.27	54.50	3	Vertical	271	1.31	-	34.02	7.16	30.75			
AV	5.4568G	53.54	54.00	-0.46	43.13	3	Vertical	271	1.31	-	34.01	7.15	30.75			
PK	5.5468G	111.23	Inf	-Inf	100.50	3	Vertical	271	1.31	-	34.01	7.44	30.72			
AV	5.5417G	100.33	Inf	-Inf	89.60	3	Vertical	271	1.31	-	34.02	7.43	30.72			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 73
02-D-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4532G	65.62	74.00	-8.38	55.23	3	Horizontal	2	2.29	-	34.01	7.14	30.76			
AV	5.4535G	53.76	54.00	-0.24	43.37	3	Horizontal	2	2.29	-	34.01	7.14	30.76			
PK	5.4637G	67.24	68.20	-0.96	56.79	3	Horizontal	2	2.29	-	34.03	7.17	30.75			
PK	5.5168G	111.61	Inf	-Inf	100.92	3	Horizontal	2	2.29	-	34.07	7.35	30.73			
AV	5.5219G	99.37	Inf	-Inf	88.67	3	Horizontal	2	2.29	-	34.06	7.36	30.72			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Y_4TX
Setting 73
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04527G	59.42	74.00	-14.58	39.85	3	Vertical	347	1.80	-	38.60	11.47	30.50			
AV	11.04935G	46.63	54.00	-7.37	27.05	3	Vertical	347	1.80	-	38.60	11.48	30.50			
PK	16.5825G	61.77	68.20	-6.43	42.22	3	Vertical	20	1.74	-	39.46	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 73
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06711G	58.41	74.00	-15.59	38.83	3	Horizontal	20	1.18	-	38.60	11.49	30.51			
AV	11.06648G	46.50	54.00	-7.50	26.92	3	Horizontal	20	1.18	-	38.60	11.49	30.51			
PK	16.60488G	61.27	68.20	-6.93	41.55	3	Horizontal	199	1.47	-	39.62	12.16	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4375G	63.22	74.00	-10.78	52.91	3	Vertical	343	1.01	-	34.00	7.08	30.77			
PK	5.4635G	63.65	68.20	-4.55	53.20	3	Vertical	343	1.01	-	34.03	7.17	30.75			
AV	5.4585G	52.32	54.00	-1.68	41.90	3	Vertical	343	1.01	-	34.02	7.15	30.75			
PK	5.5885G	114.11	Inf	-Inf	103.24	3	Vertical	343	1.01	-	34.00	7.58	30.71			
AV	5.6035G	103.29	Inf	-Inf	92.38	3	Vertical	343	1.01	-	34.00	7.62	30.71			
PK	5.729G	67.35	68.20	-0.85	56.29	3	Vertical	343	1.01	-	34.00	7.74	30.68			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	61.67	74.00	-12.33	51.24	3	Horizontal	4	3.00	-	34.02	7.16	30.75			
AV	5.4455G	50.67	54.00	-3.33	40.32	3	Horizontal	4	3.00	-	34.00	7.11	30.76			
PK	5.4695G	62.54	68.20	-5.66	52.06	3	Horizontal	4	3.00	-	34.04	7.19	30.75			
PK	5.639G	110.10	Inf	-Inf	99.14	3	Horizontal	4	3.00	-	34.00	7.66	30.70			
AV	5.597G	99.27	Inf	-Inf	88.37	3	Horizontal	4	3.00	-	34.00	7.61	30.71			
PK	5.7295G	66.19	68.20	-2.01	55.12	3	Horizontal	4	3.00	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20596G	58.59	74.00	-15.41	38.97	3	Vertical	267	2.17	-	38.61	11.58	30.57			
AV	11.21946G	46.52	54.00	-7.48	26.88	3	Vertical	267	2.17	-	38.64	11.58	30.58			
PK	16.81947G	63.65	68.20	-4.55	43.06	3	Vertical	121	1.62	-	40.42	12.26	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 72
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23107G	59.05	74.00	-14.95	39.39	3	Horizontal	83	1.80	-	38.66	11.59	30.59			
AV	11.23167G	46.72	54.00	-7.28	27.06	3	Horizontal	83	1.80	-	38.66	11.59	30.59			
PK	16.81989G	63.38	68.20	-4.82	42.79	3	Horizontal	9	1.64	-	40.42	12.26	32.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	62.64	74.00	-11.36	68.73	3	Vertical	125	2.43	-	31.71	5.56	43.36			
AV	5.458G	51.91	54.00	-2.09	57.98	3	Vertical	125	2.43	-	31.73	5.56	43.36			
PK	5.4685G	63.78	68.20	-4.42	69.80	3	Vertical	125	2.43	-	31.77	5.56	43.35			
PK	5.6885G	116.32	Inf	-Inf	122.02	3	Vertical	125	2.43	-	31.95	5.55	43.20			
AV	5.6835G	106.17	Inf	-Inf	111.90	3	Vertical	125	2.43	-	31.93	5.55	43.21			
PK	5.8505G	67.28	68.20	-0.92	72.60	3	Vertical	125	2.43	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.455G	62.41	74.00	-11.59	68.49	3	Horizontal	345	1.38	-	31.72	5.56	43.36			
AV	5.46G	51.05	54.00	-2.95	57.11	3	Horizontal	345	1.38	-	31.74	5.56	43.36			
PK	5.465G	62.70	68.20	-5.50	68.73	3	Horizontal	345	1.38	-	31.76	5.56	43.35			
PK	5.6955G	116.10	Inf	-Inf	121.77	3	Horizontal	345	1.38	-	31.98	5.55	43.20			
AV	5.6805G	105.27	Inf	-Inf	111.01	3	Horizontal	345	1.38	-	31.92	5.55	43.21			
PK	5.8505G	68.07	68.20	-0.13	73.39	3	Horizontal	345	1.38	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39377G	56.72	74.00	-17.28	49.33	3	Vertical	44	2.80	-	39.99	10.39	42.99			
AV	11.39371G	45.42	54.00	-8.58	38.03	3	Vertical	44	2.80	-	39.99	10.39	42.99			
PK	17.0775G	62.42	68.20	-5.78	48.04	3	Vertical	285	2.72	-	40.34	16.32	42.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 101
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39368G	57.91	74.00	-16.09	50.52	3	Horizontal	68	1.81	-	39.99	10.39	42.99			
AV	11.39365G	46.73	54.00	-7.27	39.34	3	Horizontal	68	1.81	-	39.99	10.39	42.99			
PK	17.06034G	62.30	68.20	-5.90	47.90	3	Horizontal	196	2.97	-	40.38	16.31	42.29			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 94
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.73	68.20	-0.47	73.61	3	Vertical	217	1.00	-	31.80	5.55	43.23			
PK	5.8G	114.47	Inf	-Inf	119.85	3	Vertical	217	1.00	-	32.20	5.56	43.14			
AV	5.78G	103.74	Inf	-Inf	109.17	3	Vertical	217	1.00	-	32.16	5.56	43.15			
PK	6.0075G	54.20	68.20	-14.00	59.01	3	Vertical	217	1.00	-	32.52	5.70	43.03			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 94
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.633G	67.30	68.20	-0.90	73.22	3	Horizontal	1	2.90	-	31.77	5.55	43.24			
PK	5.789G	114.49	Inf	-Inf	119.90	3	Horizontal	1	2.90	-	32.18	5.56	43.15			
AV	5.764G	103.73	Inf	-Inf	109.20	3	Horizontal	1	2.90	-	32.13	5.56	43.16			
PK	5.967G	55.06	68.20	-13.14	60.01	3	Horizontal	1	2.90	-	32.43	5.67	43.05			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 94
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54436G	56.23	74.00	-17.77	48.89	3	Vertical	265	2.60	-	40.01	10.50	43.17			
AV	11.5539G	45.32	54.00	-8.68	37.99	3	Vertical	265	2.60	-	39.99	10.51	43.17			
PK	17.33082G	61.53	68.20	-6.67	46.36	3	Vertical	138	1.80	-	41.01	16.42	42.26			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 94
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56347G	59.61	74.00	-14.39	52.28	3	Horizontal	63	1.80	-	39.97	10.52	43.16			
AV	11.54664G	48.11	54.00	-5.89	40.77	3	Horizontal	63	1.80	-	40.01	10.50	43.17			
PK	17.31942G	61.46	68.20	-6.74	46.42	3	Horizontal	169	1.80	-	40.89	16.41	42.26			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 71
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	62.61	74.00	-11.39	52.97	3	Vertical	252	3.00	-	33.60	6.97	30.93			
AV	5.1404G	53.11	54.00	-0.89	43.47	3	Vertical	252	3.00	-	33.60	6.97	30.93			
PK	5.3268G	106.44	Inf	-Inf	96.39	3	Vertical	252	3.00	-	33.90	6.98	30.83			
AV	5.326G	96.50	Inf	-Inf	86.45	3	Vertical	252	3.00	-	33.90	6.98	30.83			
PK	5.4068G	63.85	74.00	-10.15	53.65	3	Vertical	252	3.00	-	34.00	6.98	30.78			
AV	5.4316G	53.43	54.00	-0.57	43.14	3	Vertical	252	3.00	-	34.00	7.06	30.77			
PK	5.6076G	62.41	68.20	-5.79	51.48	3	Vertical	252	3.00	-	34.00	7.63	30.70			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 71
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	62.17	74.00	-11.83	52.52	3	Horizontal	152	1.80	-	33.60	6.98	30.93			
AV	5.146G	52.20	54.00	-1.80	42.56	3	Horizontal	152	1.80	-	33.60	6.97	30.93			
PK	5.2452G	104.96	Inf	-Inf	95.04	3	Horizontal	152	1.80	-	33.79	7.00	30.87			
AV	5.3252G	94.79	Inf	-Inf	84.74	3	Horizontal	152	1.80	-	33.90	6.98	30.83			
PK	5.4092G	62.43	74.00	-11.57	52.22	3	Horizontal	152	1.80	-	34.00	6.99	30.78			
AV	5.374G	53.10	54.00	-0.90	42.98	3	Horizontal	152	1.80	-	33.95	6.97	30.80			
PK	5.5796G	61.38	68.20	-6.82	50.54	3	Horizontal	152	1.80	-	34.00	7.55	30.71			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 71
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49142G	59.41	68.20	-8.79	40.30	3	Vertical	96	1.94	-	38.48	11.12	30.49			
PK	15.73857G	60.92	74.00	-13.08	43.60	3	Vertical	210	2.26	-	37.52	11.86	32.06			
AV	15.75828G	49.73	54.00	-4.27	32.47	3	Vertical	210	2.26	-	37.48	11.86	32.08			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 71
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48659G	58.37	68.20	-9.83	39.27	3	Horizontal	124	3.00	-	38.47	11.12	30.49			
PK	15.74391G	60.32	74.00	-13.68	43.02	3	Horizontal	328	2.43	-	37.51	11.86	32.07			
AV	15.76095G	49.37	54.00	-4.63	32.11	3	Horizontal	328	2.43	-	37.48	11.86	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 66
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.238G	60.56	68.20	-7.64	50.66	3	Vertical	342	1.01	-	33.78	7.00	30.88			
PK	5.4068G	61.57	74.00	-12.43	51.37	3	Vertical	342	1.01	-	34.00	6.98	30.78			
AV	5.35G	49.68	54.00	-4.32	39.62	3	Vertical	342	1.01	-	33.90	6.97	30.81			
AV	5.4228G	52.46	54.00	-1.54	42.19	3	Vertical	342	1.01	-	34.00	7.04	30.77			
PK	5.4676G	61.37	68.20	-6.83	50.90	3	Vertical	342	1.01	-	34.04	7.18	30.75			
PK	5.5724G	102.64	Inf	-Inf	91.82	3	Vertical	342	1.01	-	34.00	7.53	30.71			
AV	5.6324G	91.93	Inf	-Inf	80.98	3	Vertical	342	1.01	-	34.00	7.65	30.70			
PK	5.8284G	62.34	68.20	-5.86	51.13	3	Vertical	342	1.01	-	34.04	7.82	30.65			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 66
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3268G	60.62	68.20	-7.58	50.57	3	Horizontal	9	3.00	-	33.90	6.98	30.83			
AV	5.35G	49.96	54.00	-4.04	39.90	3	Horizontal	9	3.00	-	33.90	6.97	30.81			
PK	5.4524G	62.30	74.00	-11.70	51.93	3	Horizontal	9	3.00	-	34.00	7.13	30.76			
AV	5.4548G	53.21	54.00	-0.79	42.82	3	Horizontal	9	3.00	-	34.01	7.14	30.76			
PK	5.4644G	61.85	68.20	-6.35	51.40	3	Horizontal	9	3.00	-	34.03	7.17	30.75			
PK	5.5724G	105.93	Inf	-Inf	95.11	3	Horizontal	9	3.00	-	34.00	7.53	30.71			
AV	5.5876G	95.15	Inf	-Inf	84.28	3	Horizontal	9	3.00	-	34.00	7.58	30.71			
PK	5.7284G	64.13	68.20	-4.07	53.07	3	Horizontal	9	3.00	-	34.00	7.74	30.68			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 66
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.424G	59.04	74.00	-14.96	39.16	3	Vertical	14	2.35	-	38.85	11.71	30.68			
AV	11.4904G	49.05	54.00	-4.95	29.02	3	Vertical	14	2.35	-	38.98	11.76	30.71			
PK	16.878G	63.12	68.20	-5.08	42.22	3	Vertical	23	1.09	-	40.71	12.29	32.10			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 66
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14999G	59.49	74.00	-14.51	39.90	3	Horizontal	330	1.80	-	38.60	11.54	30.55			
AV	11.14327G	47.67	54.00	-6.33	28.08	3	Horizontal	330	1.80	-	38.60	11.54	30.55			
PK	16.70859G	62.23	68.20	-5.97	42.18	3	Horizontal	286	1.20	-	39.92	12.21	32.08			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 90
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	63.39	74.00	-10.61	53.75	3	Vertical	246	1.37	-	33.60	6.97	30.93			
AV	5.1498G	51.93	54.00	-2.07	42.28	3	Vertical	246	1.37	-	33.60	6.98	30.93			
PK	5.1867G	119.09	Inf	-Inf	109.33	3	Vertical	246	1.37	-	33.67	7.00	30.91			
AV	5.1889G	108.83	Inf	-Inf	99.05	3	Vertical	246	1.37	-	33.68	7.00	30.90			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 90
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1407G	69.30	74.00	-4.70	59.66	3	Horizontal	335	2.29	-	33.60	6.97	30.93			
AV	5.1464G	53.47	54.00	-0.53	43.82	3	Horizontal	335	2.29	-	33.60	6.98	30.93			
PK	5.1713G	118.73	Inf	-Inf	109.01	3	Horizontal	335	2.29	-	33.64	6.99	30.91			
AV	5.171G	107.13	Inf	-Inf	97.41	3	Horizontal	335	2.29	-	33.64	6.99	30.91			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 90
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35889G	58.86	68.20	-9.34	39.76	3	Vertical	343	2.83	-	38.58	11.04	30.52			
PK	15.53831G	60.35	74.00	-13.65	42.41	3	Vertical	152	2.40	-	38.02	11.85	31.93			
AV	15.54043G	47.03	54.00	-6.97	29.10	3	Vertical	152	2.40	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 90
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35578G	58.74	68.20	-9.46	39.63	3	Horizontal	339	2.75	-	38.59	11.04	30.52			
PK	15.54239G	60.34	74.00	-13.66	42.41	3	Horizontal	35	2.01	-	38.02	11.85	31.94			
AV	15.54009G	46.96	54.00	-7.04	29.03	3	Horizontal	35	2.01	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 101
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	73.73	74.00	-0.27	64.09	3	Vertical	260	2.06	-	33.60	6.97	30.93			
AV	5.1484G	52.55	54.00	-1.45	42.90	3	Vertical	260	2.06	-	33.60	6.98	30.93			
PK	5.191G	121.40	Inf	-Inf	111.62	3	Vertical	260	2.06	-	33.68	7.00	30.90			
AV	5.1924G	109.22	Inf	-Inf	99.43	3	Vertical	260	2.06	-	33.68	7.01	30.90			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 101
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	72.90	74.00	-1.10	63.25	3	Horizontal	313	1.78	-	33.60	6.98	30.93			
AV	5.1488G	50.92	54.00	-3.08	41.27	3	Horizontal	313	1.78	-	33.60	6.98	30.93			
PK	5.207G	122.00	Inf	-Inf	112.17	3	Horizontal	313	1.78	-	33.71	7.01	30.89			
AV	5.2084G	110.78	Inf	-Inf	100.94	3	Horizontal	313	1.78	-	33.72	7.01	30.89			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 101
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40272G	58.22	68.20	-9.98	39.17	3	Vertical	355	1.50	-	38.49	11.07	30.51			
PK	15.60092G	60.32	74.00	-13.68	42.54	3	Vertical	194	1.49	-	37.90	11.85	31.97			
AV	15.59928G	47.22	54.00	-6.78	29.44	3	Vertical	194	1.49	-	37.90	11.85	31.97			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 101
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40311G	57.91	68.20	-10.29	38.86	3	Horizontal	6	2.23	-	38.49	11.07	30.51			
PK	15.60014G	60.39	74.00	-13.61	42.61	3	Horizontal	140	1.52	-	37.90	11.85	31.97			
AV	15.59869G	47.17	54.00	-6.83	29.39	3	Horizontal	140	1.52	-	37.90	11.85	31.97			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	70.32	74.00	-3.68	60.67	3	Vertical	27	2.22	-	33.60	6.98	30.93			
AV	5.1491G	49.70	54.00	-4.30	40.05	3	Vertical	27	2.22	-	33.60	6.98	30.93			
PK	5.2457G	126.29	Inf	-Inf	116.37	3	Vertical	27	2.22	-	33.79	7.00	30.87			
AV	5.2454G	114.28	Inf	-Inf	104.36	3	Vertical	27	2.22	-	33.79	7.00	30.87			
PK	5.3516G	67.05	74.00	-6.95	56.99	3	Vertical	27	2.22	-	33.90	6.97	30.81			
AV	5.351G	49.80	54.00	-4.20	39.74	3	Vertical	27	2.22	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	67.30	74.00	-6.70	57.65	3	Horizontal	151	2.24	-	33.60	6.98	30.93			
AV	5.1467G	49.63	54.00	-4.37	39.98	3	Horizontal	151	2.24	-	33.60	6.98	30.93			
PK	5.2469G	123.69	Inf	-Inf	113.77	3	Horizontal	151	2.24	-	33.79	7.00	30.87			
AV	5.2436G	110.32	Inf	-Inf	100.40	3	Horizontal	151	2.24	-	33.79	7.00	30.87			
PK	5.3522G	66.77	74.00	-7.23	56.71	3	Horizontal	151	2.24	-	33.90	6.97	30.81			
AV	5.3531G	49.73	54.00	-4.27	39.66	3	Horizontal	151	2.24	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47645G	59.14	68.20	-9.06	40.08	3	Vertical	150	2.57	-	38.45	11.11	30.50			
PK	15.72177G	60.73	74.00	-13.27	43.36	3	Vertical	36	1.95	-	37.56	11.86	32.05			
AV	15.72176G	47.19	54.00	-6.81	29.82	3	Vertical	36	1.95	-	37.56	11.86	32.05			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47811G	59.71	68.20	-8.49	40.64	3	Horizontal	224	2.16	-	38.46	11.11	30.50			
PK	15.71831G	61.85	74.00	-12.15	44.48	3	Horizontal	232	2.38	-	37.56	11.86	32.05			
AV	15.71603G	47.22	54.00	-6.78	29.84	3	Horizontal	232	2.38	-	37.57	11.86	32.05			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	63.60	74.00	-10.40	53.95	3	Vertical	240	2.94	-	33.60	6.98	30.93			
AV	5.1478G	48.64	54.00	-5.36	38.99	3	Vertical	240	2.94	-	33.60	6.98	30.93			
PK	5.251G	123.34	Inf	-Inf	113.41	3	Vertical	240	2.94	-	33.80	7.00	30.87			
AV	5.2507G	113.37	Inf	-Inf	103.44	3	Vertical	240	2.94	-	33.80	7.00	30.87			
PK	5.3548G	69.71	74.00	-4.29	59.64	3	Vertical	240	2.94	-	33.91	6.97	30.81			
AV	5.3518G	49.97	54.00	-4.03	39.91	3	Vertical	240	2.94	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1439G	63.62	74.00	-10.38	53.98	3	Horizontal	142	1.57	-	33.60	6.97	30.93			
AV	5.1451G	48.85	54.00	-5.15	39.21	3	Horizontal	142	1.57	-	33.60	6.97	30.93			
PK	5.2687G	122.91	Inf	-Inf	112.94	3	Horizontal	142	1.57	-	33.84	6.99	30.86			
AV	5.2675G	111.23	Inf	-Inf	101.27	3	Horizontal	142	1.57	-	33.83	6.99	30.86			
PK	5.3548G	68.45	74.00	-5.55	58.38	3	Horizontal	142	1.57	-	33.91	6.97	30.81			
AV	5.3518G	50.34	54.00	-3.66	40.28	3	Horizontal	142	1.57	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51748G	60.19	68.20	-8.01	41.01	3	Vertical	7	1.31	-	38.53	11.14	30.49			
PK	15.78192G	59.65	74.00	-14.35	42.44	3	Vertical	270	2.79	-	37.44	11.86	32.09			
AV	15.77878G	46.66	54.00	-7.34	29.45	3	Vertical	270	2.79	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51509G	60.44	68.20	-7.76	41.26	3	Horizontal	224	1.57	-	38.53	11.14	30.49			
PK	15.78066G	59.45	74.00	-14.55	42.24	3	Horizontal	203	2.55	-	37.44	11.86	32.09			
AV	15.77872G	46.67	54.00	-7.33	29.46	3	Horizontal	203	2.55	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 98
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.292G	122.57	Inf	-Inf	112.55	3	Vertical	324	2.06	-	33.88	6.99	30.85			
AV	5.291G	110.91	Inf	-Inf	100.89	3	Vertical	324	2.06	-	33.88	6.99	30.85			
PK	5.3552G	72.67	74.00	-1.33	62.60	3	Vertical	324	2.06	-	33.91	6.97	30.81			
AV	5.3506G	53.40	54.00	-0.60	43.34	3	Vertical	324	2.06	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 98
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.293G	123.19	Inf	-Inf	113.16	3	Horizontal	182	2.76	-	33.89	6.99	30.85			
AV	5.2924G	111.64	Inf	-Inf	101.62	3	Horizontal	182	2.76	-	33.88	6.99	30.85			
PK	5.351G	71.83	74.00	-2.17	61.77	3	Horizontal	182	2.76	-	33.90	6.97	30.81			
AV	5.3518G	52.01	54.00	-1.99	41.95	3	Horizontal	182	2.76	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 98
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59844G	57.77	68.20	-10.43	38.47	3	Vertical	149	1.73	-	38.60	11.19	30.49			
PK	15.89883G	59.32	74.00	-14.68	41.92	3	Vertical	97	1.58	-	37.70	11.87	32.17			
AV	15.89883G	46.48	54.00	-7.52	29.08	3	Vertical	97	1.58	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 98
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59537G	57.90	68.20	-10.30	38.60	3	Horizontal	11	2.41	-	38.60	11.19	30.49			
PK	15.89807G	59.84	74.00	-14.16	42.44	3	Horizontal	214	1.42	-	37.69	11.87	32.16			
AV	15.89942G	46.41	54.00	-7.59	29.01	3	Horizontal	214	1.42	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 90
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3112G	123.23	Inf	-Inf	113.19	3	Vertical	46	3.00	-	33.90	6.98	30.84			
AV	5.3108G	113.30	Inf	-Inf	103.26	3	Vertical	46	3.00	-	33.90	6.98	30.84			
PK	5.3553G	67.80	74.00	-6.20	57.73	3	Vertical	46	3.00	-	33.91	6.97	30.81			
AV	5.3525G	53.82	54.00	-0.18	43.75	3	Vertical	46	3.00	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 90
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3117G	121.44	Inf	-Inf	111.40	3	Horizontal	179	2.50	-	33.90	6.98	30.84			
AV	5.3111G	111.54	Inf	-Inf	101.50	3	Horizontal	179	2.50	-	33.90	6.98	30.84			
PK	5.3536G	65.05	74.00	-8.95	54.98	3	Horizontal	179	2.50	-	33.91	6.97	30.81			
AV	5.3543G	51.97	54.00	-2.03	41.90	3	Horizontal	179	2.50	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 90
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63902G	58.20	74.00	-15.80	38.95	3	Vertical	19	1.62	-	38.52	11.22	30.49			
AV	10.63868G	44.72	54.00	-9.28	25.47	3	Vertical	19	1.62	-	38.52	11.22	30.49			
PK	15.96155G	58.95	74.00	-15.05	41.79	3	Vertical	202	2.92	-	37.50	11.87	32.21			
AV	15.96107G	45.80	54.00	-8.20	28.64	3	Vertical	202	2.92	-	37.50	11.87	32.21			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 90
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63607G	58.45	74.00	-15.55	39.20	3	Horizontal	228	2.09	-	38.53	11.21	30.49			
AV	10.63616G	44.81	54.00	-9.19	25.56	3	Horizontal	228	2.09	-	38.53	11.21	30.49			
PK	15.95837G	59.21	74.00	-14.79	42.04	3	Horizontal	109	2.90	-	37.50	11.87	32.20			
AV	15.95768G	45.75	54.00	-8.25	28.58	3	Horizontal	109	2.90	-	37.50	11.87	32.20			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 83
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	63.17	74.00	-10.83	52.74	3	Vertical	196	1.44	-	34.02	7.16	30.75			
AV	5.4597G	50.92	54.00	-3.08	40.49	3	Vertical	196	1.44	-	34.02	7.16	30.75			
PK	5.4651G	65.94	68.20	-2.26	55.49	3	Vertical	196	1.44	-	34.03	7.17	30.75			
PK	5.4935G	121.50	Inf	-Inf	110.87	3	Vertical	196	1.44	-	34.09	7.27	30.73			
AV	5.4983G	109.59	Inf	-Inf	98.94	3	Vertical	196	1.44	-	34.10	7.28	30.73			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 83
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	66.83	74.00	-7.17	56.40	3	Horizontal	4	2.96	-	34.02	7.16	30.75			
AV	5.46G	51.94	54.00	-2.06	41.51	3	Horizontal	4	2.96	-	34.02	7.16	30.75			
PK	5.465G	67.98	68.20	-0.22	57.53	3	Horizontal	4	2.96	-	34.03	7.17	30.75			
PK	5.4912G	119.42	Inf	-Inf	108.81	3	Horizontal	4	2.96	-	34.08	7.26	30.73			
AV	5.4913G	107.26	Inf	-Inf	96.65	3	Horizontal	4	2.96	-	34.08	7.26	30.73			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 83
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00135G	58.73	74.00	-15.27	39.16	3	Vertical	173	1.24	-	38.60	11.45	30.48			
AV	10.99797G	45.53	54.00	-8.47	25.97	3	Vertical	173	1.24	-	38.60	11.44	30.48			
PK	16.49866G	61.57	68.20	-6.63	42.72	3	Vertical	59	1.41	-	38.79	12.11	32.05			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 83
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99918G	59.41	74.00	-14.59	39.85	3	Horizontal	65	1.54	-	38.60	11.44	30.48			
AV	11.00032G	45.57	54.00	-8.43	26.00	3	Horizontal	65	1.54	-	38.60	11.45	30.48			
PK	16.50046G	60.98	68.20	-7.22	42.12	3	Horizontal	167	1.56	-	38.80	12.11	32.05			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4408G	61.72	74.00	-12.28	51.39	3	Vertical	162	1.05	-	34.00	7.09	30.76			
PK	5.4696G	62.78	68.20	-5.42	52.30	3	Vertical	162	1.05	-	34.04	7.19	30.75			
AV	5.4591G	49.50	54.00	-4.50	39.07	3	Vertical	162	1.05	-	34.02	7.16	30.75			
PK	5.5743G	124.10	Inf	-Inf	113.27	3	Vertical	162	1.05	-	34.00	7.54	30.71			
AV	5.5731G	113.28	Inf	-Inf	102.46	3	Vertical	162	1.05	-	34.00	7.53	30.71			
PK	5.7276G	61.85	68.20	-6.35	50.80	3	Vertical	162	1.05	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4384G	61.04	74.00	-12.96	50.71	3	Horizontal	142	1.72	-	34.00	7.09	30.76			
AV	5.4471G	49.03	54.00	-4.97	38.67	3	Horizontal	142	1.72	-	34.00	7.12	30.76			
PK	5.4678G	62.05	68.20	-6.15	51.58	3	Horizontal	142	1.72	-	34.04	7.18	30.75			
PK	5.5818G	119.79	Inf	-Inf	108.94	3	Horizontal	142	1.72	-	34.00	7.56	30.71			
AV	5.5842G	107.21	Inf	-Inf	96.35	3	Horizontal	142	1.72	-	34.00	7.57	30.71			
PK	5.7291G	61.60	68.20	-6.60	50.54	3	Horizontal	142	1.72	-	34.00	7.74	30.68			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16528G	61.67	74.00	-12.33	42.08	3	Vertical	273	1.74	-	38.60	11.55	30.56			
AV	11.16244G	48.24	54.00	-5.76	28.64	3	Vertical	273	1.74	-	38.60	11.55	30.55			
PK	16.72852G	62.54	68.20	-5.66	42.44	3	Vertical	184	1.21	-	39.96	12.22	32.08			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15952G	63.01	74.00	-10.99	43.41	3	Horizontal	130	1.80	-	38.60	11.55	30.55			
AV	11.15412G	50.91	54.00	-3.09	31.32	3	Horizontal	130	1.80	-	38.60	11.54	30.55			
PK	16.74064G	63.03	68.20	-5.17	42.91	3	Horizontal	37	2.48	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 81
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6921G	121.30	Inf	-Inf	110.28	3	Vertical	273	1.04	-	34.00	7.70	30.68			
AV	5.6912G	109.75	Inf	-Inf	98.73	3	Vertical	273	1.04	-	34.00	7.70	30.68			
PK	5.725G	67.75	68.20	-0.45	56.70	3	Vertical	273	1.04	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 81
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7044G	118.66	Inf	-Inf	107.63	3	Horizontal	10	3.00	-	34.00	7.71	30.68			
AV	5.7085G	106.31	Inf	-Inf	95.27	3	Horizontal	10	3.00	-	34.00	7.72	30.68			
PK	5.7253G	67.83	68.20	-0.37	56.78	3	Horizontal	10	3.00	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 81
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40063G	58.89	74.00	-15.11	39.05	3	Vertical	117	2.89	-	38.80	11.70	30.66			
AV	11.39619G	46.11	54.00	-7.89	26.28	3	Vertical	117	2.89	-	38.79	11.70	30.66			
PK	17.10105G	63.05	68.20	-5.15	41.31	3	Vertical	245	1.26	-	41.51	12.39	32.16			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 81
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40181G	59.37	74.00	-14.63	39.53	3	Horizontal	211	1.74	-	38.80	11.70	30.66			
AV	11.39675G	45.95	54.00	-8.05	26.12	3	Horizontal	211	1.74	-	38.79	11.70	30.66			
PK	17.09911G	62.95	68.20	-5.25	41.22	3	Horizontal	130	2.71	-	41.50	12.39	32.16			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7272G	123.18	Inf	-Inf	128.75	3	Vertical	16	2.59	-	32.05	5.56	43.18			
AV	5.7288G	113.39	Inf	-Inf	118.95	3	Vertical	16	2.59	-	32.06	5.56	43.18			
PK	5.8556G	56.22	68.20	-11.98	61.51	3	Vertical	16	2.59	-	32.22	5.60	43.11			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.724G	120.19	Inf	-Inf	125.76	3	Horizontal	340	2.88	-	32.05	5.56	43.18			
AV	5.724G	110.51	Inf	-Inf	116.08	3	Horizontal	340	2.88	-	32.05	5.56	43.18			
PK	5.8512G	54.79	68.20	-13.41	60.11	3	Horizontal	340	2.88	-	32.20	5.59	43.11			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44009G	64.51	74.00	-9.49	57.25	3	Vertical	48	2.90	-	39.92	10.42	43.08			
AV	11.43565G	52.37	54.00	-1.63	45.09	3	Vertical	48	2.90	-	39.93	10.42	43.07			
PK	17.16957G	62.47	68.20	-5.73	47.96	3	Vertical	177	1.62	-	40.44	16.35	42.28			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43433G	65.73	74.00	-8.27	58.45	3	Horizontal	83	1.82	-	39.93	10.42	43.07			
AV	11.43121G	53.36	54.00	-0.64	46.08	3	Horizontal	83	1.82	-	39.94	10.41	43.07			
PK	17.16075G	62.33	68.20	-5.87	47.84	3	Horizontal	210	1.19	-	40.42	16.35	42.28			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	63.28	68.20	-4.92	69.17	3	Vertical	272	2.73	-	31.79	5.55	43.23			
PK	5.7515G	123.89	Inf	-Inf	129.40	3	Vertical	272	2.73	-	32.10	5.56	43.17			
AV	5.7525G	113.24	Inf	-Inf	118.74	3	Vertical	272	2.73	-	32.11	5.56	43.17			
PK	5.925G	54.49	68.20	-13.71	59.52	3	Vertical	272	2.73	-	32.40	5.64	43.07			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	64.16	68.20	-4.04	70.04	3	Horizontal	333	1.57	-	31.80	5.55	43.23			
PK	5.7535G	120.73	Inf	-Inf	126.23	3	Horizontal	333	1.57	-	32.11	5.56	43.17			
AV	5.7535G	110.67	Inf	-Inf	116.17	3	Horizontal	333	1.57	-	32.11	5.56	43.17			
PK	5.9495G	54.06	68.20	-14.14	59.06	3	Horizontal	333	1.57	-	32.40	5.66	43.06			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48616G	60.02	74.00	-13.98	52.69	3	Vertical	273	1.80	-	40.04	10.46	43.17			
AV	11.49009G	48.04	54.00	-5.96	40.70	3	Vertical	273	1.80	-	40.06	10.46	43.18			
PK	17.22171G	61.69	68.20	-6.51	47.05	3	Vertical	276	1.80	-	40.54	16.37	42.27			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49456G	65.75	74.00	-8.25	58.40	3	Horizontal	135	1.80	-	40.08	10.46	43.19			
AV	11.49702G	53.55	54.00	-0.45	46.18	3	Horizontal	135	1.80	-	40.09	10.47	43.19			
PK	17.24268G	61.25	68.20	-6.95	46.55	3	Horizontal	214	1.80	-	40.59	16.38	42.27			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6165G	60.51	68.20	-7.69	66.47	3	Vertical	229	1.20	-	31.73	5.55	43.24			
PK	5.7925G	122.37	Inf	-Inf	127.77	3	Vertical	229	1.20	-	32.19	5.56	43.15			
AV	5.7935G	113.12	Inf	-Inf	118.52	3	Vertical	229	1.20	-	32.19	5.56	43.15			
PK	6.009G	54.93	68.20	-13.27	59.74	3	Vertical	229	1.20	-	32.52	5.70	43.03			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6505G	61.27	68.57	-7.30	67.15	3	Horizontal	46	2.61	-	31.80	5.55	43.23			
PK	5.794G	124.00	Inf	-Inf	129.40	3	Horizontal	46	2.61	-	32.19	5.56	43.15			
AV	5.794G	114.14	Inf	-Inf	119.54	3	Horizontal	46	2.61	-	32.19	5.56	43.15			
PK	6.0265G	54.93	68.20	-13.27	59.68	3	Horizontal	46	2.61	-	32.55	5.72	43.02			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56265G	58.44	74.00	-15.56	51.11	3	Vertical	105	3.00	-	39.97	10.52	43.16			
AV	11.5643G	47.61	54.00	-6.39	40.28	3	Vertical	105	3.00	-	39.97	10.52	43.16			
PK	17.36595G	62.71	68.20	-5.49	47.18	3	Vertical	306	1.80	-	41.36	16.43	42.26			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56322G	62.75	74.00	-11.25	55.42	3	Horizontal	65	1.83	-	39.97	10.52	43.16			
AV	11.56301G	52.05	54.00	-1.95	44.72	3	Horizontal	65	1.83	-	39.97	10.52	43.16			
PK	17.36352G	63.04	68.20	-5.16	47.53	3	Horizontal	97	2.49	-	41.34	16.43	42.26			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.755G	56.79	68.20	-11.41	62.76	3	Vertical	230	1.03	-	31.75	5.55	43.27			
PK	5.8165G	123.00	Inf	-Inf	128.36	3	Vertical	230	1.03	-	32.20	5.57	43.13			
AV	5.816G	112.48	Inf	-Inf	117.84	3	Vertical	230	1.03	-	32.20	5.57	43.13			
PK	5.9795G	54.71	68.20	-13.49	59.61	3	Vertical	230	1.03	-	32.46	5.68	43.04			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5885G	56.36	68.20	-11.84	62.35	3	Horizontal	349	2.85	-	31.72	5.55	43.26			
PK	5.817G	123.95	Inf	-Inf	129.31	3	Horizontal	349	2.85	-	32.20	5.57	43.13			
AV	5.816G	113.47	Inf	-Inf	118.83	3	Horizontal	349	2.85	-	32.20	5.57	43.13			
PK	5.9715G	54.53	68.20	-13.67	59.47	3	Horizontal	349	2.85	-	32.44	5.67	43.05			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65126G	61.21	74.00	-12.79	54.04	3	Vertical	97	1.02	-	39.70	10.58	43.11			
AV	11.64706G	49.15	54.00	-4.85	41.97	3	Vertical	97	1.02	-	39.71	10.58	43.11			
PK	17.47986G	65.27	68.20	-2.93	48.71	3	Vertical	357	2.13	-	42.34	16.47	42.25			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
04-H-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66296G	65.09	74.00	-8.91	57.93	3	Horizontal	66	1.80	-	39.67	10.59	43.10			
AV	11.65153G	52.52	54.00	-1.48	45.35	3	Horizontal	66	1.80	-	39.70	10.58	43.11			
PK	17.47785G	64.50	68.20	-3.70	47.96	3	Horizontal	360	1.80	-	42.32	16.47	42.25			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 76
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	65.78	74.00	-8.22	56.13	3	Vertical	352	1.00	-	33.60	6.98	30.93			
AV	5.15G	53.68	54.00	-0.32	44.03	3	Vertical	352	1.00	-	33.60	6.98	30.93			
PK	5.1766G	115.91	Inf	-Inf	106.18	3	Vertical	352	1.00	-	33.65	6.99	30.91			
AV	5.187G	103.24	Inf	-Inf	93.48	3	Vertical	352	1.00	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 76
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	64.23	74.00	-9.77	54.59	3	Horizontal	312	1.79	-	33.60	6.97	30.93			
AV	5.1496G	49.13	54.00	-4.87	39.48	3	Horizontal	312	1.79	-	33.60	6.98	30.93			
PK	5.2074G	113.64	Inf	-Inf	103.81	3	Horizontal	312	1.79	-	33.71	7.01	30.89			
AV	5.2076G	102.18	Inf	-Inf	92.34	3	Horizontal	312	1.79	-	33.72	7.01	30.89			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 76
02-D-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.38128G	57.95	68.20	-10.25	38.88	3	Vertical	105	2.71	-	38.54	11.05	30.52				
PK	15.57135G	60.54	74.00	-13.46	42.69	3	Vertical	45	1.11	-	37.96	11.85	31.96				
AV	15.56808G	46.54	54.00	-7.46	28.68	3	Vertical	45	1.11	-	37.96	11.85	31.95				

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 76
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3807G	57.82	68.20	-10.38	38.75	3	Horizontal	204	2.97	-	38.54	11.05	30.52			
PK	15.56916G	60.26	74.00	-13.74	42.40	3	Horizontal	192	1.32	-	37.96	11.85	31.95			
AV	15.56752G	46.59	54.00	-7.41	28.73	3	Horizontal	192	1.32	-	37.96	11.85	31.95			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 97
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1463G	73.93	74.00	-0.07	64.28	3	Vertical	22	2.10	-	33.60	6.98	30.93			
AV	5.1499G	52.27	54.00	-1.73	42.62	3	Vertical	22	2.10	-	33.60	6.98	30.93			
PK	5.2246G	123.17	Inf	-Inf	113.30	3	Vertical	22	2.10	-	33.75	7.00	30.88			
AV	5.2186G	109.66	Inf	-Inf	99.80	3	Vertical	22	2.10	-	33.74	7.01	30.89			
PK	5.3542G	64.01	74.00	-9.99	53.94	3	Vertical	22	2.10	-	33.91	6.97	30.81			
AV	5.3509G	50.52	54.00	-3.48	40.46	3	Vertical	22	2.10	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 97
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1418G	71.72	74.00	-2.28	62.08	3	Horizontal	149	1.94	-	33.60	6.97	30.93			
AV	5.1499G	51.46	54.00	-2.54	41.81	3	Horizontal	149	1.94	-	33.60	6.98	30.93			
PK	5.248G	117.74	Inf	-Inf	107.81	3	Horizontal	149	1.94	-	33.80	7.00	30.87			
AV	5.2471G	106.22	Inf	-Inf	96.30	3	Horizontal	149	1.94	-	33.79	7.00	30.87			
PK	5.3512G	63.76	74.00	-10.24	53.70	3	Horizontal	149	1.94	-	33.90	6.97	30.81			
AV	5.3509G	50.15	54.00	-3.85	40.09	3	Horizontal	149	1.94	-	33.90	6.97	30.81			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 97
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45846G	57.55	68.20	-10.65	38.53	3	Vertical	288	2.08	-	38.42	11.10	30.50			
PK	15.68861G	60.03	74.00	-13.97	42.58	3	Vertical	304	2.60	-	37.62	11.86	32.03			
AV	15.69106G	46.53	54.00	-7.47	29.08	3	Vertical	304	2.60	-	37.62	11.86	32.03			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 97
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45949G	57.69	68.20	-10.51	38.67	3	Horizontal	179	2.50	-	38.42	11.10	30.50			
PK	15.68913G	60.46	74.00	-13.54	43.01	3	Horizontal	7	2.92	-	37.62	11.86	32.03			
AV	15.69059G	46.64	54.00	-7.36	29.19	3	Horizontal	7	2.92	-	37.62	11.86	32.03			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 96
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1461G	61.75	74.00	-12.25	52.11	3	Vertical	246	1.96	-	33.60	6.97	30.93			
AV	5.1497G	48.46	54.00	-5.54	38.81	3	Vertical	246	1.96	-	33.60	6.98	30.93			
PK	5.2628G	121.30	Inf	-Inf	111.34	3	Vertical	246	1.96	-	33.83	6.99	30.86			
AV	5.2595G	108.30	Inf	-Inf	98.34	3	Vertical	246	1.96	-	33.82	7.00	30.86			
PK	5.3555G	73.77	74.00	-0.23	63.70	3	Vertical	246	1.96	-	33.91	6.97	30.81			
AV	5.3519G	51.22	54.00	-2.78	41.16	3	Vertical	246	1.96	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 96
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1434G	61.26	74.00	-12.74	51.62	3	Horizontal	148	1.60	-	33.60	6.97	30.93			
AV	5.1473G	49.20	54.00	-4.80	39.55	3	Horizontal	148	1.60	-	33.60	6.98	30.93			
PK	5.2811G	117.01	Inf	-Inf	107.01	3	Horizontal	148	1.60	-	33.86	6.99	30.85			
AV	5.2787G	105.87	Inf	-Inf	95.87	3	Horizontal	148	1.60	-	33.86	6.99	30.85			
PK	5.357G	73.81	74.00	-0.19	63.74	3	Horizontal	148	1.60	-	33.91	6.97	30.81			
AV	5.3504G	52.93	54.00	-1.07	42.87	3	Horizontal	148	1.60	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 96
02-D-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.53797G	59.01	68.20	-9.19	39.77	3	Vertical	52	2.94	-	38.58	11.15	30.49			
PK	15.80838G	60.09	74.00	-13.91	42.92	3	Vertical	338	2.18	-	37.42	11.86	32.11			
AV	15.8106G	46.28	54.00	-7.72	29.11	3	Vertical	338	2.18	-	37.42	11.86	32.11			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 96
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54173G	58.51	68.20	-9.69	39.27	3	Horizontal	135	2.73	-	38.58	11.15	30.49			
PK	15.80925G	59.43	74.00	-14.57	42.26	3	Horizontal	78	1.34	-	37.42	11.86	32.11			
AV	15.80897G	46.12	54.00	-7.88	28.95	3	Horizontal	78	1.34	-	37.42	11.86	32.11			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 91
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2966G	118.57	Inf	-Inf	108.53	3	Vertical	326	2.03	-	33.89	6.99	30.84			
AV	5.2924G	107.39	Inf	-Inf	97.37	3	Vertical	326	2.03	-	33.88	6.99	30.85			
PK	5.3526G	68.66	74.00	-5.34	58.59	3	Vertical	326	2.03	-	33.91	6.97	30.81			
AV	5.351G	53.74	54.00	-0.26	43.68	3	Vertical	326	2.03	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 91
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2924G	117.55	Inf	-Inf	107.53	3	Horizontal	184	1.80	-	33.88	6.99	30.85			
AV	5.2924G	105.23	Inf	-Inf	95.21	3	Horizontal	184	1.80	-	33.88	6.99	30.85			
PK	5.3528G	66.42	74.00	-7.58	56.35	3	Horizontal	184	1.80	-	33.91	6.97	30.81			
AV	5.3522G	52.49	54.00	-1.51	42.43	3	Horizontal	184	1.80	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 91
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62385G	58.76	74.00	-15.24	39.49	3	Vertical	208	2.42	-	38.55	11.21	30.49			
AV	10.61966G	44.95	54.00	-9.05	25.68	3	Vertical	208	2.42	-	38.56	11.20	30.49			
PK	15.93106G	59.62	74.00	-14.38	42.36	3	Vertical	107	1.72	-	37.58	11.87	32.19			
AV	15.92791G	45.56	54.00	-8.44	28.28	3	Vertical	107	1.72	-	37.59	11.87	32.18			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 91
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61995G	59.94	74.00	-14.06	40.67	3	Horizontal	255	1.35	-	38.56	11.20	30.49			
AV	10.6173G	45.13	54.00	-8.87	25.85	3	Horizontal	255	1.35	-	38.57	11.20	30.49			
PK	15.9296G	58.60	74.00	-15.40	41.33	3	Horizontal	215	2.89	-	37.58	11.87	32.18			
AV	15.92871G	45.58	54.00	-8.42	28.30	3	Horizontal	215	2.89	-	37.59	11.87	32.18			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 86
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	67.09	74.00	-6.91	56.66	3	Vertical	124	1.03	-	34.02	7.16	30.75			
AV	5.46G	52.56	54.00	-1.44	42.13	3	Vertical	124	1.03	-	34.02	7.16	30.75			
PK	5.4652G	67.78	68.20	-0.42	57.32	3	Vertical	124	1.03	-	34.03	7.18	30.75			
PK	5.5138G	118.55	Inf	-Inf	107.87	3	Vertical	124	1.03	-	34.07	7.34	30.73			
AV	5.5144G	106.49	Inf	-Inf	95.81	3	Vertical	124	1.03	-	34.07	7.34	30.73			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 86
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	65.42	74.00	-8.58	55.00	3	Horizontal	357	2.28	-	34.02	7.15	30.75			
AV	5.46G	52.94	54.00	-1.06	42.51	3	Horizontal	357	2.28	-	34.02	7.16	30.75			
PK	5.464G	67.66	68.20	-0.54	57.21	3	Horizontal	357	2.28	-	34.03	7.17	30.75			
PK	5.502G	118.98	Inf	-Inf	108.31	3	Horizontal	357	2.28	-	34.10	7.30	30.73			
AV	5.504G	106.07	Inf	-Inf	95.41	3	Horizontal	357	2.28	-	34.09	7.30	30.73			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 86
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02417G	59.50	74.00	-14.50	39.93	3	Vertical	148	2.49	-	38.60	11.46	30.49			
AV	11.02492G	45.18	54.00	-8.82	25.61	3	Vertical	148	2.49	-	38.60	11.46	30.49			
PK	16.52915G	59.74	68.20	-8.46	40.64	3	Vertical	123	2.45	-	39.03	12.12	32.05			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 86
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01532G	58.56	74.00	-15.44	39.00	3	Horizontal	352	1.36	-	38.60	11.45	30.49			
AV	11.01905G	45.08	54.00	-8.92	25.51	3	Horizontal	352	1.36	-	38.60	11.46	30.49			
PK	16.53024G	59.43	68.20	-8.77	40.32	3	Horizontal	252	2.85	-	39.04	12.12	32.05			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 89
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4549G	65.45	74.00	-8.55	55.06	3	Vertical	318	2.57	-	34.01	7.14	30.76			
AV	5.4591G	51.91	54.00	-2.09	41.48	3	Vertical	318	2.57	-	34.02	7.16	30.75			
PK	5.4693G	67.84	68.20	-0.36	57.36	3	Vertical	318	2.57	-	34.04	7.19	30.75			
PK	5.5323G	118.23	Inf	-Inf	107.51	3	Vertical	318	2.57	-	34.04	7.40	30.72			
AV	5.5356G	105.21	Inf	-Inf	94.49	3	Vertical	318	2.57	-	34.03	7.41	30.72			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 89
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4561G	66.62	74.00	-7.38	56.21	3	Horizontal	16	3.00	-	34.01	7.15	30.75			
AV	5.4591G	51.69	54.00	-2.31	41.26	3	Horizontal	16	3.00	-	34.02	7.16	30.75			
PK	5.4636G	67.57	68.20	-0.63	57.12	3	Horizontal	16	3.00	-	34.03	7.17	30.75			
PK	5.5335G	116.99	Inf	-Inf	106.28	3	Horizontal	16	3.00	-	34.03	7.40	30.72			
AV	5.532G	105.20	Inf	-Inf	94.48	3	Horizontal	16	3.00	-	34.04	7.40	30.72			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 89
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12778G	61.29	74.00	-12.71	41.70	3	Vertical	27	1.43	-	38.60	11.53	30.54			
AV	11.12058G	48.25	54.00	-5.75	28.67	3	Vertical	27	1.43	-	38.60	11.52	30.54			
PK	16.67988G	62.29	68.20	-5.91	42.32	3	Vertical	121	2.17	-	39.86	12.19	32.08			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 89
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11134G	61.48	74.00	-12.52	41.89	3	Horizontal	64	1.76	-	38.60	11.52	30.53			
AV	11.11854G	48.24	54.00	-5.76	28.65	3	Horizontal	64	1.76	-	38.60	11.52	30.53			
PK	16.6695G	61.96	68.20	-6.24	42.00	3	Horizontal	222	2.04	-	39.84	12.19	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 79
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6526G	116.48	Inf	-Inf	105.50	3	Vertical	335	1.00	-	34.00	7.67	30.69			
AV	5.6546G	104.00	Inf	-Inf	93.02	3	Vertical	335	1.00	-	34.00	7.67	30.69			
PK	5.7252G	68.04	68.20	-0.16	56.99	3	Vertical	335	1.00	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 79
02-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.676G	115.85	Inf	-Inf	104.85	3	Horizontal	5	2.99	-	34.00	7.69	30.69			
AV	5.6764G	103.71	Inf	-Inf	92.71	3	Horizontal	5	2.99	-	34.00	7.69	30.69			
PK	5.7258G	67.88	68.20	-0.32	56.83	3	Horizontal	5	2.99	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 79
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34378G	60.27	74.00	-13.73	40.55	3	Vertical	33	1.76	-	38.70	11.66	30.64			
AV	11.33931G	46.56	54.00	-7.44	26.84	3	Vertical	33	1.76	-	38.70	11.66	30.64			
PK	17.00974G	60.09	68.20	-8.11	38.46	3	Vertical	268	2.23	-	41.40	12.35	32.12			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX



EUT_Y_4TX
Setting 79
02-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33527G	60.05	74.00	-13.95	40.32	3	Horizontal	89	2.03	-	38.70	11.66	30.63			
AV	11.33682G	46.42	54.00	-7.58	26.69	3	Horizontal	89	2.03	-	38.70	11.66	30.63			
PK	17.01094G	60.66	68.20	-7.54	39.03	3	Horizontal	17	1.06	-	41.40	12.35	32.12			