


2.4-2.4835GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

2467MHz_TX




EUT Y_4TX
Setting 70
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3822G	58.57	74.00	-15.43	27.39	3	Vertical	152	1.01	-	27.70	3.48	-			
AV	2.389G	47.77	54.00	-6.23	16.58	3	Vertical	152	1.01	-	27.70	3.49	-			
PK	2.4698G	118.57	Inf	-Inf	87.64	3	Vertical	152	1.01	-	27.40	3.53	-			
AV	2.4678G	107.14	Inf	-Inf	76.21	3	Vertical	152	1.01	-	27.40	3.53	-			
PK	2.487G	64.89	74.00	-9.11	33.85	3	Vertical	152	1.01	-	27.50	3.54	-			
AV	2.4846G	53.97	54.00	-0.03	22.93	3	Vertical	152	1.01	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

2467MHz_TX




EUT_Y_4TX
Setting 70
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.379G	58.73	74.00	-15.27	27.54	3	Horizontal	136	2.32	-	27.71	3.48	-			
AV	2.3762G	47.37	54.00	-6.63	16.15	3	Horizontal	136	2.32	-	27.74	3.48	-			
PK	2.4706G	112.56	Inf	-Inf	81.61	3	Horizontal	136	2.32	-	27.41	3.54	-			
AV	2.465G	109.58	Inf	-Inf	78.65	3	Horizontal	136	2.32	-	27.40	3.53	-			
PK	2.4835G	60.50	74.00	-13.50	29.46	3	Horizontal	136	2.32	-	27.50	3.54	-			
AV	2.4835G	50.56	54.00	-3.44	19.52	3	Horizontal	136	2.32	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

2467MHz_TX




EUT_Y_4TX
Setting 70
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.93672G	42.16	74.00	-31.84	49.11	3	Vertical	80	2.83	-	31.45	5.51	43.91			
AV	4.93892G	30.44	54.00	-23.56	37.38	3	Vertical	80	2.83	-	31.46	5.51	43.91			
PK	7.40864G	47.21	74.00	-26.79	46.73	3	Vertical	10	2.08	-	36.15	7.24	42.91			
AV	7.39104G	35.43	54.00	-18.57	34.98	3	Vertical	10	2.08	-	36.10	7.23	42.88			

2.4-2.4835GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

2467MHz_TX




EUT_Y_4TX
Setting 70
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.93588G	41.83	74.00	-32.17	48.79	3	Horizontal	43	1.92	-	31.44	5.51	43.91			
AV	4.93484G	30.47	54.00	-23.53	37.43	3	Horizontal	43	1.92	-	31.44	5.51	43.91			
PK	7.409G	47.05	74.00	-26.95	46.57	3	Horizontal	295	1.21	-	36.15	7.24	42.91			
AV	7.39592G	35.51	54.00	-18.49	35.07	3	Horizontal	295	1.21	-	36.10	7.23	42.89			

2.4-2.4835GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

2472MHz_TX




EUT_Y_4TX
Setting 35
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3864G	57.84	74.00	-16.16	26.65	3	Vertical	163	1.00	-	27.70	3.49	-			
AV	2.378G	46.61	54.00	-7.39	15.41	3	Vertical	163	1.00	-	27.72	3.48	-			
PK	2.4664G	112.70	Inf	-Inf	81.77	3	Vertical	163	1.00	-	27.40	3.53	-			
AV	2.4664G	101.46	Inf	-Inf	70.53	3	Vertical	163	1.00	-	27.40	3.53	-			
PK	2.4835G	71.15	74.00	-2.85	40.11	3	Vertical	163	1.00	-	27.50	3.54	-			
AV	2.4835G	53.97	54.00	-0.03	22.93	3	Vertical	163	1.00	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

2472MHz_TX




EUT_Y_4TX
Setting 35
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3736G	58.47	74.00	-15.53	27.24	3	Horizontal	139	1.80	-	27.76	3.47	-			
AV	2.372G	46.69	54.00	-7.31	15.44	3	Horizontal	139	1.80	-	27.78	3.47	-			
PK	2.4796G	109.07	Inf	-Inf	78.03	3	Horizontal	139	1.80	-	27.50	3.54	-			
AV	2.474G	101.76	Inf	-Inf	70.78	3	Horizontal	139	1.80	-	27.44	3.54	-			
PK	2.4835G	72.40	74.00	-1.60	41.36	3	Horizontal	139	1.80	-	27.50	3.54	-			
AV	2.4835G	52.37	54.00	-1.63	21.33	3	Horizontal	139	1.80	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

2472MHz_TX




EUT_Y_4TX
Setting 35
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.95192G	42.10	74.00	-31.90	48.99	3	Vertical	50	2.24	-	31.51	5.50	43.90			
AV	4.94816G	30.62	54.00	-23.38	37.53	3	Vertical	50	2.24	-	31.49	5.50	43.90			
PK	7.4158G	46.65	74.00	-27.35	46.13	3	Vertical	172	1.40	-	36.19	7.25	42.92			
AV	7.41752G	35.47	54.00	-18.53	34.93	3	Vertical	172	1.40	-	36.21	7.25	42.92			

2.4-2.4835GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

2472MHz_TX




EUT_Y_4TX
Setting 35
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.94996G	41.93	74.00	-32.07	48.83	3	Horizontal	171	2.59	-	31.50	5.50	43.90			
AV	4.94836G	30.76	54.00	-23.24	37.67	3	Horizontal	171	2.59	-	31.49	5.50	43.90			
PK	7.41712G	46.94	74.00	-27.06	46.41	3	Horizontal	267	1.01	-	36.20	7.25	42.92			
AV	7.42552G	35.34	54.00	-18.66	34.77	3	Horizontal	267	1.01	-	36.25	7.25	42.93			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2422MHz_TX




EUT_Y_4TX
Setting 76
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3792G	65.87	74.00	-8.13	34.68	3	Vertical	90	2.78	-	27.71	3.48	-			
AV	2.3864G	52.72	54.00	-1.28	21.53	3	Vertical	90	2.78	-	27.70	3.49	-			
PK	2.4128G	117.61	Inf	-Inf	86.47	3	Vertical	90	2.78	-	27.63	3.51	-			
AV	2.4112G	114.90	Inf	-Inf	83.78	3	Vertical	90	2.78	-	27.61	3.51	-			
PK	2.4984G	60.87	74.00	-13.13	29.82	3	Vertical	90	2.78	-	27.50	3.55	-			
AV	2.4835G	48.71	54.00	-5.29	17.67	3	Vertical	90	2.78	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2422MHz_TX




EUT_Y_4TX
Setting 76
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3836G	66.37	74.00	-7.63	35.19	3	Horizontal	141	1.86	-	27.70	3.48	-			
AV	2.3872G	53.89	54.00	-0.11	22.70	3	Horizontal	141	1.86	-	27.70	3.49	-			
PK	2.4404G	116.08	Inf	-Inf	85.06	3	Horizontal	141	1.86	-	27.50	3.52	-			
AV	2.4116G	110.56	Inf	-Inf	79.43	3	Horizontal	141	1.86	-	27.62	3.51	-			
PK	2.4848G	61.74	74.00	-12.26	30.70	3	Horizontal	141	1.86	-	27.50	3.54	-			
AV	2.4852G	49.31	54.00	-4.69	18.27	3	Horizontal	141	1.86	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2422MHz_TX




EUT_Y_4TX
Setting 76
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84032G	42.59	74.00	-31.41	49.69	3	Vertical	88	2.97	-	31.30	5.53	43.93			
AV	4.83692G	29.92	54.00	-24.08	37.02	3	Vertical	88	2.97	-	31.30	5.53	43.93			
PK	7.27436G	49.27	74.00	-24.73	48.51	3	Vertical	143	1.20	-	36.25	7.22	42.71			
AV	7.27096G	36.59	54.00	-17.41	35.84	3	Vertical	143	1.20	-	36.24	7.22	42.71			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2422MHz_TX




EUT_Y_4TX
Setting 76
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.83628G	42.24	74.00	-31.76	49.34	3	Horizontal	299	1.80	-	31.30	5.53	43.93			
AV	4.8364G	29.92	54.00	-24.08	37.02	3	Horizontal	299	1.80	-	31.30	5.53	43.93			
PK	7.25648G	48.77	74.00	-25.23	48.02	3	Horizontal	106	2.23	-	36.21	7.22	42.68			
AV	7.2608G	36.51	54.00	-17.49	35.76	3	Horizontal	106	2.23	-	36.22	7.22	42.69			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2427MHz_TX




EUT Y_4TX
Setting 54
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3818G	59.65	74.00	-14.35	28.47	3	Vertical	95	2.54	-	27.70	3.48	-			
AV	2.3766G	47.82	54.00	-6.18	16.61	3	Vertical	95	2.54	-	27.73	3.48	-			
PK	2.4162G	112.47	Inf	-Inf	81.30	3	Vertical	95	2.54	-	27.66	3.51	-			
AV	2.4166G	107.00	Inf	-Inf	75.82	3	Vertical	95	2.54	-	27.67	3.51	-			
PK	2.4838G	64.34	74.00	-9.66	33.30	3	Vertical	95	2.54	-	27.50	3.54	-			
AV	2.4835G	53.02	54.00	-0.98	21.98	3	Vertical	95	2.54	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2427MHz_TX




EUT_Y_4TX
Setting 54
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	59.25	74.00	-14.75	28.06	3	Horizontal	138	2.25	-	27.70	3.49	-			
AV	2.3878G	48.20	54.00	-5.80	17.01	3	Horizontal	138	2.25	-	27.70	3.49	-			
PK	2.441G	109.73	Inf	-Inf	78.71	3	Horizontal	138	2.25	-	27.50	3.52	-			
AV	2.4202G	106.41	Inf	-Inf	75.20	3	Horizontal	138	2.25	-	27.70	3.51	-			
PK	2.4835G	66.36	74.00	-7.64	35.32	3	Horizontal	138	2.25	-	27.50	3.54	-			
AV	2.4835G	53.97	54.00	-0.03	22.93	3	Horizontal	138	2.25	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 80
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3894G	70.21	74.00	-3.79	39.02	3	Vertical	93	2.80	-	27.70	3.49	-				
AV	2.3886G	53.21	54.00	-0.79	22.02	3	Vertical	93	2.80	-	27.70	3.49	-				
PK	2.4242G	118.08	Inf	-Inf	86.91	3	Vertical	93	2.80	-	27.66	3.51	-				
AV	2.4242G	115.11	Inf	-Inf	83.94	3	Vertical	93	2.80	-	27.66	3.51	-				
PK	2.4894G	68.21	74.00	-5.79	37.17	3	Vertical	93	2.80	-	27.50	3.54	-				
AV	2.4835G	51.95	54.00	-2.05	20.91	3	Vertical	93	2.80	-	27.50	3.54	-				

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 80
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	71.15	74.00	-2.85	39.96	3	Horizontal	145	2.94	-	27.70	3.49	-			
AV	2.3898G	52.60	54.00	-1.40	21.41	3	Horizontal	145	2.94	-	27.70	3.49	-			
PK	2.4262G	114.90	Inf	-Inf	83.75	3	Horizontal	145	2.94	-	27.64	3.51	-			
AV	2.4266G	111.30	Inf	-Inf	80.16	3	Horizontal	145	2.94	-	27.63	3.51	-			
PK	2.4898G	69.46	74.00	-4.54	38.42	3	Horizontal	145	2.94	-	27.50	3.54	-			
AV	2.4846G	50.73	54.00	-3.27	19.69	3	Horizontal	145	2.94	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 80
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87904G	42.91	74.00	-31.09	50.01	3	Vertical	66	2.47	-	31.30	5.52	43.92				
AV	4.8776G	30.35	54.00	-23.65	37.45	3	Vertical	66	2.47	-	31.30	5.52	43.92				
PK	7.30424G	49.46	74.00	-24.54	48.71	3	Vertical	240	2.18	-	36.28	7.22	42.75				
AV	7.31864G	36.28	54.00	-17.72	35.61	3	Vertical	240	2.18	-	36.23	7.22	42.78				

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 80
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.86588G	42.24	74.00	-31.76	49.34	3	Horizontal	347	2.22	-	31.30	5.52	43.92			
AV	4.86928G	29.98	54.00	-24.02	37.08	3	Horizontal	347	2.22	-	31.30	5.52	43.92			
PK	7.31364G	48.40	74.00	-25.60	47.70	3	Horizontal	359	1.80	-	36.25	7.22	42.77			
AV	7.3114G	36.29	54.00	-17.71	35.58	3	Horizontal	359	1.80	-	36.25	7.22	42.76			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2447MHz_TX




EUT_Y_4TX
Setting 59
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	65.19	74.00	-8.81	34.00	3	Vertical	89	2.72	-	27.70	3.49	-			
AV	2.3898G	53.79	54.00	-0.21	22.60	3	Vertical	89	2.72	-	27.70	3.49	-			
PK	2.4398G	112.76	Inf	-Inf	81.74	3	Vertical	89	2.72	-	27.50	3.52	-			
AV	2.4382G	110.48	Inf	-Inf	79.44	3	Vertical	89	2.72	-	27.52	3.52	-			
PK	2.485G	60.23	74.00	-13.77	29.19	3	Vertical	89	2.72	-	27.50	3.54	-			
AV	2.4835G	48.91	54.00	-5.09	17.87	3	Vertical	89	2.72	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2447MHz_TX




EUT_Y_4TX
Setting 59
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	64.60	74.00	-9.40	33.41	3	Horizontal	18	1.24	-	27.70	3.49	-			
AV	2.3898G	52.97	54.00	-1.03	21.78	3	Horizontal	18	1.24	-	27.70	3.49	-			
PK	2.4458G	112.94	Inf	-Inf	81.92	3	Horizontal	18	1.24	-	27.50	3.52	-			
AV	2.433G	106.61	Inf	-Inf	75.52	3	Horizontal	18	1.24	-	27.57	3.52	-			
PK	2.4862G	60.50	74.00	-13.50	29.46	3	Horizontal	18	1.24	-	27.50	3.54	-			
AV	2.4854G	48.50	54.00	-5.50	17.46	3	Horizontal	18	1.24	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2452MHz_TX




EUT Y_4TX
Setting 75
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3668G	61.85	74.00	-12.15	30.55	3	Vertical	324	1.03	-	27.83	3.47	-			
AV	2.3896G	50.10	54.00	-3.90	18.91	3	Vertical	324	1.03	-	27.70	3.49	-			
PK	2.434G	117.18	Inf	-Inf	86.10	3	Vertical	324	1.03	-	27.56	3.52	-			
AV	2.444G	113.05	Inf	-Inf	82.03	3	Vertical	324	1.03	-	27.50	3.52	-			
PK	2.4896G	66.18	74.00	-7.82	35.14	3	Vertical	324	1.03	-	27.50	3.54	-			
AV	2.4835G	53.51	54.00	-0.49	22.47	3	Vertical	324	1.03	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2452MHz_TX




EUT_Y_4TX
Setting 75
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3784G	60.29	74.00	-13.71	29.09	3	Horizontal	20	1.14	-	27.72	3.48	-			
AV	2.38G	47.77	54.00	-6.23	16.59	3	Horizontal	20	1.14	-	27.70	3.48	-			
PK	2.4428G	116.81	Inf	-Inf	85.79	3	Horizontal	20	1.14	-	27.50	3.52	-			
AV	2.4444G	111.97	Inf	-Inf	80.95	3	Horizontal	20	1.14	-	27.50	3.52	-			
PK	2.486G	65.57	74.00	-8.43	34.53	3	Horizontal	20	1.14	-	27.50	3.54	-			
AV	2.4835G	53.97	54.00	-0.03	22.93	3	Horizontal	20	1.14	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2452MHz_TX




EUT_Y_4TX
Setting 75
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90532G	42.89	74.00	-31.11	49.97	3	Vertical	108	1.45	-	31.32	5.51	43.91			
AV	4.90912G	30.05	54.00	-23.95	37.11	3	Vertical	108	1.45	-	31.34	5.51	43.91			
PK	7.34892G	48.04	74.00	-25.96	47.54	3	Vertical	207	1.00	-	36.10	7.22	42.82			
AV	7.3544G	35.91	54.00	-18.09	35.41	3	Vertical	207	1.00	-	36.10	7.23	42.83			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2452MHz_TX




EUT_Y_4TX
Setting 75
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90692G	42.38	74.00	-31.62	49.45	3	Horizontal	31	1.30	-	31.33	5.51	43.91			
AV	4.89516G	30.01	54.00	-23.99	37.11	3	Horizontal	31	1.30	-	31.30	5.52	43.92			
PK	7.35524G	48.66	74.00	-25.34	48.16	3	Horizontal	325	1.80	-	36.10	7.23	42.83			
AV	7.35604G	35.82	54.00	-18.18	35.32	3	Horizontal	325	1.80	-	36.10	7.23	42.83			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 77
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	61.66	74.00	-12.34	30.47	3	Vertical	329	1.03	-	27.70	3.49	-			
AV	2.3882G	49.57	54.00	-4.43	18.38	3	Vertical	329	1.03	-	27.70	3.49	-			
PK	2.4462G	116.70	Inf	-Inf	85.68	3	Vertical	329	1.03	-	27.50	3.52	-			
AV	2.4478G	114.22	Inf	-Inf	83.20	3	Vertical	329	1.03	-	27.50	3.52	-			
PK	2.495G	67.56	74.00	-6.44	36.51	3	Vertical	329	1.03	-	27.50	3.55	-			
AV	2.4835G	53.97	54.00	-0.03	22.93	3	Vertical	329	1.03	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 77
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3746G	60.43	74.00	-13.57	29.21	3	Horizontal	126	2.50	-	27.75	3.47	-			
AV	2.3734G	47.86	54.00	-6.14	16.62	3	Horizontal	126	2.50	-	27.77	3.47	-			
PK	2.4454G	115.67	Inf	-Inf	84.65	3	Horizontal	126	2.50	-	27.50	3.52	-			
AV	2.4458G	113.13	Inf	-Inf	82.11	3	Horizontal	126	2.50	-	27.50	3.52	-			
PK	2.4898G	63.79	74.00	-10.21	32.75	3	Horizontal	126	2.50	-	27.50	3.54	-			
AV	2.4835G	50.73	54.00	-3.27	19.69	3	Horizontal	126	2.50	-	27.50	3.54	-			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 77
04-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.91664G	42.77	74.00	-31.23	49.80	3	Vertical	108	2.79	-	31.37	5.51	43.91			
AV	4.90948G	29.93	54.00	-24.07	36.99	3	Vertical	108	2.79	-	31.34	5.51	43.91			
PK	7.36388G	47.71	74.00	-26.29	47.22	3	Vertical	311	1.80	-	36.10	7.23	42.84			
AV	7.361G	35.70	54.00	-18.30	35.21	3	Vertical	311	1.80	-	36.10	7.23	42.84			

2.4-2.4835GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

2457MHz_TX



EUT_Y_4TX
Setting 77
04-H-E-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90484G	42.59	74.00	-31.41	49.67	3	Horizontal	356	2.22	-	31.32	5.51	43.91			
AV	4.90924G	30.02	54.00	-23.98	37.08	3	Horizontal	356	2.22	-	31.34	5.51	43.91			
PK	7.379G	48.04	74.00	-25.96	47.57	3	Horizontal	186	1.80	-	36.10	7.23	42.86			
AV	7.36112G	35.73	54.00	-18.27	35.24	3	Horizontal	186	1.80	-	36.10	7.23	42.84			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.64133G	24.67	54.00	-29.33	Vertical

Mode 1



Mode 1

