

Appendix A. Test Results_GSM

A: Effective (Isotropic) Radiated Power Output Data

Test Result

Test Band	Test Mode	Test Channel	Average Measured (dbm)	Peak Measured (dbm)	Verdict
GSM850	GSM/TM1	LCH	32.12	32.35	PASS
		MCH	32.08	32.30	PASS
		HCH	32.15	32.36	PASS
	GSM/TM2-Slot1	LCH	32.03	32.24	PASS
		MCH	32.01	32.24	PASS
		HCH	32.04	32.27	PASS
	GSM/TM2-Slot2	LCH	31.91	32.15	PASS
		MCH	31.89	32.15	PASS
		HCH	31.92	32.16	PASS
	GSM/TM2-Slot3	LCH	31.86	32.12	PASS
		MCH	31.84	32.13	PASS
		HCH	31.89	32.14	PASS
	GSM/TM2-Slot4	LCH	31.81	32.02	PASS
		MCH	31.78	32.01	PASS
		HCH	31.83	32.05	PASS
	GSM/TM3-Slot1	LCH	25.96	29.30	PASS
		MCH	26.00	29.28	PASS
		HCH	26.02	29.40	PASS
	GSM/TM3-Slot2	LCH	25.81	29.21	PASS
		MCH	25.88	29.23	PASS
		HCH	25.87	29.18	PASS
	GSM/TM3-Slot3	LCH	25.64	28.92	PASS
		MCH	25.77	28.98	PASS
		HCH	25.74	28.95	PASS

	GSM/TM3-Slot4	LCH	25.49	28.77	PASS
		MCH	25.65	28.84	PASS
		HCH	25.58	28.96	PASS

Test Band	Test Mode	Test Channel	Average Measured (dbm)	Peak Measured (dbm)	Verdict
GSM1900	GSM/TM1	LCH	29.26	29.54	PASS
		MCH	29.37	29.66	PASS
		HCH	29.21	29.49	PASS
	GSM/TM2-Slot1	LCH	29.15	29.45	PASS
		MCH	29.29	29.54	PASS
		HCH	29.09	29.36	PASS
	GSM/TM2-Slot2	LCH	29.04	29.28	PASS
		MCH	29.19	29.41	PASS
		HCH	28.96	29.19	PASS
	GSM/TM2-Slot3	LCH	28.86	29.07	PASS
		MCH	29.04	29.35	PASS
		HCH	28.79	29.06	PASS
	GSM/TM2-Slot4	LCH	28.66	28.86	PASS
		MCH	28.84	29.06	PASS
		HCH	28.61	28.84	PASS
	GSM/TM3-Slot1	LCH	25.25	28.61	PASS
		MCH	25.34	28.65	PASS
		HCH	25.33	28.63	PASS
	GSM/TM3-Slot2	LCH	25.17	28.63	PASS
		MCH	25.25	28.63	PASS
		HCH	25.21	28.57	PASS
	GSM/TM3-Slot3	LCH	25.01	28.22	PASS
		MCH	25.12	28.35	PASS
		HCH	25.06	28.26	PASS
	GSM/TM3-	LCH	24.85	28.17	PASS

	Slot4	MCH	24.96	28.07	PASS
		HCH	24.91	28.21	PASS

B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Channel	Result(dB)	Limit(dB)	Verdict
GSM850	128	0.23	13	PASS
GSM850	190	0.22	13	PASS
GSM850	251	0.21	13	PASS
GPRS850	128	0.21	13	PASS
GPRS850	190	0.23	13	PASS
GPRS850	251	0.23	13	PASS
GPRS850	128	0.24	13	PASS
GPRS850	190	0.26	13	PASS
GPRS850	251	0.24	13	PASS
GPRS850	128	0.26	13	PASS
GPRS850	190	0.29	13	PASS
GPRS850	251	0.25	13	PASS
GPRS850	128	0.21	13	PASS
GPRS850	190	0.23	13	PASS
GPRS850	251	0.22	13	PASS
EGPRS850	128	3.34	13	PASS
EGPRS850	190	3.28	13	PASS
EGPRS850	251	3.38	13	PASS
EGPRS850	128	3.40	13	PASS
EGPRS850	190	3.35	13	PASS
EGPRS850	251	3.31	13	PASS
EGPRS850	128	3.28	13	PASS
EGPRS850	190	3.21	13	PASS
EGPRS850	251	3.21	13	PASS
EGPRS850	128	3.28	13	PASS
EGPRS850	190	3.19	13	PASS
EGPRS850	251	3.38	13	PASS
GSM1900	128	0.28	13	PASS
GSM1900	190	0.29	13	PASS
GSM1900	251	0.28	13	PASS
GPRS1900	128	0.30	13	PASS
GPRS1900	190	0.25	13	PASS
GPRS1900	251	0.27	13	PASS
GPRS1900	128	0.24	13	PASS
GPRS1900	190	0.22	13	PASS
GPRS1900	251	0.23	13	PASS
GPRS1900	128	0.21	13	PASS

GPRS1900	190	0.31	13	PASS
GPRS1900	251	0.27	13	PASS
GPRS1900	128	0.20	13	PASS
GPRS1900	190	0.22	13	PASS
GPRS1900	251	0.23	13	PASS
EGPRS1900	128	3.36	13	PASS
EGPRS1900	190	3.31	13	PASS
EGPRS1900	251	3.30	13	PASS
EGPRS1900	128	3.46	13	PASS
EGPRS1900	190	3.38	13	PASS
EGPRS1900	251	3.36	13	PASS
EGPRS1900	128	3.21	13	PASS
EGPRS1900	190	3.23	13	PASS
EGPRS1900	251	3.20	13	PASS
EGPRS1900	128	3.32	13	PASS
EGPRS1900	190	3.11	13	PASS
EGPRS1900	251	3.30	13	PASS


C: 26dB Bandwidth and Occupied Bandwidth


Test Result


Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM850	128	0.24328	0.3088	---	PASS
GSM850	190	0.24451	0.3177	---	PASS
GSM850	251	0.24642	0.3216	---	PASS
GPRS850	128	0.24424	0.3168	---	PASS
GPRS850	190	0.24360	0.3101	---	PASS
GPRS850	251	0.24533	0.3114	---	PASS
EGPRS850	128	0.24546	0.3071	---	PASS
EGPRS850	190	0.24608	0.3135	---	PASS
EGPRS850	251	0.24661	0.3123	---	PASS
GSM1900	512	0.24539	0.3146	---	PASS
GSM1900	661	0.24447	0.3149	---	PASS
GSM1900	810	0.24407	0.3159	---	PASS
GPRS1900	512	0.24590	0.3134	---	PASS
GPRS1900	661	0.24451	0.3175	---	PASS
GPRS1900	810	0.24488	0.3133	---	PASS
EGPRS1900	512	0.24508	0.3137	---	PASS
EGPRS1900	661	0.24572	0.3140	---	PASS
EGPRS1900	810	0.24564	0.3146	---	PASS

Test Graphs


























D: Band Edge

Test Graphs











E: Conducted Spurious Emission


Test Graphs





















































EGPRS850-251-8-1000~10000MHz-PASS




GSM1900-512-0-0.009~0.15MHz-PASS





























































F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VN	NT	1.03	0.001250	±2.5	PASS
GSM850	128	VL	NT	-2.78	-0.003373	±2.5	PASS
GSM850	128	VH	NT	-3.49	-0.004234	±2.5	PASS
GSM850	190	VN	NT	-3.81	-0.004554	±2.5	PASS
GSM850	190	VL	NT	-2.58	-0.003084	±2.5	PASS
GSM850	190	VH	NT	-3.10	-0.003705	±2.5	PASS
GSM850	251	VN	NT	-1.23	-0.001449	±2.5	PASS
GSM850	251	VL	NT	-1.16	-0.001367	±2.5	PASS
GSM850	251	VH	NT	-3.81	-0.004489	±2.5	PASS
GPRS850	128	VN	NT	-4.65	-0.005642	±2.5	PASS
GPRS850	128	VL	NT	-1.74	-0.002111	±2.5	PASS
GPRS850	128	VH	NT	-4.71	-0.005715	±2.5	PASS
GPRS850	190	VN	NT	-4.13	-0.004937	±2.5	PASS
GPRS850	190	VL	NT	-0.71	-0.000849	±2.5	PASS
GPRS850	190	VH	NT	-2.20	-0.002630	±2.5	PASS
GPRS850	251	VN	NT	-2.58	-0.003040	±2.5	PASS
GPRS850	251	VL	NT	-0.97	-0.001143	±2.5	PASS
GPRS850	251	VH	NT	-2.52	-0.002969	±2.5	PASS
EGPRS850	190	VN	NT	2.74	0.003275	±2.5	PASS
EGPRS850	190	VL	NT	2.97	0.003550	±2.5	PASS
EGPRS850	190	VH	NT	1.61	0.001924	±2.5	PASS
EGPRS850	251	VN	NT	4.58	0.005396	±2.5	PASS
EGPRS850	251	VL	NT	2.58	0.003040	±2.5	PASS
EGPRS850	128	VN	NT	1.19	0.001444	±2.5	PASS
EGPRS850	128	VL	NT	1.19	0.001444	±2.5	PASS
EGPRS850	128	VH	NT	1.13	0.001371	±2.5	PASS
EGPRS850	251	VH	NT	3.58	0.004218	±2.5	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	NV	-30	-1.36	-0.001650	±2.5	PASS
GSM850	128	NV	-20	-1.81	-0.002196	±2.5	PASS
GSM850	128	NV	-10	-5.23	-0.006346	±2.5	PASS
GSM850	128	NV	0	-7.68	-0.009318	±2.5	PASS

GSM850	128	NV	10	-7.81	-0.009476	±2.5	PASS
GSM850	128	NV	20	-5.23	-0.006346	±2.5	PASS
GSM850	128	NV	30	-6.91	-0.008384	±2.5	PASS
GSM850	128	NV	40	-9.75	-0.011830	±2.5	PASS
GSM850	128	NV	50	-7.36	-0.008930	±2.5	PASS
GSM850	190	NV	-30	-2.58	-0.003084	±2.5	PASS
GSM850	190	NV	-20	-3.81	-0.004554	±2.5	PASS
GSM850	190	NV	-10	-2.52	-0.003012	±2.5	PASS
GSM850	190	NV	0	-4.84	-0.005785	±2.5	PASS
GSM850	190	NV	10	-4.46	-0.005331	±2.5	PASS
GSM850	190	NV	20	-7.68	-0.009180	±2.5	PASS
GSM850	190	NV	30	-5.75	-0.006873	±2.5	PASS
GSM850	190	NV	40	-4.20	-0.005020	±2.5	PASS
GSM850	190	NV	50	-6.13	-0.007327	±2.5	PASS
GSM850	251	NV	-30	-3.16	-0.003723	±2.5	PASS
GSM850	251	NV	-20	-1.23	-0.001449	±2.5	PASS
GSM850	251	NV	-10	-2.58	-0.003040	±2.5	PASS
GSM850	251	NV	0	-3.94	-0.004642	±2.5	PASS
GSM850	251	NV	10	1.68	0.001979	±2.5	PASS
GSM850	251	NV	20	-4.46	-0.005254	±2.5	PASS
GSM850	251	NV	30	-0.06	-0.000071	±2.5	PASS
GSM850	251	NV	40	-5.23	-0.006162	±2.5	PASS
GSM850	251	NV	50	-0.90	-0.001060	±2.5	PASS
GPRS850	128	NV	-30	-2.91	-0.003531	±2.5	PASS
GPRS850	128	NV	-20	1.87	0.002269	±2.5	PASS
GPRS850	128	NV	-10	-6.07	-0.007365	±2.5	PASS
GPRS850	128	NV	0	-3.42	-0.004149	±2.5	PASS
GPRS850	128	NV	10	-1.03	-0.001250	±2.5	PASS
GPRS850	128	NV	20	-2.26	-0.002742	±2.5	PASS
GPRS850	128	NV	30	-6.01	-0.007292	±2.5	PASS
GPRS850	128	NV	40	-1.49	-0.001808	±2.5	PASS
GPRS850	128	NV	50	-5.10	-0.006188	±2.5	PASS
GPRS850	190	NV	-30	-2.58	-0.003084	±2.5	PASS
GPRS850	190	NV	-20	-2.32	-0.002773	±2.5	PASS
GPRS850	190	NV	-10	-0.97	-0.001159	±2.5	PASS
GPRS850	190	NV	0	-2.45	-0.002929	±2.5	PASS
GPRS850	190	NV	10	-2.91	-0.003478	±2.5	PASS
GPRS850	190	NV	20	-0.65	-0.000777	±2.5	PASS
GPRS850	190	NV	30	-4.52	-0.005403	±2.5	PASS
GPRS850	190	NV	40	-5.68	-0.006789	±2.5	PASS
GPRS850	190	NV	50	-0.13	-0.000155	±2.5	PASS

GPRS850	251	NV	-30	-5.17	-0.006091	±2.5	PASS
GPRS850	251	NV	-20	-2.97	-0.003499	±2.5	PASS
GPRS850	251	NV	-10	-2.91	-0.003428	±2.5	PASS
GPRS850	251	NV	0	-4.20	-0.004948	±2.5	PASS
GPRS850	251	NV	10	-1.61	-0.001897	±2.5	PASS
GPRS850	251	NV	20	-5.23	-0.006162	±2.5	PASS
GPRS850	251	NV	30	-5.88	-0.006927	±2.5	PASS
GPRS850	251	NV	40	-4.33	-0.005101	±2.5	PASS
GPRS850	251	NV	50	-2.97	-0.003499	±2.5	PASS
EGPRS850	128	NV	-30	2.29	0.002778	±2.5	PASS
EGPRS850	128	NV	-20	2.23	0.002706	±2.5	PASS
EGPRS850	128	NV	-10	1.84	0.002232	±2.5	PASS
EGPRS850	128	NV	0	2.81	0.003409	±2.5	PASS
EGPRS850	128	NV	10	1.84	0.002232	±2.5	PASS
EGPRS850	128	NV	20	3.16	0.003834	±2.5	PASS
EGPRS850	128	NV	30	3.87	0.004695	±2.5	PASS
EGPRS850	128	NV	40	2.23	0.002706	±2.5	PASS
EGPRS850	128	NV	50	3.71	0.004501	±2.5	PASS
EGPRS850	190	NV	-30	2.13	0.002546	±2.5	PASS
EGPRS850	190	NV	-20	0.03	0.000036	±2.5	PASS
EGPRS850	190	NV	-10	0.10	0.000120	±2.5	PASS
EGPRS850	190	NV	0	1.13	0.001351	±2.5	PASS
EGPRS850	190	NV	10	0.39	0.000466	±2.5	PASS
EGPRS850	190	NV	20	1.42	0.001697	±2.5	PASS
EGPRS850	190	NV	30	1.03	0.001231	±2.5	PASS
EGPRS850	190	NV	40	-1.74	-0.002080	±2.5	PASS
EGPRS850	190	NV	50	2.23	0.002666	±2.5	PASS
EGPRS850	251	NV	-30	4.52	0.005325	±2.5	PASS
EGPRS850	251	NV	-20	2.68	0.003157	±2.5	PASS
EGPRS850	251	NV	-10	3.81	0.004489	±2.5	PASS
EGPRS850	251	NV	0	2.87	0.003381	±2.5	PASS
EGPRS850	251	NV	10	5.10	0.006008	±2.5	PASS
EGPRS850	251	NV	20	3.75	0.004418	±2.5	PASS
EGPRS850	251	NV	30	4.39	0.005172	±2.5	PASS
EGPRS850	251	NV	40	2.58	0.003040	±2.5	PASS
EGPRS850	251	NV	50	0.36	0.000424	±2.5	PASS

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM1900	512	VN	NT	-9.23	-0.004989	±2.5	PASS
GSM1900	512	VL	NT	-10.20	-0.005513	±2.5	PASS
GSM1900	512	VH	NT	-7.81	-0.004221	±2.5	PASS
GSM1900	661	VN	NT	-6.78	-0.003606	±2.5	PASS
GSM1900	661	VL	NT	-9.56	-0.005085	±2.5	PASS
GSM1900	661	VH	NT	-9.62	-0.005117	±2.5	PASS
GSM1900	810	VN	NT	-10.59	-0.005545	±2.5	PASS
GSM1900	810	VL	NT	-11.30	-0.005917	±2.5	PASS
GSM1900	810	VH	NT	-8.01	-0.004194	±2.5	PASS
GPRS1900	512	VN	NT	-7.68	-0.004151	±2.5	PASS
GPRS1900	512	VL	NT	-3.16	-0.001708	±2.5	PASS
GPRS1900	512	VH	NT	-10.98	-0.005934	±2.5	PASS
GPRS1900	661	VN	NT	-6.65	-0.003537	±2.5	PASS
GPRS1900	661	VL	NT	-9.75	-0.005186	±2.5	PASS
GPRS1900	661	VH	NT	-9.69	-0.005154	±2.5	PASS
GPRS1900	810	VN	NT	-8.65	-0.004529	±2.5	PASS
GPRS1900	810	VL	NT	-4.46	-0.002335	±2.5	PASS
GPRS1900	810	VH	NT	-7.23	-0.003786	±2.5	PASS
EGPRS1900	512	VN	NT	-3.20	-0.001730	±2.5	PASS
EGPRS1900	512	VL	NT	-5.26	-0.002843	±2.5	PASS
EGPRS1900	512	VH	NT	-5.65	-0.003054	±2.5	PASS
EGPRS1900	661	VN	NT	-4.68	-0.002489	±2.5	PASS
EGPRS1900	661	VL	NT	-4.84	-0.002574	±2.5	PASS
EGPRS1900	661	VH	NT	-3.68	-0.001957	±2.5	PASS
EGPRS1900	810	VN	NT	-8.52	-0.004461	±2.5	PASS
EGPRS1900	810	VL	NT	-5.65	-0.002958	±2.5	PASS
EGPRS1900	810	VH	NT	-7.39	-0.003870	±2.5	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM1900	512	NV	-30	-8.33	-0.004502	±2.5	PASS
GSM1900	512	NV	-20	-11.04	-0.005967	±2.5	PASS
GSM1900	512	NV	-10	-11.88	-0.006421	±2.5	PASS
GSM1900	512	NV	0	-28.99	-0.015669	±2.5	PASS
GSM1900	512	NV	10	-26.99	-0.014588	±2.5	PASS
GSM1900	512	NV	20	-26.73	-0.014447	±2.5	PASS

GSM1900	512	NV	30	-22.21	-0.012004	±2.5	PASS
GSM1900	512	NV	40	-25.31	-0.013680	±2.5	PASS
GSM1900	512	NV	50	-21.37	-0.011550	±2.5	PASS
GSM1900	661	NV	-30	-8.33	-0.004431	±2.5	PASS
GSM1900	661	NV	-20	-7.23	-0.003846	±2.5	PASS
GSM1900	661	NV	-10	-6.91	-0.003676	±2.5	PASS
GSM1900	661	NV	0	-7.55	-0.004016	±2.5	PASS
GSM1900	661	NV	10	-19.95	-0.010612	±2.5	PASS
GSM1900	661	NV	20	-17.37	-0.009239	±2.5	PASS
GSM1900	661	NV	30	-12.27	-0.006527	±2.5	PASS
GSM1900	661	NV	40	-11.49	-0.006112	±2.5	PASS
GSM1900	661	NV	50	-7.81	-0.004154	±2.5	PASS
GSM1900	810	NV	-30	-11.43	-0.005985	±2.5	PASS
GSM1900	810	NV	-20	-10.85	-0.005681	±2.5	PASS
GSM1900	810	NV	-10	-16.21	-0.008488	±2.5	PASS
GSM1900	810	NV	0	-9.56	-0.005006	±2.5	PASS
GSM1900	810	NV	10	-13.37	-0.007001	±2.5	PASS
GSM1900	810	NV	20	-20.53	-0.010750	±2.5	PASS
GSM1900	810	NV	30	-15.50	-0.008116	±2.5	PASS
GSM1900	810	NV	40	-14.92	-0.007812	±2.5	PASS
GSM1900	810	NV	50	-22.08	-0.011561	±2.5	PASS
GPRS1900	512	NV	-30	-5.49	-0.002967	±2.5	PASS
GPRS1900	512	NV	-20	-1.74	-0.000940	±2.5	PASS
GPRS1900	512	NV	-10	-8.85	-0.004783	±2.5	PASS
GPRS1900	512	NV	0	4.33	0.002340	±2.5	PASS
GPRS1900	512	NV	10	1.74	0.000940	±2.5	PASS
GPRS1900	512	NV	20	-5.88	-0.003178	±2.5	PASS
GPRS1900	512	NV	30	3.94	0.002129	±2.5	PASS
GPRS1900	512	NV	40	-4.20	-0.002270	±2.5	PASS
GPRS1900	512	NV	50	-8.07	-0.004362	±2.5	PASS
GPRS1900	661	NV	-30	-9.75	-0.005186	±2.5	PASS
GPRS1900	661	NV	-20	-6.07	-0.003229	±2.5	PASS
GPRS1900	661	NV	-10	-7.62	-0.004053	±2.5	PASS
GPRS1900	661	NV	0	-3.03	-0.001612	±2.5	PASS
GPRS1900	661	NV	10	-6.13	-0.003261	±2.5	PASS
GPRS1900	661	NV	20	-8.07	-0.004293	±2.5	PASS
GPRS1900	661	NV	30	-11.43	-0.006080	±2.5	PASS
GPRS1900	661	NV	40	-6.59	-0.003505	±2.5	PASS
GPRS1900	661	NV	50	-14.40	-0.007660	±2.5	PASS
GPRS1900	810	NV	-30	-4.78	-0.002503	±2.5	PASS
GPRS1900	810	NV	-20	-6.39	-0.003346	±2.5	PASS

GPRS1900	810	NV	-10	-6.13	-0.003210	±2.5	PASS
GPRS1900	810	NV	0	-12.40	-0.006493	±2.5	PASS
GPRS1900	810	NV	10	-0.19	-0.000099	±2.5	PASS
GPRS1900	810	NV	20	-1.23	-0.000644	±2.5	PASS
GPRS1900	810	NV	30	-8.52	-0.004461	±2.5	PASS
GPRS1900	810	NV	40	-2.32	-0.001215	±2.5	PASS
GPRS1900	810	NV	50	-4.84	-0.002534	±2.5	PASS
EGPRS1900	512	NV	-30	-7.94	-0.004291	±2.5	PASS
EGPRS1900	512	NV	-20	-5.62	-0.003038	±2.5	PASS
EGPRS1900	512	NV	-10	7.52	0.004064	±2.5	PASS
EGPRS1900	512	NV	0	3.71	0.002005	±2.5	PASS
EGPRS1900	512	NV	10	4.10	0.002216	±2.5	PASS
EGPRS1900	512	NV	20	3.49	0.001886	±2.5	PASS
EGPRS1900	512	NV	30	1.55	0.000838	±2.5	PASS
EGPRS1900	512	NV	40	3.65	0.001973	±2.5	PASS
EGPRS1900	512	NV	50	4.84	0.002616	±2.5	PASS
EGPRS1900	661	NV	-30	-4.07	-0.002165	±2.5	PASS
EGPRS1900	661	NV	-20	-6.91	-0.003676	±2.5	PASS
EGPRS1900	661	NV	-10	-8.14	-0.004330	±2.5	PASS
EGPRS1900	661	NV	0	-0.65	-0.000346	±2.5	PASS
EGPRS1900	661	NV	10	-4.91	-0.002612	±2.5	PASS
EGPRS1900	661	NV	20	-2.55	-0.001356	±2.5	PASS
EGPRS1900	661	NV	30	-2.84	-0.001511	±2.5	PASS
EGPRS1900	661	NV	40	-11.27	-0.005995	±2.5	PASS
EGPRS1900	661	NV	50	-5.07	-0.002697	±2.5	PASS
EGPRS1900	810	NV	-30	-9.10	-0.004765	±2.5	PASS
EGPRS1900	810	NV	-20	-6.88	-0.003602	±2.5	PASS
EGPRS1900	810	NV	-10	-12.01	-0.006289	±2.5	PASS
EGPRS1900	810	NV	0	-10.49	-0.005493	±2.5	PASS
EGPRS1900	810	NV	10	-6.30	-0.003299	±2.5	PASS
EGPRS1900	810	NV	20	-5.49	-0.002875	±2.5	PASS
EGPRS1900	810	NV	30	-8.20	-0.004294	±2.5	PASS
EGPRS1900	810	NV	40	-1.87	-0.000979	±2.5	PASS
EGPRS1900	810	NV	50	-7.97	-0.004173	±2.5	PASS